R 3850-1.3 U
11/86

LOS

LENGTH OF STAY

CPHA PUBLICATIONS

Length of Stay by Diagnosis, North Central Region, 1985

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1986

LENGTH OF STAY

Copyright 1986 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1985
. . . by Diagnosis, United States, North Central Region, 1985
. . . by Diagnosis, United States, Northeastern Region, 1985
. . . by Diagnosis, United States, Southern Region, 1985
. . . by Diagnosis, United States, Western Region, 1985
. . . by Diagnosis, Canada, 1985

. . . by Operation, United States, 1985
. . . by Operation, United States, North Central Region, 1985
. . . by Operation, United States, Northeastern Region, 1985
. . . by Operation, United States, Southern Region, 1985
. . . by Operation, United States, Western Region, 1985
. . . by Operation, Canada, 1985

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1985
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1985

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1985 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1985 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1985 LENGTH OF STAY BOOKS

Peg Eby, Research Assistant, Research Services
Carol A. Prevost, Research Associate
Jeanine DeLay, Assistant Director
Edward J. Kobrinski, Director

CONTENTS

Preface iii
Discussion of the Data 1
  Source of the Data. 1
  Data Quality. 2
  Coverage 3
  Organization of Length of Stay Tables. 5
    Definition of Multiple Diagnosis Patients 5
    Definition of Operated Patients 5
  Explanation of Statistics. 6
  Defining the Extended Stay Case 7
Length of Stay Tables 17
  Summary of All Patients. 18
  Summary of All Patients Except Newborn 19
  Diagnosis Groups 1-398 20
Appendix: *ICD-9-CM* Codes for Selected Diagnosis Groups 219
Index to Length of Stay Tables 223

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.



** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S.

January-December 1985

	Short-Term Nonfederal Hospitals			Short-Term Nonfederal Hospital Beds		
	U.S. Total[2]	Number in Books	Percent in Books	U.S. Total[2]	Number in Books	Percent in Books
Hospital Category						
Bedsize						
6-24	332	44	13.3	6,138	880	14.3
25-49	1,161	226	19.5	42,908	8,735	20.3
50-99	1,283	383	29.9	92,066	27,587	30.0
100-199	1,221	393	32.2	172,860	56,242	32.5
200-299	703	232	33.0	170,564	57,368	33.6
300-399	415	142	34.2	141,454	48,545	34.3
400-499	265	90	34.0	117,253	39,787	33.9
500+	307	73	23.8	212,299	47,783	22.5
Total	5,687	1,583	27.8	955,542	286,927	30.0
Region and Census Division						
Northeast	814	342	42.0	205,568	67,158	32.7
New England	241	131	54.4	48,426	20,234	41.8
Middle Atlantic	573	211	36.8	157,142	46,924	29.9
North Central	1,673	515	30.8	267,603	105,699	39.5
East North Central	880	418	47.5	182,843	90,510	49.5
West North Central	793	97	12.2	84,760	15,189	17.9
South	2,139	366	17.1	338,647	61,836	18.3
South Atlantic	810	186	23.0	158,360	34,351	21.7
East South Central	496	89	17.9	71,653	13,196	18.4
West South Central	833	91	10.9	108,634	14,289	13.2
West	1,061	360	33.9	143,724	52,234	36.3
Mountain	370	153	41.4	40,264	19,940	49.5
Pacific	691	207	30.0	103,460	32,294	31.2
Total	5,687	1,583	27.8	955,542	286,927	30.0

The Pediatric book was compiled from the data of 1,569 hospitals. The Geriatric book was compiled from the data of 1,559 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1984 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, operation status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[2])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Definition of Operated Patients

Operated patients are patients who had at least one UHDDS[3] Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Explanation of Statistics

The *List A* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in that *List A* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[1]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses can also be found in the Alphabetic Index at the back of the length of stay books.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[1] That code can then be located in *List A* or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 47-year-old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening.* The length of stay table is number 215.



1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. *Suspicion of life threatening disease, e.g.*			
a. acute myocardial infarction			
b. dissecting aortic aneurysm			
c. acute pericarditis			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	2		215
Cholesteatoma, ear	2		134

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.



DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	**Cholelithiasis**
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



Cholangitis **INDEX TO DISEASES**

- **Cholangitis** (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  - chronic nonsuppurative destructive 571.6
  - nonsuppurative destructive (chronic) 571.6
- **Cholecystdocholithiasis** — *see* Choledocholithiasis
- **Cholecystitis** (chronic) 575.1

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

- with
  - calculus, stones in
    - bile duct (common) (hepatic) 574.4
    - gallbladder 574.1
  - choledocholithiasis 574.4
  - cholelithiasis 574.1
- acute 575.0
  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.3
      - gallbladder 574.0
    - choledocholithiasis 574.3
    - cholelithiasis 574.0
- emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
- gangrenous *(see also* Cholecystitis, acute) 575.0
- paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
- suppurative *(see also* cholecystitis, acute) 575.0
- typhoidal 002.0
- **Choledochitis** (suppurative) 576.1
- **Choledocholith** — *see* Choledocholithiasis
- **Choledocholithiasis** 574.5

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

- with cholecystitis (chronic) 574.4
  - acute 574.3
- **Cholelithiasis** (impacted) (multiple) 574.2

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

- with cholecystitis (chronic) 574.1
  - acute 574.0
- **Cholemia** *(see also* Jaundice) 782.4
  - familial 277.4
  - Gilbert's (familial nonhemolytic) 277.4
- **Cholemic gallstone** — *see* Cholelithiasis
- **Choleperitoneum, choleperitonitis** *(see also* Disease, gallbladder) 567.8
- **Cholera** (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  - antimonial 985.4
  - carrier (suspected) of V02.0
  - classical 001.0
  - contact V01.0
  - due to
    - Vibrio
      - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        - El Tor 001.1
  - El Tor 001.1
  - exposure to V01.0
  - vaccination, prophylactic (against) V03.0
- **Cholerine** *(see also* Cholera) 001.9
- **Cholestasis** *(see also* Disease, gallbladder) 575.8
- **Cholesteatoma** (ear) 385.30
  - attic (primary) 385.31
  - diffuse 385.35
  - external ear (canal) 380.21
  - marginal (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
    - secondary (with middle ear involvement) 385.33
  - mastoid cavity 385.30
  - middle ear 385.30
    - secondary 385.32
      - with involvement of mastoid cavity 385.33
  - postmastoidectomy cavity (recurrent) 383.32
  - primary 385.31
  - recurrent, postmastoidectomy cavity 383.32
  - secondary (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
- **Cholesteatosis** (middle ear) *(see also* Cholesteatoma) 385.30
  - diffuse 385.35

Step 2. Find the table for group 215 in the length of stay book.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	4.7	10	1	2	4	6	9	11	15
20-34	1472	4.4	10	1	1	4	6	8	10	16
35-49	1964	5.2	14	1	2	4	7	9	12	17
50-64	3826	5.8	15	2	2	5	7	10	13	19
65+	7503	7.6	32	2	3	6	10	14	17	28
B. *Operated*										
0-19 YRS	671	9.6	30	5	5	8	11	15	17	32
20-34	9073	9.2	24	5	5	8	11	14	17	27
35-49	11544	9.9	27	5	6	8	12	16	19	30
50-64	17699	11.4	41	5	6	10	13	18	23	35
65+	18538	15.1	82	6	7	13	18	25	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6693	4.1	9	1	1	3	5	8	9	14
B. *Operated*	50291	8.3	14	5	5	7	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	14921	6.5	24	2	2	5	8	12	15	25
B. *Operated*	57525	11.9	54	5	6	10	14	20	25	41
1. SINGLE DX	56984	7.8	15	3	4	7	9	12	14	21
2. MULTIPLE DX	72446	10.8	53	3	5	9	13	19	24	39
A. NOT OPERATED	21614	5.7	21	1	2	5	7	11	14	22
B. OPERATED	107816	10.2	38	5	6	8	12	17	21	34
TOTAL 0-19 YRS	2325	7.5	19	2	3	7	9	12	14	22
20-34	27293	7.6	16	3	4	7	9	12	14	21
35-49	28151	8.3	21	3	4	7	10	13	16	24
50-64	36761	9.4	31	3	5	8	11	16	19	30
65+	34900	12.1	68	3	5	10	15	21	27	44
GRAND TOTAL	**129430**	**9.5**	**38**	**3**	**4**	**8**	**11**	**16**	**20**	**33**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 5. The patient is 47-years-old and therefore falls in the age group 35-49.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay
Tables

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	247484	3.3	17	1	1	3	4	5	6	19
20-34	165610	3.7	22	<1	1	3	4	6	10	27
35-49	56966	5.3	38	1	1	3	6	11	17	30
50-64	37041	5.6	37	1	1	4	7	11	16	31
65+	30163	6.2	41	1	1	4	8	12	17	34
B. *Operated*										
0-19 YRS	79958	2.9	10	<1	1	2	3	6	8	16
20-34	170359	3.4	8	1	1	3	4	6	7	13
35-49	74838	4.3	15	1	1	3	6	9	11	18
50-64	63613	4.9	20	1	1	4	7	10	13	21
65+	49728	5.9	28	1	1	4	8	13	15	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	257264	4.7	44	1	1	3	5	8	12	40
20-34	158958	6.0	53	1	1	4	6	13	22	35
35-49	148260	6.5	46	1	2	5	8	13	20	33
50-64	217590	6.6	37	1	2	5	8	13	17	31
65+	447757	7.5	36	2	2	6	9	14	18	30
B. *Operated*										
0-19 YRS	76805	5.7	83	1	1	3	6	12	20	59
20-34	215345	5.2	32	1	2	4	6	9	13	31
35-49	149389	6.9	51	1	2	5	8	13	19	39
50-64	190000	8.5	75	1	2	6	11	17	24	45
65+	285448	10.5	86	2	2	8	14	21	28	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	537264	3.9	24	1	1	3	4	7	10	28
B. *Operated*	438496	4.0	14	1	1	3	5	8	11	18
2. MULTIPLE DX										
A. *Not Operated*	1229829	6.5	42	1	2	5	8	13	18	33
B. *Operated*	916987	7.9	70	1	2	5	10	16	23	44
1. SINGLE DX	975760	3.9	20	1	1	3	4	7	11	23
2. MULTIPLE DX	2146816	7.1	54	1	2	5	9	14	20	38
A. NOT OPERATED	1767093	5.7	38	1	1	4	7	11	16	31
B. OPERATED	1355483	6.6	55	1	1	4	8	14	19	38
TOTAL 0-19 YRS	661511	4.1	35	1	1	3	4	7	10	34
20-34	710272	4.6	30	1	1	3	5	8	13	29
35-49	429453	6.1	42	1	1	4	7	12	18	33
50-64	508244	7.1	51	1	2	5	9	14	20	36
65+	813096	8.4	56	2	2	6	11	16	22	38
GRAND TOTAL	**3122576**	**6.1**	**46**	**1**	**1**	**4**	**7**	**13**	**18**	**34**

515 Hospitals, North Central Region, January-December 1985

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	110282	3.8	36	1	1	3	4	6	9	34
20-34	165610	3.7	22	<1	1	3	4	6	10	27
35-49	56966	5.3	38	1	1	3	6	11	17	30
50-64	37041	5.6	37	1	1	4	7	11	16	31
65+	30163	6.2	41	1	1	4	8	12	17	34
B. *Operated*										
0-19 YRS	79902	2.9	10	<1	1	2	3	6	8	16
20-34	170359	3.4	8	1	1	3	4	6	7	13
35-49	74838	4.3	15	1	1	3	6	9	11	18
50-64	63613	4.9	20	1	1	4	7	10	13	21
65+	49728	5.9	28	1	1	4	8	13	15	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156816	5.0	58	1	1	3	5	9	15	45
20-34	158958	6.0	53	1	1	4	6	13	22	35
35-49	148260	6.5	46	1	2	5	8	13	20	33
50-64	217590	6.6	37	1	2	5	8	13	17	31
65+	447757	7.5	36	2	2	6	9	14	18	30
B. *Operated*										
0-19 YRS	73511	5.0	53	1	1	3	5	10	16	41
20-34	215345	5.2	32	1	2	4	6	9	13	31
35-49	149389	6.9	51	1	2	5	8	13	19	39
50-64	190000	8.5	75	1	2	6	11	17	24	45
65+	285448	10.5	86	2	2	8	14	21	28	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	400062	4.3	32	1	1	3	4	8	13	30
B. *Operated*	438440	4.0	14	1	1	3	5	8	11	18
2. MULTIPLE DX										
A. *Not Operated*	1129381	6.6	44	1	2	5	8	13	18	33
B. *Operated*	913693	7.8	67	1	2	5	10	16	23	43
1. SINGLE DX	838502	4.1	23	1	1	3	5	8	11	25
2. MULTIPLE DX	2043074	7.2	55	1	2	5	9	15	21	38
A. NOT OPERATED	1529443	6.0	42	1	1	4	7	12	17	32
B. OPERATED	1352133	6.6	53	1	1	4	8	14	19	37
TOTAL 0-19 YRS	420511	4.3	43	1	1	3	4	8	12	39
20-34	710272	4.6	30	1	1	3	5	8	13	29
35-49	429453	6.1	42	1	1	4	7	12	18	33
50-64	508244	7.1	51	1	2	5	9	14	20	36
65+	813096	8.4	56	2	2	6	11	16	22	38
GRAND TOTAL	**2881576**	**6.3**	**47**	**1**	**1**	**4**	**8**	**13**	**18**	**35**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2662	3.2	4	1	1	3	4	6	7	9
20-34	935	3.2	4	1	1	3	4	6	7	11
35-49	413	3.6	5	1	1	3	5	6	8	12
50-64	195	3.8	9	1	1	3	5	7	9	16
65+	107	3.8	5	1	1	3	5	7	8	11
B. *Operated*										
0-19 YRS	38	4.9	11	2	2	4	6	8	9	20
20-34	77	5.2	8	2	3	5	6	8	13	15
35-49	32	6.3	14	3	3	5	8	11	13	19
50-64	13	4.5	4	1	2	5	6	7	7	7
65+	8	7.0	33	<1	1	5	10	16	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4916	3.6	6	1	1	3	4	6	8	12
20-34	1633	3.6	6	1	1	3	5	7	8	13
35-49	1000	4.2	8	1	2	4	5	8	10	16
50-64	947	4.9	13	1	2	4	6	9	12	20
65+	1554	5.6	18	2	2	5	7	10	13	21
B. *Operated*										
0-19 YRS	102	8.6	77	2	3	5	9	19	32	45
20-34	150	7.3	51	2	3	6	8	12	15	48
35-49	109	7.1	28	2	3	6	8	13	16	30
50-64	142	9.6	89	2	3	7	12	19	24	36
65+	149	11.6	81	3	4	10	14	21	29	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4312	3.3	4	1	1	3	4	6	7	11
B. *Operated*	168	5.3	11	2	2	5	6	9	13	19
2. MULTIPLE DX										
A. *Not Operated*	10050	4.1	9	1	2	3	5	7	9	16
B. *Operated*	652	9.0	69	2	3	7	11	17	22	42
1. SINGLE DX	4480	3.3	5	1	1	3	4	6	7	11
2. MULTIPLE DX	10702	4.4	14	1	2	3	5	8	10	19
A. NOT OPERATED	14362	3.9	8	1	1	3	5	7	9	15
B. OPERATED	820	8.2	59	2	3	6	10	16	21	40
TOTAL 0-19 YRS	7718	3.5	7	1	1	3	4	6	8	12
20-34	2795	3.7	9	1	1	3	5	7	8	14
35-49	1554	4.3	9	1	2	4	5	8	10	16
50-64	1297	5.3	23	1	2	4	6	10	13	23
65+	1818	6.0	25	2	2	5	7	11	15	26
GRAND TOTAL	**15182**	**4.1**	**12**	**1**	**1**	**3**	**5**	**7**	**9**	**17**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	7.4	35	2	2	5	11	18	20	20
20-34	35	9.7	63	1	2	8	14	20	26	37
35-49	25	10.6	135	1	2	7	13	21	34	57
50-64	15	9.2	44	1	1	9	13	16	23	26
65+	11	9.0	23	2	4	9	11	15	20	20
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	21	8.0	17	1	3	8	11	14	15	15
35-49	16	11.3	250	3	3	6	11	19	54	68
50-64	16	9.6	25	3	3	10	11	15	21	23
65+	9	10.4	32	4	4	9	13	20	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	7.8	24	2	2	9	11	15	16	16
20-34	55	11.9	134	1	2	9	15	29	37	57
35-49	75	13.5	97	3	4	11	17	25	32	57
50-64	72	12.5	152	2	4	10	15	21	32	99
65+	133	13.5	78	3	5	12	18	26	33	66
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	37	13.0	136	2	3	11	17	22	26	69
35-49	50	13.6	118	3	5	11	17	26	32	68
50-64	86	13.4	117	2	4	10	17	24	36	59
65+	140	19.0	178	6	7	16	22	32	39	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	106	9.3	67	1	2	7	12	19	22	46
B. *Operated*	63	9.6	78	3	3	8	11	15	21	62
2. MULTIPLE DX										
A. *Not Operated*	346	12.8	105	3	3	10	16	24	33	62
B. *Operated*	314	15.9	153	3	5	14	20	28	36	69
1. SINGLE DX	169	9.4	70	2	3	8	12	17	21	53
2. MULTIPLE DX	660	14.3	130	3	4	12	18	26	34	69
A. NOT OPERATED	452	12.0	98	2	3	10	15	23	30	59
B. OPERATED	377	14.8	145	3	4	12	18	27	35	69
TOTAL 0-19 YRS	33	7.6	29	2	2	7	10	16	19	20
20-34	148	11.1	102	2	3	9	14	22	29	58
35-49	166	12.9	122	3	4	10	16	25	32	67
50-64	189	12.4	117	2	4	10	15	23	33	83
65+	293	15.8	132	5	6	14	20	28	35	78
GRAND TOTAL	**829**	**13.3**	**121**	**3**	**4**	**11**	**17**	**25**	**33**	**68**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	7.0	7	4	4	8	9	9	9	9
20-34	2	7.0	2	6	6	7	8	8	8	8
35-49	2	20.5	481	5	5	20	36	36	36	36
50-64	4	8.8	32	5	5	7	12	17	17	17
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	7	8.9	80	2	2	5	12	24	27	27
35-49	6	9.0	72	1	1	6	18	21	21	21
50-64	1	18.0		18	18	18	18	18	18	18
65+	5	11.2	255	1	1	5	17	39	39	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	14.5	25	11	11	14	18	18	18	18
20-34	8	8.6	138	2	2	4	8	29	37	37
35-49	10	7.6	43	2	2	5	11	18	22	22
50-64	12	11.5	78	2	3	9	13	27	31	32
65+	19	10.5	122	1	2	6	14	27	38	43
B. *Operated*										
0-19 YRS	6	23.5	912	2	2	11	29	77	82	82
20-34	16	20.6	239	4	5	14	28	45	54	58
35-49	12	13.6	56	6	6	14	19	42	89	99+
50-64	26	17.7	234	3	4	15	22	39	48	72
65+	33	24.5	504	4	7	17	30	59	79	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	9.5	83	3	4	7	9	23	34	36
B. *Operated*	22	9.0	100	1	1	4	13	23	32	39
2. MULTIPLE DX										
A. *Not Operated*	51	10.0	92	2	2	7	13	23	33	43
B. *Operated*	93	20.5	349	3	5	15	28	46	73	98
1. SINGLE DX	34	9.1	91	1	1	5	10	22	34	39
2. MULTIPLE DX	144	16.8	282	2	3	12	22	34	56	95
A. NOT OPERATED	63	9.9	89	2	2	7	12	23	34	42
B. OPERATED	115	18.3	321	2	3	13	25	40	68	97
TOTAL 0-19 YRS	14	14.1	438	1	2	8	14	34	71	82
20-34	33	14.4	195	2	2	9	25	33	45	58
35-49	30	11.1	77	2	2	8	16	27	36	99+
50-64	43	15.2	174	3	4	12	18	32	41	72
65+	58	18.4	391	1	3	12	26	42	66	94
GRAND TOTAL	**178**	**15.3**	**254**	**2**	**3**	**10**	**19**	**33**	**47**	**91**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	271	2.6	2	1	1	2	3	5	5	8
20-34	92	2.9	2	1	2	3	4	4	5	8
35-49	25	3.0	1	1	2	3	4	4	5	5
50-64	6	4.5	6	2	2	4	5	9	9	9
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	33	1.6	1	1	1	1	2	3	4	5
20-34	8	2.5	3	1	1	2	3	5	6	6
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	780	3.1	5	1	1	3	4	5	6	9
20-34	245	3.4	3	1	2	3	4	6	7	8
35-49	80	4.1	3	2	2	4	5	6	7	9
50-64	46	3.8	2	2	2	4	5	6	6	7
65+	31	6.3	16	3	3	5	7	10	19	20
B. *Operated*										
0-19 YRS	39	2.4	3	1	1	2	3	5	6	8
20-34	3	5.0	3	4	4	4	6	7	7	7
35-49	4	8.3	48	1	1	8	14	16	16	16
50-64	4	7.3	16	4	4	6	10	13	13	13
65+	3	20.3	320	10	10	10	33	41	41	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	395	2.7	2	1	1	2	3	5	5	9
B. *Operated*	42	1.8	1	1	1	1	2	3	5	6
2. MULTIPLE DX										
A. *Not Operated*	1182	3.3	5	1	2	3	4	6	7	9
B. *Operated*	53	4.4	38	1	1	2	5	10	13	40
1. SINGLE DX	437	2.6	2	1	1	2	3	5	5	8
2. MULTIPLE DX	1235	3.4	7	1	1	3	4	6	7	10
A. NOT OPERATED	1577	3.2	4	1	1	3	4	5	6	9
B. OPERATED	95	3.2	23	1	1	2	4	6	10	30
TOTAL 0-19 YRS	1123	2.9	5	1	1	3	4	5	6	9
20-34	348	3.3	2	1	2	3	4	5	7	8
35-49	110	3.9	5	2	2	4	5	6	7	14
50-64	56	4.1	4	2	2	4	5	6	7	13
65+	35	7.4	50	3	4	5	8	10	20	41
GRAND TOTAL	**1672**	**3.2**	**6**	**1**	**1**	**3**	**4**	**5**	**7**	**10**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	369	4.9	9	2	2	4	6	10	11	14
20-34	35	5.4	12	2	2	5	7	10	14	15
35-49	21	8.0	25	2	2	7	11	16	17	18
50-64	32	7.1	17	3	3	7	10	11	12	23
65+	73	8.1	25	2	4	7	11	14	18	28
B. *Operated*										
0-19 YRS	15	10.5	61	3	3	10	11	21	30	33
20-34	5	10.2	15	6	6	12	13	14	14	14
35-49	5	17.6	288	3	3	12	22	47	47	47
50-64	3	11.7	82	2	2	13	18	20	20	20
65+	8	19.3	112	8	9	16	27	35	37	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	998	6.1	22	2	2	5	8	11	13	23
20-34	378	9.2	54	2	3	7	12	18	24	43
35-49	437	9.7	42	3	4	8	12	17	22	30
50-64	1103	10.3	39	3	4	9	13	18	23	35
65+	4962	11.0	43	4	5	9	13	18	23	36
B. *Operated*										
0-19 YRS	88	14.4	193	4	4	10	17	32	49	99
20-34	155	17.3	151	3	4	15	22	32	46	57
35-49	213	18.1	213	4	6	14	24	36	52	99+
50-64	447	19.4	221	5	6	15	24	39	53	80
65+	1410	19.5	176	6	8	16	23	36	46	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	530	5.6	14	2	2	4	7	11	12	18
B. *Operated*	36	13.5	102	3	3	11	14	29	36	47
2. MULTIPLE DX										
A. *Not Operated*	7878	10.1	43	3	4	9	13	18	22	35
B. *Operated*	2313	19.0	188	5	7	15	23	36	47	79
1. SINGLE DX	566	6.1	23	2	2	5	8	11	14	25
2. MULTIPLE DX	10191	12.1	90	3	4	10	15	22	30	50
A. NOT OPERATED	8408	9.8	42	3	4	8	12	17	22	34
B. OPERATED	2349	18.9	187	5	7	15	23	36	47	79
TOTAL 0-19 YRS	1470	6.3	34	2	2	5	8	11	14	32
20-34	573	11.2	92	2	3	8	15	23	30	50
35-49	676	12.3	113	3	4	9	15	25	32	69
50-64	1585	12.8	107	4	5	10	15	24	31	62
65+	6453	12.8	85	4	5	10	15	23	30	49
GRAND TOTAL	**10757**	**11.8**	**88**	**3**	**4**	**9**	**14**	**22**	**29**	**50**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	239	6.2	16	2	2	5	9	12	14	18
20-34	51	4.9	10	1	2	4	7	10	12	14
35-49	29	5.6	18	2	2	4	6	14	15	15
50-64	23	7.7	48	2	2	5	10	19	25	25
65+	13	8.2	51	3	3	5	11	17	26	28
B. *Operated*										
0-19 YRS	9	6.4	17	1	2	5	10	12	12	12
20-34	13	6.2	12	2	2	5	9	11	12	12
35-49	4	8.5	54	2	2	6	13	19	19	19
50-64	4	14.5	118	3	3	13	22	29	29	29
65+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	304	7.2	40	2	2	5	10	13	16	40
20-34	95	6.4	25	2	2	5	8	11	16	28
35-49	76	7.0	28	3	3	5	8	14	17	32
50-64	120	7.3	44	2	2	6	9	13	17	43
65+	270	8.5	28	3	4	7	10	15	18	29
B. *Operated*										
0-19 YRS	26	15.2	146	3	4	15	22	52	99+	99+
20-34	24	16.4	241	2	3	9	28	39	47	55
35-49	39	18.4	337	3	4	10	26	50	65	70
50-64	63	17.2	176	4	6	16	22	31	68	99+
65+	105	18.2	202	5	6	15	23	36	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	355	6.2	19	2	2	5	8	12	14	19
B. *Operated*	31	7.8	35	2	2	7	11	13	19	29
2. MULTIPLE DX										
A. *Not Operated*	865	7.5	35	2	3	6	10	13	17	33
B. *Operated*	257	17.5	212	3	5	15	23	36	63	99+
1. SINGLE DX	386	6.3	20	2	2	5	9	12	14	23
2. MULTIPLE DX	1122	9.8	93	2	3	7	12	20	27	65
A. NOT OPERATED	1220	7.1	30	2	2	6	9	13	16	28
B. OPERATED	288	16.5	202	3	4	13	22	33	63	99+
TOTAL 0-19 YRS	578	7.1	37	2	2	5	10	13	16	42
20-34	183	7.3	60	2	2	5	8	13	24	42
35-49	148	9.8	133	2	3	6	10	21	30	66
50-64	210	10.5	105	2	3	7	14	22	29	89
65+	389	11.1	94	3	4	8	13	21	28	72
GRAND TOTAL	**1508**	**8.9**	**77**	**2**	**3**	**6**	**11**	**17**	**24**	**62**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	816	3.4	4	1	1	3	4	5	7	11
20-34	431	3.7	5	1	1	3	5	7	7	10
35-49	100	4.5	6	1	2	4	6	8	9	13
50-64	19	4.6	7	1	2	4	5	8	11	13
65+	5	6.0	5	3	3	6	7	9	9	9
B. *Operated*										
0-19 YRS	10	4.6	15	1	1	4	4	10	15	15
20-34	8	7.3	28	3	3	5	10	16	17	17
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+	2	4.0	8	2	2	4	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	502	4.2	9	1	2	3	5	7	10	15
20-34	258	5.0	12	1	2	4	7	9	11	19
35-49	108	6.0	16	2	3	5	7	12	15	21
50-64	25	8.0	26	2	3	7	10	15	17	21
65+	19	12.2	41	3	4	10	17	22	23	24
B. *Operated*										
0-19 YRS	13	9.8	139	1	2	5	12	20	41	46
20-34	15	10.9	56	2	4	11	12	14	30	35
35-49	4	15.3	86	9	9	11	20	29	29	29
50-64	2	14.5	25	11	11	14	18	18	18	18
65+	5	17.2	77	10	10	14	21	32	32	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1371	3.6	4	1	2	3	4	6	8	11
B. *Operated*	21	5.6	19	1	2	4	6	14	16	17
2. MULTIPLE DX										
A. *Not Operated*	912	4.9	13	2	2	4	6	9	12	20
B. *Operated*	39	11.9	87	1	3	11	13	25	34	46
1. SINGLE DX	1392	3.6	5	1	2	3	4	6	8	12
2. MULTIPLE DX	951	5.2	18	2	2	4	6	10	13	22
A. NOT OPERATED	2283	4.1	8	1	2	3	5	7	9	16
B. OPERATED	60	9.7	72	1	2	8	12	17	30	45
TOTAL 0-19 YRS	1341	3.8	7	1	2	3	4	6	9	13
20-34	712	4.4	10	1	2	4	6	8	10	15
35-49	213	5.5	15	2	2	4	7	10	13	21
50-64	46	6.9	23	2	2	5	9	15	16	21
65+	31	11.5	50	3	3	10	17	21	24	32
GRAND TOTAL	**2343**	**4.3**	**11**	**1**	**2**	**3**	**5**	**8**	**10**	**16**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	361	3.2	5	1	1	3	4	5	7	11
20-34	98	4.3	7	1	2	4	5	7	9	14
35-49	38	5.2	9	1	2	5	7	10	11	12
50-64	60	5.7	21	1	2	5	7	10	13	29
65+	112	6.4	15	2	2	6	8	11	13	20
B. *Operated*										
0-19 YRS	4	3.8	10	1	1	3	6	8	8	8
20-34	8	2.8	2	1	1	3	4	5	5	5
35-49	4	5.5	6	3	3	5	7	8	8	8
50-64	8	3.3	2	1	1	3	4	5	6	6
65+	3	4.3	12	1	1	4	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	884	3.9	10	1	2	3	5	7	8	14
20-34	197	6.4	58	2	2	5	7	11	13	25
35-49	142	7.2	26	2	3	6	8	13	17	30
50-64	339	6.9	13	2	3	6	8	12	14	21
65+	1013	7.6	25	2	3	7	9	14	17	26
B. *Operated*										
0-19 YRS	25	8.8	113	1	1	5	10	25	32	46
20-34	18	7.5	22	2	2	7	10	15	18	19
35-49	19	14.6	302	2	3	8	17	32	59	77
50-64	63	13.1	224	2	3	9	15	27	66	97
65+	118	12.3	93	2	3	10	16	28	36	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	669	4.2	10	1	1	3	5	8	10	16
B. *Operated*	27	3.6	5	1	1	3	4	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	2575	6.1	24	2	2	5	8	11	14	23
B. *Operated*	243	12.0	141	2	3	9	15	27	36	83
1. SINGLE DX	696	4.2	10	1	1	3	5	8	10	16
2. MULTIPLE DX	2818	6.6	36	2	2	5	8	12	16	29
A. NOT OPERATED	3244	5.7	21	1	2	5	7	11	14	22
B. OPERATED	270	11.1	134	1	2	8	14	25	36	81
TOTAL 0-19 YRS	1274	3.8	11	1	1	3	5	6	8	15
20-34	321	5.7	40	1	2	5	7	10	12	23
35-49	203	7.5	53	2	3	6	8	13	19	36
50-64	470	7.5	47	2	3	6	9	13	15	34
65+	1246	7.9	32	2	3	7	10	14	18	30
GRAND TOTAL	**3514**	**6.1**	**32**	**1**	**2**	**5**	**8**	**12**	**15**	**27**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	129	5.4	13	2	2	5	6	9	12	21
20-34	357	6.4	16	2	2	6	8	11	13	20
35-49	114	6.6	19	2	2	6	8	11	14	26
50-64	43	6.9	25	3	3	5	7	13	17	29
65+	13	6.9	23	2	3	6	7	16	18	19
B. *Operated*										
0-19 YRS										
20-34	27	6.5	46	1	1	4	9	16	22	28
35-49	8	6.4	46	1	1	4	8	18	21	21
50-64	8	8.3	89	1	1	6	9	24	30	30
65+	4	6.8	16	1	1	8	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	83	5.3	13	2	2	4	6	10	13	19
20-34	346	6.0	15	2	2	5	7	10	13	21
35-49	139	7.4	22	2	3	6	9	14	18	25
50-64	98	7.3	19	3	3	6	9	15	17	19
65+	106	9.3	41	3	3	7	11	18	25	30
B. *Operated*										
0-19 YRS	3	6.0	21	1	1	7	9	10	10	10
20-34	29	9.3	42	2	3	8	12	16	18	34
35-49	19	12.7	222	2	2	8	14	25	50	67
50-64	28	14.6	118	2	3	13	18	34	40	40
65+	29	12.8	55	3	6	12	15	24	28	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	656	6.3	16	2	2	6	8	11	14	22
B. *Operated*	47	6.8	48	1	1	4	9	16	22	30
2. MULTIPLE DX										
A. *Not Operated*	772	6.8	22	2	3	6	8	12	17	25
B. *Operated*	108	12.1	98	2	3	10	15	25	34	51
1. SINGLE DX	703	6.3	19	2	2	5	8	11	14	24
2. MULTIPLE DX	880	7.5	34	2	3	6	9	14	18	29
A. NOT OPERATED	1428	6.6	19	2	3	6	8	12	15	24
B. OPERATED	155	10.5	88	1	2	8	14	21	29	40
TOTAL 0-19 YRS	215	5.3	13	2	2	5	6	9	12	19
20-34	759	6.4	18	2	2	6	8	11	14	22
35-49	280	7.4	36	2	3	6	9	13	18	28
50-64	177	8.4	45	2	3	6	10	16	20	39
65+	152	9.7	44	3	3	8	12	19	25	32
GRAND TOTAL	**1583**	**7.0**	**27**	**2**	**2**	**6**	**8**	**13**	**17**	**28**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	518	3.8	5	1	2	3	5	7	8	12
20-34	138	4.2	5	1	2	4	6	8	9	21
35-49	42	4.9	11	1	2	4	7	10	12	14
50-64	5	4.2	1	3	3	4	5	5	5	5
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	7	6.7	26	2	2	4	11	14	15	15
20-34	4	6.8	5	5	5	6	8	10	10	10
35-49	3	11.3	12	8	8	11	14	15	15	15
50-64	1	16.0		16	16	16	16	16	16	16
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1143	4.1	5	2	2	4	5	7	8	11
20-34	321	4.6	7	2	2	4	6	8	10	15
35-49	49	5.5	8	2	3	5	7	9	10	16
50-64	24	6.3	8	2	3	6	8	10	12	14
65+	19	8.8	26	3	3	7	11	18	19	19
B. *Operated*										
0-19 YRS	27	9.0	29	2	3	7	13	18	19	21
20-34	22	7.5	24	3	4	6	7	16	20	22
35-49	3	9.0	12	5	5	11	11	11	11	11
50-64	1	8.0		8	8	8	8	8	8	8
65+	4	8.5	9	7	7	7	10	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	704	4.0	6	1	2	3	5	7	8	12
B. *Operated*	16	8.1	21	2	3	7	11	15	16	16
2. MULTIPLE DX										
A. *Not Operated*	1556	4.3	6	2	2	4	5	7	9	14
B. *Operated*	57	8.3	24	3	4	7	11	16	19	22
1. SINGLE DX	720	4.1	6	1	2	3	5	7	9	14
2. MULTIPLE DX	1613	4.5	8	2	2	4	5	8	9	15
A. NOT OPERATED	2260	4.2	6	1	2	4	5	7	9	13
B. OPERATED	73	8.3	23	2	4	7	11	15	19	22
TOTAL 0-19 YRS	1695	4.1	6	1	2	4	5	7	8	13
20-34	485	4.6	8	2	2	4	6	8	10	16
35-49	97	5.6	11	2	2	5	8	10	11	16
50-64	31	6.3	10	3	3	5	8	10	14	16
65+	25	8.6	21	3	3	7	10	17	18	19
GRAND TOTAL	**2333**	**4.3**	**7**	**1**	**2**	**4**	**5**	**7**	**9**	**15**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	92	1.7	1	<1	<1	1	2	3	4	6
20-34	263	1.7	1	<1	<1	1	2	3	3	6
35-49	62	3.0	16	<1	<1	2	3	6	10	22
50-64	24	1.8	2	<1	<1	1	2	4	5	5
65+	3	2.0	3	<1	<1	1	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3	5	3	3	3	6	7	7	7
20-34	4	3.3	20	<1	<1	1	5	10	10	10
35-49										
50-64	1	6.0		6	6	6	6	6	6	6
65+										
B. *Operated*										
0-19 YRS	28	2.5	7	<1	1	2	3	5	8	13
20-34	134	3.2	18	<1	1	2	3	6	11	25
35-49	53	3.0	4	<1	1	3	4	5	7	9
50-64	29	2.7	2	1	1	3	3	4	5	6
65+	11	4.9	7	2	2	5	7	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.0		1	1	1	1	1	1	1
B. *Operated*	444	1.9	3	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	8	4.0	11	<1	<1	3	6	9	10	10
B. *Operated*	255	3.1	12	<1	1	2	3	6	8	20
1. SINGLE DX	448	1.9	3	<1	<1	1	2	3	4	8
2. MULTIPLE DX	263	3.1	12	<1	1	2	4	6	8	19
A. NOT OPERATED	12	3.0	9	<1	<1	1	5	8	10	10
B. OPERATED	699	2.3	7	<1	<1	2	3	4	6	14
TOTAL 0-19 YRS	123	2.0	3	<1	<1	1	2	4	5	9
20-34	405	2.2	7	<1	<1	1	2	3	5	14
35-49	115	3.0	10	<1	1	2	3	5	8	22
50-64	54	2.3	2	<1	<1	2	3	4	5	6
65+	14	4.3	7	<1	1	4	7	8	8	8
GRAND TOTAL	**711**	**2.3**	**7**	**<1**	**<1**	**2**	**3**	**4**	**6**	**14**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1783	2.7	2	1	1	2	3	4	5	8
20-34	339	3.4	10	1	1	3	4	6	8	13
35-49	127	4.0	7	1	1	3	5	8	9	13
50-64	64	3.9	6	1	1	3	5	7	10	12
65+	21	4.4	18	1	1	3	5	7	14	21
B. *Operated*										
0-19 YRS	39	3.3	4	<1	1	3	4	7	7	8
20-34	15	6.2	54	<1	1	5	8	10	25	30
35-49	7	2.3	1	1	1	2	3	3	3	3
50-64	4	7.5	43	1	1	6	12	16	16	16
65+	4	11.8	141	2	2	8	19	29	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2675	3.1	5	1	1	3	4	5	7	11
20-34	786	3.7	6	1	1	3	5	6	8	13
35-49	519	4.4	9	1	2	4	6	8	9	14
50-64	454	4.7	14	1	2	4	6	8	11	22
65+	632	5.6	18	2	2	5	7	10	14	22
B. *Operated*										
0-19 YRS	84	6.0	71	1	1	4	6	9	16	57
20-34	70	7.9	75	2	2	5	9	16	20	93
35-49	52	10.1	110	2	3	8	11	22	28	99
50-64	55	11.6	179	3	3	8	14	21	32	90
65+	67	12.6	135	3	4	10	15	24	32	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2334	2.9	4	1	1	3	4	5	6	11
B. *Operated*	69	4.5	27	<1	1	3	6	9	10	30
2. MULTIPLE DX										
A. *Not Operated*	5066	3.8	9	1	1	3	5	7	9	15
B. *Operated*	328	9.3	114	2	2	6	11	19	27	82
1. SINGLE DX	2403	3.0	5	1	1	3	4	5	6	11
2. MULTIPLE DX	5394	4.1	17	1	1	3	5	7	10	19
A. NOT OPERATED	7400	3.5	7	1	1	3	4	6	8	14
B. OPERATED	397	8.5	103	1	2	5	10	18	26	74
TOTAL 0-19 YRS	4581	3.0	5	1	1	3	4	5	6	11
20-34	1210	3.9	13	1	1	3	5	7	9	17
35-49	705	4.7	18	1	2	4	6	9	11	22
50-64	577	5.3	33	1	2	4	6	10	14	26
65+	724	6.3	33	2	2	5	7	12	16	29
GRAND TOTAL	**7797**	**3.8**	**13**	**1**	**1**	**3**	**4**	**7**	**9**	**17**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	4.2	6	1	1	4	6	8	8	9
20-34	29	3.6	4	1	1	3	5	6	7	10
35-49	13	3.9	8	1	1	2	6	8	10	10
50-64	4	4.0	3	2	2	4	5	6	6	6
65+	5	5.8	4	3	3	6	7	8	8	8
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	5.5	13	3	3	5	8	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	5.0	8	2	2	5	6	10	11	11
20-34	17	3.9	6	1	1	3	5	8	9	10
35-49	16	4.5	9	1	1	4	7	9	10	10
50-64	8	5.0	14	3	3	4	5	12	14	14
65+	8	9.5	64	1	2	8	13	22	25	25
B. *Operated*										
0-19 YRS										
20-34	2	5.0	8	3	3	5	7	7	7	7
35-49	1	16.0		16	16	16	16	16	16	16
50-64	3	9.7	30	4	4	10	14	15	15	15
65+	2	9.5	5	8	8	9	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	4.0	6	1	1	3	6	7	8	10
B. *Operated*	2	5.5	13	3	3	5	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	76	5.1	16	1	2	4	6	10	11	23
B. *Operated*	8	9.3	22	3	3	9	13	16	16	16
1. SINGLE DX	82	4.1	6	1	1	3	6	7	8	10
2. MULTIPLE DX	84	5.5	17	1	2	4	7	11	14	22
A. NOT OPERATED	156	4.6	11	1	1	4	6	9	10	16
B. OPERATED	10	8.5	21	3	3	8	11	15	16	16
TOTAL 0-19 YRS	56	4.6	7	1	1	5	6	9	10	11
20-34	48	3.8	5	1	1	3	5	7	8	10
35-49	32	4.7	12	1	1	4	7	9	10	16
50-64	15	5.7	17	2	3	4	6	14	15	15
65+	15	8.3	37	1	3	7	11	16	23	25
GRAND TOTAL	**166**	**4.8**	**12**	**1**	**1**	**4**	**6**	**9**	**11**	**16**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	115	4.8	6	2	2	4	6	8	10	12
20-34	139	4.3	4	2	2	4	5	7	8	11
35-49	27	5.2	9	1	2	5	7	9	11	14
50-64	7	5.7	9	3	3	5	7	10	11	11
65+	4	4.8	30	2	2	2	8	13	13	13
B. *Operated*										
0-19 YRS	16	3.7	12	1	1	2	5	6	12	14
20-34	36	2.4	5	<1	<1	2	3	5	9	9
35-49	7	2.1	4	<1	<1	1	4	5	5	5
50-64	9	7.4	83	1	1	4	9	22	30	30
65+	6	5.7	22	2	2	4	8	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	113	4.7	6	2	2	4	6	7	10	13
20-34	188	4.9	8	2	2	4	6	9	10	13
35-49	29	5.4	11	1	2	5	7	11	11	14
50-64	27	7.9	28	2	3	7	10	17	20	23
65+	45	10.2	74	1	2	9	12	19	33	41
B. *Operated*										
0-19 YRS	21	6.4	31	1	1	5	8	13	19	25
20-34	57	4.9	25	1	1	3	7	11	13	30
35-49	23	8.1	48	1	1	5	13	19	23	25
50-64	17	12.0	226	<1	1	4	17	29	49	59
65+	14	14.1	131	3	4	13	17	31	42	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	292	4.6	6	2	2	4	6	8	10	12
B. *Operated*	74	3.6	19	<1	1	2	5	8	11	26
2. MULTIPLE DX										
A. *Not Operated*	402	5.7	19	2	2	5	7	10	12	23
B. *Operated*	132	7.6	75	1	1	5	10	17	25	48
1. SINGLE DX	366	4.4	8	1	2	4	5	8	10	14
2. MULTIPLE DX	534	6.2	34	1	2	5	7	11	16	31
A. NOT OPERATED	694	5.2	14	2	2	4	6	10	11	19
B. OPERATED	206	6.2	58	1	1	3	8	14	20	37
TOTAL 0-19 YRS	265	4.8	8	2	2	4	6	8	10	14
20-34	420	4.5	9	1	2	4	6	8	10	14
35-49	86	5.8	22	1	1	5	7	12	14	24
50-64	60	8.7	90	1	2	6	10	19	27	56
65+	69	10.2	83	2	2	9	14	19	33	44
GRAND TOTAL	**900**	**5.4**	**24**	**1**	**2**	**4**	**6**	**10**	**13**	**27**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	4.9	11	1	2	4	6	9	13	15
20-34	14	4.4	9	1	1	4	7	9	10	10
35-49	13	5.9	7	2	2	6	8	9	10	10
50-64	7	3.9	2	2	2	4	5	6	6	6
65+	4	6.3	3	4	4	6	7	8	8	8
B. *Operated*										
0-19 YRS	5	8.0	38	2	2	6	11	18	18	18
20-34	8	13.6	518	2	2	5	11	52	69	69
35-49	29	7.3	53	1	1	6	8	10	24	38
50-64	18	9.1	175	1	2	6	8	10	41	61
65+	5	4.6	9	1	1	5	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	97	4.3	8	1	2	4	5	8	10	15
20-34	54	7.1	36	1	2	5	8	13	20	33
35-49	48	9.5	48	2	3	8	12	20	24	32
50-64	88	8.2	52	2	3	7	10	15	18	46
65+	154	9.2	41	2	3	8	11	18	22	33
B. *Operated*										
0-19 YRS	19	16.1	185	2	2	13	25	44	73	99+
20-34	35	16.6	147	3	6	13	21	34	39	60
35-49	56	12.4	157	1	2	9	16	33	49	97
50-64	80	18.5	432	2	3	10	21	43	73	94
65+	101	16.4	194	4	4	12	22	32	44	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	4.9	9	1	2	4	7	9	10	15
B. *Operated*	65	8.4	134	1	2	6	8	10	27	68
2. MULTIPLE DX										
A. *Not Operated*	441	7.7	40	2	2	6	10	15	20	32
B. *Operated*	291	16.2	247	2	3	11	20	37	55	94
1. SINGLE DX	136	6.6	71	1	2	5	8	10	14	62
2. MULTIPLE DX	732	11.1	139	2	2	8	13	24	34	71
A. NOT OPERATED	512	7.3	36	2	2	6	9	14	19	31
B. OPERATED	356	14.8	235	2	2	9	18	35	49	90
TOTAL 0-19 YRS	154	6.0	45	1	2	4	6	12	18	47
20-34	111	10.2	120	1	2	7	12	22	33	64
35-49	146	9.9	91	1	2	8	11	23	32	57
50-64	193	12.4	244	2	3	8	13	24	43	86
65+	264	11.8	111	2	4	9	14	24	31	57
GRAND TOTAL	**868**	**10.4**	**131**	**2**	**2**	**7**	**12**	**22**	**33**	**69**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.1	2	1	1	3	4	5	6	6
20-34	5	3.4	5	1	1	3	5	7	7	7
35-49	3	6.7	5	4	4	8	8	8	8	8
50-64	2	4.0	2	3	3	4	5	5	5	5
65+	1	16.0		16	16	16	16	16	16	16
B. *Operated*										
0-19 YRS	10	3.7	1	2	2	4	4	5	5	5
20-34	2	16.0	242	5	5	16	27	27	27	27
35-49	2	6.0	32	2	2	6	10	10	10	10
50-64	1	8.0		8	8	8	8	8	8	8
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	4.4	9	<1	1	4	6	9	10	10
20-34	15	6.1	22	2	2	5	7	12	18	20
35-49	12	6.2	8	2	3	6	8	10	12	12
50-64	6	8.3	31	3	3	7	14	16	16	16
65+	5	5.6	23	2	2	4	7	14	14	14
B. *Operated*										
0-19 YRS	14	7.5	57	2	2	4	12	16	27	30
20-34	4	8.0	39	1	1	8	13	15	15	15
35-49	9	10.0	65	1	1	7	16	22	24	24
50-64	9	13.3	105	4	5	10	18	30	36	36
65+	6	22.2	241	11	11	17	24	49	52	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	4.5	12	1	1	4	5	8	12	16
B. *Operated*	16	5.8	36	2	2	4	5	10	22	27
2. MULTIPLE DX										
A. *Not Operated*	50	5.9	17	2	2	5	7	12	14	20
B. *Operated*	42	11.4	108	1	2	9	15	24	32	52
1. SINGLE DX	36	5.0	22	1	2	4	5	8	14	27
2. MULTIPLE DX	92	8.4	65	2	2	6	11	17	24	45
A. NOT OPERATED	70	5.5	15	1	2	4	7	11	14	19
B. OPERATED	58	9.9	94	2	2	5	13	23	29	51
TOTAL 0-19 YRS	45	5.0	23	1	2	4	5	10	13	30
20-34	26	6.7	37	1	2	5	7	15	21	27
35-49	26	7.5	29	2	2	6	9	16	19	24
50-64	18	10.3	70	3	3	8	14	20	30	36
65+	13	13.8	181	2	3	12	17	30	48	52
GRAND TOTAL	**128**	**7.5**	**55**	**2**	**2**	**5**	**9**	**16**	**22**	**40**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	4.2	15	1	1	4	4	9	15	16
20-34	29	4.0	6	<1	1	4	5	7	11	11
35-49	28	4.7	6	2	2	4	7	8	8	9
50-64	8	5.9	26	2	2	4	6	15	18	18
65+	4	6.0	1	5	5	6	7	7	7	7
B. *Operated*										
0-19 YRS	3	12.0	28	6	6	14	15	16	16	16
20-34	113	5.7	29	1	1	4	8	12	16	26
35-49	77	4.0	14	1	1	3	5	9	12	17
50-64	29	3.4	6	1	1	3	4	7	8	11
65+	7	4.4	16	1	1	3	5	11	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	5.1	12	1	2	4	6	9	12	20
20-34	111	6.6	26	2	2	5	8	11	15	31
35-49	118	6.8	24	2	2	6	8	14	18	99+
50-64	72	8.4	46	2	2	6	11	17	24	35
65+	79	9.3	40	3	3	7	12	17	23	31
B. *Operated*										
0-19 YRS	3	6.7	17	2	2	8	9	10	10	10
20-34	184	10.6	84	2	3	8	15	22	28	57
35-49	157	10.5	102	1	1	8	15	24	34	60
50-64	101	11.3	100	2	2	8	16	22	34	77
65+	26	9.2	53	2	2	7	12	20	25	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	4.5	9	1	2	4	6	8	10	17
B. *Operated*	229	4.9	22	1	1	3	7	11	14	23
2. MULTIPLE DX										
A. *Not Operated*	447	7.2	31	2	2	6	9	14	18	33
B. *Operated*	471	10.6	91	1	2	8	15	22	30	60
1. SINGLE DX	311	4.8	18	1	1	4	6	10	14	21
2. MULTIPLE DX	918	9.0	65	2	2	7	11	19	26	48
A. NOT OPERATED	529	6.8	28	2	2	5	8	13	17	32
B. OPERATED	700	8.7	76	1	1	6	12	20	27	49
TOTAL 0-19 YRS	86	5.3	15	1	2	4	7	10	14	19
20-34	437	7.9	55	1	2	6	10	17	23	41
35-49	380	7.6	60	1	1	6	10	16	24	58
50-64	210	9.0	73	1	2	6	12	20	27	50
65+	116	8.9	41	2	3	7	11	17	23	31
GRAND TOTAL	**1229**	**7.9**	**56**	**1**	**2**	**6**	**10**	**17**	**23**	**44**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	2	1.5	1	1	1	1	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	4	11.8	97	3	3	10	20	23	23	23
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	2	7.5	61	2	2	7	13	13	13	13
20-34										
35-49	3	9.0	127	2	2	3	17	22	22	22
50-64	5	12.4	52	3	3	13	16	23	23	23
65+	3	4.7	4	3	3	4	6	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	5	2.0	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	7	8.1	72	1	1	4	14	22	23	23
B. *Operated*	13	9.1	54	2	2	7	13	22	23	23
1. SINGLE DX	6	1.8	1	1	1	2	2	3	3	3
2. MULTIPLE DX	20	8.8	57	1	2	5	13	22	23	23
A. NOT OPERATED	8	7.3	68	1	1	3	12	21	23	23
B. OPERATED	18	7.1	49	1	2	3	13	19	23	23
TOTAL 0-19 YRS	3	7.3	30	2	2	7	11	13	13	13
20-34	1	2.0		2	2	2	2	2	2	2
35-49	6	5.7	64	2	2	3	3	20	22	22
50-64	11	10.2	68	1	2	10	16	23	23	23
65+	5	3.2	6	1	1	3	5	7	7	7
GRAND TOTAL	**26**	**7.2**	**52**	**1**	**1**	**3**	**13**	**21**	**23**	**23**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	3	5.7	4	4	4	5	7	8	8	8
35-49	11	5.5	15	1	2	5	6	11	16	16
50-64	29	5.7	59	1	2	4	6	9	14	43
65+	23	5.0	8	1	1	5	7	9	10	11
B. *Operated*										
0-19 YRS	4	5.0	10	1	1	5	7	8	8	8
20-34	33	4.0	16	1	1	3	4	14	16	99+
35-49	92	5.0	32	1	1	4	6	9	15	34
50-64	257	5.9	40	1	1	3	8	14	18	29
65+	226	6.1	46	1	1	3	8	14	21	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	6.5	4	5	5	6	8	9	9	9
20-34	3	2.0	3	1	1	1	3	4	4	4
35-49	55	9.2	173	1	1	6	11	18	26	85
50-64	170	8.0	58	1	2	6	9	16	21	51
65+	171	8.0	50	2	2	6	9	16	20	38
B. *Operated*										
0-19 YRS	7	6.9	22	1	1	5	11	13	13	13
20-34	19	9.4	84	1	1	7	10	27	30	32
35-49	219	12.5	173	1	2	8	17	28	38	68
50-64	679	13.2	173	1	2	10	17	30	40	68
65+	683	10.8	135	1	2	7	13	25	36	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	5.3	30	1	1	4	6	9	11	38
B. *Operated*	612	5.7	40	1	1	3	7	13	20	32
2. MULTIPLE DX										
A. *Not Operated*	403	8.1	69	1	2	6	9	17	21	49
B. *Operated*	1607	12.0	156	1	2	8	15	28	37	67
1. SINGLE DX	681	5.7	39	1	1	3	7	13	17	32
2. MULTIPLE DX	2010	11.3	141	1	2	7	14	25	36	65
A. NOT OPERATED	472	7.7	64	1	2	6	9	16	20	48
B. OPERATED	2219	10.3	132	1	1	6	13	24	34	62
TOTAL 0-19 YRS	18	5.7	13	1	1	5	8	11	13	13
20-34	58	5.8	43	1	1	4	7	15	27	94
35-49	377	10.0	144	1	1	6	13	23	34	60
50-64	1135	10.6	133	1	2	7	13	25	34	64
65+	1103	9.3	105	1	2	6	11	21	29	54
GRAND TOTAL	**2691**	**9.8**	**121**	**1**	**2**	**6**	**13**	**22**	**32**	**60**

20: Malignant neoplasm of esophagus (150)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	6	6.3	8	2	2	6	9	10	10	10
50-64	9	7.2	6	3	4	8	9	10	10	10
65+	11	4.2	11	1	1	4	6	9	12	12
B. *Operated*										
0-19 YRS										
20-34	1	12.0		12	12	12	12	12	12	12
35-49	5	8.2	40	1	1	11	13	15	15	15
50-64	46	10.7	111	1	2	8	14	24	35	48
65+	31	10.4	108	1	1	8	14	24	39	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	14	6.3	8	2	3	6	8	9	11	12
50-64	112	7.9	71	1	2	6	9	15	21	54
65+	164	8.1	44	2	3	6	10	16	20	32
B. *Operated*										
0-19 YRS										
20-34	3	15.3	92	5	5	17	22	24	24	24
35-49	45	19.0	270	3	4	12	24	42	55	77
50-64	269	17.3	229	3	4	13	22	33	48	92
65+	375	15.5	191	3	4	12	20	32	44	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	5.7	10	1	1	6	8	10	11	12
B. *Operated*	83	10.5	103	1	1	8	14	23	35	47
2. MULTIPLE DX										
A. *Not Operated*	290	7.9	53	2	3	6	9	16	20	43
B. *Operated*	692	16.4	211	3	4	12	21	33	45	79
1. SINGLE DX	109	9.3	85	1	1	7	12	17	32	47
2. MULTIPLE DX	982	13.9	179	2	3	10	18	29	38	75
A. NOT OPERATED	316	7.7	49	2	2	6	9	15	20	39
B. OPERATED	775	15.8	203	2	3	12	20	32	44	78
TOTAL 0-19 YRS										
20-34	4	14.5	64	5	5	14	20	24	24	24
35-49	70	14.6	212	2	3	9	18	33	50	73
50-64	436	14.0	189	2	3	10	18	30	39	78
65+	581	12.9	154	2	3	9	16	27	36	67
GRAND TOTAL	**1091**	**13.5**	**171**	**2**	**3**	**10**	**17**	**28**	**37**	**74**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	2	4.5	25	1	1	4	8	8	8	8
50-64	12	5.1	19	<1	1	4	5	12	15	16
65+	10	8.0	95	2	2	4	9	23	34	34
B. *Operated*										
0-19 YRS										
20-34	6	8.5	11	6	6	7	8	14	15	15
35-49	12	14.3	37	3	8	14	17	21	27	28
50-64	42	11.7	34	3	5	11	14	20	23	26
65+	49	12.3	54	1	3	10	17	24	26	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	7.5	61	2	2	7	13	13	13	13
20-34	5	9.2	42	3	3	8	12	20	20	20
35-49	14	11.1	38	3	4	11	15	18	25	27
50-64	76	7.9	67	1	2	5	9	15	24	44
65+	214	7.7	31	2	2	6	10	15	20	26
B. *Operated*										
0-19 YRS	3	8.7	25	4	4	8	12	14	14	14
20-34	23	13.3	79	2	3	10	18	27	31	36
35-49	91	17.6	137	4	7	16	22	33	42	87
50-64	376	17.0	132	4	7	15	21	30	41	66
65+	886	17.4	122	4	6	15	22	31	38	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	6.2	48	1	2	5	6	13	20	34
B. *Operated*	109	12.1	42	2	4	11	16	21	26	29
2. MULTIPLE DX										
A. *Not Operated*	311	7.9	40	1	2	6	10	15	21	31
B. *Operated*	1379	17.2	125	4	6	15	22	31	39	64
1. SINGLE DX	134	11.0	48	2	3	10	15	20	26	31
2. MULTIPLE DX	1690	15.5	122	3	4	13	20	29	37	62
A. NOT OPERATED	336	7.8	41	1	2	6	10	15	21	34
B. OPERATED	1488	16.8	120	4	6	15	21	30	38	63
TOTAL 0-19 YRS	5	8.2	28	2	2	8	13	14	14	14
20-34	35	11.7	63	3	3	9	16	22	28	36
35-49	119	16.3	120	3	6	14	21	29	39	78
50-64	506	14.9	125	3	4	12	19	28	37	62
65+	1159	15.3	117	3	4	13	20	29	36	59
GRAND TOTAL	**1824**	**15.2**	**118**	**3**	**4**	**13**	**20**	**29**	**36**	**60**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64	4	14.5	74	3	3	16	21	22	22	22
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	17.0		17	17	17	17	17	17	17
35-49	1	3.0		3	3	3	3	3	3	3
50-64	10	6.0	20	1	2	4	11	13	13	13
65+	16	7.1	37	2	2	4	12	15	19	21
B. *Operated*										
0-19 YRS										
20-34	8	10.4	58	2	2	8	17	21	21	21
35-49	20	16.2	140	5	6	13	19	26	43	59
50-64	65	17.7	171	5	7	14	23	39	55	99+
65+	120	20.1	209	7	8	16	25	36	51	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	5.0		5	5	5	5	5	5	5
B. *Operated*	7	9.6	77	1	1	6	18	22	22	22
2. MULTIPLE DX										
A. *Not Operated*	28	6.9	32	2	2	4	12	15	17	21
B. *Operated*	213	18.6	188	6	7	14	23	36	51	86
1. SINGLE DX	8	9.0	69	1	1	5	16	21	22	22
2. MULTIPLE DX	241	17.3	184	3	5	14	22	34	48	80
A. NOT OPERATED	29	6.9	31	2	2	4	11	15	17	21
B. OPERATED	220	18.3	186	5	7	14	23	35	50	85
TOTAL 0-19 YRS										
20-34	10	10.1	59	1	1	8	17	21	21	21
35-49	23	14.5	140	3	5	12	17	25	39	59
50-64	79	16.1	161	3	4	13	21	37	49	99+
65+	137	18.5	205	3	7	14	23	34	48	76
GRAND TOTAL	**249**	**17.0**	**182**	**3**	**5**	**13**	**21**	**33**	**47**	**79**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.3		1	1	1	2	2	2	2
35-49	9	4.7	13	2	2	3	7	11	12	12
50-64	14	5.1	10	<1	1	5	9	9	10	10
65+	26	5.1	17	1	2	4	5	12	15	16
B. *Operated*										
0-19 YRS	2	10.0	32	6	6	10	14	14	14	14
20-34	17	8.5	15	1	3	9	11	14	15	16
35-49	72	10.0	14	6	7	9	12	13	16	26
50-64	355	10.2	15	6	7	10	12	14	16	27
65+	504	10.7	16	5	7	10	13	15	17	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	6.3	34	2	2	4	11	13	13	13
20-34	15	7.5	26	2	3	5	12	17	17	17
35-49	51	5.6	19	1	1	4	9	12	15	18
50-64	202	7.7	50	1	2	5	10	17	23	33
65+	525	7.7	38	2	2	6	9	15	19	31
B. *Operated*										
0-19 YRS	4	11.3	55	3	3	10	16	21	21	21
20-34	47	14.2	57	4	5	12	20	23	28	37
35-49	333	13.1	70	6	7	11	15	20	25	54
50-64	1803	13.3	55	6	7	11	16	22	27	44
65+	5252	15.6	74	7	8	14	18	25	31	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	4.8	14	1	1	4	6	10	12	16
B. *Operated*	950	10.4	16	6	7	10	12	15	17	23
2. MULTIPLE DX										
A. *Not Operated*	796	7.6	40	2	2	6	10	15	20	32
B. *Operated*	7439	14.9	70	7	8	13	18	24	30	46
1. SINGLE DX	1002	10.1	17	3	6	10	12	15	16	23
2. MULTIPLE DX	8235	14.2	72	4	6	12	17	24	30	45
A. NOT OPERATED	848	7.4	39	1	2	6	9	15	19	32
B. OPERATED	8389	14.4	66	6	8	12	17	24	29	45
TOTAL 0-19 YRS	9	9.3	39	2	2	10	13	18	21	21
20-34	82	11.3	53	2	3	10	15	21	24	35
35-49	465	11.6	61	3	5	10	14	19	23	42
50-64	2374	12.3	52	3	6	11	15	21	25	42
65+	6307	14.5	73	5	7	13	17	24	30	46
GRAND TOTAL	**9237**	**13.8**	**68**	**4**	**6**	**12**	**17**	**23**	**29**	**44**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.0		2	2	2	2	2	2	2
35-49	2	10.5	41	6	6	10	15	15	15	15
50-64	18	3.1	7	<1	1	2	4	4	10	13
65+	24	4.3	14	<1	1	4	5	7	11	19
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	7	7.9	41	1	1	8	13	17	17	17
35-49	59	8.5	29	1	2	9	11	16	19	22
50-64	272	10.5	24	2	3	11	13	16	17	23
65+	332	10.0	40	2	2	10	13	17	20	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	11	6.1	49	<1	2	3	5	18	24	25
35-49	29	5.7	22	1	1	5	7	11	14	23
50-64	110	7.4	36	2	2	6	9	15	21	30
65+	336	8.1	55	2	2	6	9	17	22	39
B. *Operated*										
0-19 YRS	3	21.7	292	2	2	30	32	33	33	33
20-34	25	13.4	94	2	5	10	18	24	35	44
35-49	170	14.6	100	3	6	13	18	24	31	80
50-64	897	14.2	78	4	6	12	17	24	30	47
65+	2200	15.9	103	3	5	14	20	26	33	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	4.0	13	<1	1	3	5	7	13	19
B. *Operated*	671	10.0	33	2	2	10	13	17	19	28
2. MULTIPLE DX										
A. *Not Operated*	486	7.7	49	1	2	6	9	17	22	38
B. *Operated*	3295	15.3	96	3	6	13	19	26	32	56
1. SINGLE DX	717	9.7	34	1	2	10	13	17	19	27
2. MULTIPLE DX	3781	14.4	97	3	4	13	18	25	32	54
A. NOT OPERATED	532	7.4	47	1	2	5	9	16	21	37
B. OPERATED	3966	14.4	89	3	4	13	18	24	31	52
TOTAL 0-19 YRS	4	19.0	223	2	2	20	31	33	33	33
20-34	45	10.3	82	1	2	8	15	22	27	44
35-49	260	12.2	86	2	3	11	15	21	27	61
50-64	1297	12.7	68	2	4	11	16	22	27	45
65+	2892	14.2	99	2	4	13	18	25	32	54
GRAND TOTAL	**4498**	**13.6**	**90**	**2**	**4**	**12**	**17**	**24**	**30**	**49**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.6	9	<1	<1	1	3	8	8	8
20-34	3	3.0	1	2	2	3	4	4	4	4
35-49	8	3.8	7	<1	<1	3	6	7	7	7
50-64	11	9.4	124	1	1	4	15	28	35	36
65+	18	11.1	138	1	2	6	12	28	39	45
B. *Operated*										
0-19 YRS	10	19.8	781	3	4	9	18	61	97	97
20-34	14	8.7	8	4	6	8	10	11	15	16
35-49	20	9.0	45	1	2	8	12	20	24	25
50-64	39	9.8	60	1	2	7	15	22	25	29
65+	41	13.0	79	2	3	12	18	26	31	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	5.7	20	<1	1	4	9	13	14	14
20-34	20	8.9	92	2	2	5	10	27	31	34
35-49	31	6.1	48	1	1	5	6	13	18	37
50-64	93	7.6	31	2	2	6	9	14	19	27
65+	157	8.6	43	2	2	7	12	18	22	32
B. *Operated*										
0-19 YRS	26	15.6	227	2	3	11	17	30	53	70
20-34	23	15.8	174	3	5	13	18	34	48	54
35-49	63	14.8	165	2	3	12	19	31	47	61
50-64	281	16.4	168	2	4	13	21	32	43	65
65+	576	17.0	143	4	6	14	21	30	38	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	7.9	96	1	1	5	7	23	31	45
B. *Operated*	124	11.4	119	2	2	8	16	23	28	53
2. MULTIPLE DX										
A. *Not Operated*	322	7.9	42	1	2	6	11	15	22	32
B. *Operated*	969	16.6	154	3	5	14	21	31	40	69
1. SINGLE DX	169	10.5	114	1	2	8	14	23	28	43
2. MULTIPLE DX	1291	14.4	140	2	3	12	19	28	36	63
A. NOT OPERATED	367	7.9	48	1	2	6	11	17	23	34
B. OPERATED	1093	16.0	153	3	5	13	20	30	39	69
TOTAL 0-19 YRS	62	11.9	252	1	1	8	14	23	38	94
20-34	60	11.2	111	2	2	8	14	27	32	53
35-49	122	10.9	122	1	2	8	13	23	32	58
50-64	424	13.7	141	2	3	11	18	28	36	60
65+	792	15.0	131	3	4	12	19	28	35	64
GRAND TOTAL	**1460**	**14.0**	**139**	**2**	**3**	**11**	**18**	**28**	**35**	**62**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49	4	18.3	1057	<1	<1	2	35	67	67	67
50-64	24	6.3	48	<1	1	4	8	17	22	29
65+	21	8.0	43	2	3	6	10	18	25	26
B. *Operated*										
0-19 YRS										
20-34	3	19.0	364	1	1	17	33	39	39	39
35-49	9	7.9	26	1	1	7	12	15	16	16
50-64	43	14.9	139	2	4	12	20	27	36	63
65+	38	12.0	83	2	3	11	15	19	31	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	13.0	225	3	3	7	22	35	35	35
20-34	2	6.0	18	3	3	6	9	9	9	9
35-49	37	10.4	249	2	2	5	13	20	26	95
50-64	159	7.9	45	1	2	6	10	15	20	36
65+	378	8.3	40	2	3	7	10	16	21	31
B. *Operated*										
0-19 YRS	1	24.0		24	24	24	24	24	24	24
20-34	6	15.3	59	7	7	14	21	26	27	27
35-49	88	18.8	134	3	6	16	26	36	41	52
50-64	422	17.3	146	4	5	15	22	33	40	73
65+	845	18.4	146	5	7	16	23	33	44	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	8.0	115	1	1	5	10	18	26	67
B. *Operated*	93	13.2	113	1	3	12	17	23	35	56
2. MULTIPLE DX										
A. *Not Operated*	580	8.4	55	2	2	7	10	16	21	36
B. *Operated*	1362	18.1	145	4	6	15	23	33	42	69
1. SINGLE DX	143	11.4	119	1	2	9	15	23	30	63
2. MULTIPLE DX	1942	15.2	138	2	4	13	20	29	38	62
A. NOT OPERATED	630	8.3	60	2	2	6	10	16	21	36
B. OPERATED	1455	17.8	144	4	6	15	22	33	42	67
TOTAL 0-19 YRS	5	15.2	193	3	3	10	27	35	35	35
20-34	12	14.2	116	1	2	12	19	31	38	39
35-49	138	15.8	193	2	3	13	22	32	40	70
50-64	648	14.5	135	2	3	12	19	28	37	63
65+	1282	15.1	133	3	4	13	20	29	38	61
GRAND TOTAL	**2085**	**14.9**	**138**	**2**	**3**	**12**	**19**	**29**	**38**	**62**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	7.5	61	2	2	7	13	13	13	13
35-49	42	4.3	19	1	1	3	5	7	13	23
50-64	137	4.8	47	1	1	3	5	9	11	51
65+	109	5.7	22	1	2	4	7	12	14	26
B. *Operated*										
0-19 YRS	5	6.8	19	2	2	10	10	10	10	10
20-34	14	12.6	172	1	3	9	15	33	46	50
35-49	147	8.1	40	1	2	7	10	15	20	46
50-64	581	9.1	38	1	2	8	12	18	21	29
65+	502	8.1	33	1	2	8	11	15	17	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	5.2	28	1	1	3	8	14	14	14
20-34	11	7.2	10	3	3	7	9	12	12	12
35-49	390	7.2	47	1	2	5	9	15	19	38
50-64	1804	7.9	59	1	2	6	10	16	20	37
65+	2038	8.6	54	2	2	7	10	17	21	36
B. *Operated*										
0-19 YRS	7	14.0	157	2	2	15	16	34	39	39
20-34	24	13.5	51	5	5	11	18	23	30	31
35-49	650	12.2	87	2	3	10	15	23	30	50
50-64	3488	12.4	90	2	3	10	16	23	30	50
65+	4561	12.6	83	2	3	10	16	23	30	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	290	5.1	33	1	1	4	6	10	14	28
B. *Operated*	1249	8.6	38	1	2	8	11	16	20	31
2. MULTIPLE DX										
A. *Not Operated*	4248	8.2	56	2	2	6	10	16	21	36
B. *Operated*	8730	12.5	86	2	3	10	16	23	30	46
1. SINGLE DX	1539	7.9	39	1	2	7	11	16	19	31
2. MULTIPLE DX	12978	11.1	80	2	3	9	14	22	28	44
A. NOT OPERATED	4538	8.0	55	2	2	6	10	16	21	36
B. OPERATED	9979	12.0	81	2	3	10	15	23	29	46
TOTAL 0-19 YRS	17	9.3	88	1	2	9	14	16	31	39
20-34	51	11.7	78	3	3	10	14	21	31	50
35-49	1229	9.9	73	2	2	8	13	20	26	45
50-64	6010	10.5	79	2	2	9	14	20	26	45
65+	7210	11.0	74	2	3	9	14	21	27	42
GRAND TOTAL	**14517**	**10.7**	**77**	**2**	**3**	**9**	**14**	**21**	**27**	**44**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
20-34	6	3.8	4	1	1	4	5	7	7	7
35-49	2	9.0	98	2	2	9	16	16	16	16
50-64	21	3.2	11	<1	<1	2	4	9	12	12
65+	14	4.9	15	1	1	4	7	12	12	12
B. *Operated*										
0-19 YRS	13	6.0	13	1	2	6	8	12	12	12
20-34	13	6.1	21	<1	1	5	7	15	15	15
35-49	51	7.4	39	1	1	6	12	15	17	28
50-64	197	8.2	45	1	1	8	12	18	21	25
65+	143	7.2	47	1	1	4	12	16	20	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.4	10	1	1	6	7	7	7	7
20-34	6	7.5	76	1	1	4	12	22	23	23
35-49	22	9.3	79	2	3	7	10	19	31	41
50-64	73	8.6	49	1	2	7	11	17	25	32
65+	97	8.4	127	1	1	6	10	16	22	73
B. *Operated*										
0-19 YRS	12	9.8	64	2	2	7	15	22	25	25
20-34	17	13.2	286	2	2	6	14	35	57	68
35-49	93	11.9	101	1	2	11	17	23	28	53
50-64	429	13.3	120	1	2	11	18	27	35	51
65+	475	12.1	132	1	2	10	16	24	34	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	4.0	14	<1	1	3	5	12	12	16
B. *Operated*	417	7.6	43	1	1	6	12	16	20	25
2. MULTIPLE DX										
A. *Not Operated*	203	8.5	89	1	2	6	10	16	24	45
B. *Operated*	1026	12.6	126	1	2	10	17	25	34	60
1. SINGLE DX	462	7.3	41	1	1	5	12	16	20	24
2. MULTIPLE DX	1229	11.9	122	1	2	10	16	24	32	59
A. NOT OPERATED	248	7.6	78	1	1	5	9	16	22	41
B. OPERATED	1443	11.2	107	1	1	10	15	23	29	50
TOTAL 0-19 YRS	32	6.9	35	1	1	6	9	15	20	25
20-34	42	8.8	142	1	2	5	10	19	30	68
35-49	168	10.2	82	1	1	9	14	21	24	49
50-64	720	11.2	97	1	1	9	16	23	29	46
65+	729	10.5	117	1	1	8	14	22	29	60
GRAND TOTAL	**1691**	**10.6**	**104**	**1**	**1**	**9**	**15**	**22**	**29**	**50**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	2.8	2	<1	<1	3	4	5	5	5
20-34	10	2.9	3	<1	<1	3	4	5	5	5
35-49	9	13.1	428	2	2	4	12	45	67	67
50-64	14	5.1	13	1	1	5	7	9	14	15
65+	9	6.9	19	2	2	7	9	13	15	15
B. *Operated*										
0-19 YRS	93	6.3	16	1	2	5	8	12	15	17
20-34	61	8.1	66	1	2	6	10	15	22	49
35-49	65	7.7	57	1	1	6	10	17	20	45
50-64	73	6.1	33	1	1	4	9	12	13	34
65+	83	7.8	54	1	1	7	11	14	20	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	4.9	23	1	1	3	6	13	16	20
20-34	25	7.4	57	1	1	6	11	20	24	29
35-49	18	8.4	68	<1	1	5	11	22	27	29
50-64	51	7.8	50	1	1	6	11	21	24	26
65+	75	8.1	43	2	2	6	10	17	21	36
B. *Operated*										
0-19 YRS	39	12.3	174	1	2	9	15	25	43	67
20-34	41	11.6	112	2	3	9	13	25	32	58
35-49	69	11.4	128	1	2	8	15	25	31	94
50-64	142	13.2	154	2	2	9	17	29	39	62
65+	239	13.5	165	2	3	10	16	28	41	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	5.4	74	<1	1	3	5	10	14	60
B. *Operated*	375	7.1	43	1	1	5	10	13	18	35
2. MULTIPLE DX										
A. *Not Operated*	221	7.2	44	1	1	5	10	17	22	29
B. *Operated*	530	12.9	153	2	3	9	16	28	39	70
1. SINGLE DX	438	6.9	48	1	1	5	9	13	17	37
2. MULTIPLE DX	751	11.3	128	1	2	8	14	24	34	67
A. NOT OPERATED	284	6.8	51	1	1	5	9	15	21	29
B. OPERATED	905	10.5	116	1	2	8	13	21	31	60
TOTAL 0-19 YRS	205	6.7	54	1	1	5	9	14	16	42
20-34	137	8.6	78	1	1	6	11	19	27	52
35-49	161	9.7	110	1	2	7	12	20	29	71
50-64	280	10.0	107	1	2	7	12	23	30	53
65+	406	11.2	124	2	2	8	14	22	34	63
GRAND TOTAL	**1189**	**9.6**	**103**	**1**	**2**	**7**	**12**	**20**	**29**	**39**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	5	2.2	3	<1	<1	1	3	5	5	5
50-64	9	5.7	7	2	2	6	7	9	11	11
65+	4	1.8		1	1	2	2	2	2	2
B. *Operated*										
0-19 YRS	13	5.1	6	2	2	5	7	8	9	9
20-34	108	4.7	11	1	1	4	7	9	11	15
35-49	182	4.5	13	1	1	3	7	9	10	16
50-64	130	5.0	15	1	1	4	6	8	10	19
65+	114	5.0	15	1	1	4	7	9	12	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	16	4.9	23	1	1	3	5	14	17	18
35-49	16	7.2	39	1	1	5	10	14	22	25
50-64	25	9.6	75	2	2	7	12	25	30	35
65+	35	5.9	13	2	3	5	7	10	12	21
B. *Operated*										
0-19 YRS	3	9.7	2	8	8	10	11	11	11	11
20-34	43	6.7	32	1	2	5	8	13	17	31
35-49	100	7.3	81	1	2	6	8	11	17	62
50-64	141	7.5	58	1	2	5	9	16	23	39
65+	197	8.0	49	1	2	6	10	15	20	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	3.8	7	<1	1	3	6	7	9	11
B. *Operated*	547	4.8	13	1	1	4	7	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	92	7.0	38	1	2	5	8	14	21	32
B. *Operated*	484	7.6	56	1	2	6	9	15	21	40
1. SINGLE DX	567	4.7	13	1	1	4	7	9	11	15
2. MULTIPLE DX	576	7.5	53	1	2	6	9	15	21	39
A. NOT OPERATED	112	6.4	34	1	2	5	7	13	18	31
B. OPERATED	1031	6.1	35	1	1	5	8	11	15	33
TOTAL 0-19 YRS	16	5.9	8	2	2	6	8	10	11	11
20-34	169	5.2	18	1	1	4	7	10	12	20
35-49	303	5.6	38	1	1	4	7	10	12	27
50-64	305	6.5	42	1	2	5	8	12	18	36
65+	350	6.7	36	1	2	5	8	13	16	33
GRAND TOTAL	**1143**	**6.1**	**35**	**1**	**1**	**5**	**8**	**11**	**15**	**33**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	4.0	19	1	1	2	7	9	9	9
50-64	4	3.5	7	1	1	3	5	7	7	7
65+	3	2.7		2	2	3	3	3	3	3
B. *Operated*										
0-19 YRS	8	5.1	38	<1	<1	3	6	16	19	19
20-34	17	3.1	6	<1	1	3	4	6	9	11
35-49	48	3.5	7	1	1	2	5	8	9	11
50-64	131	3.0	9	<1	1	2	3	7	10	14
65+	244	3.2	12	<1	1	2	4	6	9	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	10	4.4	12	2	2	3	4	11	11	11
35-49	10	5.3	43	2	2	3	7	15	23	23
50-64	18	5.3	55	<1	<1	2	3	20	21	22
65+	31	6.3	27	2	2	4	10	13	17	22
B. *Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	11	4.4	9	1	1	3	6	9	10	10
35-49	38	5.1	15	1	1	4	7	12	13	15
50-64	183	4.6	43	1	1	3	5	10	16	50
65+	637	6.2	55	1	1	4	8	13	20	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	3.4	7	1	1	3	4	8	9	9
B. *Operated*	448	3.2	11	<1	1	2	4	7	10	17
2. MULTIPLE DX										
A. *Not Operated*	70	5.7	33	<1	1	3	7	14	20	23
B. *Operated*	871	5.8	51	1	1	3	7	12	19	43
1. SINGLE DX	458	3.2	11	<1	1	2	4	7	10	17
2. MULTIPLE DX	941	5.8	49	1	1	3	7	12	19	43
A. NOT OPERATED	80	5.4	30	<1	1	3	7	13	19	23
B. OPERATED	1319	4.9	38	1	1	3	6	11	15	34
TOTAL 0-19 YRS	11	4.7	31	<1	<1	2	8	13	19	19
20-34	38	3.8	9	1	1	3	4	10	11	11
35-49	99	4.3	14	1	1	3	6	9	12	19
50-64	336	4.0	30	<1	1	2	5	9	13	33
65+	915	5.4	44	1	1	3	7	11	18	39
GRAND TOTAL	**1399**	**4.9**	**38**	**1**	**1**	**3**	**6**	**11**	**15**	**33**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	4.8	14	1	1	4	7	10	10	10
35-49	22	3.6	10	<1	1	3	4	7	11	15
50-64	39	4.6	11	2	2	4	6	9	13	15
65+	26	4.9	12	1	2	4	6	10	13	15
B. *Operated*										
0-19 YRS	9	8.2	14	3	3	8	11	14	14	14
20-34	177	4.7	5	1	2	4	6	7	9	12
35-49	1013	5.2	7	1	2	5	7	8	10	13
50-64	1533	5.5	8	2	2	5	7	9	10	14
65+	1471	5.9	7	2	3	6	7	9	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	7.3	2	6	6	7	8	9	9	9
20-34	16	6.9	38	1	2	5	8	13	22	26
35-49	115	8.2	116	<1	1	5	8	18	34	58
50-64	259	8.5	82	1	1	5	11	18	29	43
65+	256	8.0	61	1	2	6	11	15	19	35
B. *Operated*										
0-19 YRS	6	6.7	15	3	3	5	8	13	14	14
20-34	175	6.9	22	2	3	6	8	12	15	26
35-49	1268	6.5	20	2	3	6	8	10	13	25
50-64	2621	7.3	25	2	3	6	9	12	15	26
65+	4005	7.7	23	3	3	7	9	12	15	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	91	4.5	11	1	1	4	5	9	13	15
B. *Operated*	4203	5.5	7	2	2	5	7	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	649	8.2	78	1	1	6	11	16	24	43
B. *Operated*	8075	7.4	23	2	3	7	9	12	15	26
1. SINGLE DX	4294	5.5	7	2	2	5	7	9	10	14
2. MULTIPLE DX	8724	7.4	28	2	3	6	9	12	15	28
A. NOT OPERATED	740	7.8	71	1	1	5	10	15	23	43
B. OPERATED	12278	6.7	19	2	3	6	8	11	14	23
TOTAL 0-19 YRS	18	7.6	12	3	3	7	9	14	14	14
20-34	372	5.8	16	1	2	5	7	10	13	21
35-49	2418	6.0	20	2	2	5	7	10	12	24
50-64	4452	6.7	23	2	3	6	8	11	14	26
65+	5758	7.3	21	2	3	6	9	12	15	24
GRAND TOTAL	**13018**	**6.8**	**22**	**2**	**3**	**6**	**8**	**11**	**14**	**25**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	35	2.9	2	<1	1	3	4	4	5	5
35-49	63	3.3	2	1	1	3	4	4	6	10
50-64	39	4.0	6	1	2	3	5	7	10	11
65+	44	3.9	2	2	3	4	4	5	6	10
B. *Operated*										
0-19 YRS	2	8.0	2	7	7	8	9	9	9	9
20-34	107	5.9	17	1	1	5	9	11	14	19
35-49	167	5.8	15	1	2	5	8	11	13	19
50-64	102	6.1	82	1	2	4	7	10	13	54
65+	61	6.2	29	1	2	5	8	11	18	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	45	6.3	23	1	1	4	9	14	15	18
35-49	91	5.7	22	1	2	4	7	13	17	22
50-64	129	6.6	51	1	2	5	7	12	18	40
65+	119	6.0	27	2	2	4	7	12	17	29
B. *Operated*										
0-19 YRS	2	10.5	113	3	3	10	18	18	18	18
20-34	130	7.9	67	1	2	6	9	12	16	57
35-49	289	9.4	61	1	2	8	11	17	23	46
50-64	242	9.9	66	2	3	8	12	19	26	44
65+	250	9.5	73	2	2	7	12	19	25	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	183	3.5	3	1	2	3	4	5	7	11
B. *Operated*	439	6.0	33	1	2	5	8	11	14	21
2. MULTIPLE DX										
A. *Not Operated*	384	6.1	33	1	2	4	7	12	17	35
B. *Operated*	913	9.3	67	2	2	8	11	17	23	44
1. SINGLE DX	622	5.3	25	1	2	4	7	10	12	20
2. MULTIPLE DX	1297	8.4	59	1	2	7	10	16	22	40
A. NOT OPERATED	567	5.3	25	1	2	4	6	11	15	28
B. OPERATED	1352	8.2	58	1	2	7	10	15	20	38
TOTAL 0-19 YRS	6	7.2	35	3	3	5	9	17	18	18
20-34	317	6.4	38	1	1	5	8	11	15	21
35-49	610	7.2	41	1	2	6	9	14	18	29
50-64	512	7.8	65	1	2	6	10	15	22	40
65+	474	7.6	53	2	2	5	9	16	21	36
GRAND TOTAL	**1919**	**7.4**	**50**	**1**	**2**	**5**	**9**	**14**	**19**	**36**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	14	3.4	1	1	2	4	4	5	5	5
50-64	41	3.4	3	2	2	3	4	4	6	12
65+	60	4.2	8	2	2	4	4	5	11	18
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	12	5.8	6	2	2	6	8	9	9	9
35-49	63	6.4	9	1	3	6	8	9	13	16
50-64	291	6.2	10	2	2	6	8	9	11	14
65+	294	6.4	9	2	2	6	8	10	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	10	6.5	41	1	1	4	6	18	21	21
50-64	78	6.1	48	1	1	4	6	14	21	36
65+	145	6.7	46	1	2	4	8	14	18	38
B. *Operated*										
0-19 YRS	4	5.8	7	2	2	6	7	8	8	8
20-34	32	7.1	5	4	5	7	9	10	11	14
35-49	232	7.0	14	2	3	6	8	11	13	21
50-64	909	8.2	27	2	4	7	9	13	17	30
65+	1308	8.9	39	2	3	8	11	15	20	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	116	3.9	6	2	2	3	4	5	8	16
B. *Operated*	661	6.3	9	2	2	6	8	10	11	16
2. MULTIPLE DX										
A. *Not Operated*	234	6.5	46	1	2	4	7	15	20	37
B. *Operated*	2485	8.5	32	2	3	7	10	14	18	32
1. SINGLE DX	777	5.9	10	2	2	6	8	9	11	16
2. MULTIPLE DX	2719	8.3	34	2	3	7	10	14	19	32
A. NOT OPERATED	350	5.6	34	1	2	4	6	12	17	33
B. OPERATED	3146	8.0	28	2	3	7	9	13	17	29
TOTAL 0-19 YRS	5	6.0	6	2	2	7	7	8	8	8
20-34	46	6.6	6	2	3	6	8	9	10	14
35-49	319	6.7	13	1	3	6	8	11	13	21
50-64	1319	7.5	25	2	3	7	8	12	16	29
65+	1807	8.2	35	2	3	7	10	14	18	31
GRAND TOTAL	**3496**	**7.8**	**29**	**2**	**3**	**7**	**9**	**13**	**17**	**29**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	1.7	1	1	1	1	3	3	3	3
35-49	16	2.4	3	1	1	2	3	6	6	6
50-64	40	2.7	7	1	1	2	3	5	7	17
65+	18	4.3	5	2	2	4	5	7	9	10
B. *Operated*										
0-19 YRS	9	7.1	6	2	3	7	9	10	10	10
20-34	30	6.2	3	3	4	6	7	8	9	9
35-49	60	7.5	37	2	3	7	9	12	14	44
50-64	85	8.2	18	2	4	7	11	13	15	25
65+	48	8.4	20	2	2	8	11	14	17	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	5.0	8	2	2	4	7	9	11	11
20-34	10	2.3	6	1	1	1	3	6	9	9
35-49	62	4.5	11	1	1	3	6	9	11	15
50-64	201	4.3	22	1	1	2	5	10	12	25
65+	205	6.9	42	1	1	5	9	15	20	30
B. *Operated*										
0-19 YRS	15	12.7	214	5	5	9	12	18	52	64
20-34	78	9.1	21	4	5	8	12	16	19	22
35-49	236	10.3	77	4	5	8	12	17	22	65
50-64	543	13.0	83	4	6	10	15	24	30	50
65+	601	15.6	87	6	7	13	19	27	33	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	2.9	6	1	1	2	4	6	7	15
B. *Operated*	232	7.8	21	2	3	7	9	12	14	22
2. MULTIPLE DX										
A. *Not Operated*	488	5.4	30	1	1	3	7	12	16	27
B. *Operated*	1473	13.4	86	5	6	11	16	24	30	53
1. SINGLE DX	312	6.5	22	1	2	6	8	12	14	20
2. MULTIPLE DX	1961	11.4	84	2	2	9	15	22	28	47
A. NOT OPERATED	568	5.0	27	1	1	3	6	11	15	26
B. OPERATED	1705	12.6	81	4	5	10	15	23	29	50
TOTAL 0-19 YRS	34	8.9	106	2	3	7	9	13	17	64
20-34	124	7.5	20	1	3	6	9	15	17	21
35-49	374	8.5	63	2	2	7	10	15	19	50
50-64	869	10.0	75	1	2	8	12	20	27	42
65+	872	12.9	87	2	3	11	17	24	30	47
GRAND TOTAL	**2273**	**10.7**	**78**	**2**	**2**	**9**	**14**	**21**	**27**	**45**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	4.8	6	3	3	4	6	8	8	8
35-49										
50-64	4	3.5	3	1	1	4	5	5	5	5
65+	10	5.8	14	2	3	5	6	12	15	15
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	4	4.3	2	3	3	4	5	6	6	6
35-49	14	8.6	33	1	3	7	9	18	20	21
50-64	25	6.1	10	2	3	5	7	11	13	15
65+	56	7.8	46	1	2	5	11	17	21	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	6.0	1	5	5	6	7	7	7	7
35-49	6	12.7	455	1	1	4	7	51	56	56
50-64	29	6.3	56	1	2	4	6	11	20	40
65+	43	9.0	77	2	3	6	11	21	29	43
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	8	11.6	25	6	6	11	14	19	21	21
35-49	33	9.6	75	1	2	6	13	23	31	32
50-64	76	11.2	71	2	3	9	15	21	28	44
65+	203	13.2	110	2	3	10	18	26	36	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	5.1	10	1	2	4	5	9	13	15
B. *Operated*	100	7.3	33	1	2	6	10	15	20	29
2. MULTIPLE DX										
A. *Not Operated*	81	8.2	92	2	2	5	8	17	29	52
B. *Operated*	321	12.3	96	2	3	10	16	24	32	48
1. SINGLE DX	118	7.0	30	1	2	5	9	15	19	28
2. MULTIPLE DX	402	11.5	97	2	3	9	15	23	32	48
A. NOT OPERATED	99	7.6	78	2	2	5	7	15	29	50
B. OPERATED	421	11.1	85	2	3	9	15	22	30	48
TOTAL 0-19 YRS	2	10.0	18	7	7	10	13	13	13	13
20-34	19	7.7	23	3	3	6	9	15	18	21
35-49	53	9.7	100	1	2	7	12	21	31	55
50-64	134	8.9	60	2	3	6	11	19	26	41
65+	312	11.4	97	2	3	9	15	23	33	48
GRAND TOTAL	**520**	**10.5**	**86**	**2**	**3**	**8**	**14**	**21**	**29**	**48**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	10	3.1	2	1	1	3	4	5	5	5
65+	18	3.1	5	<1	1	2	4	7	8	8
B. *Operated*										
0-19 YRS										
20-34										
35-49	8	5.9	26	<1	1	4	10	14	14	14
50-64	419	6.1	19	1	2	5	8	12	14	19
65+	1061	5.4	13	1	1	5	7	10	13	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.8	8	2	2	4	7	8	8	8
20-34										
35-49	7	7.1	78	1	1	3	11	23	25	25
50-64	163	7.7	52	1	2	5	9	18	24	35
65+	721	7.5	30	2	2	6	9	14	18	28
B. *Operated*										
0-19 YRS	8	13.5	216	4	4	7	15	39	48	48
20-34	1	11.0		11	11	11	11	11	11	11
35-49	25	8.1	28	2	2	7	10	14	19	24
50-64	1095	8.4	45	2	3	7	10	16	21	32
65+	5714	8.2	37	2	3	7	10	15	19	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	3.1	4	1	1	3	4	6	7	8
B. *Operated*	1488	5.6	15	1	1	5	7	10	13	18
2. MULTIPLE DX										
A. *Not Operated*	895	7.5	34	2	2	6	9	14	19	31
B. *Operated*	6843	8.3	39	2	3	7	10	15	19	31
1. SINGLE DX	1516	5.5	15	1	1	5	7	10	13	18
2. MULTIPLE DX	7738	8.2	38	2	3	7	10	15	19	31
A. NOT OPERATED	923	7.4	34	1	2	6	9	14	19	30
B. OPERATED	8331	7.8	35	1	2	6	10	15	18	30
TOTAL 0-19 YRS	12	10.6	158	2	3	6	10	27	45	48
20-34	1	11.0		11	11	11	11	11	11	11
35-49	40	7.5	35	1	2	6	11	14	21	25
50-64	1687	7.7	40	1	2	6	10	15	19	31
65+	7514	7.7	34	2	2	6	10	14	18	29
GRAND TOTAL	**9254**	**7.7**	**35**	**1**	**2**	**6**	**10**	**15**	**19**	**30**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	3.7	3	1	1	4	5	5	5	5
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	16	2.7	4	1	1	2	3	5	8	9
20-34	206	3.8	10	1	1	3	4	8	10	16
35-49	70	3.0	5	1	1	3	3	6	7	12
50-64	28	3.9	11	1	1	3	5	9	11	14
65+	19	4.1	8	<1	<1	3	6	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.3		5	5	5	6	6	6	6
20-34	27	6.2	51	<1	1	5	7	12	18	38
35-49	6	5.2	1	4	4	5	6	6	6	6
50-64	6	5.5	10	1	1	6	8	9	9	9
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	7	7.4	10	3	4	7	9	12	13	13
20-34	96	8.3	104	1	1	6	11	15	17	63
35-49	44	5.0	14	1	1	4	6	12	13	15
50-64	45	8.8	110	1	2	5	11	15	23	65
65+	54	6.9	28	1	2	6	9	12	21	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.2	2	1	1	3	5	5	5	5
B. *Operated*	339	3.6	9	1	1	3	4	7	10	14
2. MULTIPLE DX										
A. *Not Operated*	44	5.7	33	1	1	5	6	8	14	38
B. *Operated*	246	7.5	71	1	2	6	10	14	17	38
1. SINGLE DX	348	3.6	8	1	1	3	4	7	10	14
2. MULTIPLE DX	290	7.2	65	1	2	5	9	14	17	38
A. NOT OPERATED	53	5.3	28	1	1	5	6	8	12	37
B. OPERATED	585	5.2	38	1	1	3	7	11	14	26
TOTAL 0-19 YRS	26	4.3	9	1	1	3	6	9	10	13
20-34	335	5.3	44	1	1	4	7	11	14	34
35-49	122	3.8	9	1	1	3	5	7	11	14
50-64	80	6.7	71	1	1	4	9	14	18	54
65+	75	6.1	24	1	1	5	8	10	16	25
GRAND TOTAL	**638**	**5.2**	**38**	**1**	**1**	**4**	**6**	**11**	**14**	**27**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	5	3.6	3	2	2	3	5	6	6	6
50-64	12	3.6	9	<1	<1	2	6	8	8	8
65+	23	3.9	11	<1	1	3	6	9	11	12
B. *Operated*										
0-19 YRS	4	3.0	3	1	1	3	4	5	5	5
20-34	20	3.3	6	1	1	3	4	7	9	9
35-49	107	3.6	29	<1	1	2	3	7	13	34
50-64	558	4.2	17	1	1	3	5	10	13	18
65+	1099	4.2	15	1	1	3	5	9	12	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	9.0	13	6	6	8	12	13	13	13
20-34	1	2.0		2	2	2	2	2	2	2
35-49	7	4.3	3	2	2	4	6	6	6	6
50-64	68	6.6	76	1	1	4	8	14	26	45
65+	260	7.6	67	1	2	5	9	15	23	42
B. *Operated*										
0-19 YRS	15	10.9	138	<1	1	6	16	27	37	40
20-34	12	8.9	248	1	1	4	6	29	53	57
35-49	124	6.5	43	1	1	4	8	15	20	31
50-64	916	7.3	67	1	1	4	9	16	22	42
65+	3582	7.5	52	1	2	5	10	16	22	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	3.8	9	<1	1	3	6	9	10	12
B. *Operated*	1788	4.2	16	1	1	3	5	9	13	19
2. MULTIPLE DX										
A. *Not Operated*	339	7.3	67	1	1	5	9	15	23	43
B. *Operated*	4649	7.5	55	1	2	5	10	16	22	38
1. SINGLE DX	1828	4.1	16	1	1	3	5	9	13	19
2. MULTIPLE DX	4988	7.5	56	1	2	5	9	16	22	39
A. NOT OPERATED	379	7.0	62	1	1	5	8	14	21	42
B. OPERATED	6437	6.5	47	1	1	4	8	14	19	35
TOTAL 0-19 YRS	22	9.2	103	<1	1	6	13	25	32	40
20-34	33	5.3	96	1	1	3	5	9	16	57
35-49	243	5.1	37	1	1	3	6	13	17	29
50-64	1554	6.1	51	1	1	4	7	14	18	38
65+	4964	6.8	46	1	2	5	8	15	20	35
GRAND TOTAL	**6816**	**6.6**	**48**	**1**	**1**	**4**	**8**	**14**	**19**	**36**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.0		1	1	1	1	1	1	1
20-34										
35-49	6	3.0	4	1	1	2	5	6	6	6
50-64	8	4.1	14	1	1	3	4	11	13	13
65+	12	3.2	4	1	1	3	4	6	8	8
B. *Operated*										
0-19 YRS	33	9.6	26	4	6	9	11	13	14	34
20-34	19	7.5	9	1	3	8	10	10	12	13
35-49	57	8.1	21	1	2	8	10	15	17	20
50-64	156	9.1	29	2	4	8	11	13	17	32
65+	134	9.4	75	1	2	8	11	15	21	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	3.0	6	<1	<1	2	4	6	9	10
20-34	11	3.3	6	<1	<1	2	5	6	8	8
35-49	31	5.9	18	1	1	5	9	10	12	21
50-64	96	7.1	32	1	2	5	10	15	18	26
65+	194	7.6	31	2	2	6	10	15	21	27
B. *Operated*										
0-19 YRS	28	13.8	120	5	6	9	15	30	42	48
20-34	11	11.9	9	7	7	12	14	15	16	16
35-49	117	11.0	35	3	6	10	13	18	22	33
50-64	539	12.3	60	3	5	11	16	21	26	40
65+	814	13.2	67	3	4	12	17	23	28	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	2.8	6	1	1	2	4	5	7	13
B. *Operated*	399	9.1	42	2	3	8	11	14	17	37
2. MULTIPLE DX										
A. *Not Operated*	348	6.9	29	1	2	6	9	14	19	26
B. *Operated*	1509	12.7	63	3	5	11	16	22	28	41
1. SINGLE DX	435	8.5	42	1	2	8	10	13	17	35
2. MULTIPLE DX	1857	11.7	62	2	3	10	15	21	26	40
A. NOT OPERATED	384	6.5	29	1	1	5	9	13	17	26
B. OPERATED	1908	12.0	61	2	4	10	15	21	26	40
TOTAL 0-19 YRS	87	8.8	70	1	1	8	11	15	28	45
20-34	41	7.5	18	1	1	8	10	13	15	16
35-49	211	9.3	32	2	2	9	11	16	20	31
50-64	799	11.0	54	2	3	9	14	20	24	40
65+	1154	11.7	67	2	3	10	15	22	26	40
GRAND TOTAL	**2292**	**11.1**	**59**	**2**	**3**	**10**	**14**	**20**	**25**	**39**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	1	8.0		8	8	8	8	8	8	8
35-49										
50-64										
65+	3	3.7	4	2	2	3	5	6	6	6
B. *Operated*										
0-19 YRS	16	2.8	2	1	1	3	4	5	5	5
20-34	5	3.6	7	1	1	3	4	8	8	8
35-49	10	2.8	4	1	1	2	3	6	7	7
50-64	23	3.9	6	1	1	3	6	8	8	8
65+	23	3.2	5	1	1	3	4	6	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.8	4	1	1	2	4	6	6	6
20-34	1	7.0		7	7	7	7	7	7	7
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64	4	3.5	3	2	2	3	5	5	5	5
65+	9	5.1	19	1	1	4	6	13	14	14
B. *Operated*										
0-19 YRS	6	9.5	67	4	4	7	8	24	26	26
20-34	1	14.0		14	14	14	14	14	14	14
35-49	8	7.8	39	1	1	7	10	18	20	20
50-64	18	3.5	6	1	1	3	4	6	9	11
65+	37	3.3	4	1	1	3	4	6	7	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	3.5	8	1	1	2	6	8	8	8
B. *Operated*	77	3.3	5	1	1	3	4	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	22	4.3	10	1	1	4	5	8	12	14
B. *Operated*	70	4.6	18	1	1	3	6	8	12	25
1. SINGLE DX	83	3.3	5	1	1	3	5	7	8	9
2. MULTIPLE DX	92	4.5	16	1	1	4	6	8	12	23
A. NOT OPERATED	28	4.1	10	1	1	3	5	8	11	14
B. OPERATED	147	3.9	11	1	1	3	5	8	9	20
TOTAL 0-19 YRS	30	4.0	21	1	1	3	5	7	8	26
20-34	8	5.9	18	1	1	5	8	12	14	14
35-49	20	5.0	22	1	1	4	7	10	16	20
50-64	45	3.7	6	1	1	3	5	7	8	11
65+	72	3.5	6	1	1	3	4	6	9	13
GRAND TOTAL	**175**	**3.9**	**11**	**1**	**1**	**3**	**5**	**8**	**9**	**19**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	6.6	84	1	1	4	7	13	31	43
20-34	19	7.3	51	2	2	5	7	20	27	27
35-49	39	6.7	49	1	2	6	8	11	15	43
50-64	46	10.8	182	2	3	5	13	24	32	76
65+	31	6.6	21	1	2	6	9	13	16	20
B. *Operated*										
0-19 YRS	95	8.8	31	1	2	9	12	17	19	27
20-34	89	9.8	33	2	3	8	14	18	21	25
35-49	91	11.6	46	4	5	10	14	22	26	34
50-64	93	14.3	148	4	5	11	15	24	36	71
65+	63	13.8	66	4	5	12	16	24	29	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	6.4	108	1	1	4	7	11	16	71
20-34	62	7.1	33	1	2	6	9	15	18	26
35-49	126	7.4	48	1	2	5	10	15	20	36
50-64	184	9.2	61	2	3	7	12	17	22	42
65+	244	9.8	70	2	3	8	12	18	24	48
B. *Operated*										
0-19 YRS	123	16.5	205	3	4	11	22	36	45	66
20-34	113	15.3	148	3	4	12	20	28	42	58
35-49	116	16.7	245	3	4	13	18	30	56	81
50-64	225	17.6	180	3	5	15	21	37	52	99+
65+	228	20.7	184	7	9	17	24	37	47	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	174	7.8	89	1	2	5	9	16	25	48
B. *Operated*	431	11.5	69	2	4	10	14	21	25	42
2. MULTIPLE DX										
A. *Not Operated*	690	8.6	65	1	2	7	11	17	21	45
B. *Operated*	805	17.9	193	3	5	14	22	35	49	78
1. SINGLE DX	605	10.4	77	2	3	9	13	20	25	44
2. MULTIPLE DX	1495	13.6	155	2	3	10	17	27	39	71
A. NOT OPERATED	864	8.4	70	1	2	6	11	17	22	45
B. OPERATED	1236	15.6	159	3	5	13	19	29	42	74
TOTAL 0-19 YRS	331	10.9	138	1	2	8	13	24	35	62
20-34	283	11.2	92	2	3	8	15	23	27	49
35-49	372	11.2	125	2	3	9	14	21	28	72
50-64	548	13.6	147	2	3	11	17	25	43	74
65+	566	14.5	141	3	4	12	18	27	38	60
GRAND TOTAL	**2100**	**12.7**	**135**	**2**	**3**	**10**	**16**	**25**	**35**	**67**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	7.0		7	7	7	7	7	7	7
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64	1	9.0		9	9	9	9	9	9	9
65+	3	7.0	13	3	3	8	9	10	10	10
B. *Operated*										
0-19 YRS	13	9.0	66	1	2	6	15	21	26	27
20-34	7	12.7	68	3	3	12	16	26	28	28
35-49	5	9.0	34	1	1	8	12	17	17	17
50-64	9	14.9	48	7	8	13	17	26	31	31
65+	6	17.0	72	8	8	15	24	29	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	4.7	15	1	1	4	7	10	13	13
20-34	3	40.7	2332	7	7	19	77	96	96	96
35-49	3	8.7	50	1	1	10	14	15	15	15
50-64	9	7.7	14	3	3	7	10	13	14	14
65+	15	9.2	121	2	2	4	9	21	37	43
B. *Operated*										
0-19 YRS	18	15.2	302	1	1	8	22	58	83	99+
20-34	7	26.6	409	4	4	21	47	51	52	52
35-49	12	13.3	34	6	8	12	15	44	89	99+
50-64	18	15.4	86	6	7	13	17	29	38	43
65+	32	19.4	94	4	5	20	23	34	37	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	5.9	10	1	2	6	8	10	10	10
B. *Operated*	40	12.2	63	1	2	11	16	25	29	31
2. MULTIPLE DX										
A. *Not Operated*	42	9.8	243	1	2	5	10	19	30	96
B. *Operated*	87	17.4	156	2	5	15	22	39	52	99+
1. SINGLE DX	48	11.1	59	1	2	10	15	23	28	31
2. MULTIPLE DX	129	14.9	196	2	3	12	20	34	49	99+
A. NOT OPERATED	50	9.2	207	1	2	5	10	17	21	96
B. OPERATED	127	15.8	132	2	4	14	21	31	44	99+
TOTAL 0-19 YRS	44	10.2	163	1	1	5	15	27	54	99+
20-34	18	22.4	561	3	4	13	28	51	78	96
35-49	22	10.9	38	1	3	11	15	20	54	99+
50-64	37	13.2	66	4	6	12	15	24	31	43
65+	56	15.8	114	2	3	15	22	30	36	44
GRAND TOTAL	**177**	**13.9**	**161**	**1**	**2**	**11**	**18**	**30**	**43**	**99**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	2.8	1	1	1	3	4	4	4	4
20-34	19	2.5	1	1	1	2	3	4	4	4
35-49	22	2.3	2	1	1	2	3	5	5	5
50-64	9	2.8	6	1	1	3	3	7	9	9
65+	10	3.1	3	<1	1	3	5	6	6	6
B. *Operated*										
0-19 YRS	24	3.8	8	<1	1	3	4	7	12	12
20-34	133	3.7	5	1	2	3	4	6	8	12
35-49	119	4.1	9	1	2	4	4	5	10	20
50-64	80	4.1	4	1	2	4	5	6	7	12
65+	32	5.9	11	2	3	5	7	10	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	4.4	20	<1	1	2	4	12	15	17
20-34	36	3.5	8	1	1	3	4	7	10	13
35-49	40	3.9	6	1	1	3	5	7	8	13
50-64	38	4.8	14	1	2	4	6	11	13	18
65+	51	5.7	26	2	2	4	6	10	21	25
B. *Operated*										
0-19 YRS	39	7.4	25	1	2	6	10	15	17	20
20-34	156	5.1	11	2	2	4	6	10	12	16
35-49	127	6.0	16	2	3	5	7	11	15	21
50-64	158	8.7	77	2	3	5	10	19	24	55
65+	132	10.4	95	2	3	7	12	20	34	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	2.6	2	1	1	2	3	4	5	8
B. *Operated*	388	4.1	7	1	2	4	5	6	9	16
2. MULTIPLE DX										
A. *Not Operated*	207	4.5	16	1	1	3	5	9	13	23
B. *Operated*	612	7.5	52	2	3	5	9	15	20	39
1. SINGLE DX	459	3.8	7	1	2	3	4	6	8	16
2. MULTIPLE DX	819	6.8	44	2	2	5	8	14	18	36
A. NOT OPERATED	278	4.0	13	1	1	3	5	8	12	21
B. OPERATED	1000	6.2	37	2	2	4	7	12	17	34
TOTAL 0-19 YRS	116	5.1	20	1	1	4	6	13	15	18
20-34	344	4.3	8	1	2	4	5	8	10	16
35-49	308	4.7	12	1	2	4	5	9	13	20
50-64	285	6.7	51	1	2	4	7	13	19	35
65+	225	8.4	69	2	2	6	10	17	24	42
GRAND TOTAL	**1278**	**5.7**	**33**	**1**	**2**	**4**	**6**	**11**	**16**	**28**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.3	1	<1	<1	2	3	4	4	4
20-34	9	5.8	15	<1	1	6	10	11	11	11
35-49	17	5.2	14	<1	1	4	7	10	13	15
50-64	66	4.4	9	1	1	4	6	8	10	13
65+	73	5.3	20	1	2	4	6	10	16	25
B. *Operated*										
0-19 YRS	21	8.6	96	<1	1	6	12	15	29	46
20-34	18	4.8	13	1	1	3	8	10	11	12
35-49	53	5.6	18	1	1	5	9	11	15	16
50-64	122	7.2	41	1	2	5	9	14	20	32
65+	149	7.9	52	1	1	5	10	18	24	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	4.5	10	1	2	3	6	11	12	13
20-34	221	6.9	44	1	2	5	9	15	20	36
35-49	1146	8.0	58	1	2	6	10	17	23	40
50-64	3351	8.7	65	2	2	6	11	18	24	37
65+	5552	8.9	50	2	3	7	11	18	23	35
B. *Operated*										
0-19 YRS	70	10.8	105	2	4	8	12	21	32	62
20-34	315	9.3	78	1	2	7	11	21	28	48
35-49	1463	11.5	121	1	2	8	14	25	34	62
50-64	3889	12.3	116	2	3	9	16	25	33	57
65+	5476	12.9	107	2	3	10	17	26	33	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	171	4.9	14	1	1	4	6	9	11	19
B. *Operated*	363	7.2	44	1	1	5	10	15	19	31
2. MULTIPLE DX										
A. *Not Operated*	10324	8.7	56	2	2	7	11	18	23	36
B. *Operated*	11213	12.4	112	2	3	10	16	25	33	54
1. SINGLE DX	534	6.5	36	1	1	5	9	14	17	29
2. MULTIPLE DX	21537	10.6	88	2	2	8	14	22	29	48
A. NOT OPERATED	10495	8.6	55	2	2	7	11	18	23	36
B. OPERATED	11576	12.2	110	2	3	9	16	25	33	54
TOTAL 0-19 YRS	151	7.9	74	1	2	6	9	14	25	46
20-34	563	8.2	63	1	2	6	10	17	25	41
35-49	2679	9.9	95	1	2	7	12	21	29	50
50-64	7428	10.5	94	2	2	8	14	22	29	50
65+	11250	10.9	82	2	3	8	14	22	28	45
GRAND TOTAL	**22071**	**10.5**	**87**	**2**	**2**	**8**	**14**	**22**	**29**	**48**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.7	39	<1	<1	2	5	16	17	17
20-34	58	3.1	9	<1	1	2	4	5	10	15
35-49	6	3.8	8	1	1	4	6	7	7	7
50-64	8	5.0	23	1	1	4	7	13	15	15
65+	4	4.0	12	1	1	3	6	9	9	9
B. *Operated*										
0-19 YRS	72	4.8	12	1	1	5	6	9	11	17
20-34	213	6.2	20	1	2	6	8	10	16	22
35-49	83	5.4	15	1	1	5	8	11	13	16
50-64	40	7.4	49	1	1	5	9	16	25	28
65+	23	7.3	39	1	2	6	8	18	22	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	5.2	28	1	1	4	7	10	11	29
20-34	77	5.9	61	1	1	3	7	15	18	48
35-49	33	7.6	60	1	2	6	9	14	30	35
50-64	34	6.1	28	1	1	4	8	14	16	23
65+	39	9.2	51	1	2	7	12	18	26	32
B. *Operated*										
0-19 YRS	54	8.3	29	1	2	8	10	16	18	28
20-34	187	11.1	131	1	2	8	14	28	38	49
35-49	97	11.5	112	2	3	9	14	22	37	56
50-64	82	12.7	123	3	4	10	15	25	35	64
65+	56	14.9	122	4	5	12	19	27	41	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	3.5	12	<1	1	2	4	8	12	16
B. *Operated*	431	6.0	22	1	1	5	8	11	15	24
2. MULTIPLE DX										
A. *Not Operated*	213	6.7	50	1	1	5	8	15	20	33
B. *Operated*	476	11.6	115	1	2	9	14	24	37	54
1. SINGLE DX	513	5.6	21	1	1	5	8	11	15	23
2. MULTIPLE DX	689	10.1	100	1	2	8	12	21	30	51
A. NOT OPERATED	295	5.8	42	1	1	4	7	13	17	32
B. OPERATED	907	8.9	78	1	2	7	10	18	26	48
TOTAL 0-19 YRS	162	6.0	24	1	1	5	9	11	16	27
20-34	535	7.6	71	1	1	5	9	16	23	46
35-49	219	8.4	72	1	2	7	10	16	22	52
50-64	164	9.7	89	1	2	8	12	20	27	50
65+	122	11.3	91	1	3	8	15	22	31	47
GRAND TOTAL	**1202**	**8.2**	**71**	**1**	**1**	**6**	**10**	**17**	**23**	**46**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	4.3	19	<1	<1	3	5	10	14	21
20-34	5	6.4	89	1	1	2	9	23	23	23
35-49	4	1.5	1	1	1	1	2	3	3	3
50-64	11	4.4	21	1	1	2	7	12	15	15
65+	14	6.6	41	2	3	4	8	13	24	27
B. *Operated*										
0-19 YRS	82	7.3	41	<1	1	5	11	14	22	29
20-34	17	14.2	80	2	5	11	21	28	32	34
35-49	18	8.3	79	<1	1	5	12	20	28	33
50-64	12	7.7	56	<1	1	6	9	17	27	29
65+	28	6.1	23	1	1	5	8	11	19	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	154	5.4	24	1	1	4	7	9	14	27
20-34	17	8.4	65	1	1	7	12	23	27	28
35-49	20	7.7	46	1	1	5	11	20	21	22
50-64	101	7.0	31	1	2	5	9	16	18	22
65+	250	7.0	35	1	2	5	9	15	20	31
B. *Operated*										
0-19 YRS	124	15.7	167	2	3	12	21	34	38	60
20-34	48	25.0	248	3	5	24	34	44	60	65
35-49	36	18.8	352	2	3	13	33	51	71	99+
50-64	110	14.1	252	2	3	8	15	36	65	99+
65+	225	12.4	140	2	3	9	15	24	33	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	4.7	26	<1	1	3	6	11	15	25
B. *Operated*	157	7.9	51	<1	1	6	11	19	24	33
2. MULTIPLE DX										
A. *Not Operated*	542	6.6	33	1	2	5	8	14	19	27
B. *Operated*	543	15.0	203	2	3	10	20	34	46	72
1. SINGLE DX	246	6.8	44	<1	1	4	10	15	22	30
2. MULTIPLE DX	1085	10.8	136	1	2	7	14	24	35	68
A. NOT OPERATED	631	6.3	32	1	1	5	8	14	18	27
B. OPERATED	700	13.4	178	2	3	9	18	31	40	71
TOTAL 0-19 YRS	415	8.7	91	1	1	5	11	21	28	40
20-34	87	18.6	222	1	2	14	28	39	45	64
35-49	78	12.6	224	1	1	6	19	35	49	92
50-64	234	10.2	148	1	2	6	12	23	35	78
65+	517	9.3	87	1	2	7	12	20	24	52
GRAND TOTAL	**1331**	**10.1**	**121**	**1**	**2**	**7**	**13**	**23**	**32**	**66**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	3.9	13	<1	<1	3	5	8	11	16
20-34	14	6.1	63	1	1	4	7	11	27	32
35-49	23	4.7	14	<1	1	4	6	9	12	17
50-64	20	7.0	47	<1	1	6	8	13	22	31
65+	29	8.3	136	1	1	4	11	15	27	61
B. *Operated*										
0-19 YRS	22	11.5	199	1	1	7	10	31	45	59
20-34	26	15.5	305	1	2	8	26	45	52	59
35-49	22	8.5	79	2	2	6	9	19	34	36
50-64	38	14.4	224	2	2	6	28	37	45	53
65+	37	7.5	58	1	2	4	9	18	22	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	7.5	40	1	1	6	10	15	21	31
20-34	44	8.6	112	1	1	6	11	17	29	60
35-49	60	10.5	77	1	2	8	15	25	29	32
50-64	127	8.8	85	1	1	6	11	21	31	41
65+	302	7.8	78	1	1	5	10	16	24	41
B. *Operated*										
0-19 YRS	61	23.3	460	2	3	15	36	58	64	83
20-34	102	29.1	448	3	4	30	41	59	71	96
35-49	144	24.4	355	3	4	23	37	49	61	87
50-64	216	24.8	405	2	3	23	36	52	65	87
65+	382	17.6	279	3	4	11	27	41	56	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	114	6.0	58	<1	1	4	7	12	16	42
B. *Operated*	145	11.5	176	1	2	6	12	33	40	59
2. MULTIPLE DX										
A. *Not Operated*	590	8.3	78	1	1	6	11	17	26	40
B. *Operated*	905	22.1	368	3	4	15	33	49	63	89
1. SINGLE DX	259	9.1	131	1	1	5	9	26	36	58
2. MULTIPLE DX	1495	16.6	298	1	2	10	26	41	53	83
A. NOT OPERATED	704	8.0	76	1	1	5	10	17	25	40
B. OPERATED	1050	20.6	354	2	3	13	32	47	60	86
TOTAL 0-19 YRS	168	13.1	269	1	1	7	15	36	54	74
20-34	186	20.6	410	1	2	11	34	50	61	91
35-49	249	17.8	293	2	2	11	27	43	50	84
50-64	401	17.9	326	1	2	10	29	41	54	84
65+	750	12.8	205	1	2	8	15	32	45	75
GRAND TOTAL	**1754**	**15.5**	**281**	**1**	**2**	**9**	**24**	**39**	**51**	**82**

49: Lymphatic and hematopoietic neoplasm, except hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.6	2	1	1	2	4	4	6	6
20-34	27	2.8	3	<1	<1	3	4	5	6	8
35-49	33	3.7	5	1	1	4	5	7	8	9
50-64	111	4.4	20	1	1	3	5	11	14	22
65+	84	6.2	18	1	1	6	9	11	14	20
B. *Operated*										
0-19 YRS	35	6.6	30	1	2	4	9	15	20	23
20-34	63	6.4	25	1	2	4	9	14	17	22
35-49	135	5.5	19	<1	1	4	8	12	15	18
50-64	271	5.8	23	1	1	4	8	13	16	23
65+	297	7.3	37	1	1	6	10	14	19	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	3.9	7	1	1	3	5	8	9	12
20-34	55	7.1	50	1	2	5	9	15	21	37
35-49	144	7.3	90	1	1	4	8	14	31	52
50-64	519	8.0	59	1	2	6	10	16	25	39
65+	968	9.1	65	2	2	7	12	19	25	39
B. *Operated*										
0-19 YRS	37	12.2	90	3	4	10	13	24	37	40
20-34	101	14.0	144	2	3	11	17	31	41	60
35-49	243	12.8	135	2	3	9	18	30	41	57
50-64	742	13.8	172	2	3	10	17	29	38	77
65+	1467	14.1	136	2	3	11	18	29	37	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	269	4.6	16	1	1	4	6	10	13	18
B. *Operated*	801	6.4	29	1	1	5	9	13	16	23
2. MULTIPLE DX										
A. *Not Operated*	1728	8.4	64	1	2	6	11	18	25	39
B. *Operated*	2590	13.9	146	2	3	10	17	29	38	64
1. SINGLE DX	1070	6.0	26	1	1	4	8	13	16	23
2. MULTIPLE DX	4318	11.7	120	2	2	9	15	25	34	53
A. NOT OPERATED	1997	7.9	59	1	2	5	10	17	23	38
B. OPERATED	3391	12.1	128	2	2	9	15	25	35	56
TOTAL 0-19 YRS	128	6.9	49	1	1	4	9	13	22	38
20-34	246	9.3	94	1	2	6	12	20	29	44
35-49	555	9.1	99	1	1	6	11	20	32	51
50-64	1643	10.0	114	1	2	7	13	21	31	62
65+	2816	11.4	106	2	3	9	15	24	31	50
GRAND TOTAL	**5388**	**10.5**	**107**	**1**	**2**	**8**	**13**	**22**	**31**	**50**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	5.0		5	5	5	5	5	5	5
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	44	3.3	17	<1	1	2	4	7	11	24
20-34	144	2.5	3	1	1	2	3	4	5	8
35-49	201	2.9	3	1	1	3	4	5	5	10
50-64	231	2.7	2	1	1	2	3	4	5	7
65+	174	3.0	2	1	1	3	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	5.5	5	4	4	5	7	7	7	7
50-64	1	1.0		1	1	1	1	1	1	1
65+	4	2.0	4	1	1	1	3	3	5	5
B. *Operated*										
0-19 YRS	12	2.3	2	1	1	2	3	4	5	5
20-34	46	2.6	2	1	1	2	3	4	6	7
35-49	79	2.6	2	1	1	2	3	5	6	6
50-64	153	3.4	6	1	1	3	4	6	7	15
65+	214	4.0	8	1	1	3	5	7	10	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*	794	2.8	3	1	1	3	4	5	5	9
2. MULTIPLE DX										
A. *Not Operated*	7	2.9	6	1	1	1	5	7	7	7
B. *Operated*	504	3.4	6	1	1	3	4	6	7	15
1. SINGLE DX	796	2.8	3	1	1	3	4	5	5	9
2. MULTIPLE DX	511	3.4	6	1	1	3	4	6	7	15
A. NOT OPERATED	9	2.9	6	1	1	1	5	6	7	7
B. OPERATED	1298	3.0	4	1	1	3	4	5	6	12
TOTAL 0-19 YRS	56	3.1	13	<1	1	2	4	6	10	23
20-34	190	2.5	3	1	1	2	3	4	5	8
35-49	282	2.9	3	1	1	3	4	5	5	7
50-64	386	3.0	4	1	1	3	4	5	6	9
65+	393	3.5	6	1	1	3	4	6	7	14
GRAND TOTAL	**1307**	**3.0**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**12**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.0	5	<1	<1	3	5	7	7	7
20-34	7	3.0	1	2	2	3	4	4	4	4
35-49	5	5.4	13	<1	<1	8	8	8	8	8
50-64	20	2.1	2	<1	<1	2	2	3	6	8
65+	21	2.0	3	<1	<1	1	2	4	7	7
B. *Operated*										
0-19 YRS	41	4.1	11	<1	1	4	5	10	11	14
20-34	36	6.6	21	<1	1	5	10	14	15	18
35-49	100	5.1	12	1	1	5	8	10	11	14
50-64	196	4.7	18	<1	1	3	8	10	13	17
65+	257	4.5	20	<1	1	2	7	11	14	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	3.7	13	1	1	3	4	7	13	15
20-34	19	4.6	7	2	2	3	6	9	10	11
35-49	29	3.9	6	1	1	3	6	7	8	10
50-64	77	3.8	29	<1	1	3	4	8	9	36
65+	150	4.4	16	1	1	3	5	10	15	18
B. *Operated*										
0-19 YRS	39	6.2	24	1	1	5	9	14	17	19
20-34	76	7.3	49	1	1	6	10	15	19	40
35-49	235	6.9	37	1	1	6	9	14	18	30
50-64	692	6.3	31	1	1	5	9	12	17	27
65+	1353	7.4	53	1	1	6	10	15	20	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	2.5	4	<1	<1	2	3	7	8	8
B. *Operated*	630	4.8	18	<1	1	3	8	11	13	17
2. MULTIPLE DX										
A. *Not Operated*	289	4.2	17	1	1	3	5	9	11	18
B. *Operated*	2395	7.0	45	1	1	5	9	15	19	29
1. SINGLE DX	690	4.6	17	<1	1	3	7	10	13	17
2. MULTIPLE DX	2684	6.7	43	1	1	5	9	14	18	29
A. NOT OPERATED	349	3.9	15	1	1	3	5	8	10	18
B. OPERATED	3025	6.6	40	1	1	5	9	14	17	28
TOTAL 0-19 YRS	101	4.8	17	1	1	4	6	10	14	18
20-34	138	6.5	35	1	1	5	9	13	17	28
35-49	369	6.2	28	1	1	5	8	12	15	27
50-64	985	5.7	29	1	1	4	8	12	16	24
65+	1781	6.7	47	1	1	5	9	14	18	28
GRAND TOTAL	**3374**	**6.3**	**38**	**1**	**1**	**5**	**9**	**13**	**17**	**27**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	1.0		<1	<1	<1	1	1	1	1
20-34	4	1.5		1	1	1	2	2	2	2
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	81	1.9	6	<1	<1	1	2	4	6	16
20-34	40	3.0	9	<1	<1	2	3	7	10	13
35-49	73	3.1	9	<1	1	2	4	7	10	14
50-64	76	4.7	10	1	1	4	7	9	11	14
65+	46	4.0	18	1	1	3	6	8	10	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.5	1	6	6	6	7	7	7	7
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	5.0	32	1	1	5	9	9	9	9
50-64	6	6.3	37	<1	<1	4	14	14	14	14
65+	3	4.0	13	1	1	3	7	8	8	8
B. *Operated*										
0-19 YRS	26	3.3	16	<1	1	1	5	7	15	15
20-34	23	5.4	30	<1	1	3	8	14	18	21
35-49	62	6.1	29	1	1	5	8	14	17	26
50-64	73	8.0	70	1	1	6	10	18	24	42
65+	112	8.2	46	1	2	8	11	16	20	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	1.2		<1	<1	<1	1	2	3	3
B. *Operated*	316	3.3	11	<1	<1	2	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	14	5.4	21	<1	1	4	8	14	14	14
B. *Operated*	296	7.1	46	1	1	6	10	16	19	41
1. SINGLE DX	339	3.2	10	<1	<1	2	4	7	9	14
2. MULTIPLE DX	310	7.0	45	1	1	6	10	16	19	41
A. NOT OPERATED	37	2.8	12	<1	<1	1	3	8	12	14
B. OPERATED	612	5.1	31	<1	1	3	7	12	16	26
TOTAL 0-19 YRS	125	2.2	8	<1	<1	1	2	5	7	16
20-34	68	3.7	17	<1	1	2	5	8	13	20
35-49	139	4.4	20	1	1	3	6	10	14	21
50-64	155	6.3	41	1	1	5	8	13	18	39
65+	162	6.9	41	1	1	6	10	15	18	48
GRAND TOTAL	**649**	**5.0**	**31**	**<1**	**1**	**3**	**7**	**12**	**16**	**25**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.6	3	1	1	2	4	5	5	5
20-34	5	2.6		2	2	3	3	3	3	3
35-49	6	3.2	15	<1	<1	2	2	10	11	11
50-64	5	1.2		<1	<1	1	1	2	2	2
65+	5	4.0	10	1	1	3	6	9	9	9
B. *Operated*										
0-19 YRS	493	2.4	3	1	1	2	3	4	6	8
20-34	394	2.8	6	<1	1	2	3	5	7	14
35-49	437	2.6	5	<1	1	2	3	5	7	11
50-64	364	2.6	6	<1	1	2	3	5	7	13
65+	121	3.0	9	1	1	2	3	7	8	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	2.5	6	<1	<1	2	3	6	9	9
20-34	8	7.8	26	1	2	6	12	15	15	15
35-49	9	4.4	27	<1	<1	2	6	14	16	16
50-64	17	4.9	11	<1	1	4	7	10	11	12
65+	21	3.8	9	<1	1	3	5	7	11	14
B. *Operated*										
0-19 YRS	120	4.4	20	1	1	3	5	10	14	23
20-34	186	4.4	23	1	1	3	5	10	13	26
35-49	286	4.2	22	1	1	3	5	9	12	26
50-64	421	4.3	22	1	1	3	5	9	12	18
65+	316	5.2	29	1	1	3	7	10	15	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	2.7	6	<1	<1	2	3	5	9	11
B. *Operated*	1809	2.6	5	<1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	66	4.4	15	<1	1	3	6	10	14	16
B. *Operated*	1329	4.5	24	1	1	3	5	10	14	24
1. SINGLE DX	1837	2.6	5	<1	1	2	3	5	7	12
2. MULTIPLE DX	1395	4.5	23	1	1	3	5	10	14	24
A. NOT OPERATED	94	3.9	13	<1	1	3	5	9	12	16
B. OPERATED	3138	3.4	14	1	1	2	4	7	10	18
TOTAL 0-19 YRS	631	2.8	7	1	1	2	3	5	8	15
20-34	593	3.4	12	<1	1	2	4	6	10	19
35-49	738	3.2	12	<1	1	2	4	7	10	18
50-64	807	3.5	15	1	1	2	4	7	10	17
65+	463	4.5	24	1	1	3	6	10	14	25
GRAND TOTAL	**3232**	**3.4**	**14**	**1**	**1**	**2**	**4**	**7**	**10**	**18**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.2	4	<1	<1	1	3	5	7	9
20-34	2	2.0	2	<1	<1	1	3	3	3	3
35-49	5	3.6	4	1	1	4	5	6	6	6
50-64	4	5.8	26	<1	<1	4	9	13	13	13
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	453	2.6	16	<1	<1	2	3	5	7	17
20-34	158	2.7	7	<1	1	2	3	5	7	18
35-49	94	3.4	14	1	1	2	4	7	12	21
50-64	76	2.9	9	1	1	2	3	5	9	18
65+	32	4.1	41	1	1	2	4	5	21	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	3.2	15	<1	<1	2	3	10	12	17
20-34	10	4.1	12	1	1	2	6	9	12	12
35-49	13	3.8	5	1	1	3	5	7	8	8
50-64	16	4.9	16	<1	<1	4	6	10	15	17
65+	24	5.7	12	1	1	5	9	10	11	12
B. *Operated*										
0-19 YRS	161	4.9	72	<1	1	2	4	12	19	49
20-34	76	5.4	75	1	1	3	6	9	15	56
35-49	103	5.6	89	1	1	4	6	11	16	61
50-64	111	4.9	26	1	1	3	7	10	17	25
65+	129	8.3	141	1	1	4	10	21	37	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	2.8	7	<1	<1	2	4	6	9	13
B. *Operated*	813	2.8	14	<1	<1	2	3	5	8	20
2. MULTIPLE DX										
A. *Not Operated*	92	4.3	13	<1	1	3	6	10	11	17
B. *Operated*	580	5.8	83	1	1	3	6	12	20	50
1. SINGLE DX	844	2.8	14	<1	<1	2	3	5	8	20
2. MULTIPLE DX	672	5.6	74	1	1	3	6	12	19	46
A. NOT OPERATED	123	3.9	12	<1	<1	3	5	9	11	17
B. OPERATED	1393	4.1	45	<1	1	2	4	8	13	34
TOTAL 0-19 YRS	661	3.2	30	<1	<1	2	3	6	9	26
20-34	246	3.6	30	<1	1	2	4	7	9	29
35-49	215	4.5	50	1	1	3	5	8	13	28
50-64	207	4.2	19	1	1	3	5	9	14	23
65+	187	7.2	108	1	1	4	8	17	33	73
GRAND TOTAL	**1516**	**4.1**	**42**	**<1**	**<1**	**2**	**4**	**8**	**12**	**33**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	63	1.8	1	<1	<1	2	2	3	4	5
20-34	96	1.6	1	<1	<1	1	2	3	3	5
35-49	129	1.7	1	<1	<1	2	2	2	3	5
50-64	79	1.6	1	<1	<1	2	2	2	3	5
65+	35	2.0	1	<1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	4	3.8	12	1	1	3	6	8	8	8
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	16	2.5	2	<1	<1	2	3	4	6	7
20-34	59	2.8	8	<1	<1	2	3	6	7	18
35-49	163	2.9	14	<1	1	2	3	6	7	10
50-64	163	2.8	6	1	1	2	3	5	7	14
65+	131	2.8	8	1	1	2	3	5	7	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	402	1.7	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	7	2.9	7	1	1	2	4	7	8	8
B. *Operated*	532	2.8	9	<1	1	2	3	5	7	12
1. SINGLE DX	403	1.7	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX	539	2.8	9	<1	1	2	3	5	7	12
A. NOT OPERATED	8	2.6	7	1	1	2	4	7	8	8
B. OPERATED	934	2.3	6	<1	<1	2	3	4	6	10
TOTAL 0-19 YRS	79	1.9	1	<1	<1	2	2	3	4	6
20-34	156	2.1	4	<1	<1	2	2	3	5	8
35-49	293	2.3	8	<1	<1	2	2	4	6	10
50-64	246	2.5	5	<1	1	2	3	5	6	12
65+	168	2.7	6	<1	1	2	3	5	6	9
GRAND TOTAL	**942**	**2.3**	**6**	**<1**	**<1**	**2**	**3**	**4**	**6**	**10**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	16	3.9	5	1	2	3	5	6	9	10
35-49	28	2.7	9	1	1	2	3	5	7	16
50-64	5	3.2	5	2	2	2	4	7	7	7
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	4	4.3	6	1	1	5	6	6	6	6
20-34	458	5.4	4	2	3	5	6	8	8	11
35-49	1352	5.8	3	2	4	6	7	8	8	11
50-64	178	5.8	4	2	4	6	7	8	9	12
65+	19	5.7	7	1	2	6	7	10	11	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	69	2.7	5	<1	<1	2	4	6	8	10
35-49	194	3.7	11	<1	<1	3	5	8	9	15
50-64	32	3.3	8	1	1	2	4	8	10	12
65+	21	4.6	12	1	2	3	5	10	13	15
B. *Operated*										
0-19 YRS	16	6.9	31	2	2	6	7	13	21	25
20-34	1769	6.0	5	2	3	6	7	8	10	14
35-49	9407	6.4	6	3	4	6	7	9	10	16
50-64	1731	6.8	8	3	4	6	8	9	12	17
65+	202	8.9	27	4	5	8	10	14	17	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	3.1	7	1	1	2	4	6	7	16
B. *Operated*	2011	5.7	3	2	4	6	7	8	8	11
2. MULTIPLE DX										
A. *Not Operated*	317	3.5	9	<1	1	2	5	8	9	14
B. *Operated*	13125	6.4	7	3	4	6	7	9	10	16
1. SINGLE DX	2063	5.6	4	2	3	6	7	8	8	11
2. MULTIPLE DX	13442	6.3	7	3	4	6	7	9	10	16
A. NOT OPERATED	369	3.4	9	<1	1	2	5	7	9	15
B. OPERATED	15136	6.3	6	3	4	6	7	9	10	15
TOTAL 0-19 YRS	23	6.0	24	1	2	6	6	10	17	25
20-34	2312	5.7	5	2	3	6	7	8	9	13
35-49	10981	6.2	6	3	4	6	7	8	10	15
50-64	1946	6.6	8	3	4	6	7	9	11	17
65+	243	8.2	26	2	4	7	10	14	16	34
GRAND TOTAL	**15505**	**6.2**	**6**	**2**	**4**	**6**	**7**	**9**	**10**	**15**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	11	3.9	4	<1	1	5	5	6	7	7
35-49	19	4.9	4	1	2	5	6	7	8	9
50-64	4	5.0	9	<1	<1	5	7	8	8	8
65+	2	4.5	13	2	2	4	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	33	5.1	6	1	1	6	7	8	9	9
35-49	120	5.8	5	1	2	6	7	8	9	12
50-64	30	6.4	17	1	2	6	7	9	12	24
65+	16	7.7	30	2	2	6	11	17	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.0	2	<1	<1	1	3	3	3	3
B. *Operated*	38	4.5	5	<1	1	5	6	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	3	1.0		<1	<1	1	1	1	1	1
B. *Operated*	200	5.9	9	1	2	6	7	8	10	17
1. SINGLE DX	40	4.4	5	<1	1	5	6	7	8	9
2. MULTIPLE DX	203	5.9	9	1	2	6	7	8	10	17
A. NOT OPERATED	5	1.4	1	<1	<1	1	2	3	3	3
B. OPERATED	238	5.7	9	1	2	6	7	8	10	17
TOTAL 0-19 YRS	3	2.0	3	1	1	1	3	4	4	4
20-34	45	4.7	6	1	1	5	6	8	8	9
35-49	142	5.6	5	1	2	6	7	8	9	11
50-64	34	6.3	16	<1	1	6	7	9	11	24
65+	19	7.0	29	1	2	6	8	17	18	18
GRAND TOTAL	**243**	**5.6**	**9**	**1**	**2**	**6**	**7**	**8**	**9**	**17**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	121	4.8	2	3	3	5	5	7	7	8
20-34	517	4.9	2	3	3	5	6	7	7	10
35-49	189	5.4	3	3	4	5	6	8	9	11
50-64	115	6.1	4	4	4	6	7	8	9	15
65+	69	7.2	8	4	5	7	8	11	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	3.3	4	2	2	3	4	6	6	6
35-49	1	6.0		6	6	6	6	6	6	6
50-64	2	8.0	8	6	6	8	10	10	10	10
65+	4	6.8	68	2	2	3	11	19	19	19
B. *Operated*										
0-19 YRS	107	5.8	7	3	3	5	6	9	10	19
20-34	650	5.6	5	3	3	5	6	8	10	14
35-49	565	6.4	6	3	4	6	7	9	11	16
50-64	375	7.7	14	4	5	7	8	12	15	25
65+	348	10.0	33	5	5	8	12	17	21	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.2	5	<1	<1	1	3	6	6	6
B. *Operated*	1011	5.3	3	3	3	5	6	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	12	5.3	25	2	2	3	6	13	18	19
B. *Operated*	2045	6.9	14	3	4	6	8	11	14	22
1. SINGLE DX	1016	5.3	3	3	3	5	6	7	8	12
2. MULTIPLE DX	2057	6.9	14	3	4	6	8	11	14	22
A. NOT OPERATED	17	4.4	20	<1	1	2	6	9	16	19
B. OPERATED	3056	6.4	11	3	4	6	7	9	12	20
TOTAL 0-19 YRS	231	5.2	5	3	3	5	6	7	9	13
20-34	1172	5.3	4	3	3	5	6	7	9	13
35-49	756	6.1	5	3	4	6	7	9	10	14
50-64	492	7.3	12	4	5	6	8	11	14	22
65+	422	9.5	30	5	5	8	11	16	20	31
GRAND TOTAL	**3073**	**6.4**	**11**	**3**	**4**	**6**	**7**	**9**	**12**	**20**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	3	5.0	3	4	4	4	6	7	7	7
20-34	8	3.3	4	<1	<1	3	5	6	6	6
35-49	13	3.9	5	<1	1	4	5	7	9	9
50-64	4	4.3	5	1	1	5	6	6	6	6
65+	2	6.0	32	2	2	6	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	18	5.2	4	2	3	5	6	8	10	10
35-49	23	5.3	8	<1	1	6	7	9	11	12
50-64	18	4.9	23	<1	1	3	6	9	17	21
65+	9	4.9	18	1	1	4	6	11	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	30	4.0	5	<1	1	4	5	7	9	10
2. MULTIPLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	68	5.1	12	1	1	5	6	9	10	20
1. SINGLE DX	30	4.0	5	<1	1	4	5	7	9	10
2. MULTIPLE DX	69	5.1	12	1	1	5	6	9	10	20
A. NOT OPERATED	1	2.0		2	2	2	2	2	2	2
B. OPERATED	98	4.8	10	<1	1	4	6	9	10	18
TOTAL 0-19 YRS	3	5.0	3	4	4	4	6	7	7	7
20-34	27	4.5	5	<1	1	5	5	7	9	10
35-49	36	4.8	7	<1	1	5	6	9	10	12
50-64	22	4.8	20	<1	1	4	6	9	14	21
65+	11	5.1	18	1	1	4	6	12	15	15
GRAND TOTAL	**99**	**4.8**	**10**	**<1**	**1**	**4**	**6**	**8**	**10**	**18**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	11	2.4	5	<1	<1	1	3	6	8	8
35-49	16	1.9	2	1	1	1	2	4	5	6
50-64	9	2.4	2	1	1	2	3	5	6	6
65+	4	2.3	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	9	3.6	4	1	1	4	5	6	6	6
35-49	13	2.9	10	1	1	2	3	7	12	13
50-64	6	3.2	2	2	2	3	3	6	6	6
65+	13	6.8	25	<1	1	6	9	15	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	43	2.1	3	<1	1	2	2	4	6	8
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	41	4.3	15	1	1	3	6	10	14	17
1. SINGLE DX	43	2.1	3	<1	1	2	2	4	6	8
2. MULTIPLE DX	41	4.3	15	1	1	3	6	10	14	17
A. NOT OPERATED										
B. OPERATED	84	3.2	10	1	1	2	4	6	10	16
TOTAL 0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	20	2.9	5	<1	1	2	5	6	7	8
35-49	29	2.3	6	1	1	2	2	5	6	13
50-64	15	2.7	2	1	2	2	3	6	6	6
65+	17	5.7	23	<1	1	4	7	14	16	17
GRAND TOTAL	**84**	**3.2**	**10**	**1**	**1**	**2**	**4**	**6**	**10**	**16**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	6	5.5	22	1	1	4	7	13	14	14
20-34	7	3.7	7	<1	<1	4	6	7	7	7
35-49	8	5.0	11	1	1	5	7	10	11	11
50-64	19	6.2	39	<1	<1	4	7	17	22	22
65+	14	4.9	18	1	1	3	7	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	1	5.0		5	5	5	5	5	5	5
65+										
B. *Operated*										
0-19 YRS	4	6.0	41	1	1	4	10	15	15	15
20-34	11	4.5	14	1	1	3	7	10	13	13
35-49	16	7.4	36	2	3	4	9	17	20	21
50-64	36	7.7	47	1	1	6	10	19	25	27
65+	66	6.4	51	1	1	4	9	16	18	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	54	5.3	23	<1	1	4	7	11	14	22
2. MULTIPLE DX										
A. *Not Operated*	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*	133	6.7	44	1	1	4	9	16	20	30
1. SINGLE DX	55	5.2	22	<1	1	4	7	11	14	22
2. MULTIPLE DX	135	6.7	44	1	1	4	9	16	20	30
A. NOT OPERATED	3	2.3	5	1	1	1	4	5	5	5
B. OPERATED	187	6.3	38	1	1	4	8	14	20	27
TOTAL 0-19 YRS	10	5.7	26	1	1	4	7	14	15	15
20-34	19	4.1	11	<1	<1	3	6	8	11	13
35-49	24	6.6	28	1	2	5	9	17	18	21
50-64	56	7.2	43	1	1	5	9	19	22	27
65+	81	6.1	45	1	1	4	8	14	17	38
GRAND TOTAL	**190**	**6.2**	**38**	**1**	**1**	**4**	**8**	**14**	**20**	**27**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	17	1.4	1	<1	<1	1	2	3	3	3
20-34	8	1.6	1	1	1	1	2	3	4	4
35-49	4	3.8	6	<1	<1	3	5	7	7	7
50-64										
65+	2	5.5	5	4	4	5	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	8	6.6	193	1	1	2	3	30	41	41
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	4.0		4	4	4	4	4	4	4
50-64	4	3.0	7	1	1	2	5	7	7	7
65+	2	6.0	32	2	2	6	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	31	2.0	3	<1	<1	1	3	4	7	7
2. MULTIPLE DX										
A. *Not Operated*	2	1.5	1	<1	<1	1	2	2	2	2
B. *Operated*	16	5.2	97	1	1	2	3	10	32	41
1. SINGLE DX	31	2.0	3	<1	<1	1	3	4	7	7
2. MULTIPLE DX	18	4.8	87	<1	1	2	3	9	29	41
A. NOT OPERATED	2	1.5	1	<1	<1	1	2	2	2	2
B. OPERATED	47	3.1	36	<1	1	2	3	6	8	41
TOTAL 0-19 YRS	26	3.0	61	<1	<1	1	2	3	11	41
20-34	10	1.7	1	1	1	2	2	3	4	4
35-49	5	3.8	5	<1	<1	4	5	7	7	7
50-64	4	3.0	7	1	1	2	5	7	7	7
65+	4	5.8	12	2	2	5	8	10	10	10
GRAND TOTAL	**49**	**3.0**	**34**	**<1**	**<1**	**2**	**3**	**6**	**7**	**41**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	3.3	1	2	2	4	4	4	4	4
35-49	6	4.5	17	<1	<1	3	8	11	11	11
50-64	12	2.7	4	1	1	2	3	5	8	8
65+	9	4.1	7	2	2	3	5	9	9	9
B. *Operated*										
0-19 YRS	8	9.6	25	3	4	9	14	16	16	16
20-34	46	8.2	22	1	2	8	11	16	16	18
35-49	94	9.3	23	1	2	9	12	15	18	24
50-64	112	10.6	60	2	3	9	12	18	23	52
65+	59	11.2	48	2	3	10	15	19	24	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	10.0	128	2	2	10	18	18	18	18
20-34	10	3.7	20	<1	<1	2	3	11	15	15
35-49	15	4.0	5	<1	1	4	6	7	8	8
50-64	29	4.5	15	1	1	3	5	9	11	20
65+	110	7.4	37	2	2	6	9	13	17	36
B. *Operated*										
0-19 YRS	18	14.6	138	3	5	12	15	31	45	51
20-34	43	12.0	57	2	5	11	14	20	32	37
35-49	96	16.1	260	2	3	12	17	28	58	88
50-64	200	15.7	167	3	5	12	19	31	47	99+
65+	245	18.7	198	3	4	16	24	35	52	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	3.5	7	1	1	3	4	8	9	11
B. *Operated*	319	10.0	41	1	2	9	13	16	20	31
2. MULTIPLE DX										
A. *Not Operated*	166	6.4	32	1	2	5	8	12	17	26
B. *Operated*	602	16.7	188	2	4	13	21	33	49	92
1. SINGLE DX	350	9.4	42	1	2	9	12	16	19	28
2. MULTIPLE DX	768	14.5	172	2	3	11	18	30	43	84
A. NOT OPERATED	197	5.9	29	1	1	5	8	11	15	24
B. OPERATED	921	14.4	147	2	4	11	18	27	37	79
TOTAL 0-19 YRS	29	12.4	104	2	3	12	15	20	36	51
20-34	102	9.2	43	1	2	9	12	16	19	36
35-49	211	11.9	145	1	2	10	14	21	28	72
50-64	353	12.7	130	1	2	10	16	24	35	85
65+	423	14.4	158	2	3	11	19	28	41	69
GRAND TOTAL	**1118**	**12.9**	**137**	**2**	**2**	**10**	**16**	**25**	**35**	**72**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	45	2.8	3	1	1	3	3	4	5	11
20-34	237	3.0	1	1	1	3	4	4	5	6
35-49	365	3.0	2	1	2	3	4	5	5	6
50-64	190	3.2	3	1	1	3	4	5	5	9
65+	68	3.5	1	1	2	4	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	5.5	13	3	3	5	8	8	8	8
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	4	3.8	6	2	2	3	5	7	7	7
B. *Operated*										
0-19 YRS	9	3.6	3	1	1	3	5	6	6	6
20-34	117	3.6	5	1	2	3	4	5	7	14
35-49	179	3.8	3	2	2	4	5	6	7	10
50-64	187	4.6	21	2	2	4	5	6	10	24
65+	148	5.4	20	2	2	4	6	9	12	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.3		2	2	2	3	3	3	3
B. *Operated*	905	3.1	2	1	1	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	9	3.7	6	1	1	3	5	8	8	8
B. *Operated*	640	4.4	13	2	2	4	5	7	9	15
1. SINGLE DX	908	3.1	2	1	1	3	4	5	5	7
2. MULTIPLE DX	649	4.4	13	2	2	4	5	7	9	15
A. NOT OPERATED	12	3.3	4	1	1	3	4	7	8	8
B. OPERATED	1545	3.6	7	1	2	3	4	5	7	12
TOTAL 0-19 YRS	54	3.0	3	1	1	3	4	5	6	11
20-34	357	3.2	3	1	1	3	4	5	5	8
35-49	547	3.3	2	1	2	3	4	5	6	8
50-64	379	3.9	12	1	2	3	4	6	7	14
65+	220	4.8	15	2	2	4	5	8	10	16
GRAND TOTAL	**1557**	**3.6**	**7**	**1**	**2**	**3**	**4**	**5**	**7**	**12**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	5	<1	<1	5	5	5	5	5
20-34	8	4.9	5	<1	1	5	6	8	9	9
35-49	6	6.2	13	2	2	6	9	11	11	11
50-64	4	5.3	6	2	2	5	7	8	8	8
65+										
B. *Operated*										
0-19 YRS	12	6.3	10	2	2	7	8	11	12	12
20-34	33	7.1	14	2	3	7	9	12	15	18
35-49	40	5.8	9	2	3	5	8	10	11	14
50-64	56	6.9	16	2	3	6	9	14	15	18
65+	24	6.5	12	2	3	6	8	11	14	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.3	12	2	2	5	8	9	9	9
20-34	17	5.2	29	<1	1	3	7	13	18	20
35-49	18	4.5	6	1	2	4	6	8	9	9
50-64	24	4.5	7	2	2	4	6	8	10	13
65+	27	12.1	268	3	3	7	11	35	47	78
B. *Operated*										
0-19 YRS	9	12.8	202	1	1	9	12	35	49	49
20-34	62	8.9	33	2	3	8	10	18	22	29
35-49	81	8.0	45	2	3	6	9	14	22	39
50-64	151	9.3	78	3	3	7	11	18	30	35
65+	149	10.8	73	3	4	7	16	21	27	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	5.1	7	<1	1	5	7	9	10	11
B. *Operated*	165	6.6	13	2	3	6	8	12	14	18
2. MULTIPLE DX										
A. *Not Operated*	89	7.0	99	1	2	4	7	12	15	64
B. *Operated*	452	9.6	67	3	3	7	12	19	26	41
1. SINGLE DX	186	6.4	12	2	3	6	8	11	14	17
2. MULTIPLE DX	541	9.1	73	2	3	6	11	18	25	42
A. NOT OPERATED	110	6.6	82	1	2	5	7	11	14	56
B. OPERATED	617	8.8	54	2	3	7	10	18	22	36
TOTAL 0-19 YRS	27	8.0	80	1	2	7	9	12	18	49
20-34	120	7.6	27	2	2	7	9	14	19	25
35-49	145	6.9	30	2	3	6	8	11	15	35
50-64	235	8.2	58	2	3	6	10	15	20	33
65+	200	10.5	93	3	3	7	14	20	28	47
GRAND TOTAL	**727**	**8.4**	**59**	**2**	**3**	**6**	**10**	**16**	**22**	**40**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.0		1	1	1	1	1	1	1
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	2	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	8	1.9	1	1	1	2	2	4	4	4
20-34	608	3.9	5	1	1	4	6	7	7	9
35-49	260	4.4	6	1	1	5	6	7	8	11
50-64	68	4.9	8	1	1	5	7	8	9	13
65+	26	4.3	9	1	1	3	6	8	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	2.0	4	<1	<1	1	3	5	6	6
35-49	8	1.1		<1	<1	1	1	2	2	2
50-64	5	5.6	10	1	1	5	8	9	9	9
65+	2	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	5	2.8	5	1	1	2	4	6	6	6
20-34	586	4.7	6	1	1	5	6	7	8	12
35-49	523	5.8	7	2	3	6	7	8	11	15
50-64	146	7.1	20	1	2	7	9	11	15	23
65+	79	7.1	39	1	2	6	8	12	15	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.0	1	1	1	2	3	3	3	3
B. *Operated*	970	4.1	5	1	1	4	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	23	2.6	6	<1	<1	1	4	6	8	9
B. *Operated*	1339	5.6	11	1	2	5	7	8	10	17
1. SINGLE DX	976	4.1	5	1	1	4	6	7	8	10
2. MULTIPLE DX	1362	5.5	11	1	1	5	7	8	10	17
A. NOT OPERATED	29	2.4	5	<1	<1	1	3	6	8	9
B. OPERATED	2309	4.9	9	1	1	5	6	8	9	14
TOTAL 0-19 YRS	13	2.2	2	1	1	2	3	5	6	6
20-34	1204	4.3	6	1	1	5	6	7	8	10
35-49	793	5.3	7	1	2	5	6	8	10	13
50-64	221	6.3	17	1	2	6	8	10	13	22
65+	107	6.3	32	1	2	6	8	10	13	37
GRAND TOTAL	**2338**	**4.9**	**9**	**1**	**1**	**5**	**6**	**8**	**9**	**13**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	4.0		4	4	4	4	4	4	4
65+	3	3.7	14	1	1	2	6	8	8	8
B. *Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	24	4.2	10	1	1	3	6	8	11	13
35-49	80	4.4	8	1	1	4	6	8	10	14
50-64	128	4.5	13	1	1	4	6	9	12	19
65+	97	5.4	20	1	1	4	7	10	13	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	5	2.4	5	1	1	1	4	6	6	6
50-64	6	3.5	7	1	1	3	5	8	8	8
65+	16	5.3	32	1	1	3	6	14	19	21
B. *Operated*										
0-19 YRS										
20-34	32	5.0	8	<1	1	5	7	8	9	13
35-49	133	6.3	17	1	2	6	7	12	14	24
50-64	238	7.3	39	1	1	6	10	14	19	36
65+	381	8.0	44	1	2	6	11	16	22	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	3.2	7	1	1	2	4	8	8	8
B. *Operated*	331	4.7	13	1	1	4	6	9	12	20
2. MULTIPLE DX										
A. *Not Operated*	28	4.3	21	1	1	3	5	10	15	21
B. *Operated*	784	7.4	37	1	2	6	10	15	20	31
1. SINGLE DX	337	4.7	13	1	1	4	6	9	12	19
2. MULTIPLE DX	812	7.3	37	1	2	6	9	15	20	30
A. NOT OPERATED	34	4.1	18	1	1	3	5	9	13	21
B. OPERATED	1115	6.6	31	1	1	5	8	13	18	27
TOTAL 0-19 YRS	3	2.3	1	<1	<1	3	3	3	3	3
20-34	57	4.6	9	1	1	4	6	8	10	13
35-49	219	5.5	14	1	1	5	7	10	13	19
50-64	373	6.3	31	1	1	5	8	12	18	31
65+	497	7.4	40	1	2	6	10	16	21	29
GRAND TOTAL	**1149**	**6.5**	**31**	**1**	**1**	**5**	**8**	**13**	**17**	**27**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	2.9	5	<1	1	2	4	5	8	10
20-34	32	3.4	7	1	1	3	5	7	10	12
35-49	42	4.1	7	1	1	3	5	8	10	12
50-64	49	3.2	7	<1	1	2	4	7	8	14
65+	42	3.8	13	<1	1	2	4	9	11	19
B. *Operated*										
0-19 YRS	157	4.4	17	1	1	3	6	9	12	32
20-34	211	4.5	15	1	1	3	6	9	12	19
35-49	241	4.4	10	1	1	4	6	8	10	15
50-64	278	4.6	16	1	1	3	6	10	12	16
65+	261	4.6	18	1	1	3	7	10	13	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	3.4	8	<1	1	2	4	8	10	12
20-34	60	3.9	10	<1	1	3	5	9	10	16
35-49	90	4.8	22	<1	1	4	7	9	11	29
50-64	176	5.5	43	<1	1	4	7	11	13	38
65+	461	6.4	33	1	2	5	8	13	16	29
B. *Operated*										
0-19 YRS	122	8.2	104	1	1	5	10	17	22	52
20-34	193	7.8	92	1	2	5	8	14	22	58
35-49	305	6.8	33	1	1	6	8	14	18	32
50-64	494	8.0	56	1	2	6	10	16	23	38
65+	1114	8.6	54	1	2	7	12	17	22	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	205	3.5	8	1	1	3	4	7	10	13
B. *Operated*	1148	4.5	15	1	1	3	6	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	847	5.7	31	1	1	4	7	12	15	29
B. *Operated*	2228	8.2	58	1	2	6	10	16	22	37
1. SINGLE DX	1353	4.4	14	1	1	3	6	9	11	18
2. MULTIPLE DX	3075	7.5	52	1	2	6	10	15	20	36
A. NOT OPERATED	1052	5.2	28	1	1	4	7	11	14	25
B. OPERATED	3376	6.9	46	1	1	5	9	14	19	33
TOTAL 0-19 YRS	379	5.3	46	1	1	3	7	11	15	33
20-34	496	5.7	47	1	1	4	7	11	15	39
35-49	678	5.5	23	1	1	4	7	10	15	28
50-64	997	6.4	43	1	1	4	8	12	17	36
65+	1878	7.4	45	1	2	5	10	15	20	31
GRAND TOTAL	**4428**	**6.5**	**42**	**1**	**1**	**5**	**8**	**13**	**18**	**31**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	5	2.2	2	1	1	2	3	4	4	4
35-49	9	3.4	3	1	1	4	5	6	6	6
50-64	7	4.7	18	<1	1	3	5	12	14	14
65+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	26	2.7	1	1	1	3	3	4	5	5
20-34	209	3.3	3	1	2	3	4	5	5	9
35-49	283	3.4	3	1	2	3	4	5	6	9
50-64	238	3.7	3	2	2	3	4	5	7	11
65+	111	3.9	3	1	2	4	5	6	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	6	1	1	2	4	6	6	6
20-34	19	3.6	7	<1	<1	3	5	7	10	12
35-49	21	4.4	10	<1	<1	4	7	10	10	10
50-64	24	3.9	5	<1	1	4	6	7	8	9
65+	43	4.4	11	<1	1	4	6	7	11	18
B. *Operated*										
0-19 YRS	9	4.0	4	1	1	4	5	7	7	7
20-34	77	3.9	6	1	1	4	4	6	10	13
35-49	181	4.3	11	1	2	4	5	7	10	19
50-64	258	4.8	18	2	2	4	5	8	11	18
65+	231	6.7	31	2	3	5	8	13	17	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	3.5	7	<1	1	3	4	5	8	14
B. *Operated*	867	3.5	3	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	111	4.1	9	<1	1	3	6	7	10	15
B. *Operated*	756	5.2	20	1	2	4	5	9	14	24
1. SINGLE DX	891	3.5	3	1	2	3	4	5	6	10
2. MULTIPLE DX	867	5.1	19	1	2	4	5	9	13	24
A. NOT OPERATED	135	4.0	8	<1	1	3	5	7	10	15
B. OPERATED	1623	4.3	12	1	2	4	5	7	9	17
TOTAL 0-19 YRS	40	3.0	2	1	1	3	4	5	6	7
20-34	310	3.5	4	1	2	3	4	5	6	12
35-49	494	3.8	6	1	2	3	4	6	8	16
50-64	527	4.3	11	2	2	4	5	7	9	15
65+	387	5.6	23	1	2	4	6	10	14	25
GRAND TOTAL	**1758**	**4.3**	**11**	**1**	**2**	**4**	**5**	**7**	**10**	**17**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	4.8	7	2	2	4	6	8	11	11
20-34	97	4.4	6	1	2	4	6	7	8	15
35-49	77	4.7	6	2	2	4	6	7	10	13
50-64	45	5.9	13	2	3	5	8	10	12	21
65+	18	4.2	7	<1	1	3	6	9	10	10
B. *Operated*										
0-19 YRS	31	4.1	7	1	1	4	5	7	11	12
20-34	137	4.1	7	1	2	4	5	6	7	16
35-49	119	3.9	4	2	2	3	4	6	8	12
50-64	91	3.8	7	1	2	3	4	6	8	17
65+	36	4.6	6	1	2	4	5	8	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	3.9	8	1	1	3	5	6	8	18
20-34	171	5.8	22	1	2	4	7	10	13	27
35-49	231	6.0	19	2	2	5	7	11	15	21
50-64	260	6.5	17	2	2	6	8	12	15	21
65+	430	8.2	36	3	3	7	10	15	19	33
B. *Operated*										
0-19 YRS	11	6.5	26	2	2	4	10	14	18	18
20-34	102	5.8	17	2	2	5	7	10	13	25
35-49	114	5.2	17	1	2	4	6	10	13	22
50-64	178	6.9	66	1	2	5	7	13	17	54
65+	134	11.5	149	2	3	8	14	25	32	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	249	4.8	8	2	2	4	6	8	10	14
B. *Operated*	414	4.0	6	1	2	4	5	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	1144	6.8	26	2	3	6	8	12	16	27
B. *Operated*	539	7.4	71	2	2	5	8	15	20	47
1. SINGLE DX	663	4.3	7	2	2	4	5	7	9	14
2. MULTIPLE DX	1683	7.0	41	2	2	5	8	13	17	32
A. NOT OPERATED	1393	6.5	24	2	2	5	8	12	16	26
B. OPERATED	953	6.0	46	2	2	4	6	11	17	36
TOTAL 0-19 YRS	106	4.3	9	1	1	4	5	8	11	18
20-34	507	5.1	14	2	2	4	6	8	11	23
35-49	541	5.2	14	2	2	4	6	9	12	17
50-64	574	6.2	31	2	2	5	7	11	15	24
65+	618	8.6	61	2	3	6	10	17	22	37
GRAND TOTAL	**2346**	**6.3**	**33**	**2**	**2**	**5**	**7**	**11**	**16**	**29**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	232	5.2	5	1	2	5	7	8	9	11
20-34	95	4.7	7	1	1	4	6	8	9	13
35-49	75	5.2	10	2	2	4	6	8	11	19
50-64	104	4.9	7	1	2	5	6	8	9	15
65+	37	7.9	32	1	3	7	9	16	22	25
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	3	9.0	39	2	2	11	13	14	14	14
50-64	7	5.6	16	2	2	3	9	11	11	11
65+	3	5.3	8	2	2	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	226	5.6	15	1	2	5	7	9	11	20
20-34	223	5.2	15	<1	1	5	7	9	11	23
35-49	375	5.9	13	2	3	5	7	10	12	20
50-64	637	6.3	12	2	3	6	8	11	13	18
65+	356	6.8	17	2	3	6	8	11	14	23
B. *Operated*										
0-19 YRS	3	4.0	13	1	1	3	7	8	8	8
20-34	23	9.0	116	2	2	6	9	21	32	52
35-49	50	9.6	46	1	2	8	14	18	22	33
50-64	87	8.2	36	2	2	7	11	14	16	37
65+	55	13.1	95	2	2	10	17	22	29	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	543	5.2	9	1	2	5	7	8	10	17
B. *Operated*	16	5.6	17	2	2	4	9	11	13	14
2. MULTIPLE DX										
A. *Not Operated*	1817	6.1	14	2	2	5	8	10	12	19
B. *Operated*	218	9.8	64	2	2	8	12	18	23	50
1. SINGLE DX	559	5.3	9	1	2	5	7	8	10	17
2. MULTIPLE DX	2035	6.5	21	2	2	6	8	11	14	23
A. NOT OPERATED	2360	5.9	13	1	2	5	7	10	12	18
B. OPERATED	234	9.5	62	2	2	8	12	17	22	50
TOTAL 0-19 YRS	462	5.4	10	1	2	5	7	8	10	15
20-34	343	5.3	20	1	1	5	7	9	11	23
35-49	503	6.1	17	2	3	5	7	11	14	22
50-64	835	6.3	14	2	3	6	8	11	13	18
65+	451	7.7	32	2	3	7	9	13	17	27
GRAND TOTAL	**2594**	**6.2**	**18**	**2**	**2**	**5**	**8**	**11**	**13**	**22**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	907	4.2	8	1	2	4	5	8	10	14
20-34	534	4.1	5	1	2	4	5	7	9	11
35-49	191	5.1	11	1	2	4	7	10	11	18
50-64	103	6.0	11	2	3	5	8	11	13	16
65+	73	6.2	15	2	3	5	7	11	14	20
B. *Operated*										
0-19 YRS	6	7.3	14	3	3	7	9	13	13	13
20-34	8	5.8	7	2	2	6	7	9	10	10
35-49	1	7.0		7	7	7	7	7	7	7
50-64	1	6.0		6	6	6	6	6	6	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1231	4.7	11	1	2	4	6	8	11	15
20-34	1387	5.4	14	1	2	4	7	9	12	17
35-49	871	6.8	23	2	2	6	8	12	16	27
50-64	746	8.4	34	2	3	7	10	14	18	32
65+	1027	9.4	39	3	4	8	12	16	21	31
B. *Operated*										
0-19 YRS	46	7.7	18	3	3	7	10	12	15	23
20-34	145	11.5	127	3	4	8	13	21	32	68
35-49	130	14.6	159	4	5	11	17	27	41	94
50-64	130	16.1	154	5	6	13	19	35	54	99+
65+	175	17.5	107	6	7	14	22	28	35	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1808	4.5	8	1	2	4	6	8	10	15
B. *Operated*	16	6.4	8	2	3	6	8	10	12	13
2. MULTIPLE DX										
A. *Not Operated*	5262	6.7	26	2	2	5	8	12	15	26
B. *Operated*	626	14.5	134	4	5	12	17	28	39	76
1. SINGLE DX	1824	4.5	8	1	2	4	6	8	10	15
2. MULTIPLE DX	5888	7.5	43	2	2	6	9	14	18	34
A. NOT OPERATED	7070	6.1	22	1	2	5	8	11	14	24
B. OPERATED	642	14.3	132	4	5	11	17	28	37	75
TOTAL 0-19 YRS	2190	4.6	10	1	2	4	6	8	10	15
20-34	2074	5.5	22	1	2	4	7	10	13	22
35-49	1193	7.4	42	2	2	6	9	13	18	34
50-64	980	9.2	55	2	3	7	11	16	23	46
65+	1275	10.4	55	3	4	8	13	19	24	37
GRAND TOTAL	**7712**	**6.8**	**36**	**2**	**2**	**5**	**8**	**13**	**17**	**31**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	532	5.5	8	1	2	5	7	9	11	14
20-34	534	4.9	8	1	2	4	6	8	11	13
35-49	666	5.5	12	2	2	5	7	9	11	16
50-64	848	5.8	10	2	3	5	7	9	12	16
65+	533	5.8	10	2	3	5	7	9	11	15
B. *Operated*										
0-19 YRS	5	4.6	7	2	2	5	6	8	8	8
20-34	24	5.1	24	1	2	4	6	9	14	26
35-49	40	4.8	15	1	1	3	6	10	14	17
50-64	63	4.4	15	1	1	4	5	8	14	20
65+	43	5.0	30	1	1	2	7	16	18	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	633	5.4	16	1	2	5	7	9	12	21
20-34	1864	5.8	15	1	2	5	7	10	13	19
35-49	3595	6.4	15	2	3	6	8	11	13	21
50-64	6539	7.0	17	2	3	6	8	12	14	21
65+	8127	7.4	20	3	3	6	9	12	15	23
B. *Operated*										
0-19 YRS	34	8.9	27	3	3	8	11	16	20	24
20-34	501	9.3	91	1	2	7	12	20	27	50
35-49	997	11.5	98	2	3	9	15	23	31	50
50-64	2163	13.4	146	2	3	10	17	27	38	67
65+	2580	14.4	127	3	4	12	19	28	36	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3113	5.5	10	2	2	5	7	9	11	15
B. *Operated*	175	4.7	19	1	1	3	6	12	16	24
2. MULTIPLE DX										
A. *Not Operated*	20758	6.9	18	2	3	6	8	12	14	22
B. *Operated*	6275	13.2	128	2	3	10	17	26	36	61
1. SINGLE DX	3288	5.5	11	2	2	5	7	9	11	16
2. MULTIPLE DX	27033	8.3	51	2	3	7	10	15	21	39
A. NOT OPERATED	23871	6.7	17	2	3	6	8	11	14	21
B. OPERATED	6450	12.9	127	2	3	10	17	26	35	61
TOTAL 0-19 YRS	1204	5.5	13	1	2	5	7	9	11	18
20-34	2923	6.2	29	1	2	5	7	11	15	27
35-49	5298	7.2	35	2	3	6	9	13	17	33
50-64	9613	8.3	53	2	3	6	10	15	20	42
65+	11283	8.9	53	2	3	7	11	16	22	39
GRAND TOTAL	**30321**	**8.0**	**47**	**2**	**3**	**6**	**9**	**15**	**19**	**38**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.0	1	1	1	2	2	3	3	3
20-34	16	2.1	1	1	1	2	3	4	4	4
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	12	4.0	6	1	1	4	5	8	9	9
20-34	76	3.4	4	1	1	3	5	6	7	8
35-49	4	5.0	13	1	1	5	8	9	9	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.1	3	1	1	3	4	6	7	7
20-34	40	4.0	5	<1	1	4	5	7	9	10
35-49	6	3.7	7	1	1	3	6	7	7	7
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	24	4.1	12	<1	1	4	5	7	11	17
20-34	256	4.4	6	1	1	4	6	8	8	10
35-49	57	5.8	10	1	2	6	7	9	11	19
50-64	3	5.0	4	3	3	5	6	7	7	7
65+	2	9.5	25	6	6	9	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	2.1	1	1	1	2	3	4	4	4
B. *Operated*	92	3.5	5	1	1	3	5	6	8	9
2. MULTIPLE DX										
A. *Not Operated*	57	3.8	5	<1	1	4	5	7	8	10
B. *Operated*	342	4.6	7	1	1	5	6	8	9	13
1. SINGLE DX	114	3.2	4	1	1	3	4	6	7	9
2. MULTIPLE DX	399	4.5	7	1	1	4	6	8	9	13
A. NOT OPERATED	79	3.3	4	1	1	3	5	6	8	10
B. OPERATED	434	4.4	7	1	1	4	6	8	9	13
TOTAL 0-19 YRS	51	3.7	8	1	1	3	5	7	9	17
20-34	388	4.0	5	1	1	4	5	7	8	10
35-49	68	5.5	10	1	2	6	7	9	10	18
50-64	4	4.8	3	3	3	4	6	7	7	7
65+	2	9.5	25	6	6	9	13	13	13	13
GRAND TOTAL	**513**	**4.2**	**7**	**1**	**1**	**4**	**6**	**7**	**8**	**13**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	178	2.3	4	<1	1	2	3	5	7	11
20-34	94	3.7	6	1	1	3	5	7	8	12
35-49	71	3.5	6	<1	1	3	5	7	9	12
50-64	71	4.3	11	1	1	3	6	9	12	15
65+	52	3.5	6	1	1	3	5	7	9	12
B. *Operated*										
0-19 YRS	21	4.8	9	<1	1	4	8	9	10	10
20-34	26	5.4	27	1	1	4	6	14	18	20
35-49	27	5.8	37	1	1	5	6	8	24	27
50-64	32	4.3	5	1	2	5	6	7	8	8
65+	11	7.5	73	2	2	5	8	18	31	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	432	2.9	7	1	1	2	4	6	9	14
20-34	507	4.6	20	1	1	4	6	9	12	27
35-49	565	4.9	17	1	1	4	6	10	12	18
50-64	954	5.6	20	1	2	4	7	10	13	27
65+	2467	6.3	24	1	2	5	8	12	15	25
B. *Operated*										
0-19 YRS	30	8.0	90	2	2	5	8	17	37	41
20-34	92	7.6	39	2	2	6	10	15	16	39
35-49	127	8.2	47	1	2	6	10	17	21	36
50-64	210	9.9	88	2	3	7	12	21	32	45
65+	323	11.6	83	3	3	9	15	23	30	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	466	3.2	7	1	1	2	4	7	9	12
B. *Operated*	117	5.3	24	1	1	4	6	9	14	29
2. MULTIPLE DX										
A. *Not Operated*	4925	5.5	22	1	1	4	7	11	14	24
B. *Operated*	782	10.0	76	2	3	7	13	21	29	43
1. SINGLE DX	583	3.6	11	1	1	3	5	7	9	15
2. MULTIPLE DX	5707	6.2	31	1	2	5	8	12	16	31
A. NOT OPERATED	5391	5.3	21	1	1	4	7	10	13	23
B. OPERATED	899	9.4	72	2	2	7	12	20	27	42
TOTAL 0-19 YRS	661	3.0	11	1	1	2	4	6	9	17
20-34	719	4.9	22	1	1	4	6	9	12	27
35-49	790	5.4	23	1	1	4	7	10	14	25
50-64	1267	6.2	33	1	2	5	7	12	16	32
65+	2853	6.9	34	1	2	5	9	13	18	31
GRAND TOTAL	**6290**	**5.9**	**30**	**1**	**1**	**4**	**7**	**12**	**16**	**30**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	3.4	5	1	1	3	4	7	8	9
20-34	3	3.3		3	3	3	4	4	4	4
35-49	4	9.0	66	2	2	9	16	17	17	17
50-64	5	6.8	16	2	2	9	10	10	10	10
65+	8	5.9	37	1	1	4	6	16	20	20
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	4.7	22	1	1	3	8	10	10	10
35-49	2	13.0	288	1	1	13	25	25	25	25
50-64	1	8.0		8	8	8	8	8	8	8
65+	5	7.8	18	3	3	8	10	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	8.5	136	1	2	5	8	20	29	63
20-34	37	11.7	178	1	2	7	13	31	47	58
35-49	69	9.1	34	2	3	8	12	17	23	28
50-64	131	10.9	126	2	3	8	13	21	27	65
65+	583	8.7	36	2	3	7	11	15	21	31
B. *Operated*										
0-19 YRS	16	20.1	522	2	4	13	40	94	99+	99+
20-34	17	11.5	95	3	4	7	16	27	33	36
35-49	36	13.8	107	2	4	11	18	30	33	48
50-64	87	16.9	169	3	5	14	20	34	50	63
65+	309	15.8	174	4	5	12	20	32	44	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	5.1	21	1	2	3	7	10	16	20
B. *Operated*	12	7.3	48	1	1	6	9	17	24	25
2. MULTIPLE DX										
A. *Not Operated*	888	9.2	63	2	3	7	11	17	22	42
B. *Operated*	465	15.8	177	4	4	12	20	33	45	86
1. SINGLE DX	47	5.7	28	1	1	4	8	13	17	25
2. MULTIPLE DX	1353	11.5	112	2	3	8	14	23	32	63
A. NOT OPERATED	923	9.0	62	2	3	7	11	17	22	42
B. OPERATED	477	15.6	175	3	4	12	20	32	45	86
TOTAL 0-19 YRS	100	9.5	197	1	2	5	9	24	63	99+
20-34	60	10.9	141	1	2	7	12	26	38	57
35-49	111	10.7	64	2	3	8	14	23	26	39
50-64	224	13.1	148	3	3	10	16	25	37	61
65+	905	11.1	94	3	3	8	14	22	28	56
GRAND TOTAL	**1400**	**11.3**	**110**	**2**	**3**	**8**	**14**	**23**	**32**	**63**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	96	8.5	20	2	2	9	11	14	15	21
20-34	35	10.8	27	3	4	11	13	16	19	29
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	5	8.8	101	2	2	5	13	26	26	26
20-34	5	14.8	182	3	3	14	20	37	37	37
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	328	11.1	37	2	4	11	14	17	19	31
20-34	112	11.6	39	3	4	10	15	21	27	31
35-49	9	13.8	42	3	6	14	16	23	27	27
50-64										
65+										
B. *Operated*										
0-19 YRS	28	18.9	296	1	5	15	25	44	88	99+
20-34	17	15.6	67	3	4	16	21	27	28	29
35-49	1	22.0		22	22	22	22	22	22	22
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133	9.0	23	2	3	10	12	14	16	22
B. *Operated*	10	11.8	136	2	2	7	15	31	37	37
2. MULTIPLE DX										
A. *Not Operated*	449	11.2	38	3	4	11	14	17	21	30
B. *Operated*	46	17.8	204	2	5	16	24	31	55	99+
1. SINGLE DX	143	9.2	30	2	2	10	12	15	17	30
2. MULTIPLE DX	495	11.9	56	3	4	11	15	18	25	44
A. NOT OPERATED	582	10.7	35	2	4	10	14	17	20	29
B. OPERATED	56	16.7	194	2	3	15	23	31	45	99
TOTAL 0-19 YRS	457	11.0	54	2	3	10	14	17	21	44
20-34	169	11.9	44	3	4	11	15	21	27	32
35-49	12	12.8	55	2	3	13	16	23	26	27
50-64										
65+										
GRAND TOTAL	**638**	**11.3**	**52**	**2**	**3**	**10**	**14**	**17**	**23**	**38**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.6	3	1	1	2	4	5	7	7
20-34	9	4.2	23	1	1	3	5	13	13	13
35-49	9	2.2	2	1	1	1	3	5	5	5
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	15	6.3	3	3	3	7	8	8	8	8
20-34	199	7.1	5	4	5	7	8	10	11	16
35-49	150	7.5	12	4	5	7	9	10	11	14
50-64	13	6.8	4	2	4	7	8	9	9	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	5.7	47	1	1	4	5	15	26	27
20-34	36	3.3	7	<1	1	2	5	7	9	10
35-49	61	4.8	28	1	1	3	7	11	16	28
50-64	32	5.8	32	<1	1	4	6	14	19	25
65+	11	4.3	8	1	1	4	6	9	10	10
B. *Operated*										
0-19 YRS	24	7.8	8	4	5	7	9	10	13	17
20-34	401	8.0	12	5	5	7	9	10	12	24
35-49	614	9.0	33	5	6	8	9	12	16	35
50-64	177	9.0	28	5	6	8	10	12	15	29
65+	13	8.0	16	4	5	6	8	16	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	2.9	8	1	1	2	3	6	11	13
B. *Operated*	377	7.2	7	4	5	7	8	10	11	15
2. MULTIPLE DX										
A. *Not Operated*	163	4.8	26	1	1	3	6	10	15	27
B. *Operated*	1229	8.6	25	5	6	8	9	11	14	29
1. SINGLE DX	410	6.8	9	2	3	7	8	10	11	15
2. MULTIPLE DX	1392	8.2	27	2	5	7	9	11	14	29
A. NOT OPERATED	196	4.4	23	1	1	3	6	10	13	26
B. OPERATED	1606	8.3	21	5	5	7	9	11	13	27
TOTAL 0-19 YRS	76	5.9	20	1	1	5	8	9	12	26
20-34	645	7.4	11	3	5	7	9	10	11	17
35-49	834	8.3	30	3	5	8	9	11	15	30
50-64	223	8.4	28	2	4	8	9	12	15	28
65+	24	6.3	16	1	1	6	8	11	16	17
GRAND TOTAL	**1802**	**7.9**	**23**	**2**	**4**	**7**	**9**	**11**	**13**	**26**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	138	2.4	3	<1	<1	2	3	5	5	10
20-34	64	3.1	5	1	1	3	4	6	8	10
35-49	43	4.0	17	<1	<1	2	6	11	13	15
50-64	32	3.3	5	<1	1	3	4	6	7	11
65+	20	4.6	6	1	2	4	6	8	10	10
B. *Operated*										
0-19 YRS	47	4.9	58	1	1	2	5	12	15	49
20-34	98	3.6	14	1	1	2	4	9	12	19
35-49	81	3.5	12	1	1	2	4	8	12	17
50-64	33	3.2	4	1	1	3	4	6	7	8
65+	17	4.5	18	<1	1	3	7	10	14	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	262	5.2	71	<1	<1	3	5	10	18	40
20-34	288	4.5	29	<1	<1	2	6	11	15	28
35-49	483	4.3	27	<1	<1	2	6	10	14	25
50-64	502	4.9	28	<1	<1	3	7	11	15	26
65+	496	8.1	39	2	3	7	10	16	21	31
B. *Operated*										
0-19 YRS	78	8.4	85	1	1	5	10	22	27	47
20-34	182	9.3	79	1	2	6	12	21	32	50
35-49	228	10.2	91	2	3	8	12	22	29	64
50-64	223	9.0	81	1	1	6	11	19	27	45
65+	195	11.5	102	2	3	9	15	24	30	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	297	3.1	6	<1	<1	2	4	6	8	13
B. *Operated*	276	3.8	20	1	1	2	5	8	12	18
2. MULTIPLE DX										
A. *Not Operated*	2031	5.5	38	<1	<1	4	7	12	17	28
B. *Operated*	906	9.8	89	1	2	7	12	22	29	52
1. SINGLE DX	573	3.4	13	<1	1	2	4	7	11	16
2. MULTIPLE DX	2937	6.8	58	<1	<1	5	9	15	22	36
A. NOT OPERATED	2328	5.2	35	<1	<1	3	7	11	16	28
B. OPERATED	1182	8.4	79	1	1	6	11	18	27	46
TOTAL 0-19 YRS	525	4.9	57	<1	<1	3	5	10	16	37
20-34	632	5.6	44	<1	<1	3	7	13	20	33
35-49	835	5.8	50	<1	<1	4	8	13	19	32
50-64	790	5.9	45	<1	<1	4	8	14	18	34
65+	728	8.8	57	1	2	7	11	17	24	39
GRAND TOTAL	**3510**	**6.3**	**52**	**<1**	**<1**	**4**	**8**	**14**	**20**	**35**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	17	2.8	2	1	1	2	4	5	5	5
35-49	40	4.2	5	1	2	4	6	7	8	9
50-64	26	4.4	12	1	1	3	5	10	12	15
65+	39	4.2	4	2	2	4	6	7	9	10
B. *Operated*										
0-19 YRS										
20-34	3	6.0	19	<1	<1	8	9	9	9	9
35-49	3	6.7	41	2	2	4	11	14	14	14
50-64	11	4.4	14	1	1	3	8	10	10	10
65+	8	5.1	40	<1	<1	2	8	16	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
20-34	24	4.0	6	1	2	3	5	7	10	11
35-49	84	5.4	16	2	2	5	7	9	10	26
50-64	159	5.8	11	2	2	5	8	10	12	16
65+	379	6.1	14	2	2	5	8	11	13	22
B. *Operated*										
0-19 YRS										
20-34	6	5.0	6	1	1	5	6	8	8	8
35-49	26	9.0	69	2	2	6	10	15	30	39
50-64	48	6.9	29	1	2	5	10	12	16	29
65+	84	8.9	66	2	3	7	10	15	30	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	122	4.0	6	1	2	4	5	7	9	12
B. *Operated*	25	5.1	23	<1	1	3	9	12	15	18
2. MULTIPLE DX										
A. *Not Operated*	648	5.9	14	2	2	5	8	10	12	18
B. *Operated*	164	8.2	54	2	2	6	10	15	26	38
1. SINGLE DX	147	4.2	9	1	1	3	6	8	10	15
2. MULTIPLE DX	812	6.4	23	2	2	5	8	11	13	28
A. NOT OPERATED	770	5.6	13	2	2	5	8	10	12	17
B. OPERATED	189	7.8	51	1	2	6	10	15	21	37
TOTAL 0-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
20-34	50	3.8	6	1	1	3	5	7	9	11
35-49	153	5.7	25	2	2	5	7	9	12	34
50-64	244	5.8	15	1	2	5	8	11	12	17
65+	510	6.4	24	2	2	5	8	11	14	28
GRAND TOTAL	**959**	**6.0**	**21**	**2**	**2**	**5**	**8**	**10**	**13**	**27**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	126	2.6	4	1	1	2	3	5	6	11
20-34	39	2.6	4	1	1	2	3	6	7	9
35-49	60	6.2	81	1	1	3	6	13	21	52
50-64	50	4.1	10	1	1	3	5	8	11	15
65+	149	6.0	52	1	2	5	6	10	15	47
B. *Operated*										
0-19 YRS	2	10.5	113	3	3	10	18	18	18	18
20-34	1	11.0		11	11	11	11	11	11	11
35-49										
50-64	4	7.8	38	4	4	5	11	17	17	17
65+	5	20.2	212	8	8	14	31	42	42	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4050	3.2	6	1	1	3	4	5	7	12
20-34	1485	3.6	9	1	1	3	4	7	9	14
35-49	1534	4.9	21	1	2	4	6	9	12	21
50-64	2852	6.0	23	2	2	5	8	11	15	24
65+	13072	7.2	25	2	3	6	9	13	17	26
B. *Operated*										
0-19 YRS	87	9.6	166	1	1	5	11	25	38	68
20-34	92	7.1	53	1	1	5	9	15	20	39
35-49	178	9.7	89	1	2	7	13	19	25	53
50-64	353	11.3	88	1	2	9	15	24	31	43
65+	1489	13.6	107	3	4	11	17	25	32	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	424	4.5	35	1	1	3	5	8	12	33
B. *Operated*	12	13.7	132	3	4	10	17	32	41	42
2. MULTIPLE DX										
A. *Not Operated*	22993	6.0	23	1	2	5	7	11	15	24
B. *Operated*	2199	12.5	106	2	3	10	16	24	31	53
1. SINGLE DX	436	4.8	40	1	1	3	5	9	14	39
2. MULTIPLE DX	25192	6.5	34	1	2	5	8	13	17	29
A. NOT OPERATED	23417	5.9	23	1	2	5	7	11	15	24
B. OPERATED	2211	12.5	106	2	3	10	16	24	31	53
TOTAL 0-19 YRS	4265	3.3	10	1	1	3	4	5	7	15
20-34	1617	3.8	12	1	1	3	4	7	9	16
35-49	1772	5.4	32	1	2	4	6	10	15	29
50-64	3259	6.6	32	1	2	5	8	13	17	29
65+	14715	7.8	38	2	3	6	10	15	19	31
GRAND TOTAL	**25628**	**6.5**	**34**	**1**	**2**	**5**	**8**	**13**	**17**	**29**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	3.4	5	1	1	3	5	7	7	8
20-34	31	3.4	4	1	1	3	4	6	7	8
35-49	40	3.7	6	1	1	4	5	6	9	11
50-64	27	4.3	4	2	2	4	6	7	8	10
65+	57	4.5	6	1	2	4	6	7	9	15
B. *Operated*										
0-19 YRS	6	2.0	1	1	1	2	2	4	4	4
20-34	9	6.0	11	3	3	5	7	11	13	13
35-49	9	4.1	11	1	1	4	5	10	12	12
50-64	11	6.5	7	2	2	8	8	9	9	9
65+	16	5.2	6	2	2	5	7	8	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	112	4.1	6	1	1	4	5	7	9	11
20-34	127	4.4	11	1	1	4	6	8	10	17
35-49	271	4.7	9	1	2	4	6	9	11	15
50-64	382	5.3	12	1	2	5	7	10	12	17
65+	1811	5.9	19	1	2	5	8	10	13	22
B. *Operated*										
0-19 YRS	14	8.5	261	1	1	4	7	14	53	64
20-34	61	6.0	16	1	2	5	7	10	11	25
35-49	173	6.6	15	2	2	6	9	12	14	20
50-64	223	8.3	34	2	3	7	10	15	19	33
65+	694	8.7	29	3	4	8	10	16	19	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	180	3.9	5	1	1	4	5	7	8	11
B. *Operated*	51	5.0	9	1	2	4	7	9	10	13
2. MULTIPLE DX										
A. *Not Operated*	2703	5.6	17	1	2	5	7	10	12	20
B. *Operated*	1165	8.2	30	2	3	7	10	15	19	30
1. SINGLE DX	231	4.2	6	1	1	4	6	8	9	12
2. MULTIPLE DX	3868	6.4	22	1	2	5	8	11	15	23
A. NOT OPERATED	2883	5.5	16	1	2	5	7	10	12	20
B. OPERATED	1216	8.1	30	2	3	7	10	15	19	29
TOTAL 0-19 YRS	157	4.3	28	1	1	3	5	7	9	13
20-34	228	4.7	12	1	1	4	6	9	10	17
35-49	493	5.3	12	1	2	4	7	10	12	19
50-64	643	6.3	21	1	2	5	8	12	15	23
65+	2578	6.7	23	2	2	6	8	12	15	24
GRAND TOTAL	**4099**	**6.2**	**22**	**1**	**2**	**5**	**8**	**11**	**14**	**23**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	766	4.2	10	1	2	4	5	8	9	13
20-34	999	5.8	17	1	2	5	7	11	13	22
35-49	181	5.8	19	2	2	5	7	9	13	22
50-64	8	5.1	17	<1	1	4	6	12	14	14
65+	2	5.0	18	2	2	5	8	8	8	8
B. *Operated*										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	27	10.7	62	3	3	9	14	22	27	36
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	804	5.1	16	1	2	4	6	9	12	20
20-34	1320	7.2	36	2	3	6	9	13	16	33
35-49	299	7.2	26	2	3	6	9	13	15	31
50-64	32	6.8	11	2	3	6	9	10	13	17
65+	4	3.8	10	1	1	3	6	8	8	8
B. *Operated*										
0-19 YRS	24	12.0	137	2	3	9	14	22	36	58
20-34	119	12.3	96	3	4	10	16	22	28	56
35-49	34	13.8	84	2	4	12	22	26	31	36
50-64	7	10.9	48	6	6	9	18	78	99+	99+
65+	1	10.0		10	10	10	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1956	5.2	15	1	2	4	6	9	12	18
B. *Operated*	30	9.9	61	2	3	8	12	20	26	36
2. MULTIPLE DX										
A. *Not Operated*	2459	6.5	29	2	2	5	8	12	15	28
B. *Operated*	185	12.5	96	3	4	10	16	24	29	69
1. SINGLE DX	1986	5.2	16	1	2	4	6	10	12	21
2. MULTIPLE DX	2644	6.9	36	2	2	5	9	13	17	31
A. NOT OPERATED	4415	5.9	23	1	2	5	7	11	14	25
B. OPERATED	215	12.1	91	2	4	10	15	24	28	64
TOTAL 0-19 YRS	1597	4.8	16	1	2	4	6	9	11	19
20-34	2465	6.9	34	2	2	5	9	13	16	31
35-49	514	7.1	31	2	3	6	8	13	17	32
50-64	47	7.1	19	2	3	6	9	12	18	99+
65+	7	5.0	13	1	1	4	8	10	10	10
GRAND TOTAL	**4630**	**6.2**	**28**	**1**	**2**	**5**	**8**	**12**	**15**	**27**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	152	2.2	5	<1	<1	1	3	5	7	12
20-34	65	2.6	5	<1	<1	2	3	7	8	10
35-49	36	3.7	7	1	1	3	5	6	8	14
50-64	76	3.4	12	1	1	2	5	7	8	21
65+	203	3.5	15	1	1	2	4	8	11	24
B. *Operated*										
0-19 YRS	58	4.6	10	1	2	4	5	7	10	19
20-34	17	5.4	8	1	1	5	7	9	10	11
35-49	31	4.9	5	2	2	5	6	8	9	11
50-64	33	7.4	22	1	2	7	10	15	17	18
65+	62	6.6	19	1	2	6	8	11	12	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	386	3.4	15	<1	1	2	4	7	11	18
20-34	263	4.1	12	1	1	3	5	8	10	15
35-49	408	4.7	19	1	1	3	7	10	13	22
50-64	944	5.0	28	1	1	4	7	11	14	23
65+	3196	5.5	22	1	1	4	7	11	14	22
B. *Operated*										
0-19 YRS	100	9.7	82	2	3	6	12	24	30	42
20-34	115	10.0	63	2	3	8	13	20	23	45
35-49	197	8.3	77	1	2	7	9	15	21	54
50-64	393	9.9	68	2	3	8	12	20	24	44
65+	1223	9.8	58	3	3	8	12	17	23	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	532	3.0	10	<1	1	2	4	6	8	14
B. *Operated*	201	5.8	15	1	2	5	7	10	13	19
2. MULTIPLE DX										
A. *Not Operated*	5197	5.1	23	1	1	4	7	11	14	22
B. *Operated*	2028	9.7	63	2	3	8	12	18	23	41
1. SINGLE DX	733	3.8	13	<1	1	3	5	8	11	18
2. MULTIPLE DX	7225	6.4	38	1	1	5	8	13	17	30
A. NOT OPERATED	5729	4.9	22	1	1	4	6	10	13	22
B. OPERATED	2229	9.3	60	2	3	7	11	17	23	38
TOTAL 0-19 YRS	696	4.1	28	<1	1	2	5	9	13	30
20-34	460	5.4	31	1	1	4	7	11	15	27
35-49	672	5.7	38	1	1	4	7	11	15	30
50-64	1446	6.3	43	1	1	5	8	13	17	31
65+	4684	6.5	35	1	1	5	8	13	17	28
GRAND TOTAL	**7958**	**6.1**	**36**	**1**	**1**	**5**	**8**	**13**	**17**	**29**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	3.8	18	<1	1	2	3	11	15	16
20-34	11	4.9	6	2	2	5	7	8	9	9
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64										
65+	2	7.0	2	6	6	7	8	8	8	8
B. *Operated*										
0-19 YRS	4	5.8	90	1	1	1	11	20	20	20
20-34	3	17.7	4	16	16	17	19	20	20	20
35-49										
50-64	2	6.0	32	2	2	6	10	10	10	10
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92	4.2	11	1	1	3	6	9	10	17
20-34	28	4.2	11	1	2	3	5	7	13	15
35-49	15	6.6	18	2	2	6	8	13	16	17
50-64	3	5.0	4	3	3	5	6	7	7	7
65+	4	5.3	3	3	3	5	6	7	7	7
B. *Operated*										
0-19 YRS	9	11.4	74	1	2	9	21	23	24	24
20-34	10	20.6	894	3	3	7	26	69	99	99
35-49	4	5.8	14	3	3	5	8	11	11	11
50-64	2	10.0	8	8	8	10	12	12	12	12
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	4.3	13	1	1	3	6	9	13	16
B. *Operated*	9	9.8	74	1	1	10	18	20	20	20
2. MULTIPLE DX										
A. *Not Operated*	142	4.5	11	1	2	3	6	9	12	17
B. *Operated*	25	14.1	395	2	3	8	14	26	54	99
1. SINGLE DX	48	5.3	28	1	1	3	7	16	17	20
2. MULTIPLE DX	167	5.9	79	1	2	4	7	10	16	37
A. NOT OPERATED	181	4.5	12	1	2	3	6	9	12	17
B. OPERATED	34	12.9	309	1	1	8	17	24	36	99
TOTAL 0-19 YRS	129	4.7	21	1	1	3	6	9	16	22
20-34	52	8.3	211	2	2	4	7	16	25	98
35-49	21	6.1	16	2	2	5	8	12	15	17
50-64	7	6.7	13	2	2	7	9	12	12	12
65+	6	5.8	3	3	3	6	7	8	8	8
GRAND TOTAL	**215**	**5.8**	**67**	**1**	**2**	**4**	**7**	**11**	**17**	**31**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	272	3.0	5	1	1	3	4	5	7	12
20-34	39	3.7	8	1	1	3	4	7	11	14
35-49	80	2.4	9	1	1	1	3	6	8	18
50-64	34	4.9	42	1	1	3	6	8	12	38
65+	40	4.7	13	1	1	4	7	9	10	18
B. *Operated*										
0-19 YRS	187	4.9	9	1	2	5	6	8	10	17
20-34	114	6.4	17	2	3	5	7	11	17	21
35-49	48	6.6	12	2	3	5	8	12	14	18
50-64	50	7.4	38	2	3	6	8	13	16	42
65+	53	7.5	18	2	3	7	9	12	15	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	505	4.2	19	1	1	3	5	8	11	22
20-34	220	5.5	37	1	1	4	7	10	13	19
35-49	286	5.9	20	1	2	5	8	11	14	24
50-64	543	6.2	26	1	1	5	8	11	14	26
65+	1046	6.5	27	1	2	5	9	13	15	23
B. *Operated*										
0-19 YRS	127	8.3	142	<1	1	6	8	17	28	91
20-34	166	9.3	79	2	3	7	11	17	28	52
35-49	168	9.5	66	2	3	7	12	18	26	41
50-64	354	10.9	84	2	3	8	13	23	27	51
65+	668	12.1	86	3	4	9	15	23	31	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	465	3.3	10	1	1	3	4	6	8	14
B. *Operated*	452	6.0	17	1	2	5	7	10	14	19
2. MULTIPLE DX										
A. *Not Operated*	2600	5.8	26	1	1	5	8	11	14	24
B. *Operated*	1483	10.9	89	2	3	8	14	21	29	51
1. SINGLE DX	917	4.6	15	1	1	4	6	8	12	18
2. MULTIPLE DX	4083	7.7	55	1	2	6	9	15	21	40
A. NOT OPERATED	3065	5.5	25	1	1	4	7	11	14	23
B. OPERATED	1935	9.8	76	2	3	7	12	19	26	48
TOTAL 0-19 YRS	1091	4.5	30	1	1	3	5	8	11	24
20-34	539	6.7	47	1	2	5	8	13	17	38
35-49	582	6.5	36	1	1	5	8	14	18	31
50-64	981	7.9	53	1	2	6	10	15	23	41
65+	1807	8.5	56	1	2	7	11	17	22	39
GRAND TOTAL	**5000**	**7.1**	**49**	**1**	**2**	**5**	**9**	**14**	**19**	**37**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1017	1.9	1	1	1	2	2	3	4	6
20-34	213	2.0	2	1	1	2	2	3	4	8
35-49	42	2.1	1	1	1	2	3	3	5	6
50-64	5	1.8	1	1	1	1	3	3	3	3
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	424	3.5	2	2	2	3	4	5	6	9
20-34	148	3.8	3	2	2	4	4	6	7	11
35-49	19	4.3	3	2	2	4	5	7	8	9
50-64	5	5.4	7	2	2	7	7	8	8	8
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	609	2.5	2	1	1	2	3	4	6	7
20-34	121	2.8	2	1	1	3	4	4	5	8
35-49	37	3.2	4	1	1	3	5	6	7	10
50-64	8	4.4	8	2	2	4	5	9	11	11
65+	11	5.5	7	2	3	6	6	9	12	12
B. *Operated*										
0-19 YRS	236	4.4	5	2	2	4	5	7	9	12
20-34	110	4.9	8	2	2	4	6	8	11	16
35-49	26	5.3	6	2	3	5	7	8	11	12
50-64	2	5.5	1	5	5	5	6	6	6	6
65+	5	7.8	19	4	4	5	12	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1278	1.9	1	1	1	2	2	3	4	6
B. *Operated*	597	3.6	2	2	2	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	786	2.6	2	1	1	2	3	5	6	8
B. *Operated*	379	4.6	6	2	2	4	5	7	10	15
1. SINGLE DX	1875	2.5	2	1	1	2	3	4	5	8
2. MULTIPLE DX	1165	3.3	4	1	1	3	4	6	7	11
A. NOT OPERATED	2064	2.2	2	1	1	2	3	4	5	7
B. OPERATED	976	4.0	4	2	2	4	5	6	8	12
TOTAL 0-19 YRS	2286	2.6	3	1	1	2	3	5	5	8
20-34	592	3.2	5	1	1	3	4	6	7	11
35-49	124	3.4	5	1	1	3	5	6	8	11
50-64	20	4.1	7	1	1	4	6	8	9	11
65+	18	5.8	11	2	2	5	6	12	13	13
GRAND TOTAL	**3040**	**2.8**	**3**	**1**	**1**	**2**	**4**	**5**	**6**	**10**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	185	4.0	4	1	2	4	5	7	8	10
20-34	21	4.2	6	1	2	4	5	8	10	11
35-49	11	3.0	5	<1	<1	2	5	6	7	7
50-64	1	10.0		10	10	10	10	10	10	10
65+										
B. *Operated*										
0-19 YRS	75	3.1	9	<1	1	2	4	7	9	16
20-34	44	3.4	11	<1	1	2	4	8	10	18
35-49	24	2.3	3	<1	1	2	3	5	6	8
50-64	19	2.4	1	1	1	2	3	4	4	4
65+	6	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	225	4.5	7	2	2	4	5	8	10	14
20-34	26	4.2	8	1	2	4	5	7	11	13
35-49	12	5.9	21	2	2	4	7	15	15	15
50-64	9	4.7	2	3	3	5	5	7	7	7
65+	4	7.0	7	4	4	7	9	10	10	10
B. *Operated*										
0-19 YRS	64	6.1	18	1	1	5	8	12	14	19
20-34	34	5.1	17	1	2	4	7	11	13	20
35-49	27	4.0	11	1	1	3	6	10	11	12
50-64	32	6.2	28	1	1	4	8	14	18	23
65+	23	4.7	28	1	1	2	6	15	17	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	218	4.0	4	1	2	4	5	7	8	10
B. *Operated*	168	3.0	8	<1	1	2	4	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	276	4.6	8	2	2	4	6	8	11	15
B. *Operated*	180	5.4	20	1	1	4	8	12	15	20
1. SINGLE DX	386	3.5	6	1	1	3	5	7	8	11
2. MULTIPLE DX	456	4.9	13	1	2	4	6	10	12	18
A. NOT OPERATED	494	4.3	6	1	2	4	5	8	9	14
B. OPERATED	348	4.2	16	1	1	3	6	10	12	18
TOTAL 0-19 YRS	549	4.3	8	1	1	4	5	8	10	15
20-34	125	4.1	11	1	1	3	5	8	11	18
35-49	74	3.6	10	1	1	3	5	8	11	15
50-64	61	4.8	19	1	1	4	5	10	14	22
65+	33	4.5	22	1	1	3	6	11	17	18
GRAND TOTAL	**842**	**4.3**	**10**	**1**	**1**	**4**	**5**	**8**	**11**	**17**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	4.8	16	1	1	3	8	11	12	12
20-34	24	9.5	80	1	2	6	12	24	29	34
35-49	16	7.1	55	<1	1	4	10	21	22	23
50-64	18	9.5	118	1	1	4	16	27	31	33
65+	46	8.1	46	1	1	6	12	21	22	28
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	6.5	41	2	2	6	11	11	11	11
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	15.6	313	<1	1	7	27	53	76	99+
20-34	71	11.7	92	1	2	9	17	27	32	38
35-49	87	13.5	132	2	2	10	19	29	39	49
50-64	134	11.7	122	2	2	7	17	26	30	51
65+	482	9.5	73	2	2	7	12	22	28	39
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	3	15.3	165	6	6	10	25	30	30	30
35-49	6	25.2	581	4	4	14	46	62	64	64
50-64	13	17.7	249	3	4	13	25	43	50	52
65+	73	11.5	115	1	1	10	17	25	30	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	113	8.2	63	1	1	6	12	21	26	33
B. *Operated*	3	5.0	27	2	2	2	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	796	10.7	98	2	2	7	14	25	30	49
B. *Operated*	96	13.3	167	1	1	10	17	30	44	62
1. SINGLE DX	116	8.1	62	1	1	6	11	21	26	33
2. MULTIPLE DX	892	11.0	106	1	2	8	14	25	31	50
A. NOT OPERATED	909	10.4	94	1	2	7	14	24	30	49
B. OPERATED	99	13.0	165	1	1	10	17	30	44	62
TOTAL 0-19 YRS	32	12.3	242	1	1	6	17	45	61	99+
20-34	98	11.3	90	1	2	8	17	27	32	38
35-49	110	13.1	153	1	2	10	18	29	45	55
50-64	167	11.9	132	2	2	7	17	28	33	52
65+	601	9.6	77	1	2	7	12	22	28	41
GRAND TOTAL	**1008**	**10.6**	**102**	**1**	**2**	**7**	**14**	**25**	**30**	**49**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	201	2.7	33	<1	1	1	2	4	6	39
20-34	139	4.0	19	1	1	3	4	8	14	22
35-49	67	3.9	16	<1	1	3	5	7	13	22
50-64	75	7.8	62	1	1	4	11	19	22	37
65+	329	9.9	91	1	2	7	13	21	28	42
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	4	9.3	54	3	3	9	15	17	17	17
35-49	1	3.0		3	3	3	3	3	3	3
50-64	3	4.7	30	1	1	2	9	11	11	11
65+	5	12.0	54	3	3	11	17	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	254	5.1	78	1	1	3	5	10	19	79
20-34	479	7.2	76	1	2	4	8	15	22	49
35-49	294	8.5	88	1	2	5	10	18	27	46
50-64	372	11.1	109	2	2	7	14	24	31	49
65+	2731	10.0	69	2	3	8	13	21	25	41
B. *Operated*										
0-19 YRS	16	10.4	252	1	1	3	22	51	84	99+
20-34	23	10.7	346	1	1	6	12	15	42	93
35-49	25	18.9	249	1	3	11	30	44	49	54
50-64	48	15.3	113	3	4	12	21	31	33	51
65+	265	14.7	110	3	4	12	20	29	38	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	811	6.4	65	1	1	3	8	16	22	38
B. *Operated*	14	8.4	46	1	2	6	14	17	21	22
2. MULTIPLE DX										
A. *Not Operated*	4130	9.4	77	1	2	7	12	20	26	47
B. *Operated*	377	14.6	141	2	3	11	20	31	40	58
1. SINGLE DX	825	6.4	65	1	1	3	8	16	22	38
2. MULTIPLE DX	4507	9.8	85	1	2	7	13	21	28	48
A. NOT OPERATED	4941	8.9	77	1	2	6	11	19	25	44
B. OPERATED	391	14.4	138	2	3	11	20	31	39	58
TOTAL 0-19 YRS	472	4.2	67	1	1	2	4	8	17	58
20-34	645	6.6	75	1	1	4	7	15	21	49
35-49	387	8.4	96	1	1	5	9	20	28	48
50-64	498	10.9	105	1	2	7	14	24	31	49
65+	3330	10.4	76	2	3	8	13	21	27	43
GRAND TOTAL	**5332**	**9.3**	**83**	**1**	**2**	**6**	**12**	**20**	**27**	**47**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	20	12.8	78	4	4	9	17	27	30	33
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	9.0		9	9	9	9	9	9	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	13.3	74	4	4	15	19	21	21	21
50-64	36	12.3	94	2	3	8	20	25	32	37
65+	349	11.3	87	2	3	9	15	21	27	45
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	10	12.3	54	4	4	10	14	24	29	29
65+	49	17.5	171	5	6	17	21	33	53	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	12.2	79	3	4	8	17	27	30	33
B. *Operated*	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	388	11.4	88	2	3	9	15	22	27	44
B. *Operated*	59	16.6	154	4	5	12	20	31	49	60
1. SINGLE DX	22	12.1	76	3	4	9	16	27	30	33
2. MULTIPLE DX	447	12.1	99	2	3	10	16	23	29	53
A. NOT OPERATED	409	11.4	87	2	3	9	15	22	27	43
B. OPERATED	60	16.5	153	4	5	12	20	31	48	60
TOTAL 0-19 YRS										
20-34										
35-49	3	13.3	74	4	4	15	19	21	21	21
50-64	48	12.0	83	2	3	9	19	25	30	37
65+	418	12.1	100	3	3	9	16	23	29	53
GRAND TOTAL	**469**	**12.1**	**98**	**2**	**3**	**10**	**16**	**23**	**29**	**53**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	73	3.5	10	<1	1	3	4	8	10	19
35-49	80	4.5	20	1	1	3	5	10	13	27
50-64	51	7.0	46	1	2	5	9	16	22	34
65+	14	7.6	58	1	2	4	13	19	24	26
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	21.0	18	18	18	21	24	24	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	3.9	17	<1	1	4	4	5	14	20
20-34	774	5.3	33	1	2	4	5	10	18	29
35-49	1241	5.6	27	1	2	4	6	10	16	29
50-64	858	6.6	37	2	2	5	8	13	18	32
65+	349	8.5	52	2	3	6	11	18	22	40
B. *Operated*										
0-19 YRS										
20-34	20	8.0	95	1	1	5	9	16	32	44
35-49	60	11.6	93	2	2	9	16	23	29	53
50-64	74	15.5	139	2	4	11	22	32	42	49
65+	26	14.6	163	5	5	12	19	31	73	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	219	4.9	27	1	1	3	5	11	16	27
B. *Operated*	2	21.0	18	18	18	21	24	24	24	24
2. MULTIPLE DX										
A. *Not Operated*	3241	6.1	35	1	2	4	7	12	18	30
B. *Operated*	180	13.2	127	2	2	10	19	29	39	64
1. SINGLE DX	221	5.1	29	1	1	3	5	11	17	27
2. MULTIPLE DX	3421	6.5	42	1	2	4	7	13	20	33
A. NOT OPERATED	3460	6.1	34	1	2	4	7	12	18	30
B. OPERATED	182	13.3	126	2	2	10	19	29	38	64
TOTAL 0-19 YRS	20	3.9	16	<1	1	3	4	5	13	20
20-34	867	5.2	32	1	1	4	5	10	18	29
35-49	1381	5.8	31	1	2	4	7	11	18	30
50-64	983	7.3	50	2	2	5	8	14	23	37
65+	391	9.0	62	2	3	6	11	18	24	44
GRAND TOTAL	**3642**	**6.4**	**41**	**1**	**2**	**4**	**7**	**13**	**20**	**33**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	8.6	59	1	1	8	13	17	23	33
20-34	60	6.7	86	1	1	4	9	15	21	58
35-49	21	5.9	32	<1	1	4	8	14	19	23
50-64	6	11.3	159	1	1	6	23	30	31	31
65+	18	5.9	19	2	2	5	7	14	16	17
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	8.0		8	8	8	8	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	11.9	242	1	1	8	13	31	39	99+
20-34	502	6.2	41	2	2	5	6	11	17	36
35-49	214	6.8	27	2	3	5	8	14	18	27
50-64	113	8.1	56	2	3	6	10	16	22	42
65+	249	7.9	38	2	2	6	10	16	23	29
B. *Operated*										
0-19 YRS										
20-34	13	7.8	13	1	3	8	11	13	13	13
35-49	14	10.9	49	3	4	10	13	24	26	26
50-64	7	13.7	104	3	3	12	24	28	28	28
65+	32	10.8	155	1	2	7	13	17	21	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	7.0	66	1	1	4	10	16	22	39
B. *Operated*	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	1137	7.2	51	2	2	5	8	14	21	35
B. *Operated*	66	10.6	98	2	3	9	13	18	26	66
1. SINGLE DX	131	7.1	65	1	1	4	10	16	22	38
2. MULTIPLE DX	1203	7.3	54	2	2	5	9	15	21	35
A. NOT OPERATED	1267	7.1	53	1	2	5	8	15	21	35
B. OPERATED	67	10.5	97	2	3	9	13	18	26	65
TOTAL 0-19 YRS	84	10.9	188	1	1	8	13	30	32	99+
20-34	575	6.3	45	1	2	5	6	11	17	37
35-49	249	6.9	29	2	2	5	9	14	18	26
50-64	127	8.5	63	2	2	6	11	18	27	42
65+	299	8.1	50	2	2	6	10	16	22	30
GRAND TOTAL	**1334**	**7.3**	**55**	**1**	**2**	**5**	**9**	**15**	**21**	**35**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	107	19.2	266	2	4	14	25	39	63	78
20-34	1275	16.2	198	1	3	13	21	34	45	75
35-49	661	14.5	120	2	4	12	19	29	36	58
50-64	235	16.7	128	3	5	14	21	30	39	56
65+	69	18.4	221	2	4	15	23	36	56	76
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	20.0		20	20	20	20	20	20	20
50-64	1	21.0		21	21	21	21	21	21	21
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	27.4	372	2	7	22	44	63	94	99+
20-34	1003	18.2	199	3	4	15	24	37	48	78
35-49	675	17.4	167	3	5	14	22	33	43	67
50-64	373	18.4	149	3	6	16	24	34	44	56
65+	171	19.0	163	4	5	16	26	36	44	65
B. *Operated*										
0-19 YRS	2	8.5	5	7	7	8	10	10	10	10
20-34	39	23.2	173	6	8	21	31	45	57	99+
35-49	37	25.1	209	8	10	21	35	45	54	67
50-64	20	22.9	99	6	10	23	28	36	43	44
65+	10	21.7	100	10	11	19	24	38	44	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2347	16.0	174	2	3	13	21	32	42	70
B. *Operated*	2	20.5	1	20	20	20	21	21	21	21
2. MULTIPLE DX										
A. *Not Operated*	2278	18.3	185	3	5	15	24	36	46	71
B. *Operated*	108	23.4	163	7	9	21	30	43	51	80
1. SINGLE DX	2349	16.0	173	2	3	13	21	32	42	70
2. MULTIPLE DX	2386	18.5	185	3	5	16	24	37	46	71
A. NOT OPERATED	4625	17.1	180	2	4	14	22	34	44	71
B. OPERATED	110	23.3	160	7	9	21	30	43	51	80
TOTAL 0-19 YRS	165	21.8	314	2	5	17	29	50	65	99+
20-34	2317	17.2	199	2	4	14	22	35	46	77
35-49	1374	16.2	149	3	4	14	21	31	41	61
50-64	629	17.9	140	3	6	16	23	33	41	55
65+	250	19.0	176	3	5	16	26	36	44	68
GRAND TOTAL	**4735**	**17.3**	**181**	**2**	**4**	**14**	**22**	**34**	**44**	**71**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	24.5	331	3	6	27	41	82	99+	99+
20-34	80	16.6	185	3	4	13	21	34	51	91
35-49	18	14.9	108	1	2	16	23	25	32	36
50-64	8	16.9	286	1	2	11	26	44	50	50
65+	4	14.5	6	12	12	14	16	18	18	18
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	23.8	342	5	7	20	26	58	90	99+
20-34	65	19.1	352	2	3	13	23	50	64	81
35-49	21	21.3	106	7	8	21	27	36	41	42
50-64	17	18.0	322	2	3	10	20	52	60	63
65+	11	12.9	23	5	7	14	15	18	23	23
B. *Operated*										
0-19 YRS										
20-34	4	24.0	231	9	9	24	37	39	39	39
35-49	4	14.5	51	5	5	15	19	22	22	22
50-64										
65+	1	23.0		23	23	23	23	23	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	147	18.3	222	2	4	15	26	47	65	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	143	19.8	287	3	5	15	24	43	63	91
B. *Operated*	9	19.7	130	5	7	17	26	37	39	39
1. SINGLE DX	147	18.3	222	2	4	15	26	47	65	99+
2. MULTIPLE DX	152	19.8	276	3	5	15	24	42	63	90
A. NOT OPERATED	290	19.0	253	2	4	15	25	46	64	99+
B. OPERATED	9	19.7	130	5	7	17	26	37	39	39
TOTAL 0-19 YRS	66	24.2	331	4	6	20	37	69	99+	99+
20-34	149	17.9	258	3	4	13	23	41	63	82
35-49	43	18.0	108	2	4	19	24	32	37	42
50-64	25	17.6	298	2	2	10	22	50	57	63
65+	16	13.9	23	6	8	14	15	22	23	23
GRAND TOTAL	**299**	**19.1**	**249**	**3**	**4**	**15**	**24**	**43**	**63**	**99+**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	233	21.6	306	2	4	18	33	48	64	99+
20-34	2074	16.0	178	2	3	13	21	34	43	68
35-49	1073	14.4	114	2	3	12	19	29	35	53
50-64	480	15.9	128	2	4	14	21	30	37	52
65+	99	15.8	130	2	4	14	20	31	38	55
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	7	20.7	176	6	6	21	33	38	38	38
35-49	1	42.0		42	42	42	42	42	42	42
50-64	1	12.0		12	12	12	12	12	12	12
65+	2	16.5	13	14	14	16	19	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	204	25.2	354	5	6	20	37	58	76	99+
20-34	1943	17.3	193	2	4	14	22	36	46	77
35-49	1333	17.2	187	3	4	14	22	36	45	69
50-64	836	18.2	169	3	5	15	23	35	44	67
65+	353	16.0	128	3	4	13	21	31	41	55
B. *Operated*										
0-19 YRS	11	24.7	191	10	11	22	36	68	95	99+
20-34	87	21.2	244	4	8	18	27	41	61	98
35-49	92	20.4	173	6	8	18	24	41	47	94
50-64	60	29.4	402	9	11	25	33	60	91	99+
65+	24	33.2	453	13	15	27	34	60	90	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3959	15.9	163	2	3	13	21	33	42	66
B. *Operated*	12	19.6	175	3	5	16	31	39	42	42
2. MULTIPLE DX										
A. *Not Operated*	4669	17.7	192	3	4	14	22	36	46	74
B. *Operated*	274	23.9	287	6	9	20	29	47	62	99+
1. SINGLE DX	3971	15.9	163	2	3	13	21	33	42	66
2. MULTIPLE DX	4943	18.0	199	3	4	15	23	36	47	77
A. NOT OPERATED	8628	16.9	179	2	4	14	22	35	45	72
B. OPERATED	286	23.7	283	6	9	20	29	46	61	99+
TOTAL 0-19 YRS	449	23.3	327	3	5	19	35	53	70	99+
20-34	4111	16.7	187	2	3	14	21	35	45	74
35-49	2499	16.2	158	3	4	13	21	33	41	66
50-64	1377	17.9	172	3	5	15	23	34	43	68
65+	478	16.8	158	3	4	14	22	32	42	57
GRAND TOTAL	**8914**	**17.1**	**184**	**2**	**4**	**14**	**22**	**35**	**45**	**74**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	228	19.5	123	5	7	20	21	27	42	87
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	32.1	687	2	3	38	71	99+	99+	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	3	8.0	79	1	1	5	15	18	18	18
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	228	19.5	123	5	7	20	21	27	42	87
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	34	32.1	687	2	3	38	71	99+	99+	99+
B. *Operated*	3	8.0	79	1	1	5	15	18	18	18
1. SINGLE DX	228	19.5	123	5	7	20	21	27	42	87
2. MULTIPLE DX	37	30.1	678	2	3	33	67	99+	99+	99+
A. NOT OPERATED	262	21.2	212	4	7	21	21	44	73	99+
B. OPERATED	3	8.0	79	1	1	5	15	18	18	18
TOTAL 0-19 YRS	265	21.0	212	4	7	21	21	43	72	99+
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**265**	**21.0**	**212**	**4**	**7**	**21**	**21**	**43**	**72**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	501	24.5	476	2	3	19	35	62	81	99+
20-34	1445	13.4	141	1	2	10	18	28	35	62
35-49	1489	14.9	145	2	3	12	20	29	37	57
50-64	942	16.5	146	2	4	14	22	32	39	66
65+	787	20.6	186	3	6	18	28	39	47	74
B. *Operated*										
0-19 YRS	4	13.5	145	2	2	11	22	30	30	30
20-34	5	26.8	517	7	7	17	38	65	65	65
35-49	5	21.0	178	7	7	16	32	40	40	40
50-64	4	22.3	170	12	12	18	32	40	40	40
65+	6	19.5	46	13	13	16	27	29	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	864	27.2	516	2	4	21	43	73	95	99+
20-34	3162	16.0	189	2	3	12	22	34	44	81
35-49	3273	16.3	160	3	4	14	21	32	41	70
50-64	2543	17.7	171	3	4	15	23	34	43	70
65+	2992	20.2	206	4	5	18	28	39	48	75
B. *Operated*										
0-19 YRS	33	24.3	416	3	5	17	37	50	73	77
20-34	169	21.8	217	4	7	18	31	46	68	99+
35-49	260	23.2	215	5	8	20	32	45	51	79
50-64	211	23.4	177	7	9	21	30	41	51	87
65+	267	27.7	307	7	10	24	36	54	65	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5164	16.6	195	2	3	13	22	34	44	77
B. *Operated*	24	20.8	190	5	7	16	29	40	48	65
2. MULTIPLE DX										
A. *Not Operated*	12834	18.1	212	2	4	15	24	37	48	86
B. *Operated*	940	24.3	244	6	8	21	33	47	59	99+
1. SINGLE DX	5188	16.6	195	2	3	13	22	34	44	77
2. MULTIPLE DX	13774	18.5	217	3	4	15	25	38	49	88
A. NOT OPERATED	17998	17.7	208	2	4	14	24	36	47	84
B. OPERATED	964	24.2	243	6	8	21	32	47	59	99+
TOTAL 0-19 YRS	1402	26.1	500	2	3	20	40	69	90	99+
20-34	4781	15.4	179	2	3	12	21	32	43	76
35-49	5027	16.2	161	2	4	13	21	32	42	68
50-64	3700	17.7	167	3	4	15	24	34	43	71
65+	4052	20.8	212	4	5	18	28	40	50	77
GRAND TOTAL	**18962**	**18.0**	**211**	**2**	**4**	**15**	**24**	**37**	**48**	**85**

99: Other affective psychoses (296.0-2[illegible]1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	223	22.3	414	2	3	17	31	56	79	99+
20-34	1343	14.6	138	2	3	12	20	29	39	62
35-49	1141	15.1	131	2	4	12	20	29	37	63
50-64	548	17.8	143	3	4	16	23	33	40	53
65+	232	18.9	185	3	6	16	25	36	49	70
B. *Operated*										
0-19 YRS										
20-34	6	10.8	55	4	4	7	17	22	23	23
35-49	6	17.5	8	14	14	17	19	22	22	22
50-64	1	13.0		13	13	13	13	13	13	13
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	431	26.9	453	4	6	21	41	63	83	99+
20-34	1706	17.2	180	2	4	14	23	33	42	76
35-49	1561	17.5	172	3	4	15	23	33	43	74
50-64	1038	18.9	167	4	5	16	26	35	44	74
65+	751	20.7	204	4	6	18	27	40	49	77
B. *Operated*										
0-19 YRS	12	39.5	608	9	11	43	55	96	99	99+
20-34	70	20.7	245	2	5	17	27	40	55	74
35-49	92	25.2	243	5	8	22	38	46	64	99+
50-64	87	26.4	263	8	10	23	31	44	63	86
65+	62	25.8	285	6	9	21	33	52	60	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3487	16.1	162	2	4	13	21	32	42	72
B. *Operated*	14	13.4	41	4	5	14	18	22	23	23
2. MULTIPLE DX										
A. *Not Operated*	5487	18.8	207	3	5	16	25	37	48	83
B. *Operated*	323	25.2	279	6	8	21	33	48	63	96
1. SINGLE DX	3501	16.1	161	2	4	13	21	32	42	71
2. MULTIPLE DX	5810	19.2	213	3	5	16	25	38	49	84
A. NOT OPERATED	8974	17.8	191	3	4	15	23	35	46	79
B. OPERATED	337	24.7	274	5	8	21	32	46	62	95
TOTAL 0-19 YRS	666	25.6	450	3	5	20	40	61	82	99+
20-34	3125	16.1	165	2	3	14	21	32	42	66
35-49	2800	16.8	161	3	4	14	22	32	42	72
50-64	1674	18.9	167	3	5	17	25	35	44	69
65+	1046	20.6	207	4	6	18	26	40	50	77
GRAND TOTAL	**9311**	**18.0**	**196**	**3**	**4**	**15**	**24**	**36**	**46**	**79**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	113	17.9	308	1	1	13	24	42	58	92
20-34	447	11.4	114	1	1	8	16	26	34	50
35-49	281	10.7	89	1	2	8	14	22	28	52
50-64	161	14.1	128	1	2	11	19	28	35	55
65+	148	11.0	82	1	2	9	15	22	25	47
B. *Operated*										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	1	7.0		7	7	7	7	7	7	7
50-64	4	5.0	7	2	2	5	7	8	8	8
65+	3	7.0	21	3	3	6	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	149	17.2	367	1	3	11	21	45	75	99+
20-34	701	13.6	141	1	3	11	18	29	38	63
35-49	501	13.1	95	2	3	11	19	25	30	47
50-64	473	12.1	134	1	2	9	16	26	36	50
65+	1094	10.4	96	2	2	7	13	21	29	52
B. *Operated*										
0-19 YRS	5	24.8	702	1	1	13	38	69	69	69
20-34	26	17.0	119	6	8	14	22	38	57	99+
35-49	21	13.9	91	3	6	13	18	21	34	48
50-64	39	13.2	84	2	4	13	18	24	26	50
65+	102	15.5	142	2	4	13	19	34	40	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1150	12.2	129	1	2	9	17	26	35	55
B. *Operated*	13	4.6	9	2	2	3	6	9	11	12
2. MULTIPLE DX										
A. *Not Operated*	2918	12.2	130	2	2	9	16	25	34	57
B. *Operated*	193	15.3	135	2	4	13	19	31	44	63
1. SINGLE DX	1163	12.1	128	1	2	9	17	26	35	55
2. MULTIPLE DX	3111	12.4	131	2	3	9	16	26	35	57
A. NOT OPERATED	4068	12.2	129	1	2	9	16	26	35	57
B. OPERATED	206	14.7	134	2	3	13	18	31	41	62
TOTAL 0-19 YRS	270	17.5	344	1	2	11	22	44	70	99+
20-34	1176	12.8	132	1	2	10	17	28	37	57
35-49	804	12.3	94	1	3	10	17	24	29	48
50-64	677	12.6	130	1	2	9	17	26	35	53
65+	1347	10.8	100	2	3	8	14	22	31	51
GRAND TOTAL	**4274**	**12.3**	**130**	**1**	**2**	**9**	**16**	**26**	**35**	**57**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	6.4	80	<1	1	3	6	18	27	99+
20-34	244	5.9	53	<1	1	3	7	15	19	38
35-49	206	5.5	36	1	1	4	7	12	16	33
50-64	112	6.0	40	1	1	4	8	12	21	33
65+	63	5.3	28	1	1	3	7	13	16	27
B. *Operated*										
0-19 YRS										
20-34	3	14.7	310	4	4	5	27	35	35	35
35-49	5	5.4	14	2	2	3	9	10	10	10
50-64	4	4.8	12	3	3	3	7	10	10	10
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	124	8.4	103	1	1	4	11	20	33	48
20-34	612	8.1	76	1	1	5	11	19	26	39
35-49	633	6.9	61	1	1	4	8	16	22	38
50-64	552	7.0	63	1	1	4	8	17	23	40
65+	515	6.1	50	1	1	4	7	14	20	38
B. *Operated*										
0-19 YRS										
20-34	27	12.7	96	1	2	12	19	29	32	33
35-49	32	12.9	249	2	2	8	15	28	34	85
50-64	32	10.7	56	<1	2	8	17	21	23	28
65+	28	9.6	92	1	2	6	11	29	31	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	674	5.8	45	1	1	4	7	14	18	37
B. *Operated*	13	7.1	79	2	2	3	9	15	31	35
2. MULTIPLE DX										
A. *Not Operated*	2436	7.1	65	1	1	4	8	18	23	40
B. *Operated*	119	11.5	124	1	2	8	16	27	31	50
1. SINGLE DX	687	5.8	45	1	1	4	7	14	18	37
2. MULTIPLE DX	2555	7.3	69	1	1	4	9	18	23	40
A. NOT OPERATED	3110	6.8	61	1	1	4	8	17	22	39
B. OPERATED	132	11.0	121	1	2	7	16	26	31	44
TOTAL 0-19 YRS	173	7.8	97	1	1	4	10	20	32	53
20-34	886	7.7	72	1	1	4	10	19	25	38
35-49	876	6.8	63	1	1	4	8	16	22	40
50-64	700	7.0	59	1	1	4	8	17	23	39
65+	607	6.2	50	1	1	4	7	14	20	33
GRAND TOTAL	**3242**	**7.0**	**64**	**1**	**1**	**4**	**8**	**17**	**22**	**39**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	412	25.1	428	2	3	19	42	57	68	99
20-34	740	10.1	83	1	2	7	14	22	28	41
35-49	517	10.3	78	1	2	7	14	23	28	41
50-64	199	11.9	122	1	2	8	17	25	32	60
65+	130	10.5	82	1	2	8	15	22	28	44
B. *Operated*										
0-19 YRS	1	25.0		25	25	25	25	25	25	25
20-34	2	19.0	288	7	7	19	31	31	31	31
35-49	4	7.8	31	4	4	5	11	16	16	16
50-64	4	13.0	141	3	3	10	22	28	28	28
65+	2	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	811	23.6	421	2	3	19	37	59	78	99+
20-34	1697	11.7	117	1	2	8	17	25	31	53
35-49	1432	11.4	92	2	2	9	15	23	29	45
50-64	769	11.3	106	2	3	8	15	23	30	49
65+	719	10.8	90	2	3	8	14	22	31	46
B. *Operated*										
0-19 YRS	32	31.2	760	2	4	23	43	77	93	95
20-34	83	13.5	79	2	3	12	20	30	36	99+
35-49	80	15.2	94	4	5	14	19	30	32	46
50-64	55	15.1	112	3	4	12	23	29	38	40
65+	54	14.2	150	3	4	11	17	28	42	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1998	13.4	192	1	2	9	18	32	43	71
B. *Operated*	13	13.7	95	3	4	16	19	29	31	31
2. MULTIPLE DX										
A. *Not Operated*	5428	13.2	170	2	2	9	18	29	41	77
B. *Operated*	304	16.2	196	3	4	12	22	33	43	97
1. SINGLE DX	2011	13.4	191	1	2	9	18	31	43	71
2. MULTIPLE DX	5732	13.4	171	2	3	9	18	30	41	78
A. NOT OPERATED	7426	13.3	176	1	2	9	18	30	42	75
B. OPERATED	317	16.1	192	3	4	12	21	32	43	96
TOTAL 0-19 YRS	1256	24.3	432	2	3	19	39	58	76	99+
20-34	2522	11.3	107	1	2	8	16	24	31	51
35-49	2033	11.2	89	1	2	8	15	23	29	43
50-64	1027	11.6	110	2	3	8	16	24	31	50
65+	905	11.0	93	2	3	8	14	23	31	46
GRAND TOTAL	**7743**	**13.4**	**177**	**1**	**2**	**9**	**18**	**30**	**42**	**76**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	263	16.4	370	1	1	8	30	46	84	99+
20-34	459	8.6	107	1	1	5	11	20	29	71
35-49	203	8.6	80	1	1	6	11	21	26	34
50-64	55	8.9	115	1	1	5	12	22	28	55
65+	33	12.8	115	1	1	10	20	29	30	43
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	33	7.7	27	1	2	6	11	16	18	21
35-49	18	5.6	23	1	1	5	9	16	63	99+
50-64	18	3.2	1	1	1	3	4	5	5	5
65+	4	2.5	1	2	2	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	416	13.3	296	1	1	6	20	43	72	99+
20-34	1041	10.7	146	1	1	7	15	24	34	71
35-49	549	10.6	113	1	2	7	15	25	31	49
50-64	295	9.8	95	1	2	7	13	25	29	42
65+	213	8.7	63	1	2	6	12	20	25	34
B. *Operated*										
0-19 YRS	17	27.9	674	1	2	25	59	91	99+	99+
20-34	72	11.1	70	1	2	9	16	24	36	99+
35-49	60	11.2	107	2	2	8	15	22	31	52
50-64	56	9.6	80	1	3	6	12	24	29	41
65+	38	13.2	171	3	3	9	16	29	46	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1013	10.8	182	1	1	6	13	29	42	99+
B. *Operated*	74	5.8	22	1	1	4	7	14	17	80
2. MULTIPLE DX										
A. *Not Operated*	2514	10.8	152	1	1	7	15	26	35	88
B. *Operated*	243	12.3	155	1	3	8	16	30	44	99+
1. SINGLE DX	1087	10.4	172	1	1	6	13	28	42	99+
2. MULTIPLE DX	2757	11.0	152	1	2	7	15	26	36	89
A. NOT OPERATED	3527	10.8	160	1	1	6	14	27	38	89
B. OPERATED	317	10.8	132	1	2	7	14	24	37	99+
TOTAL 0-19 YRS	697	14.8	338	1	1	7	23	45	78	99+
20-34	1605	10.0	130	1	1	6	14	23	32	72
35-49	830	10.0	103	1	1	7	14	23	30	50
50-64	424	9.4	93	1	2	6	12	23	29	42
65+	288	9.7	86	1	2	7	13	23	28	51
GRAND TOTAL	**3844**	**10.8**	**158**	**1**	**1**	**6**	**14**	**27**	**38**	**90**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	175	8.1	126	<1	<1	2	9	28	31	53
20-34	1982	10.7	110	<1	1	5	21	28	29	32
35-49	2034	11.2	112	1	2	5	22	28	29	33
50-64	784	10.5	114	1	2	5	21	28	30	34
65+	154	9.0	94	1	1	5	10	27	30	38
B. *Operated*										
0-19 YRS										
20-34	4	11.5	156	2	2	7	20	29	29	29
35-49	5	23.4	36	14	14	26	28	28	28	28
50-64										
65+	2	8.0	32	4	4	8	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1375	24.5	220	1	3	27	36	42	45	55
20-34	7376	15.3	117	1	2	15	25	29	30	35
35-49	6848	13.8	111	2	2	10	24	28	30	35
50-64	3851	12.7	108	2	2	8	22	28	30	36
65+	1228	12.0	100	2	2	8	20	28	30	37
B. *Operated*										
0-19 YRS	26	29.5	297	<1	4	28	39	42	61	82
20-34	189	18.1	128	1	3	21	28	30	34	46
35-49	209	17.9	122	2	5	17	28	30	34	51
50-64	196	18.3	123	4	5	17	28	31	36	50
65+	96	14.2	128	2	3	10	21	28	30	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5129	10.7	112	1	1	5	21	28	29	33
B. *Operated*	11	16.3	113	2	3	14	27	29	29	29
2. MULTIPLE DX										
A. *Not Operated*	20678	14.7	127	2	2	12	25	29	32	42
B. *Operated*	716	18.0	137	2	4	19	27	30	36	51
1. SINGLE DX	5140	10.7	112	1	1	5	21	28	29	33
2. MULTIPLE DX	21394	14.8	128	2	2	12	25	29	32	42
A. NOT OPERATED	25807	13.9	126	1	2	10	24	29	31	42
B. OPERATED	727	18.0	137	2	4	19	27	30	36	51
TOTAL 0-19 YRS	1576	22.7	238	1	2	24	35	42	45	56
20-34	9551	14.4	119	1	2	13	25	29	30	35
35-49	9096	13.3	113	2	2	9	24	28	30	35
50-64	4831	12.6	112	2	2	7	22	28	30	36
65+	1480	11.8	102	1	2	7	20	28	30	38
GRAND TOTAL	**26534**	**14.0**	**127**	**1**	**2**	**10**	**24**	**29**	**31**	**42**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	29.6	322	8	8	28	39	57	57	57
20-34	208	10.4	83	1	2	6	17	28	28	29
35-49	80	8.8	69	1	2	6	10	23	28	32
50-64	7	14.1	47	5	5	13	20	22	22	22
65+	1	11.0		11	11	11	11	11	11	11
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	17.4	187	3	4	14	29	40	43	44
20-34	783	11.8	92	2	3	7	20	27	29	39
35-49	311	12.3	84	2	3	8	21	27	28	32
50-64	37	14.3	82	5	5	10	21	29	30	34
65+	20	15.3	93	2	4	14	22	29	32	34
B. *Operated*										
0-19 YRS										
20-34	40	17.1	78	4	6	16	25	29	30	32
35-49	24	16.3	63	6	7	17	22	27	29	31
50-64	4	7.0	6	4	4	7	9	10	10	10
65+	2	30.5	685	12	12	30	49	49	49	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	301	10.4	88	1	2	6	17	28	28	33
B. *Operated*	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	1175	12.2	92	2	3	8	20	28	29	39
B. *Operated*	70	16.6	86	5	6	15	24	28	31	46
1. SINGLE DX	302	10.4	88	1	2	6	17	28	28	33
2. MULTIPLE DX	1245	12.5	93	2	3	8	21	28	29	39
A. NOT OPERATED	1476	11.8	92	2	3	7	20	28	29	39
B. OPERATED	71	16.4	87	4	6	15	24	28	31	45
TOTAL 0-19 YRS	29	19.5	222	4	4	20	30	41	45	57
20-34	1031	11.8	91	2	3	7	20	28	29	36
35-49	416	11.9	83	2	3	8	21	27	28	32
50-64	48	13.6	73	5	5	10	20	27	30	34
65+	23	16.4	132	3	5	13	22	32	39	49
GRAND TOTAL	**1547**	**12.1**	**93**	**2**	**3**	**7**	**20**	**28**	**29**	**39**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	206	21.8	476	1	2	12	39	56	64	99
20-34	561	12.6	103	2	2	7	23	28	28	30
35-49	198	11.3	93	1	2	7	20	28	28	37
50-64	31	9.7	91	1	2	6	9	27	31	37
65+	5	14.4	170	2	2	8	28	29	29	29
B. *Operated*										
0-19 YRS	2	41.0	338	28	28	41	54	54	54	54
20-34	2	16.0	392	2	2	16	30	30	30	30
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	964	26.4	262	3	5	28	35	46	53	71
20-34	1810	16.6	119	2	3	18	27	29	31	40
35-49	489	15.0	102	2	3	14	24	28	29	36
50-64	100	15.2	120	3	4	12	23	29	34	48
65+	53	14.4	118	1	2	11	24	28	34	44
B. *Operated*										
0-19 YRS	14	35.3	340	15	18	29	42	57	77	83
20-34	51	20.8	88	3	7	23	28	30	31	37
35-49	20	20.6	66	4	6	21	26	28	33	37
50-64	5	14.6	85	10	10	10	17	31	31	31
65+	3	16.7	341	6	6	6	30	38	38	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1001	14.2	192	1	2	8	23	28	40	65
B. *Operated*	4	28.5	452	2	2	29	42	54	54	54
2. MULTIPLE DX										
A. *Not Operated*	3416	19.1	178	2	3	21	28	35	42	58
B. *Operated*	93	22.5	152	4	7	23	28	36	41	71
1. SINGLE DX	1005	14.2	194	1	2	8	24	29	41	65
2. MULTIPLE DX	3509	19.2	178	3	3	21	28	35	42	58
A. NOT OPERATED	4417	18.0	185	2	3	18	28	34	42	60
B. OPERATED	97	22.7	161	4	7	23	28	37	42	69
TOTAL 0-19 YRS	1186	25.7	304	2	3	28	35	48	56	83
20-34	2424	15.8	118	2	3	16	26	29	30	37
35-49	707	14.2	102	2	3	11	23	28	29	36
50-64	136	14.0	116	2	3	10	22	29	33	46
65+	61	14.5	125	1	2	10	24	28	36	43
GRAND TOTAL	**4514**	**18.1**	**185**	**2**	**3**	**18**	**28**	**34**	**42**	**60**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	330	1.6	6	<1	<1	1	1	2	3	13
20-34	206	1.9	8	<1	<1	1	2	3	5	17
35-49	113	2.4	7	<1	<1	2	3	5	8	15
50-64	40	2.4	6	<1	<1	1	3	5	7	13
65+	24	3.2	21	<1	<1	2	3	8	13	22
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	346	5.0	99	<1	<1	1	3	14	30	55
20-34	567	5.9	62	<1	<1	2	7	17	27	33
35-49	310	5.7	52	<1	1	3	6	15	21	33
50-64	212	5.8	46	1	1	3	7	16	20	32
65+	114	4.5	25	1	1	3	5	9	13	29
B. *Operated*										
0-19 YRS	12	12.1	569	<1	<1	1	7	56	71	74
20-34	26	8.6	106	<1	<1	4	15	24	32	37
35-49	17	5.2	38	<1	<1	2	7	11	20	25
50-64	13	12.2	100	1	1	9	19	27	32	33
65+	3	5.0	21	1	1	4	8	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	713	1.9	7	<1	<1	1	2	3	5	16
B. *Operated*	3	5.0	13	2	2	4	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	1549	5.6	63	<1	<1	2	6	16	25	36
B. *Operated*	71	8.9	162	<1	<1	4	11	24	33	69
1. SINGLE DX	716	1.9	7	<1	<1	1	2	3	6	16
2. MULTIPLE DX	1620	5.7	68	<1	<1	2	6	16	25	38
A. NOT OPERATED	2262	4.4	49	<1	<1	2	4	12	20	33
B. OPERATED	74	8.7	156	<1	<1	4	11	24	33	68
TOTAL 0-19 YRS	688	3.5	66	<1	<1	1	2	6	19	50
20-34	800	5.0	53	<1	<1	2	5	15	22	32
35-49	440	4.9	42	<1	<1	2	5	13	20	32
50-64	266	5.6	46	<1	1	3	7	16	21	32
65+	142	4.3	24	<1	1	3	5	9	13	27
GRAND TOTAL	**2336**	**4.5**	**52**	**<1**	**<1**	**2**	**4**	**13**	**20**	**34**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	10.0	144	<1	1	4	17	29	38	44
20-34	250	11.0	93	1	1	6	21	27	28	29
35-49	78	13.9	118	1	2	11	21	28	28	48
50-64	7	13.3	135	2	2	9	26	28	28	28
65+	6	5.2	14	1	1	4	8	11	11	11
B. *Operated*										
0-19 YRS										
20-34	1	19.0		19	19	19	19	19	19	19
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	277	22.4	380	1	2	19	39	48	58	99+
20-34	822	13.7	110	1	2	11	22	28	30	34
35-49	191	12.2	100	2	2	9	21	28	31	34
50-64	40	11.6	68	2	2	9	16	23	28	32
65+	36	7.2	46	1	2	5	7	15	27	30
B. *Operated*										
0-19 YRS	7	27.3	338	4	4	28	39	52	55	55
20-34	31	19.1	91	3	6	20	27	31	34	36
35-49	17	18.4	132	2	4	19	28	33	37	39
50-64	3	13.7	154	6	6	7	23	28	28	28
65+	2	7.5	13	5	5	7	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	399	11.4	106	1	1	6	21	28	28	38
B. *Operated*	2	12.0	98	5	5	12	19	19	19	19
2. MULTIPLE DX										
A. *Not Operated*	1366	15.0	175	1	2	11	24	30	42	58
B. *Operated*	60	19.2	136	3	4	20	28	33	37	54
1. SINGLE DX	401	11.4	106	1	1	6	21	28	28	37
2. MULTIPLE DX	1426	15.2	174	1	2	11	24	30	41	58
A. NOT OPERATED	1765	14.2	161	1	2	10	22	29	36	56
B. OPERATED	62	19.0	134	3	5	19	28	32	37	53
TOTAL 0-19 YRS	342	20.4	360	1	1	16	34	46	56	99
20-34	1104	13.3	107	1	2	10	21	28	29	34
35-49	287	13.0	108	1	2	10	21	28	30	37
50-64	50	11.9	77	2	2	9	19	28	28	32
65+	44	7.0	40	1	2	5	8	13	23	30
GRAND TOTAL	**1827**	**14.4**	**161**	**1**	**2**	**10**	**22**	**29**	**36**	**56**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	2.7	3	<1	1	3	3	4	6	8
20-34	50	3.8	20	1	1	3	4	8	9	30
35-49	39	2.8	4	1	1	2	4	6	7	9
50-64	23	3.1	5	1	1	2	5	6	8	8
65+	11	5.8	63	1	1	3	4	18	27	28
B. *Operated*										
0-19 YRS	6	2.3	1	1	1	2	3	4	4	4
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	3	3.7		3	3	4	4	4	4	4
50-64	2	1.5	1	1	1	1	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94	4.6	50	1	1	3	5	8	15	82
20-34	175	4.7	34	1	1	3	5	9	13	40
35-49	161	4.5	23	1	1	3	5	8	11	27
50-64	163	4.9	29	1	2	4	6	8	11	27
65+	164	4.7	10	1	2	4	6	9	10	17
B. *Operated*										
0-19 YRS	6	6.8	33	1	1	5	11	15	16	16
20-34	20	9.5	99	1	2	7	11	16	33	47
35-49	21	8.8	83	1	2	6	11	16	30	43
50-64	9	6.1	11	2	2	6	9	11	11	11
65+	15	11.1	153	2	2	6	15	38	39	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	170	3.3	12	1	1	3	4	6	8	25
B. *Operated*	13	2.8	2	1	1	3	4	4	5	5
2. MULTIPLE DX										
A. *Not Operated*	757	4.7	27	1	1	4	5	8	11	30
B. *Operated*	71	9.0	87	1	2	6	11	17	37	46
1. SINGLE DX	183	3.3	11	1	1	3	4	6	8	23
2. MULTIPLE DX	828	5.0	34	1	1	4	6	9	13	40
A. NOT OPERATED	927	4.4	25	1	1	3	5	8	10	29
B. OPERATED	84	8.0	79	1	2	5	10	16	25	46
TOTAL 0-19 YRS	153	4.1	34	1	1	3	4	8	11	60
20-34	247	4.9	38	1	1	3	5	9	14	42
35-49	224	4.6	27	1	1	3	6	8	12	32
50-64	197	4.7	25	1	1	4	5	8	10	26
65+	190	5.2	26	1	2	4	6	9	12	34
GRAND TOTAL	**1011**	**4.7**	**30**	**1**	**1**	**3**	**5**	**9**	**12**	**37**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	972	14.7	240	1	2	8	21	38	49	68
20-34	859	6.8	62	<1	1	4	9	15	21	45
35-49	499	7.8	80	1	1	5	10	17	27	44
50-64	119	8.4	94	1	1	6	11	17	22	63
65+	56	9.4	75	<1	1	7	14	18	25	44
B. *Operated*										
0-19 YRS	1	4.0		4	4	52	99+	99+	99+	99+
20-34	2	23.0	72	17	17	23	29	29	29	29
35-49	1	18.0		18	18	18	18	18	18	18
50-64										
65+	2	11.5	61	6	6	11	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1319	15.7	279	1	2	10	22	42	55	98
20-34	1889	8.6	71	1	1	6	11	19	25	42
35-49	1187	8.9	69	1	1	6	12	20	28	36
50-64	441	9.9	74	1	2	7	13	22	28	38
65+	373	9.1	61	1	2	7	13	20	25	37
B. *Operated*										
0-19 YRS	38	17.6	475	<1	1	10	22	53	75	86
20-34	44	12.1	144	<1	1	10	14	26	31	69
35-49	42	17.3	187	4	6	14	22	28	44	75
50-64	21	11.4	79	1	2	10	16	24	29	35
65+	21	13.5	74	2	3	12	21	26	27	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2505	10.2	149	1	1	6	13	26	38	60
B. *Operated*	6	15.2	83	4	4	17	26	86	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	5209	10.6	131	1	2	7	14	25	33	62
B. *Operated*	166	14.8	216	1	2	11	19	28	36	83
1. SINGLE DX	2511	10.2	149	1	1	6	13	27	38	60
2. MULTIPLE DX	5375	10.7	134	1	2	7	14	25	33	63
A. NOT OPERATED	7714	10.5	137	1	1	7	14	25	35	61
B. OPERATED	172	14.8	211	1	2	12	19	29	38	86
TOTAL 0-19 YRS	2330	15.3	266	1	2	9	21	40	52	90
20-34	2794	8.1	70	1	1	5	11	18	25	43
35-49	1729	8.8	77	1	1	6	12	20	28	43
50-64	581	9.7	79	1	2	7	13	21	28	41
65+	452	9.3	64	1	2	7	13	20	25	37
GRAND TOTAL	**7886**	**10.6**	**139**	**1**	**1**	**7**	**14**	**25**	**35**	**62**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1140	22.4	489	1	2	16	37	60	76	99+
20-34	442	10.8	191	1	1	5	14	30	42	83
35-49	256	9.1	123	1	1	6	11	20	29	85
50-64	127	11.5	152	1	1	7	16	24	36	61
65+	59	12.5	270	1	1	7	11	31	55	77
B. *Operated*										
0-19 YRS	5	17.6	351	1	1	6	37	39	39	39
20-34	5	6.4	31	2	2	3	10	15	15	15
35-49	10	6.7	40	2	2	4	8	17	22	22
50-64										
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2061	24.9	512	2	3	19	41	70	89	99+
20-34	1277	11.6	179	1	2	6	15	31	43	99+
35-49	871	10.0	108	1	2	6	13	23	32	49
50-64	583	9.6	95	1	2	6	12	23	30	46
65+	613	9.1	75	2	2	6	11	20	26	50
B. *Operated*										
0-19 YRS	53	28.6	585	3	4	27	54	91	99+	99+
20-34	88	22.9	492	3	4	15	35	73	86	99+
35-49	78	13.0	132	3	4	9	17	33	45	99+
50-64	59	15.1	196	4	5	10	19	31	50	72
65+	69	13.4	168	2	3	9	15	31	44	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2024	17.2	385	1	2	9	25	46	67	99+
B. *Operated*	21	9.1	118	1	2	4	10	28	38	39
2. MULTIPLE DX										
A. *Not Operated*	5405	15.9	324	1	2	9	23	45	67	99+
B. *Operated*	347	18.3	342	3	4	12	25	52	78	99+
1. SINGLE DX	2045	17.2	383	1	2	9	25	46	66	99+
2. MULTIPLE DX	5752	16.1	326	1	2	9	23	45	67	99+
A. NOT OPERATED	7429	16.3	341	1	2	9	23	45	67	99+
B. OPERATED	368	17.8	333	3	3	11	25	45	76	99+
TOTAL 0-19 YRS	3259	24.1	506	2	2	18	40	66	87	99+
20-34	1812	12.0	203	1	2	7	16	34	44	99+
35-49	1215	10.0	113	1	2	6	13	23	32	58
50-64	769	10.4	114	1	2	6	14	24	32	53
65+	742	9.7	101	2	2	6	12	21	30	56
GRAND TOTAL	**7797**	**16.4**	**341**	**1**	**2**	**9**	**23**	**45**	**67**	**99+**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	5.8	63	1	1	2	7	20	24	24
20-34	7	15.1	144	4	4	11	23	35	37	37
35-49	1	7.0		7	7	7	7	7	7	7
50-64	1	11.0		11	11	11	11	11	11	11
65+										
B. *Operated*										
0-19 YRS	5	5.8	22	3	3	4	7	14	14	14
20-34	1	14.0		14	14	14	14	14	14	14
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	13.9	372	1	2	8	15	31	60	92
20-34	65	11.9	94	1	2	11	18	26	36	91
35-49	25	10.8	58	2	2	9	15	25	26	27
50-64	13	7.4	20	<1	2	6	10	14	16	16
65+	4	8.3	10	6	6	7	10	13	13	13
B. *Operated*										
0-19 YRS	9	5.6	40	<1	<1	4	7	15	21	21
20-34	6	5.2	37	1	1	3	6	16	17	17
35-49	2	5.5	1	5	5	5	6	6	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	10.0	103	1	1	7	12	25	33	37
B. *Operated*	6	7.2	29	3	3	4	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*	152	11.8	163	1	2	9	16	25	33	92
B. *Operated*	17	5.4	32	<1	1	4	6	15	20	21
1. SINGLE DX	23	9.3	83	1	1	6	13	24	29	37
2. MULTIPLE DX	169	11.2	153	1	2	8	15	23	31	91
A. NOT OPERATED	169	11.7	157	1	2	9	16	25	33	91
B. OPERATED	23	5.9	30	<1	1	4	7	15	18	21
TOTAL 0-19 YRS	67	11.2	276	1	1	6	13	24	36	91
20-34	79	11.7	95	1	2	10	17	25	36	84
35-49	28	10.3	54	2	2	8	15	23	25	27
50-64	14	7.6	19	1	3	6	11	14	16	16
65+	4	8.3	10	6	6	7	10	13	13	13
GRAND TOTAL	**192**	**11.0**	**145**	**1**	**2**	**7**	**14**	**24**	**31**	**89**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	393	9.4	17	2	3	10	12	14	15	19
20-34	64	7.0	21	1	1	7	11	14	15	17
35-49	46	8.7	82	1	1	7	11	21	27	41
50-64	21	5.9	27	1	1	4	11	15	16	16
65+	6	17.0	130	10	10	13	15	37	40	40
B. *Operated*										
0-19 YRS	39	13.7	66	3	7	12	15	24	32	44
20-34	32	8.6	270	1	2	4	9	17	19	94
35-49	45	8.0	107	1	1	5	9	17	24	57
50-64	24	8.2	79	1	1	6	11	17	26	41
65+	8	7.6	61	1	1	6	9	21	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	527	11.1	27	2	4	11	13	16	20	28
20-34	90	8.2	38	2	2	7	11	17	17	33
35-49	94	9.5	50	1	2	8	14	17	25	33
50-64	90	12.5	119	1	1	10	16	29	40	45
65+	96	14.3	100	2	4	12	18	27	33	49
B. *Operated*										
0-19 YRS	114	17.9	128	8	10	15	19	37	45	59
20-34	66	18.2	282	1	2	14	28	41	50	71
35-49	122	14.3	221	1	2	11	17	36	46	99+
50-64	109	19.5	406	2	3	14	23	50	71	95
65+	83	22.0	200	3	5	19	31	40	44	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	530	9.0	26	1	2	10	11	14	16	23
B. *Operated*	148	9.6	127	1	1	7	12	18	27	58
2. MULTIPLE DX										
A. *Not Operated*	897	11.1	50	2	3	11	14	18	24	38
B. *Operated*	494	18.1	250	2	3	14	23	41	51	92
1. SINGLE DX	678	9.1	48	1	2	10	12	15	17	40
2. MULTIPLE DX	1391	13.6	132	2	3	11	16	26	37	70
A. NOT OPERATED	1427	10.3	42	1	3	10	13	17	21	35
B. OPERATED	642	16.1	234	1	2	12	20	37	47	91
TOTAL 0-19 YRS	1073	11.3	41	2	3	11	13	17	20	41
20-34	252	10.6	146	1	2	7	13	22	34	70
35-49	307	11.0	137	1	2	8	14	25	38	84
50-64	244	14.6	257	1	2	10	18	33	46	91
65+	193	17.4	159	2	4	15	24	35	41	60
GRAND TOTAL	**2069**	**12.1**	**109**	**1**	**2**	**11**	**14**	**22**	**31**	**61**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	5	7.0	32	2	2	4	11	16	16	16
35-49	6	10.3	13	6	6	10	10	16	17	17
50-64	39	8.1	27	1	2	7	11	17	19	22
65+	95	8.6	33	2	3	7	11	15	18	34
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	3	3.7	8	2	2	2	6	7	7	7
65+	4	14.3	78	4	4	15	21	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	3	21.3	460	7	7	11	37	46	46	46
35-49	18	8.1	23	2	3	7	9	16	20	21
50-64	164	8.8	35	2	3	7	11	17	22	26
65+	1105	9.0	39	3	3	8	11	16	22	33
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	20.3	809	1	1	7	41	53	53	53
50-64	26	15.7	132	3	5	12	21	26	43	54
65+	167	14.9	120	3	5	13	18	28	37	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	146	8.4	30	2	3	7	11	15	18	29
B. *Operated*	7	9.7	74	2	2	7	17	22	23	23
2. MULTIPLE DX										
A. *Not Operated*	1291	9.0	39	3	3	7	11	16	22	33
B. *Operated*	196	15.1	128	3	5	13	18	28	39	56
1. SINGLE DX	153	8.5	32	2	3	7	11	16	19	29
2. MULTIPLE DX	1487	9.8	55	3	3	8	12	18	24	39
A. NOT OPERATED	1437	8.9	38	3	3	7	11	16	21	33
B. OPERATED	203	14.9	127	3	4	13	18	28	38	55
TOTAL 0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	8	12.4	205	2	3	8	13	37	46	46
35-49	27	9.9	95	2	3	7	10	18	26	53
50-64	232	9.4	49	2	3	7	12	18	22	39
65+	1371	9.7	52	3	3	8	12	18	24	37
GRAND TOTAL	**1640**	**9.7**	**53**	**3**	**3**	**8**	**12**	**18**	**23**	**39**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	13.7	213	2	2	9	18	39	44	44
20-34	314	7.2	50	1	2	6	10	12	15	23
35-49	403	8.1	21	2	2	8	10	14	16	21
50-64	117	9.5	28	3	3	9	11	16	19	31
65+	13	10.9	72	1	3	9	17	24	25	25
B. *Operated*										
0-19 YRS										
20-34	46	6.2	31	1	1	4	8	16	19	24
35-49	66	5.9	44	1	1	3	8	14	18	36
50-64	17	9.5	82	1	1	7	14	16	30	38
65+	3	3.3	4	1	1	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	9.5	34	2	3	9	12	19	21	21
20-34	309	10.1	56	2	3	9	12	18	27	42
35-49	560	10.8	73	2	3	9	14	20	24	50
50-64	262	10.4	41	3	3	9	13	18	23	36
65+	51	10.3	34	2	3	9	14	20	21	24
B. *Operated*										
0-19 YRS	6	14.0	89	1	2	14	17	28	29	29
20-34	90	11.9	152	1	2	9	15	22	30	88
35-49	147	14.0	91	2	4	12	19	29	35	48
50-64	103	12.3	68	2	4	10	16	22	29	41
65+	15	18.9	253	4	5	10	29	43	54	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	854	8.1	36	2	2	8	10	14	17	25
B. *Operated*	132	6.4	44	1	1	4	8	16	19	38
2. MULTIPLE DX										
A. *Not Operated*	1195	10.5	60	2	3	9	13	19	24	42
B. *Operated*	361	13.2	107	2	3	10	18	27	33	70
1. SINGLE DX	986	7.8	37	1	2	7	10	14	17	26
2. MULTIPLE DX	1556	11.1	72	2	3	9	14	21	27	45
A. NOT OPERATED	2049	9.5	51	2	3	8	11	17	21	37
B. OPERATED	493	11.4	99	1	2	9	16	23	31	60
TOTAL 0-19 YRS	26	11.7	90	2	2	10	17	21	32	44
20-34	759	8.9	67	1	2	8	11	16	20	46
35-49	1176	10.0	60	2	3	9	13	19	24	42
50-64	499	10.5	46	3	3	9	13	19	24	37
65+	82	11.7	89	2	3	9	15	23	28	53
GRAND TOTAL	**2542**	**9.9**	**61**	**2**	**3**	**9**	**12**	**18**	**23**	**42**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	865	3.7	37	1	1	2	4	6	9	34
20-34	621	3.3	11	1	1	3	4	6	7	14
35-49	287	3.8	37	1	1	3	4	8	9	14
50-64	152	3.5	6	1	1	3	4	7	8	12
65+	103	3.5	6	1	1	3	4	6	9	14
B. *Operated*										
0-19 YRS	17	9.2	62	<1	1	8	16	19	23	25
20-34	31	10.1	41	2	3	8	15	19	23	24
35-49	9	8.0	132	1	1	3	10	27	37	37
50-64	4	4.0	10	1	1	3	6	8	8	8
65+	9	7.1	59	1	1	5	8	20	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1427	4.8	35	1	1	3	5	9	15	32
20-34	1142	4.9	27	1	1	4	6	9	13	23
35-49	1012	5.1	23	1	2	4	6	10	12	20
50-64	1002	5.9	26	1	2	5	7	11	15	25
65+	1441	6.9	31	2	2	5	8	13	18	29
B. *Operated*										
0-19 YRS	70	12.9	195	1	2	8	17	27	43	73
20-34	123	8.6	60	1	2	7	13	19	23	41
35-49	93	10.9	102	2	2	8	14	22	29	53
50-64	113	13.9	138	2	3	10	19	28	39	77
65+	151	12.5	89	3	3	11	15	22	36	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2028	3.6	25	1	1	3	4	6	9	25
B. *Operated*	70	8.9	57	1	1	7	13	19	24	35
2. MULTIPLE DX										
A. *Not Operated*	6024	5.6	30	1	1	4	7	11	15	27
B. *Operated*	550	11.7	111	2	3	9	15	23	36	59
1. SINGLE DX	2098	3.8	27	1	1	3	4	7	10	26
2. MULTIPLE DX	6574	6.1	39	1	2	4	7	12	17	33
A. NOT OPERATED	8052	5.1	29	1	1	4	6	10	14	27
B. OPERATED	620	11.4	106	1	2	9	15	23	33	58
TOTAL 0-19 YRS	2379	4.7	43	1	1	3	5	9	15	35
20-34	1917	4.7	26	1	1	3	6	9	13	23
35-49	1401	5.3	34	1	1	4	6	10	13	25
50-64	1271	6.3	40	1	2	5	8	13	17	34
65+	1704	7.2	38	2	2	5	9	14	18	34
GRAND TOTAL	**8672**	**5.5**	**37**	**1**	**1**	**4**	**7**	**11**	**16**	**31**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	256	3.3	7	<1	1	3	4	7	9	13
20-34	311	4.6	43	1	1	3	5	9	11	18
35-49	239	4.6	17	1	1	3	6	9	10	19
50-64	164	5.5	33	1	1	4	7	12	15	29
65+	182	6.4	55	1	2	5	7	11	15	35
B. *Operated*										
0-19 YRS	237	4.8	16	1	1	3	7	10	13	21
20-34	237	4.9	23	1	1	3	6	10	13	23
35-49	197	6.1	33	1	1	4	8	13	17	28
50-64	167	6.1	44	1	2	4	8	13	16	30
65+	113	7.7	37	1	2	7	10	14	19	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	697	6.3	121	1	1	3	6	12	24	85
20-34	687	7.2	85	1	1	4	8	16	26	59
35-49	642	8.7	108	2	2	5	10	18	26	54
50-64	947	10.1	117	2	2	7	12	21	33	55
65+	2946	9.6	84	2	3	7	11	19	27	53
B. *Operated*										
0-19 YRS	607	8.9	168	1	2	4	10	21	39	99
20-34	450	10.8	169	1	2	7	12	27	40	91
35-49	487	10.3	140	1	2	7	13	24	38	99+
50-64	699	12.6	173	1	2	8	17	28	40	89
65+	1253	13.9	163	2	3	10	18	29	40	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1152	4.7	31	1	1	3	6	9	12	21
B. *Operated*	951	5.7	29	1	1	4	8	11	16	25
2. MULTIPLE DX										
A. *Not Operated*	5919	8.9	98	1	2	6	10	18	27	55
B. *Operated*	3496	11.9	167	1	2	8	15	27	40	93
1. SINGLE DX	2103	5.1	30	1	1	4	7	10	14	23
2. MULTIPLE DX	9415	10.0	125	1	2	7	12	22	32	71
A. NOT OPERATED	7071	8.3	89	1	2	5	10	17	25	52
B. OPERATED	4447	10.5	144	1	2	7	13	24	35	84
TOTAL 0-19 YRS	1797	6.6	110	1	1	3	7	13	23	83
20-34	1685	7.4	96	1	1	4	8	16	26	65
35-49	1565	8.2	99	1	2	5	10	18	26	78
50-64	1977	10.3	129	1	2	7	13	22	33	65
65+	4494	10.7	108	2	3	8	13	22	30	57
GRAND TOTAL	**11518**	**9.1**	**112**	**1**	**2**	**6**	**11**	**20**	**29**	**65**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	317	2.5	4	<1	1	2	3	4	6	10
20-34	732	3.3	7	1	1	3	4	7	9	14
35-49	497	4.1	12	1	1	3	5	9	12	16
50-64	157	4.2	17	1	1	3	5	8	10	20
65+	21	4.2	9	<1	1	3	5	9	11	12
B. *Operated*										
0-19 YRS	8	3.1	3	1	1	3	4	6	6	6
20-34	62	3.9	11	1	1	3	5	7	9	19
35-49	71	3.2	7	1	1	2	4	7	9	14
50-64	16	3.4	4	1	1	3	4	6	8	9
65+	3	2.3		2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	314	3.8	12	1	1	3	5	8	10	18
20-34	1249	5.5	21	1	1	4	7	12	14	21
35-49	1240	6.2	22	1	2	5	9	12	15	21
50-64	582	6.1	19	1	2	5	8	12	14	20
65+	178	5.5	19	1	2	4	7	11	14	22
B. *Operated*										
0-19 YRS	20	4.8	35	2	2	3	4	10	21	27
20-34	103	7.5	43	1	2	6	10	15	17	36
35-49	122	8.4	57	2	2	7	10	17	22	41
50-64	87	6.9	27	2	2	5	10	14	15	27
65+	27	6.9	26	2	2	5	9	15	18	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1724	3.5	9	1	1	3	4	7	10	15
B. *Operated*	160	3.5	8	1	1	3	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	3563	5.7	20	1	2	4	8	12	14	21
B. *Operated*	359	7.5	43	1	2	6	10	15	19	34
1. SINGLE DX	1884	3.5	9	1	1	3	4	7	10	15
2. MULTIPLE DX	3922	5.8	23	1	2	4	8	12	15	22
A. NOT OPERATED	5287	5.0	18	1	1	4	7	11	13	19
B. OPERATED	519	6.2	35	1	2	4	8	14	16	31
TOTAL 0-19 YRS	659	3.2	9	1	1	2	4	6	9	15
20-34	2146	4.8	18	1	1	3	6	10	13	20
35-49	1930	5.7	22	1	1	4	8	12	15	21
50-64	842	5.8	20	1	2	4	8	11	14	20
65+	229	5.5	19	1	2	4	8	11	14	22
GRAND TOTAL	**5806**	**5.1**	**19**	**1**	**1**	**4**	**7**	**11**	**13**	**20**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	15	3.2	4	1	1	3	4	7	8	8
35-49	6	4.7	4	2	2	4	5	8	8	8
50-64	8	2.6	1	1	1	3	3	4	4	4
65+	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*										
0-19 YRS	7	1.3		<1	<1	1	2	2	2	2
20-34	232	1.8	2	<1	<1	2	2	3	5	7
35-49	415	1.9	2	<1	<1	2	2	3	4	9
50-64	354	1.8	1	<1	<1	2	2	3	4	7
65+	125	1.8	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	14	2.6	3	<1	<1	3	4	5	6	6
35-49	40	5.0	8	1	2	5	7	10	10	11
50-64	36	4.4	11	<1	<1	4	7	8	11	16
65+	25	3.5	4	1	1	3	5	6	8	10
B. *Operated*										
0-19 YRS	11	3.1	19	<1	<1	2	3	8	15	16
20-34	132	2.6	5	<1	1	2	3	5	8	11
35-49	377	3.5	13	1	1	2	4	8	10	19
50-64	430	3.2	10	1	1	2	3	7	9	17
65+	350	2.9	9	1	1	2	3	5	8	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	3.4	3	1	1	3	4	6	8	8
B. *Operated*	1133	1.8	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	116	4.2	8	<1	1	3	6	9	10	13
B. *Operated*	1300	3.1	10	1	1	2	3	7	9	18
1. SINGLE DX	1165	1.9	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX	1416	3.2	10	1	1	2	4	7	9	17
A. NOT OPERATED	148	4.0	7	<1	1	3	5	8	10	11
B. OPERATED	2433	2.5	7	<1	1	2	3	5	7	14
TOTAL 0-19 YRS	20	2.6	11	<1	<1	2	3	4	10	16
20-34	393	2.2	3	<1	1	2	2	4	6	10
35-49	838	2.8	8	<1	1	2	3	6	8	17
50-64	828	2.6	7	<1	1	2	3	5	8	14
65+	502	2.6	7	<1	1	2	3	5	7	14
GRAND TOTAL	**2581**	**2.6**	**7**	**<1**	**1**	**2**	**3**	**5**	**8**	**14**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	88	6.7	77	1	1	4	8	12	20	57
20-34	176	4.9	27	1	1	4	5	9	19	30
35-49	250	4.7	21	1	1	3	6	10	14	28
50-64	194	5.6	44	1	1	4	6	11	16	35
65+	110	6.3	67	1	1	4	7	13	17	51
B. *Operated*										
0-19 YRS	78	2.9	9	1	1	2	3	5	8	18
20-34	549	3.2	9	1	1	3	4	6	8	15
35-49	684	3.2	8	1	1	2	4	6	8	14
50-64	544	3.2	10	1	1	2	4	6	8	15
65+	254	3.7	11	1	1	2	5	9	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	86	8.5	160	1	1	4	9	26	38	92
20-34	284	5.9	52	1	1	4	7	11	16	45
35-49	483	6.2	35	1	2	5	8	12	16	35
50-64	756	6.7	41	1	2	5	8	13	17	29
65+	973	7.6	46	2	2	6	9	14	19	39
B. *Operated*										
0-19 YRS	95	6.3	125	1	1	3	5	10	27	69
20-34	462	5.9	91	1	1	3	6	11	21	70
35-49	700	5.1	42	1	1	3	6	11	14	39
50-64	779	6.0	52	1	1	4	8	14	19	49
65+	656	8.6	90	1	2	6	11	19	28	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	818	5.4	40	1	1	4	6	11	16	31
B. *Operated*	2109	3.3	9	1	1	2	4	6	9	15
2. MULTIPLE DX										
A. *Not Operated*	2582	6.9	47	1	2	5	8	13	18	39
B. *Operated*	2692	6.4	69	1	1	4	8	14	21	65
1. SINGLE DX	2927	3.9	19	1	1	3	5	8	11	22
2. MULTIPLE DX	5274	6.7	59	1	2	5	8	13	20	46
A. NOT OPERATED	3400	6.6	46	1	2	5	8	13	18	38
B. OPERATED	4801	5.0	45	1	1	3	6	11	15	39
TOTAL 0-19 YRS	347	6.2	98	1	1	3	6	11	22	64
20-34	1471	4.8	46	1	1	3	5	9	13	41
35-49	2117	4.7	28	1	1	3	5	10	13	25
50-64	2273	5.5	39	1	1	4	7	11	16	31
65+	1993	7.4	59	1	2	5	9	15	21	44
GRAND TOTAL	**8201**	**5.7**	**46**	**1**	**1**	**4**	**7**	**12**	**17**	**39**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	3.3	2	2	2	3	4	5	5	5
65+	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
0-19 YRS	86	3.6	11	1	1	3	4	6	7	22
20-34	173	2.9	4	1	1	3	3	5	6	14
35-49	211	2.9	2	1	1	3	3	5	5	8
50-64	500	2.9	3	1	1	3	4	5	6	8
65+	487	2.8	2	1	1	3	3	5	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3	4	1	1	2	3	5	5	5
20-34	3	1.0		1	1	1	1	1	1	1
35-49	8	2.0	1	<1	<1	2	3	4	4	4
50-64	14	2.7	6	<1	1	2	4	6	8	9
65+	20	2.7	6	<1	<1	2	3	8	8	8
B. *Operated*										
0-19 YRS	82	3.8	6	1	1	3	5	6	9	16
20-34	167	3.9	8	1	1	3	5	7	10	20
35-49	242	3.3	4	1	2	3	4	6	7	14
50-64	647	3.5	5	1	1	3	4	6	7	13
65+	950	3.7	7	1	2	3	4	6	8	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	1.8	2	<1	<1	1	2	4	5	5
B. *Operated*	1457	2.9	3	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	49	2.4	5	<1	1	1	3	6	8	9
B. *Operated*	2088	3.6	6	1	1	3	4	6	8	14
1. SINGLE DX	1467	2.9	3	1	1	3	4	5	6	9
2. MULTIPLE DX	2137	3.6	6	1	1	3	4	6	8	14
A. NOT OPERATED	59	2.3	4	<1	<1	1	3	5	8	9
B. OPERATED	3545	3.3	5	1	1	3	4	5	7	13
TOTAL 0-19 YRS	175	3.6	9	1	1	3	4	6	8	20
20-34	344	3.4	6	1	1	3	4	6	8	15
35-49	462	3.1	3	1	1	3	4	5	7	9
50-64	1164	3.2	4	1	1	3	4	5	7	11
65+	1459	3.4	6	1	1	3	4	6	7	13
GRAND TOTAL	**3604**	**3.3**	**5**	**1**	**1**	**3**	**4**	**5**	**7**	**13**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	3	3.0	1	2	2	3	4	4	4	4
35-49	5	1.6	2	<1	<1	1	2	4	4	4
50-64	12	1.3		1	1	1	2	2	3	3
65+	29	2.0	2	1	1	2	2	4	5	6
B. *Operated*										
0-19 YRS	8	1.9	1	<1	<1	2	3	61	99+	99+
20-34	16	2.6	2	<1	<1	2	3	4	6	7
35-49	43	3.0	5	1	1	2	4	5	7	14
50-64	97	2.5	3	1	1	2	3	4	6	8
65+	168	2.7	4	1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	4	2.0	2	<1	<1	1	3	4	4	4
35-49	4	3.5	14	1	1	2	6	9	9	9
50-64	18	2.6	3	1	1	2	4	5	6	6
65+	62	3.7	6	1	1	3	5	7	9	11
B. *Operated*										
0-19 YRS	4	2.8	12	1	1	1	5	8	8	8
20-34	11	4.0	5	2	2	3	5	8	9	9
35-49	36	4.5	18	1	2	3	4	9	12	23
50-64	133	3.1	4	1	1	3	4	5	6	11
65+	448	3.8	20	1	1	3	4	7	9	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	1.8	1	1	1	1	2	4	4	6
B. *Operated*	332	2.7	4	1	1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	89	3.4	6	1	1	3	4	7	8	11
B. *Operated*	632	3.7	16	1	1	3	4	6	9	17
1. SINGLE DX	383	2.6	3	1	1	2	3	4	6	11
2. MULTIPLE DX	721	3.6	15	1	1	3	4	6	9	16
A. NOT OPERATED	140	2.8	5	1	1	2	4	6	7	11
B. OPERATED	964	3.3	12	1	1	3	4	6	8	16
TOTAL 0-19 YRS	15	2.2	3	<1	1	2	3	8	72	99+
20-34	34	3.0	3	<1	1	3	3	5	7	9
35-49	88	3.6	11	1	1	3	4	8	9	20
50-64	260	2.7	3	1	1	2	4	5	6	10
65+	707	3.5	14	1	1	3	4	6	8	16
GRAND TOTAL	**1104**	**3.3**	**11**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	1.0		1	1	1	1	1	1	1
65+	15	1.7	1	<1	<1	1	2	3	4	4
B. *Operated*										
0-19 YRS	7	2.6	4	1	1	2	3	6	7	7
20-34	24	3.4	10	1	1	2	4	7	10	15
35-49	14	2.6	1	1	1	3	3	4	4	4
50-64	39	2.1	1	1	1	2	3	4	4	4
65+	68	2.0	1	1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	1.8	1	1	1	2	2	3	3	3
20-34	4	6.0	22	3	3	4	9	13	13	13
35-49	3	5.7	21	3	3	3	9	11	11	11
50-64	9	3.8	13	<1	<1	3	4	9	13	13
65+	47	2.9	4	1	1	2	4	6	7	8
B. *Operated*										
0-19 YRS	9	2.3	2	1	1	2	3	4	5	5
20-34	31	3.5	7	1	1	3	5	8	9	10
35-49	33	3.4	6	1	1	3	4	8	9	9
50-64	76	3.3	5	1	1	3	4	6	8	11
65+	202	2.9	6	1	1	2	4	5	7	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	1.6	1	<1	<1	1	2	3	4	4
B. *Operated*	152	2.3	3	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	68	3.3	7	1	1	3	4	7	9	13
B. *Operated*	351	3.1	6	1	1	2	4	6	7	10
1. SINGLE DX	174	2.2	3	1	1	2	3	4	4	8
2. MULTIPLE DX	419	3.1	6	1	1	2	4	6	7	12
A. NOT OPERATED	90	2.9	6	1	1	2	3	5	8	13
B. OPERATED	503	2.8	5	1	1	2	4	5	7	10
TOTAL 0-19 YRS	22	2.3	2	1	1	2	3	4	6	7
20-34	62	3.5	9	1	1	3	4	7	10	15
35-49	51	3.2	6	1	1	3	4	8	9	11
50-64	126	2.9	4	1	1	2	4	5	7	12
65+	332	2.6	5	1	1	2	3	5	7	8
GRAND TOTAL	**593**	**2.8**	**5**	**1**	**1**	**2**	**3**	**5**	**7**	**11**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	7	1.3		<1	<1	1	2	2	2	2
65+	17	1.4		1	1	1	2	2	3	3
B. *Operated*										
0-19 YRS										
20-34										
35-49	191	1.7		1	1	2	2	2	3	4
50-64	1228	1.7	1	<1	1	2	2	2	3	4
65+	4781	1.8	1	<1	1	2	2	2	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	12	1.3		<1	<1	1	2	2	2	2
50-64	40	2.2	3	<1	<1	2	2	5	7	8
65+	170	2.3	6	<1	<1	1	3	5	7	12
B. *Operated*										
0-19 YRS										
20-34										
35-49	194	2.8	16	1	1	2	3	4	7	19
50-64	1560	2.2	2	1	1	2	2	3	4	9
65+	8048	2.2	3	1	1	2	2	3	4	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	1.4		<1	<1	1	2	2	3	3
B. *Operated*	6200	1.8	1	<1	1	2	2	2	3	3
2. MULTIPLE DX										
A. *Not Operated*	222	2.2	6	<1	<1	1	2	4	6	11
B. *Operated*	9802	2.2	3	1	1	2	2	3	4	8
1. SINGLE DX	6225	1.8	1	<1	1	2	2	2	3	3
2. MULTIPLE DX	10024	2.2	3	1	1	2	2	3	4	9
A. NOT OPERATED	247	2.2	5	<1	<1	1	2	4	6	11
B. OPERATED	16002	2.0	2	1	1	2	2	3	3	7
TOTAL 0-19 YRS										
20-34										
35-49	398	2.2	8	1	1	2	2	3	5	12
50-64	2835	2.0	2	1	1	2	2	3	4	7
65+	13016	2.0	2	1	1	2	2	3	3	7
GRAND TOTAL	**16249**	**2.0**	**2**	**1**	**1**	**2**	**2**	**3**	**3**	**7**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	49	2.0	1	<1	<1	2	2	3	3	5
20-34	19	1.5		1	1	1	2	2	3	3
35-49	42	1.6	1	1	1	2	2	2	3	6
50-64	85	1.6		1	1	2	2	2	2	3
65+	69	1.4	1	1	1	1	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49	3	1.7	1	<1	<1	1	2	3	3	3
50-64	5	2.2	3	1	1	1	3	5	5	5
65+	5	2.2	3	1	1	2	3	5	5	5
B. *Operated*										
0-19 YRS	31	2.4	1	1	1	2	3	3	4	6
20-34	34	2.5	2	1	1	2	3	4	6	8
35-49	68	2.1	2	<1	1	2	2	3	5	9
50-64	149	2.2	2	1	1	2	2	4	4	9
65+	209	1.9	1	1	1	2	2	3	4	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	264	1.6	1	1	1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	14	2.2	2	<1	1	2	3	5	5	5
B. *Operated*	491	2.1	2	1	1	2	2	3	4	8
1. SINGLE DX	264	1.6	1	1	1	1	2	2	3	5
2. MULTIPLE DX	505	2.1	2	1	1	2	2	3	4	8
A. NOT OPERATED	14	2.2	2	<1	1	2	3	5	5	5
B. OPERATED	755	1.9	2	1	1	2	2	3	4	7
TOTAL 0-19 YRS	81	2.2	1	<1	1	2	3	3	4	6
20-34	53	2.2	2	1	1	2	3	4	5	8
35-49	113	1.9	2	<1	1	2	2	3	4	9
50-64	239	2.0	2	1	1	2	2	3	4	8
65+	283	1.8	1	1	1	2	2	3	4	6
GRAND TOTAL	**769**	**1.9**	**2**	**1**	**1**	**2**	**2**	**3**	**4**	**7**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.8	2	<1	<1	1	2	4	5	5
20-34	6	2.7	1	1	1	3	4	4	4	4
35-49	7	2.6	3	<1	<1	3	3	5	6	6
50-64	7	3.1	3	1	1	3	5	6	6	6
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	659	1.3	1	<1	<1	1	2	2	2	2
20-34	107	1.4		<1	1	1	2	2	2	4
35-49	61	1.8	2	<1	1	2	2	3	3	9
50-64	40	1.7	1	1	1	1	2	3	4	6
65+	23	2.7	8	1	1	2	3	6	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	1.6	2	<1	<1	1	1	3	5	6
20-34	21	3.3	9	<1	1	2	4	8	11	12
35-49	24	4.9	17	<1	<1	4	8	10	14	15
50-64	40	4.4	10	<1	1	3	6	8	10	16
65+	60	5.7	25	1	2	4	6	9	15	30
B. *Operated*										
0-19 YRS	196	1.4		<1	<1	1	2	2	2	3
20-34	81	1.5	1	<1	1	1	2	3	3	4
35-49	56	2.3	4	1	1	2	3	4	8	10
50-64	54	4.8	49	1	1	2	5	10	22	38
65+	57	4.4	18	1	1	3	6	10	13	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	2.4	2	<1	<1	2	3	5	6	6
B. *Operated*	890	1.4	1	<1	<1	1	2	2	2	5
2. MULTIPLE DX										
A. *Not Operated*	171	4.3	17	<1	1	3	6	9	11	22
B. *Operated*	444	2.3	11	<1	<1	1	2	4	7	18
1. SINGLE DX	920	1.5	1	<1	<1	1	2	2	2	5
2. MULTIPLE DX	615	2.9	13	<1	1	2	3	7	9	19
A. NOT OPERATED	201	4.1	15	<1	1	3	5	8	10	20
B. OPERATED	1334	1.7	4	<1	<1	1	2	2	3	10
TOTAL 0-19 YRS	890	1.4	1	<1	<1	1	2	2	2	3
20-34	215	1.7	2	<1	1	1	2	3	4	8
35-49	148	2.5	6	<1	1	2	3	6	9	14
50-64	141	3.7	23	1	1	2	4	8	10	26
65+	141	4.6	20	1	1	3	6	9	13	24
GRAND TOTAL	**1535**	**2.0**	**6**	**<1**	**<1**	**1**	**2**	**3**	**6**	**13**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	125	2.8	6	<1	<1	2	4	5	8	15
20-34	36	4.0	12	1	1	3	5	9	10	19
35-49	21	4.8	9	<1	1	5	7	9	10	10
50-64	14	5.0	13	1	1	4	8	10	12	12
65+	36	5.7	21	1	2	5	7	9	11	27
B. *Operated*										
0-19 YRS	108	1.9	3	<1	<1	1	2	4	5	10
20-34	204	2.0	1	1	1	2	3	3	4	6
35-49	202	2.2	5	1	1	2	3	4	4	12
50-64	212	2.0	2	1	1	2	3	3	4	5
65+	389	2.4	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	206	3.5	5	1	1	3	5	7	8	12
20-34	69	4.2	19	1	1	3	5	8	12	25
35-49	42	5.5	17	1	1	5	8	11	13	19
50-64	64	5.2	19	1	1	4	7	8	11	25
65+	147	5.6	25	1	1	4	7	12	17	23
B. *Operated*										
0-19 YRS	89	2.6	6	<1	1	2	3	5	8	14
20-34	119	2.3	2	1	1	2	3	4	5	7
35-49	256	2.4	6	1	1	2	3	4	7	16
50-64	455	3.0	12	1	1	2	3	6	9	20
65+	1223	3.1	7	1	1	2	4	5	8	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	232	3.8	11	<1	<1	3	5	8	9	18
B. *Operated*	1115	2.2	3	1	1	2	3	4	4	8
2. MULTIPLE DX										
A. *Not Operated*	528	4.6	16	1	1	3	6	9	12	20
B. *Operated*	2142	2.9	8	1	1	2	3	5	8	15
1. SINGLE DX	1347	2.4	4	<1	1	2	3	4	6	10
2. MULTIPLE DX	2670	3.2	10	1	1	2	4	6	9	18
A. NOT OPERATED	760	4.3	14	<1	1	3	5	8	11	20
B. OPERATED	3257	2.6	6	1	1	2	3	4	6	14
TOTAL 0-19 YRS	528	2.9	6	<1	<1	2	4	6	8	12
20-34	428	2.6	6	1	1	2	3	4	6	13
35-49	521	2.7	8	1	1	2	3	5	8	16
50-64	745	2.9	10	1	1	2	3	6	8	17
65+	1795	3.2	8	1	1	2	4	6	9	16
GRAND TOTAL	**4017**	**3.0**	**8**	**1**	**1**	**2**	**3**	**5**	**8**	**16**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	368	3.3	3	1	1	3	4	5	6	9
20-34	79	3.9	5	1	2	4	5	6	8	12
35-49	45	5.2	12	1	2	4	8	9	12	16
50-64	47	3.7	6	1	1	3	6	7	9	9
65+	52	3.9	10	1	1	3	6	7	8	17
B. *Operated*										
0-19 YRS	60	3.6	8	1	1	3	5	8	10	12
20-34	64	3.1	8	1	1	2	4	6	10	14
35-49	74	2.6	4	1	1	2	3	5	7	11
50-64	181	2.2	2	1	1	2	2	4	5	8
65+	339	2.5	5	1	1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	498	4.2	6	2	2	4	5	7	9	12
20-34	124	4.5	14	1	1	3	6	9	14	18
35-49	114	5.2	17	1	1	4	6	10	14	21
50-64	144	4.9	14	1	1	4	7	10	10	20
65+	266	5.2	17	1	1	4	6	10	12	19
B. *Operated*										
0-19 YRS	68	4.6	13	1	1	4	7	10	11	18
20-34	209	4.2	14	1	1	3	5	8	11	22
35-49	200	4.1	13	1	1	3	5	8	10	23
50-64	498	3.8	11	1	1	3	5	8	10	16
65+	954	3.9	13	1	1	3	5	8	11	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	591	3.6	5	1	1	3	5	6	8	12
B. *Operated*	718	2.6	5	1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	1146	4.6	12	1	2	4	6	9	10	17
B. *Operated*	1929	4.0	13	1	1	3	5	8	11	19
1. SINGLE DX	1309	3.0	5	1	1	2	4	6	8	12
2. MULTIPLE DX	3075	4.2	12	1	1	3	5	8	11	18
A. NOT OPERATED	1737	4.3	9	1	1	3	5	8	10	16
B. OPERATED	2647	3.6	11	1	1	2	4	7	10	17
TOTAL 0-19 YRS	994	3.8	5	1	2	3	5	7	9	11
20-34	476	4.1	12	1	1	3	5	8	11	19
35-49	433	4.3	13	1	1	3	5	8	11	21
50-64	870	3.6	10	1	1	2	5	7	9	16
65+	1611	3.8	13	1	1	3	5	8	11	17
GRAND TOTAL	**4384**	**3.9**	**10**	**1**	**1**	**3**	**5**	**8**	**10**	**16**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.5	3	1	1	2	3	5	6	6
20-34	15	2.5	3	1	1	2	3	5	7	7
35-49	10	3.1	4	1	1	3	3	6	8	8
50-64	7	2.4	1	1	1	3	3	4	4	4
65+	9	3.1	3	1	1	3	5	6	6	6
B. *Operated*										
0-19 YRS	9	1.6		<1	<1	2	2	2	2	2
20-34	20	2.1	3	<1	1	2	2	3	6	9
35-49	16	1.8	1	1	1	2	2	3	4	4
50-64	13	2.9	5	1	1	2	3	7	8	8
65+	8	1.8	1	<1	<1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	2.9	6	1	1	2	3	5	10	11
20-34	31	3.4	6	<1	1	3	4	8	9	9
35-49	51	3.6	4	1	2	3	5	7	7	9
50-64	66	5.2	15	1	2	4	7	9	14	20
65+	83	4.2	10	1	1	3	6	8	10	15
B. *Operated*										
0-19 YRS	16	4.5	91	<1	<1	2	3	5	29	40
20-34	37	3.1	9	1	1	2	4	7	10	14
35-49	46	3.3	10	1	1	3	4	5	7	21
50-64	69	3.2	6	1	1	3	4	6	7	15
65+	79	4.7	26	1	1	3	7	9	11	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	2.7	3	1	1	2	3	5	6	8
B. *Operated*	66	2.1	2	<1	1	2	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*	258	4.1	10	1	1	3	5	8	9	16
B. *Operated*	247	3.8	19	1	1	3	4	8	10	22
1. SINGLE DX	120	2.4	3	1	1	2	3	4	6	8
2. MULTIPLE DX	505	3.9	14	1	1	3	5	8	10	17
A. NOT OPERATED	312	3.9	9	1	1	3	5	8	9	16
B. OPERATED	313	3.4	16	1	1	2	4	7	9	18
TOTAL 0-19 YRS	65	3.0	25	<1	1	2	3	5	7	36
20-34	103	2.9	6	1	1	2	3	7	9	12
35-49	123	3.2	6	1	1	3	4	6	7	12
50-64	155	4.0	10	1	1	3	5	8	9	18
65+	179	4.3	17	1	1	3	6	8	10	17
GRAND TOTAL	**625**	**3.6**	**12**	**1**	**1**	**3**	**4**	**7**	**9**	**16**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	708	2.6	3	1	1	2	3	4	5	9
20-34	14	3.7	8	<1	1	3	4	7	11	12
35-49	7	3.7	4	1	1	4	5	6	6	6
50-64	7	3.7	10	<1	<1	3	6	8	9	9
65+	8	3.9	15	1	1	3	4	10	13	13
B. *Operated*										
0-19 YRS	1133	1.3	1	<1	<1	1	1	2	2	4
20-34	308	1.5		1	1	1	2	2	3	4
35-49	284	1.7	1	1	1	2	2	2	3	6
50-64	282	1.7	1	1	1	2	2	2	3	4
65+	108	1.7		1	1	2	2	2	2	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2903	3.1	3	1	1	3	4	5	6	9
20-34	77	4.2	8	1	1	4	6	9	10	13
35-49	79	4.0	10	<1	1	4	5	7	9	20
50-64	80	5.0	22	1	1	4	6	8	13	26
65+	46	6.8	41	2	2	5	8	11	16	41
B. *Operated*										
0-19 YRS	1748	1.6	3	<1	<1	1	2	2	4	9
20-34	399	1.8	2	1	1	2	2	3	4	6
35-49	327	2.1	3	1	1	2	2	3	4	10
50-64	413	2.1	2	1	1	2	2	3	4	9
65+	194	2.2	4	1	1	2	2	3	4	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	744	2.7	3	1	1	2	3	4	6	9
B. *Operated*	2115	1.5	1	<1	<1	1	2	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	3185	3.2	5	1	1	3	4	5	7	11
B. *Operated*	3081	1.8	3	<1	1	1	2	3	4	9
1. SINGLE DX	2859	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	6266	2.5	4	1	1	2	3	5	6	10
A. NOT OPERATED	3929	3.1	5	1	1	3	4	5	7	11
B. OPERATED	5196	1.7	2	<1	<1	1	2	2	3	8
TOTAL 0-19 YRS	6492	2.3	3	<1	<1	2	3	4	6	9
20-34	798	2.0	3	1	1	2	2	3	5	10
35-49	697	2.2	3	1	1	2	2	4	5	9
50-64	782	2.3	5	1	1	2	2	4	6	11
65+	356	2.7	11	1	1	2	2	5	8	15
GRAND TOTAL	**9125**	**2.3**	**4**	**<1**	**1**	**2**	**3**	**4**	**6**	**9**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	106	3.2	3	1	1	3	4	5	8	10
20-34	49	3.4	4	1	1	3	4	6	6	11
35-49	38	4.5	7	2	2	4	6	7	9	17
50-64	17	3.6	2	1	2	3	4	6	7	7
65+	8	12.4	342	1	1	5	13	45	56	56
B. *Operated*										
0-19 YRS	138	2.0	3	<1	<1	1	3	4	6	8
20-34	56	2.4	4	<1	1	2	3	6	8	10
35-49	33	3.0	16	1	1	2	3	6	15	19
50-64	46	2.1	3	<1	1	2	2	4	4	11
65+	17	4.3	24	1	1	2	6	12	16	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	331	3.7	7	1	1	3	5	7	8	14
20-34	138	4.7	10	1	2	4	6	8	11	16
35-49	110	5.4	10	2	3	5	7	10	12	16
50-64	66	6.4	31	2	2	5	7	11	20	34
65+	85	7.6	31	2	3	6	9	17	21	75
B. *Operated*										
0-19 YRS	270	2.8	14	<1	1	2	3	6	9	17
20-34	102	3.5	15	1	1	2	4	9	14	17
35-49	78	2.8	7	1	1	2	3	5	7	17
50-64	97	5.7	76	1	1	3	6	15	19	50
65+	93	8.1	85	1	1	4	12	19	22	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	218	3.9	18	1	2	3	4	6	8	18
B. *Operated*	290	2.4	6	<1	<1	1	3	5	7	15
2. MULTIPLE DX										
A. *Not Operated*	730	4.8	14	1	2	4	6	9	12	21
B. *Operated*	640	4.1	36	1	1	2	4	10	16	31
1. SINGLE DX	508	3.0	12	<1	1	2	4	6	7	16
2. MULTIPLE DX	1370	4.5	25	1	1	3	5	9	14	22
A. NOT OPERATED	948	4.6	15	1	2	4	6	8	11	21
B. OPERATED	930	3.6	28	<1	1	2	4	8	13	23
TOTAL 0-19 YRS	845	3.1	8	<1	1	2	4	6	8	13
20-34	345	3.8	10	1	1	3	5	8	10	16
35-49	259	4.2	11	1	1	3	5	8	11	17
50-64	226	5.0	45	1	1	3	6	9	17	31
65+	203	7.8	68	1	1	5	10	18	21	51
GRAND TOTAL	**1878**	**4.1**	**22**	**1**	**1**	**3**	**5**	**8**	**12**	**21**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	2.6	4	1	1	2	3	4	5	12
20-34	174	3.2	4	1	1	3	4	6	7	11
35-49	239	2.8	4	1	1	2	3	5	6	10
50-64	336	2.9	3	1	1	3	4	5	6	10
65+	294	3.2	4	1	1	3	4	6	7	11
B. *Operated*										
0-19 YRS	12	2.0	2	1	1	1	3	4	4	4
20-34	56	2.9	5	1	1	2	3	6	8	11
35-49	97	3.2	7	1	1	2	4	6	9	13
50-64	116	3.3	6	1	1	3	4	7	8	13
65+	60	3.2	5	1	1	2	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	3.6	4	1	1	3	5	6	8	10
20-34	256	4.0	9	1	1	3	5	7	9	19
35-49	556	4.1	6	1	1	3	5	8	9	12
50-64	1131	4.1	7	1	2	3	5	7	9	13
65+	1976	4.4	8	1	2	4	6	8	9	14
B. *Operated*										
0-19 YRS	7	1.9	3	<1	<1	1	2	5	6	6
20-34	28	4.8	12	1	1	4	7	10	12	14
35-49	64	5.2	19	1	1	4	7	11	12	23
50-64	142	5.5	13	1	1	4	8	11	12	16
65+	221	7.0	32	2	3	6	8	13	16	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1078	3.0	4	1	1	3	4	5	7	10
B. *Operated*	341	3.2	6	1	1	2	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	3974	4.2	7	1	2	4	5	8	9	13
B. *Operated*	462	6.1	24	1	2	5	8	11	14	26
1. SINGLE DX	1419	3.0	4	1	1	3	4	6	7	11
2. MULTIPLE DX	4436	4.4	9	1	2	4	6	8	10	14
A. NOT OPERATED	5052	4.0	7	1	1	3	5	7	9	13
B. OPERATED	803	4.8	18	1	1	4	6	10	12	21
TOTAL 0-19 YRS	109	3.0	4	1	1	3	4	6	7	11
20-34	514	3.6	7	1	1	3	4	7	8	13
35-49	956	3.8	7	1	1	3	5	7	9	13
50-64	1725	3.9	7	1	1	3	5	7	9	13
65+	2551	4.4	10	1	2	4	6	8	10	15
GRAND TOTAL	**5855**	**4.1**	**8**	**1**	**1**	**3**	**5**	**7**	**9**	**14**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	3	1.0		<1	<1	<1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	38	1.8	1	1	1	2	2	3	3	4
20-34	215	1.8	1	1	1	2	2	3	3	4
35-49	382	1.9	1	1	1	2	2	3	3	4
50-64	319	2.0	1	1	1	2	3	3	3	4
65+	130	2.1	1	1	1	2	3	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	2.0	4	<1	<1	1	3	5	5	5
50-64	2	5.5	25	2	2	5	9	9	9	9
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	14	1.6		1	1	2	2	2	2	2
20-34	61	1.9	1	1	1	2	2	3	4	7
35-49	106	2.1	1	1	1	2	3	3	4	5
50-64	139	1.9	1	1	1	2	3	3	3	5
65+	108	2.4	4	1	1	2	3	3	4	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	1084	1.9	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	10	3.1	7	<1	<1	2	5	7	9	9
B. *Operated*	428	2.1	2	1	1	2	3	3	4	6
1. SINGLE DX	1089	1.9	1	1	1	2	2	3	3	4
2. MULTIPLE DX	438	2.1	2	1	1	2	3	3	4	7
A. NOT OPERATED	15	2.4	6	<1	<1	1	4	5	8	9
B. OPERATED	1512	2.0	1	1	1	2	3	3	3	5
TOTAL 0-19 YRS	54	1.8	1	1	1	2	2	3	3	5
20-34	278	1.9	1	1	1	2	2	3	3	5
35-49	493	1.9	1	1	1	2	2	3	3	5
50-64	463	2.0	1	1	1	2	3	3	3	5
65+	239	2.2	2	1	1	2	3	3	4	7
GRAND TOTAL	**1527**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**5**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.9	5	<1	<1	2	4	6	8	9
20-34	33	3.5	7	1	1	3	4	6	8	14
35-49	16	2.8	2	1	1	3	4	4	6	6
50-64	30	3.4	4	1	1	4	4	5	5	11
65+	17	3.4	2	1	1	4	4	5	6	7
B. *Operated*										
0-19 YRS	540	1.4	1	<1	1	1	2	2	3	4
20-34	366	1.6	1	1	1	1	2	2	3	7
35-49	281	1.8	3	1	1	1	2	3	4	11
50-64	235	1.6	1	1	1	1	2	2	3	4
65+	91	1.7	1	1	1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	2.8	5	<1	<1	2	4	7	7	8
20-34	39	3.5	10	<1	<1	3	4	8	10	16
35-49	37	3.5	7	<1	1	3	5	7	8	14
50-64	62	4.0	5	1	1	4	5	7	8	11
65+	63	4.4	9	<1	1	4	6	9	10	16
B. *Operated*										
0-19 YRS	512	1.5	1	1	1	1	2	2	3	5
20-34	408	1.8	3	1	1	1	2	3	4	9
35-49	378	2.0	4	1	1	2	2	3	5	8
50-64	340	2.2	7	1	1	2	2	3	4	12
65+	232	2.8	9	1	1	2	3	5	8	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	110	3.3	4	1	1	3	4	5	6	12
B. *Operated*	1513	1.6	1	1	1	1	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	230	3.8	8	<1	1	3	5	8	9	14
B. *Operated*	1870	2.0	4	1	1	1	2	3	4	11
1. SINGLE DX	1623	1.7	2	1	1	1	2	3	4	7
2. MULTIPLE DX	2100	2.2	5	1	1	2	2	4	6	11
A. NOT OPERATED	340	3.6	7	<1	1	3	5	7	9	14
B. OPERATED	3383	1.8	3	1	1	1	2	3	4	8
TOTAL 0-19 YRS	1095	1.5	1	<1	1	1	2	2	3	6
20-34	846	1.9	3	1	1	1	2	3	4	9
35-49	712	2.0	4	1	1	1	2	4	5	9
50-64	667	2.2	5	1	1	2	2	4	5	11
65+	403	2.8	8	1	1	2	3	5	8	17
GRAND TOTAL	**3723**	**1.9**	**4**	**1**	**1**	**1**	**2**	**3**	**5**	**9**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	5.8	14	1	2	5	8	11	14	15
20-34	17	5.5	18	2	2	5	6	9	16	20
35-49	8	4.5	6	2	2	4	6	8	9	9
50-64	4	3.0	4	2	2	2	4	6	6	6
65+										
B. *Operated*										
0-19 YRS										
20-34	2	10.5	5	9	9	10	12	12	12	12
35-49										
50-64	3	3.7	14	1	1	2	6	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	6.4	33	1	2	5	8	12	14	35
20-34	28	7.0	31	2	2	5	9	12	17	28
35-49	16	8.9	31	2	4	7	14	16	20	21
50-64	25	6.0	15	2	3	5	7	12	16	17
65+	29	7.2	25	2	3	6	9	13	15	26
B. *Operated*										
0-19 YRS	5	9.2	10	6	6	8	12	13	13	13
20-34	8	21.8	299	4	6	17	27	51	59	59
35-49	10	5.9	29	<1	<1	3	11	14	15	15
50-64	23	12.3	78	1	2	13	18	23	29	32
65+	16	20.3	309	2	2	19	31	48	52	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	5.5	14	1	2	5	7	10	14	18
B. *Operated*	5	6.4	22	1	1	8	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	138	6.9	27	2	2	5	8	13	16	29
B. *Operated*	62	14.3	175	1	2	12	20	31	43	58
1. SINGLE DX	89	5.5	14	1	2	5	8	10	14	18
2. MULTIPLE DX	200	9.2	84	2	2	6	12	20	28	51
A. NOT OPERATED	222	6.4	23	2	2	5	8	12	15	27
B. OPERATED	67	13.7	168	1	2	11	19	30	40	58
TOTAL 0-19 YRS	100	6.2	22	1	2	5	8	12	14	25
20-34	55	8.8	90	2	2	6	10	20	27	58
35-49	34	7.0	27	1	2	5	10	15	16	21
50-64	55	8.3	52	1	2	6	13	18	22	32
65+	45	11.8	161	2	2	6	13	28	41	54
GRAND TOTAL	**289**	**8.1**	**65**	**1**	**2**	**6**	**10**	**16**	**26**	**45**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	7.7	16	4	4	7	11	12	12	12
20-34	14	3.1	7	<1	1	2	4	7	9	10
35-49	12	5.0	23	<1	1	4	5	11	18	19
50-64	14	5.0	18	<1	<1	4	7	11	13	14
65+	7	6.7	6	2	3	8	8	9	9	9
B. *Operated*										
0-19 YRS										
20-34	23	5.9	13	1	1	7	8	10	11	12
35-49	77	4.7	16	1	1	2	9	10	12	16
50-64	87	5.6	34	1	1	2	9	12	15	31
65+	37	6.4	40	1	2	2	11	16	18	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	5.2	15	<1	1	4	8	11	12	12
20-34	35	4.4	8	1	1	4	7	8	9	11
35-49	89	4.6	17	<1	1	3	5	10	13	22
50-64	190	6.3	24	2	2	5	8	12	15	28
65+	324	7.8	39	2	3	6	10	14	18	30
B. *Operated*										
0-19 YRS	12	8.7	161	1	1	3	12	25	42	45
20-34	83	9.4	154	1	1	7	11	18	36	70
35-49	244	9.4	61	1	2	9	13	18	23	43
50-64	500	11.2	137	1	2	10	14	23	33	63
65+	429	11.9	131	2	2	10	16	24	33	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	4.9	15	<1	1	4	7	10	12	19
B. *Operated*	224	5.4	27	1	1	3	9	12	14	25
2. MULTIPLE DX										
A. *Not Operated*	647	6.7	31	1	2	5	8	13	16	28
B. *Operated*	1268	11.0	122	1	2	9	14	22	31	61
1. SINGLE DX	274	5.3	24	1	1	3	9	12	14	23
2. MULTIPLE DX	1915	9.5	95	1	2	7	12	19	27	49
A. NOT OPERATED	697	6.6	30	1	2	5	8	13	16	28
B. OPERATED	1492	10.1	112	1	2	9	13	21	29	51
TOTAL 0-19 YRS	24	7.3	86	<1	1	4	10	14	25	45
20-34	155	7.2	92	1	1	5	9	12	19	65
35-49	422	7.4	47	1	1	5	10	15	19	32
50-64	791	9.3	102	1	2	7	12	18	28	48
65+	797	10.0	93	2	2	8	13	21	27	51
GRAND TOTAL	**2189**	**9.0**	**88**	**1**	**2**	**7**	**12**	**18**	**25**	**48**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	2.8	3	1	1	3	4	4	6	9
20-34	163	3.7	5	1	1	3	4	6	8	11
35-49	385	3.8	7	1	1	3	5	6	8	12
50-64	446	3.8	8	1	1	3	5	7	9	14
65+	258	4.8	47	1	1	4	6	8	10	52
B. *Operated*										
0-19 YRS	6	3.3	2	2	2	3	4	6	6	6
20-34	40	3.6	14	<1	1	2	4	9	11	19
35-49	42	5.0	49	1	1	3	6	9	16	42
50-64	58	3.8	10	1	1	3	5	7	10	16
65+	30	5.7	23	1	1	4	7	14	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	101	4.3	8	1	1	4	5	8	10	14
20-34	492	4.2	8	1	2	4	5	8	9	13
35-49	1906	5.1	10	2	2	4	6	9	11	16
50-64	2812	5.3	12	1	2	5	7	9	12	18
65+	3177	5.5	15	2	2	5	7	10	12	20
B. *Operated*										
0-19 YRS	26	6.2	33	1	1	4	9	14	19	22
20-34	110	7.6	42	1	2	5	10	16	19	34
35-49	325	7.2	30	1	2	6	9	14	17	27
50-64	546	7.5	42	1	2	6	10	15	18	33
65+	484	7.8	48	1	1	6	10	16	21	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1296	3.9	15	1	1	3	5	7	9	15
B. *Operated*	176	4.4	22	1	1	3	5	9	13	21
2. MULTIPLE DX										
A. *Not Operated*	8488	5.2	13	2	2	4	7	9	12	18
B. *Operated*	1491	7.5	41	1	2	6	10	15	19	33
1. SINGLE DX	1472	4.0	16	1	1	3	5	7	9	16
2. MULTIPLE DX	9979	5.6	18	1	2	5	7	10	13	21
A. NOT OPERATED	9784	5.1	13	1	2	4	6	9	11	18
B. OPERATED	1667	7.2	40	1	2	5	10	15	18	32
TOTAL 0-19 YRS	177	4.2	11	1	1	3	5	8	11	17
20-34	805	4.5	14	1	1	4	5	8	11	18
35-49	2658	5.1	14	1	2	4	6	9	12	19
50-64	3862	5.4	17	1	2	4	7	10	13	20
65+	3949	5.7	22	1	2	5	7	10	14	24
GRAND TOTAL	**11451**	**5.4**	**18**	**1**	**2**	**4**	**7**	**10**	**13**	**21**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	11	5.4	8	2	2	5	7	9	11	11
35-49	48	4.6	7	2	2	4	5	9	10	14
50-64	66	5.8	14	2	2	5	7	12	15	86
65+	98	6.1	17	2	3	5	7	11	13	26
B. *Operated*										
0-19 YRS										
20-34										
35-49	7	3.6	7	2	2	2	4	8	9	9
50-64	24	3.2	6	1	2	2	3	9	9	9
65+	20	3.4	14	1	1	2	3	9	12	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	8.5	15	2	3	8	11	14	14	14
20-34	42	6.4	20	2	2	5	8	12	16	23
35-49	324	6.2	15	2	2	6	8	10	13	21
50-64	1064	7.0	20	2	3	6	9	13	16	22
65+	2587	7.9	29	3	3	7	10	14	18	28
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	10	5.4	4	2	2	5	6	8	9	9
35-49	97	6.5	23	2	2	6	9	14	16	22
50-64	217	8.3	62	1	2	7	11	17	20	36
65+	375	11.9	88	2	2	10	15	23	30	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	223	5.7	14	2	2	5	7	10	13	23
B. *Operated*	51	3.3	9	1	1	2	3	9	9	15
2. MULTIPLE DX										
A. *Not Operated*	4027	7.5	26	2	3	6	9	14	17	27
B. *Operated*	700	10.0	74	1	2	8	13	20	25	42
1. SINGLE DX	274	5.2	14	1	2	4	7	10	12	21
2. MULTIPLE DX	4727	7.9	34	2	3	6	10	14	18	30
A. NOT OPERATED	4250	7.4	25	2	3	6	9	13	17	27
B. OPERATED	751	9.5	73	1	2	8	13	20	24	38
TOTAL 0-19 YRS	11	8.5	14	2	4	8	11	14	14	14
20-34	63	6.1	15	2	2	5	7	10	15	22
35-49	476	6.0	16	2	2	5	8	10	14	19
50-64	1371	7.1	27	2	2	6	9	13	17	26
65+	3080	8.3	37	2	3	7	10	15	20	32
GRAND TOTAL	**5001**	**7.7**	**33**	**2**	**3**	**6**	**10**	**14**	**18**	**29**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	3.5	4	<1	1	3	3	7	8	8
20-34	8	4.3	3	<1	1	5	5	7	7	7
35-49	8	4.6	5	2	2	5	6	7	8	8
50-64	19	4.9	18	1	1	3	7	11	14	17
65+	14	6.4	35	1	2	4	8	13	22	24
B. *Operated*										
0-19 YRS	6	3.3	11	1	1	2	3	9	10	10
20-34	13	7.5	58	1	1	4	13	20	22	22
35-49	40	5.3	20	1	1	3	8	12	14	17
50-64	42	5.4	24	1	1	4	7	10	12	29
65+	21	4.4	22	1	1	3	4	10	16	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	4.7	12	1	1	5	7	7	10	18
20-34	52	4.7	9	1	1	4	7	10	10	12
35-49	87	6.7	21	1	2	6	9	13	15	26
50-64	168	8.3	42	2	3	7	11	15	18	34
65+	367	8.7	35	2	3	7	11	16	20	29
B. *Operated*										
0-19 YRS	25	9.2	109	1	2	5	10	27	36	40
20-34	82	8.3	52	1	2	6	13	19	22	31
35-49	145	9.7	61	1	2	8	14	20	25	36
50-64	302	10.1	109	1	2	8	13	19	26	69
65+	297	12.0	121	1	2	9	16	25	36	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	4.9	16	1	2	4	6	9	12	23
B. *Operated*	122	5.3	25	1	1	3	7	12	16	24
2. MULTIPLE DX										
A. *Not Operated*	700	7.9	34	2	2	7	10	15	18	30
B. *Operated*	851	10.5	101	1	2	8	14	21	29	56
1. SINGLE DX	181	5.2	22	1	1	3	7	11	14	23
2. MULTIPLE DX	1551	9.3	72	1	2	7	12	18	25	42
A. NOT OPERATED	759	7.7	33	2	2	7	10	14	18	30
B. OPERATED	973	9.8	94	1	2	7	13	20	28	53
TOTAL 0-19 YRS	67	6.1	52	1	1	4	7	12	20	39
20-34	155	6.8	38	1	1	4	10	16	20	28
35-49	280	8.0	44	1	2	6	11	17	21	34
50-64	531	9.0	80	1	2	7	12	17	25	49
65+	699	9.9	75	2	3	8	12	19	27	47
GRAND TOTAL	**1732**	**8.9**	**68**	**1**	**2**	**7**	**12**	**18**	**24**	**41**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	7.5	5	6	6	7	9	9	9	9
20-34	68	9.0	19	3	4	9	11	15	16	27
35-49	634	8.7	10	3	5	9	10	12	13	18
50-64	1193	9.2	10	3	5	9	11	13	14	18
65+	948	9.6	16	4	6	9	11	14	15	21
B. *Operated*										
0-19 YRS										
20-34	30	7.4	19	1	2	8	10	13	15	16
35-49	277	7.7	15	2	2	8	10	12	13	17
50-64	458	8.6	24	2	2	8	11	14	16	25
65+	116	9.8	34	2	3	9	12	15	19	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	8.8	23	3	4	7	11	16	20	21
20-34	139	8.3	11	2	3	9	10	12	14	17
35-49	1861	9.3	15	3	5	9	11	14	15	20
50-64	6418	10.1	18	4	6	10	12	15	17	26
65+	14037	11.1	28	5	6	10	13	17	20	30
B. *Operated*										
0-19 YRS	5	9.0	16	6	6	8	10	16	16	16
20-34	107	10.8	59	2	4	10	13	16	20	50
35-49	1404	10.4	48	2	3	10	13	17	21	35
50-64	3430	12.0	56	2	4	11	15	20	24	41
65+	3262	15.3	87	5	7	13	18	26	33	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2845	9.2	12	4	5	9	11	13	14	19
B. *Operated*	881	8.4	23	2	2	8	11	14	16	25
2. MULTIPLE DX										
A. *Not Operated*	22479	10.7	24	4	6	10	13	16	19	28
B. *Operated*	8208	13.0	71	2	5	11	16	22	28	48
1. SINGLE DX	3726	9.0	15	2	4	9	11	13	15	20
2. MULTIPLE DX	30687	11.3	38	4	6	10	13	18	22	34
A. NOT OPERATED	25324	10.5	23	4	6	10	12	16	19	27
B. OPERATED	9089	12.6	68	2	5	11	15	21	27	47
TOTAL 0-19 YRS	31	8.7	20	4	5	7	10	16	19	21
20-34	344	9.2	30	2	3	9	11	14	16	25
35-49	4176	9.5	26	2	4	9	11	14	17	26
50-64	11499	10.5	30	3	5	10	12	16	19	29
65+	18363	11.8	40	5	6	11	14	19	23	36
GRAND TOTAL	**34413**	**11.0**	**36**	**4**	**6**	**10**	**13**	**17**	**21**	**33**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.2	1	1	1	3	4	4	4	4
20-34	80	3.4	4	1	1	3	4	5	7	11
35-49	538	3.1	3	1	1	3	4	5	6	9
50-64	682	3.3	5	1	1	3	4	6	7	11
65+	516	3.3	4	1	1	3	4	6	7	11
B. *Operated*										
0-19 YRS										
20-34	13	2.2	1	1	1	2	2	3	5	5
35-49	204	2.7	3	1	1	2	2	6	8	9
50-64	392	2.5	4	1	1	2	3	5	7	11
65+	139	2.8	7	1	1	2	3	6	7	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	4.7	6	2	2	4	6	8	9	13
20-34	265	4.2	7	1	1	4	5	8	9	14
35-49	2558	4.0	6	1	1	3	5	7	9	12
50-64	6096	4.4	8	1	2	4	6	8	10	14
65+	10037	4.8	9	2	2	4	6	8	10	16
B. *Operated*										
0-19 YRS	6	5.2	19	2	2	4	7	12	13	13
20-34	76	5.0	20	1	1	3	7	12	14	21
35-49	1380	4.4	19	1	1	3	6	10	12	20
50-64	3981	4.7	21	1	1	3	6	10	14	22
65+	2548	6.2	37	1	1	4	9	14	18	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1822	3.2	4	1	1	3	4	6	7	11
B. *Operated*	748	2.6	4	1	1	2	2	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	18990	4.6	9	1	2	4	6	8	10	15
B. *Operated*	7991	5.1	26	1	1	3	7	11	15	24
1. SINGLE DX	2570	3.1	4	1	1	2	4	5	7	11
2. MULTIPLE DX	26981	4.7	14	1	2	4	6	9	11	19
A. NOT OPERATED	20812	4.5	8	1	2	4	6	8	10	15
B. OPERATED	8739	4.9	25	1	1	3	7	11	14	24
TOTAL 0-19 YRS	46	4.6	7	2	2	4	6	8	10	13
20-34	434	4.2	9	1	1	3	5	8	10	15
35-49	4680	4.0	10	1	1	3	5	8	10	15
50-64	11151	4.4	12	1	1	3	6	9	11	17
65+	13240	5.0	15	1	2	4	6	9	12	20
GRAND TOTAL	**29551**	**4.6**	**13**	**1**	**2**	**4**	**6**	**9**	**11**	**18**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	39	3.9	18	<1	1	3	4	7	11	26
35-49	429	3.6	5	1	2	3	5	6	8	10
50-64	784	4.0	5	1	2	4	5	7	8	13
65+	877	4.2	6	1	2	4	5	7	8	13
B. *Operated*										
0-19 YRS										
20-34	3	4.7	9	2	2	4	7	8	8	8
35-49	111	4.8	13	1	1	4	7	9	13	18
50-64	267	5.6	18	1	2	4	7	11	15	18
65+	113	6.6	29	1	2	5	9	15	17	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	6.4	14	2	3	5	9	12	14	15
20-34	170	4.4	7	1	2	4	5	7	10	17
35-49	2377	4.7	9	2	2	4	6	8	10	16
50-64	7388	5.1	10	2	2	4	6	9	11	17
65+	15106	5.7	13	2	2	5	7	10	12	18
B. *Operated*										
0-19 YRS	5	6.6	19	2	2	6	10	12	12	12
20-34	39	5.9	14	1	2	5	8	11	14	15
35-49	1158	6.9	35	2	2	6	9	13	16	29
50-64	3964	8.3	46	2	2	7	11	15	19	32
65+	3683	10.1	71	2	2	8	13	19	24	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2131	4.0	6	1	2	4	5	7	8	12
B. *Operated*	494	5.6	20	1	2	4	8	12	15	20
2. MULTIPLE DX										
A. *Not Operated*	25072	5.5	12	2	2	5	7	9	11	18
B. *Operated*	8849	8.8	56	2	2	7	11	17	21	37
1. SINGLE DX	2625	4.3	9	1	2	4	5	8	10	16
2. MULTIPLE DX	33921	6.3	25	2	2	5	8	12	15	25
A. NOT OPERATED	27203	5.3	11	2	2	5	7	9	11	18
B. OPERATED	9343	8.7	55	2	2	7	11	16	21	36
TOTAL 0-19 YRS	38	6.3	14	2	2	5	9	12	14	15
20-34	251	4.5	10	1	2	4	6	8	11	17
35-49	4075	5.2	17	1	2	4	7	10	12	20
50-64	12403	6.1	24	2	2	5	8	11	14	23
65+	19779	6.5	26	2	2	5	8	12	15	26
GRAND TOTAL	**36546**	**6.2**	**24**	**2**	**2**	**5**	**8**	**11**	**15**	**24**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	9	3.3	3	1	1	3	4	6	6	6
35-49	88	3.4	6	1	1	3	4	7	8	14
50-64	174	4.2	18	<1	1	3	5	9	11	27
65+	154	7.2	56	1	2	4	10	16	19	41
B. *Operated*										
0-19 YRS	4	3.3	15	1	1	2	5	9	9	9
20-34	43	3.7	9	1	1	2	5	8	10	14
35-49	1120	3.7	12	1	1	2	4	9	11	16
50-64	2808	4.1	15	1	1	2	5	10	12	17
65+	1149	4.8	23	1	1	2	7	12	15	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	3.4	8	<1	<1	3	5	8	9	9
20-34	50	4.0	9	1	1	3	5	9	10	16
35-49	657	4.3	9	1	1	4	6	8	10	14
50-64	2096	5.2	14	1	2	4	7	10	11	17
65+	3352	6.2	21	2	2	5	8	11	15	25
B. *Operated*										
0-19 YRS	14	4.7	48	<1	1	2	4	16	23	25
20-34	150	4.3	19	1	1	2	6	10	12	23
35-49	3321	5.1	23	1	1	3	8	11	14	21
50-64	10952	6.3	40	1	1	3	9	14	17	29
65+	7087	8.3	69	1	2	6	12	18	23	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	428	5.1	31	1	1	3	6	12	16	29
B. *Operated*	5124	4.1	16	1	1	2	5	10	13	18
2. MULTIPLE DX										
A. *Not Operated*	6164	5.6	18	1	2	5	7	10	13	21
B. *Operated*	21524	6.8	48	1	1	4	10	15	19	31
1. SINGLE DX	5552	4.2	18	1	1	2	5	10	13	19
2. MULTIPLE DX	27688	6.5	42	1	2	4	9	14	18	30
A. NOT OPERATED	6592	5.6	19	1	2	4	7	10	13	22
B. OPERATED	26648	6.3	43	1	1	3	9	14	18	29
TOTAL 0-19 YRS	30	3.9	26	<1	<1	2	4	9	15	25
20-34	252	4.1	15	1	1	3	5	9	12	20
35-49	5186	4.7	19	1	1	3	7	11	13	20
50-64	16030	5.8	33	1	1	3	9	13	16	26
65+	11742	7.3	52	1	2	5	10	16	20	33
GRAND TOTAL	**33240**	**6.1**	**38**	**1**	**1**	**4**	**9**	**13**	**17**	**29**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	7.0	10	<1	2	8	9	10	11	11
20-34	99	8.2	11	2	3	8	10	12	14	17
35-49	99	8.6	12	3	4	8	11	13	15	17
50-64	121	9.3	10	5	6	9	11	13	15	19
65+	111	9.3	12	4	5	9	12	14	15	18
B. *Operated*										
0-19 YRS	4	7.0	1	6	6	7	8	8	8	8
20-34	26	9.2	12	4	5	8	11	14	15	18
35-49	28	10.1	21	3	4	10	12	15	17	26
50-64	24	11.5	38	4	6	10	15	21	25	26
65+	16	10.0	20	2	6	9	12	15	19	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	8.8	29	2	2	8	10	18	20	20
20-34	192	9.2	19	3	5	9	11	14	15	25
35-49	401	9.7	20	3	5	9	12	15	18	25
50-64	722	10.7	23	5	6	10	13	16	19	26
65+	1704	11.5	31	5	6	10	14	18	21	32
B. *Operated*										
0-19 YRS	6	9.0	25	6	6	7	9	18	19	19
20-34	105	11.1	22	5	6	11	13	15	19	31
35-49	151	13.8	80	6	7	11	16	22	36	65
50-64	302	13.7	48	5	7	12	16	24	29	38
65+	499	15.4	75	7	8	13	19	28	32	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	440	8.9	11	3	5	9	11	13	15	17
B. *Operated*	98	10.1	22	3	5	9	12	16	20	26
2. MULTIPLE DX										
A. *Not Operated*	3036	10.9	27	5	6	10	13	17	20	30
B. *Operated*	1063	14.2	64	6	7	12	17	24	30	44
1. SINGLE DX	538	9.1	14	3	5	9	11	14	15	21
2. MULTIPLE DX	4099	11.8	39	5	6	10	14	19	23	36
A. NOT OPERATED	3476	10.7	26	4	6	10	13	16	20	28
B. OPERATED	1161	13.9	62	6	7	12	16	24	29	43
TOTAL 0-19 YRS	37	8.1	20	2	3	8	10	14	19	20
20-34	422	9.4	18	3	5	9	11	14	16	25
35-49	679	10.5	35	4	5	9	12	16	20	37
50-64	1169	11.4	31	5	6	10	14	18	22	32
65+	2330	12.3	42	5	7	11	14	20	24	36
GRAND TOTAL	**4637**	**11.5**	**37**	**5**	**6**	**10**	**14**	**18**	**22**	**35**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	27.7	276	10	10	30	40	43	43	43
20-34	10	11.1	126	1	2	7	13	31	32	32
35-49	2	11.5	25	8	8	11	15	15	15	15
50-64	3	17.3	196	6	6	13	28	33	33	33
65+	2	10.0	18	7	7	10	13	13	13	13
B. *Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	1	39.0		39	39	39	39	39	39	39
35-49	3	20.3	40	13	13	24	62	99+	99+	99+
50-64	2	13.0	32	9	9	13	17	17	17	17
65+	2	12.0	200	2	2	12	22	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	24.6	245	2	3	29	37	44	45	46
20-34	66	21.5	180	3	4	23	29	39	47	53
35-49	67	21.4	180	3	5	18	31	41	45	55
50-64	70	25.9	167	5	9	27	34	44	46	56
65+	117	23.6	208	4	7	20	32	42	53	69
B. *Operated*										
0-19 YRS	10	28.9	221	1	3	32	39	43	46	46
20-34	73	32.7	212	10	14	31	42	52	62	73
35-49	46	31.1	196	9	12	33	43	47	48	63
50-64	55	30.2	372	5	9	28	37	59	63	98
65+	71	30.7	246	9	11	29	43	50	56	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	14.5	150	2	3	9	22	32	38	43
B. *Operated*	10	15.6	143	2	2	17	24	63	97	99+
2. MULTIPLE DX										
A. *Not Operated*	346	23.3	192	3	5	23	31	42	46	57
B. *Operated*	255	31.2	250	8	11	30	42	50	61	75
1. SINGLE DX	30	14.8	143	2	3	13	24	35	43	99+
2. MULTIPLE DX	601	26.6	232	4	7	28	35	46	52	67
A. NOT OPERATED	366	22.8	193	3	5	21	31	42	46	57
B. OPERATED	265	30.6	255	6	11	30	42	50	61	86
TOTAL 0-19 YRS	41	24.8	245	2	2	29	38	44	45	46
20-34	150	26.4	235	3	5	28	35	46	52	65
35-49	118	25.0	204	4	6	25	36	45	47	74
50-64	130	27.3	259	5	9	26	34	46	57	90
65+	192	25.9	234	5	8	26	35	48	54	69
GRAND TOTAL	**631**	**26.1**	**233**	**4**	**6**	**27**	**35**	**46**	**52**	**68**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	2.3	3	<1	1	2	3	5	6	7
20-34	77	2.0	1	<1	1	2	3	4	4	6
35-49	105	2.1	1	1	1	2	3	4	5	6
50-64	124	2.4	2	1	1	2	3	4	5	10
65+	87	2.9	3	1	1	2	4	5	6	9
B. *Operated*										
0-19 YRS										
20-34	2	2.0	2	<1	<1	1	3	3	3	3
35-49	4	4.8	12	1	1	4	7	9	9	9
50-64	6	3.5	4	1	1	3	5	6	6	6
65+	5	6.8	29	1	1	4	12	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	2.7	3	1	1	2	4	5	6	9
20-34	100	3.5	9	1	1	3	4	7	10	16
35-49	228	3.3	5	1	1	3	4	6	8	12
50-64	558	4.0	9	1	1	3	5	8	9	14
65+	962	4.8	11	1	2	4	6	9	11	17
B. *Operated*										
0-19 YRS	7	7.4	58	2	2	4	15	19	19	19
20-34	6	4.3	7	2	2	4	5	9	9	9
35-49	21	4.6	13	1	1	3	6	8	12	16
50-64	57	7.2	26	2	3	6	9	14	19	25
65+	83	8.9	65	2	3	8	12	15	18	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	437	2.4	2	1	1	2	3	4	5	7
B. *Operated*	17	4.6	14	<1	1	4	6	11	13	13
2. MULTIPLE DX										
A. *Not Operated*	1900	4.3	10	1	1	4	5	8	10	15
B. *Operated*	174	7.6	45	2	2	6	10	15	18	25
1. SINGLE DX	454	2.4	3	1	1	2	3	5	6	9
2. MULTIPLE DX	2074	4.5	13	1	1	4	6	9	11	18
A. NOT OPERATED	2337	3.9	9	1	1	3	5	7	9	14
B. OPERATED	191	7.4	43	1	2	6	10	14	18	24
TOTAL 0-19 YRS	103	2.9	8	1	1	2	4	5	6	18
20-34	185	2.9	6	<1	1	2	3	5	8	15
35-49	358	3.0	5	1	1	2	4	6	7	11
50-64	745	4.0	11	1	1	3	5	8	9	15
65+	1137	5.0	15	1	2	4	6	9	12	18
GRAND TOTAL	**2528**	**4.2**	**12**	**1**	**1**	**3**	**5**	**8**	**10**	**16**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.3	21	<1	<1	1	3	11	14	14
20-34	135	2.0	2	1	1	2	2	3	5	7
35-49	214	2.4	3	<1	<1	2	3	5	6	9
50-64	417	2.8	4	<1	1	2	4	6	7	10
65+	396	3.0	5	1	1	2	4	6	7	11
B. *Operated*										
0-19 YRS										
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49	7	4.4	5	1	1	5	6	7	7	7
50-64	16	3.5	7	1	1	2	5	8	9	10
65+	7	4.3	3	2	2	4	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	3.0	5	1	1	2	3	7	8	9
20-34	209	3.0	10	<1	1	2	4	6	8	13
35-49	652	3.5	7	1	1	3	5	7	9	14
50-64	2371	4.5	12	1	1	4	6	9	11	16
65+	6775	5.7	18	1	2	5	7	10	13	21
B. *Operated*										
0-19 YRS	3	2.3	2	<1	<1	3	52	99+	99+	99+
20-34	11	5.7	29	2	2	3	9	15	16	16
35-49	56	7.9	88	1	2	5	10	14	29	47
50-64	263	7.3	32	1	2	6	10	15	17	25
65+	743	9.8	51	2	3	8	13	18	23	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1170	2.7	4	<1	1	2	3	5	7	10
B. *Operated*	32	3.9	5	1	1	4	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	10036	5.2	16	1	2	4	7	10	12	20
B. *Operated*	1076	9.0	49	2	2	7	12	17	22	39
1. SINGLE DX	1202	2.7	4	<1	1	2	4	5	7	10
2. MULTIPLE DX	11112	5.5	21	1	2	4	7	11	14	23
A. NOT OPERATED	11206	4.9	16	1	1	4	6	9	12	19
B. OPERATED	1108	8.9	49	2	2	7	12	17	22	39
TOTAL 0-19 YRS	40	3.0	7	<1	1	2	4	8	11	99+
20-34	357	2.7	8	<1	1	2	3	5	7	14
35-49	929	3.5	12	<1	1	3	4	7	9	14
50-64	3067	4.5	14	1	1	3	6	9	11	17
65+	7921	5.9	22	1	2	5	7	11	15	23
GRAND TOTAL	**12314**	**5.3**	**20**	**1**	**1**	**4**	**7**	**10**	**13**	**22**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	93	2.5	5	<1	1	2	3	5	7	13
20-34	185	2.7	4	<1	1	2	4	5	7	10
35-49	346	3.0	5	1	1	3	4	5	7	10
50-64	432	3.3	5	1	1	3	4	6	8	11
65+	444	4.4	14	1	1	3	6	8	11	20
B. *Operated*										
0-19 YRS	23	3.8	6	1	1	3	5	8	9	10
20-34	30	3.5	5	1	1	3	6	7	7	9
35-49	75	3.9	11	1	1	2	5	8	9	18
50-64	126	4.5	13	1	1	4	6	8	10	20
65+	274	5.8	26	1	2	5	7	10	13	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	222	4.5	59	1	1	3	5	8	11	37
20-34	636	3.6	8	1	1	3	5	7	9	14
35-49	1514	4.3	12	1	1	4	5	8	10	17
50-64	3831	5.1	16	1	2	4	6	9	12	18
65+	9764	6.1	19	2	2	5	8	11	14	22
B. *Operated*										
0-19 YRS	84	7.2	100	1	1	4	7	19	40	84
20-34	112	5.5	27	1	1	4	7	11	14	28
35-49	310	7.3	83	1	2	5	9	13	19	50
50-64	1213	8.2	59	2	2	6	10	16	21	45
65+	5017	9.3	46	2	3	8	12	17	22	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1500	3.4	8	1	1	3	4	7	8	15
B. *Operated*	528	5.0	19	1	1	4	6	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	15967	5.6	18	1	2	5	7	10	13	21
B. *Operated*	6736	8.9	51	2	3	7	11	17	22	38
1. SINGLE DX	2028	3.8	12	1	1	3	5	7	9	17
2. MULTIPLE DX	22703	6.6	30	1	2	5	8	12	16	27
A. NOT OPERATED	17467	5.4	18	1	2	4	7	10	13	21
B. OPERATED	7264	8.6	49	2	2	7	11	16	21	37
TOTAL 0-19 YRS	422	4.6	54	1	1	3	5	8	12	44
20-34	963	3.7	10	1	1	3	4	7	9	16
35-49	2245	4.5	22	1	1	3	5	9	11	20
50-64	5602	5.6	26	1	2	4	7	10	14	26
65+	15499	7.1	30	2	2	6	9	13	17	28
GRAND TOTAL	**24731**	**6.4**	**29**	**1**	**2**	**5**	**8**	**12**	**16**	**27**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	5.1	10	1	2	4	8	9	9	9
20-34	9	7.1	55	1	1	3	13	19	22	22
35-49	54	5.5	10	2	2	4	8	10	11	15
50-64	220	5.7	18	1	2	5	7	10	14	24
65+	968	6.0	16	2	2	5	7	10	13	21
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49	3	2.7		2	2	3	3	3	3	3
50-64	19	8.1	102	<1	<1	2	11	22	32	38
65+	30	11.9	63	4	4	10	17	20	25	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	188	6.8	36	1	2	5	9	12	16	33
20-34	174	7.1	36	2	2	6	9	13	20	43
35-49	1333	7.2	24	2	3	6	9	13	16	27
50-64	7978	7.4	25	2	3	6	9	13	17	26
65+	38636	8.1	29	3	3	7	10	14	18	28
B. *Operated*										
0-19 YRS	35	16.0	362	2	2	8	20	45	67	68
20-34	63	8.5	58	1	2	7	11	15	24	43
35-49	227	10.1	73	1	2	8	13	20	28	53
50-64	1205	12.6	97	2	3	10	16	25	31	59
65+	4144	14.0	90	4	5	12	18	26	32	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1259	5.9	17	2	2	5	7	10	14	23
B. *Operated*	53	9.9	78	<1	1	7	14	20	25	40
2. MULTIPLE DX										
A. *Not Operated*	48309	7.9	28	2	3	7	10	14	18	28
B. *Operated*	5674	13.5	93	3	4	11	17	25	32	51
1. SINGLE DX	1312	6.1	20	2	2	5	7	11	14	24
2. MULTIPLE DX	53983	8.5	38	2	3	7	10	15	20	32
A. NOT OPERATED	49568	7.9	28	2	3	7	10	14	18	28
B. OPERATED	5727	13.5	93	3	4	11	17	25	32	50
TOTAL 0-19 YRS	232	8.1	94	1	2	6	9	15	25	64
20-34	246	7.4	42	1	2	6	9	14	21	45
35-49	1617	7.5	32	2	3	6	10	13	17	31
50-64	9422	8.1	37	2	3	7	10	15	19	31
65+	43778	8.6	37	3	3	7	11	16	20	32
GRAND TOTAL	**55295**	**8.5**	**38**	**2**	**3**	**7**	**10**	**15**	**20**	**32**

150: Miscellaneous diseases of heart
(415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	4.4	115	1	1	3	4	6	8	73
20-34	274	3.5	6	1	2	3	4	6	7	13
35-49	288	3.6	4	1	1	3	5	6	7	11
50-64	206	4.5	9	1	2	4	6	8	10	14
65+	86	5.1	23	1	1	4	6	9	12	32
B. *Operated*										
0-19 YRS	78	3.3	10	1	1	2	3	8	9	18
20-34	90	5.1	20	1	1	3	8	11	15	19
35-49	232	4.0	14	1	1	2	6	10	11	14
50-64	344	4.2	15	1	1	2	6	10	12	16
65+	167	4.9	24	1	1	2	8	12	15	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	200	5.0	22	1	1	4	6	10	12	23
20-34	679	4.8	17	1	2	4	6	9	12	23
35-49	1141	5.7	21	1	2	4	7	11	14	24
50-64	2052	6.9	24	2	2	6	9	13	16	25
65+	3062	7.9	28	2	3	7	10	15	18	27
B. *Operated*										
0-19 YRS	143	7.7	85	1	1	5	10	18	24	53
20-34	285	7.9	57	1	2	6	11	19	24	39
35-49	764	7.8	82	1	1	5	10	16	23	50
50-64	1763	8.6	70	1	2	7	12	18	24	44
65+	1812	11.2	108	1	2	9	15	23	30	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	930	4.0	17	1	1	3	5	7	8	14
B. *Operated*	911	4.3	17	1	1	2	6	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	7134	6.9	26	2	2	6	9	13	16	26
B. *Operated*	4767	9.4	88	1	2	7	13	20	26	48
1. SINGLE DX	1841	4.1	17	1	1	3	5	9	11	16
2. MULTIPLE DX	11901	7.9	52	1	2	6	10	16	21	35
A. NOT OPERATED	8064	6.5	26	2	2	5	8	12	16	26
B. OPERATED	5678	8.6	80	1	2	6	12	19	25	44
TOTAL 0-19 YRS	497	5.4	55	1	1	3	7	11	16	36
20-34	1328	5.2	26	1	1	4	6	10	14	27
35-49	2425	5.9	39	1	1	4	7	12	16	29
50-64	4365	7.2	43	1	2	5	10	14	19	33
65+	5127	8.9	59	2	2	7	11	18	23	37
GRAND TOTAL	**13742**	**7.4**	**49**	**1**	**2**	**5**	**10**	**15**	**20**	**34**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	5	3.0	4	1	1	2	5	5	5	5
65+	3	20.0	543	1	1	13	38	46	46	46
B. *Operated*										
0-19 YRS										
20-34	1	11.0		11	11	11	11	11	11	11
35-49	3	7.7	96	2	2	2	15	19	19	19
50-64	7	1.9		1	1	2	2	3	3	3
65+	2	11.0	32	7	7	11	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	8.5	5	7	7	8	10	10	10	10
35-49	22	5.3	13	2	3	4	7	10	14	16
50-64	103	5.7	11	1	2	5	8	10	13	16
65+	308	6.1	15	2	3	5	8	11	12	17
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34										
35-49	37	3.6	17	1	1	2	4	7	10	24
50-64	106	4.6	17	1	1	2	7	11	12	19
65+	122	7.6	47	1	2	6	10	16	20	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	9.4	235	1	1	3	9	36	46	46
B. *Operated*	13	5.3	35	1	1	2	8	16	18	19
2. MULTIPLE DX										
A. *Not Operated*	436	6.0	14	2	3	5	8	10	12	17
B. *Operated*	266	5.9	34	1	1	3	8	13	17	33
1. SINGLE DX	21	6.9	107	1	1	2	8	17	31	46
2. MULTIPLE DX	702	5.9	21	1	2	5	8	11	14	23
A. NOT OPERATED	444	6.0	18	2	3	5	8	10	12	18
B. OPERATED	279	5.8	34	1	1	3	8	13	17	32
TOTAL 0-19 YRS	2	7.0	32	3	3	7	11	11	11	11
20-34	3	9.3	4	7	7	10	11	11	11	11
35-49	62	4.4	19	1	1	3	5	9	14	23
50-64	221	5.0	14	1	1	4	7	10	12	17
65+	435	6.6	28	2	2	6	8	12	15	35
GRAND TOTAL	**723**	**6.0**	**24**	**1**	**2**	**5**	**8**	**11**	**14**	**24**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	3	2.0	3	<1	<1	1	3	4	4	4
35-49	7	6.3	48	1	1	3	7	18	21	21
50-64	7	6.1	32	<1	<1	5	12	14	14	14
65+	5	15.0	258	<1	<1	10	22	42	42	42
B. *Operated*										
0-19 YRS	3	8.0	9	5	5	8	10	11	11	11
20-34	43	12.7	63	2	2	13	15	26	30	33
35-49	48	17.0	159	3	6	15	19	28	41	66
50-64	47	13.7	111	2	2	11	17	23	33	60
65+	9	18.6	100	4	5	20	27	30	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	6.5	3	4	4	7	8	8	8	8
20-34	6	3.5	12	1	1	2	5	9	10	10
35-49	8	8.6	68	1	1	6	13	22	25	25
50-64	17	11.5	104	1	1	9	18	27	31	33
65+	69	13.7	104	3	4	13	18	26	31	59
B. *Operated*										
0-19 YRS	10	26.0	521	5	6	14	42	63	70	70
20-34	51	22.9	430	3	6	17	27	55	94	99+
35-49	99	21.4	242	3	5	19	26	39	61	93
50-64	155	26.6	353	5	9	22	33	60	73	99
65+	82	26.9	214	10	11	25	33	51	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	7.0	82	<1	<1	4	8	16	26	42
B. *Operated*	150	14.7	113	2	3	13	19	26	32	64
2. MULTIPLE DX										
A. *Not Operated*	104	12.1	98	1	2	10	17	25	30	52
B. *Operated*	397	24.9	313	5	8	21	31	54	71	99+
1. SINGLE DX	175	13.6	115	1	2	12	18	25	32	63
2. MULTIPLE DX	501	22.2	295	3	5	18	28	48	63	99+
A. NOT OPERATED	129	11.1	99	1	1	8	16	23	30	47
B. OPERATED	547	22.1	278	3	7	18	28	46	63	99+
TOTAL 0-19 YRS	20	15.9	358	2	3	8	14	49	63	70
20-34	103	16.9	280	1	2	13	20	31	55	99
35-49	162	18.8	216	2	4	17	24	34	61	85
50-64	226	22.1	317	2	4	18	28	49	64	94
65+	165	20.5	201	4	5	18	28	41	53	96
GRAND TOTAL	**676**	**20.0**	**262**	**2**	**4**	**16**	**26**	**42**	**61**	**97**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	58.0		58	58	58	58	58	58	58
50-64	4	35.0	399	14	14	32	48	62	62	62
65+	2	28.5	145	20	20	28	37	37	37	37
B. *Operated*										
0-19 YRS										
20-34	3	34.0	999	1	1	50	82	99+	99+	99+
35-49	10	30.1	288	12	13	26	29	60	64	64
50-64	16	32.1	484	6	10	28	43	68	79	83
65+	14	38.5	417	6	13	36	58	64	64	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	7	36.4	323	14	15	34	53	61	62	62
B. *Operated*	43	33.8	423	5	11	28	53	64	75	99+
1. SINGLE DX										
2. MULTIPLE DX	50	34.2	403	5	12	29	54	64	71	99+
A. NOT OPERATED	7	36.4	323	14	15	34	53	61	62	62
B. OPERATED	43	33.8	423	5	11	28	53	64	75	99+
TOTAL 0-19 YRS										
20-34	3	34.0	999	1	1	50	82	99+	99+	99+
35-49	11	32.6	330	12	14	26	50	60	64	64
50-64	20	32.7	446	7	10	29	43	66	77	83
65+	16	37.3	383	7	14	34	56	64	64	64
GRAND TOTAL	**50**	**34.2**	**403**	**5**	**12**	**29**	**54**	**64**	**71**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	6.0	8	4	4	6	8	8	8	8
20-34	8	3.6	4	<1	<1	4	5	6	6	6
35-49	6	15.0	197	3	3	13	17	39	41	41
50-64	20	7.7	114	<1	<1	3	10	22	36	42
65+	83	9.8	62	1	2	8	14	20	28	34
B. *Operated*										
0-19 YRS	21	8.9	40	1	2	7	13	16	21	26
20-34	22	9.3	31	3	4	8	13	18	22	23
35-49	27	14.3	331	2	3	7	12	41	64	74
50-64	40	12.1	103	1	3	9	15	30	36	41
65+	85	12.4	106	3	5	9	13	28	31	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	8.9	62	1	1	7	13	22	24	24
20-34	11	6.6	30	1	1	4	9	16	18	18
35-49	36	14.6	158	2	2	10	18	35	43	49
50-64	173	12.8	126	1	3	10	16	28	35	70
65+	715	12.2	75	3	4	10	15	22	26	45
B. *Operated*										
0-19 YRS	37	14.4	120	3	4	12	17	32	41	42
20-34	34	17.8	395	3	4	12	20	37	69	96
35-49	88	20.4	305	5	6	17	26	49	78	99+
50-64	195	21.0	306	5	7	16	27	52	62	99+
65+	409	20.0	191	6	7	16	26	38	50	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	119	9.2	75	<1	1	7	12	20	30	41
B. *Operated*	195	11.9	121	2	4	8	13	26	34	60
2. MULTIPLE DX										
A. *Not Operated*	944	12.3	87	2	4	10	15	23	29	48
B. *Operated*	763	19.9	240	5	6	15	25	41	58	99+
1. SINGLE DX	314	10.9	105	1	2	8	13	25	31	55
2. MULTIPLE DX	1707	15.7	170	3	5	12	19	32	43	79
A. NOT OPERATED	1063	11.9	86	2	3	10	15	22	29	47
B. OPERATED	958	18.3	226	4	5	14	23	39	55	96
TOTAL 0-19 YRS	69	11.7	91	2	3	9	15	24	33	42
20-34	75	12.2	219	2	3	8	14	21	33	90
35-49	157	17.8	276	2	4	12	24	41	65	99+
50-64	428	16.2	225	1	3	12	21	37	54	99+
65+	1292	14.5	127	3	5	11	18	28	37	64
GRAND TOTAL	**2021**	**14.9**	**162**	**3**	**4**	**11**	**19**	**30**	**42**	**75**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	13.0		13	13	13	13	13	13	13
35-49	17	16.2	147	3	4	13	27	39	76	99+
50-64	60	21.0	258	5	7	16	24	49	61	70
65+	281	16.0	126	4	7	14	19	28	39	54
B. *Operated*										
0-19 YRS	1	2.0		2	2	51	99+	99+	99+	99+
20-34	2	55.5	265	44	44	55	67	67	67	67
35-49	22	30.3	404	6	9	28	37	67	76	77
50-64	42	29.7	494	6	8	21	42	62	66	97
65+	114	23.4	221	8	9	20	31	42	52	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	360	16.8	151	4	7	14	20	30	47	66
B. *Operated*	181	25.9	322	7	9	21	34	54	64	97
1. SINGLE DX										
2. MULTIPLE DX	541	19.8	227	5	7	15	25	41	53	78
A. NOT OPERATED	360	16.8	151	4	7	14	20	30	47	66
B. OPERATED	181	25.9	322	7	9	21	34	54	64	97
TOTAL 0-19 YRS	1	2.0		2	2	51	99+	99+	99+	99+
20-34	4	34.3	690	13	13	29	55	67	67	67
35-49	39	24.2	335	4	5	21	34	54	76	99+
50-64	102	24.6	371	6	8	18	30	59	64	83
65+	395	18.1	164	5	7	14	22	34	47	58
GRAND TOTAL	**541**	**19.8**	**227**	**5**	**7**	**15**	**25**	**41**	**53**	**78**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	5	6.2	30	1	1	4	11	13	13	13
50-64	38	3.4	7	<1	1	2	5	8	9	9
65+	57	4.4	17	1	1	2	6	10	11	19
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	8	5.8	8	2	2	6	8	9	9	9
35-49	90	4.7	9	1	1	4	6	8	12	15
50-64	765	4.8	9	1	2	4	6	8	10	15
65+	1255	4.8	9	1	1	4	6	8	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	26.0		26	26	26	26	26	26	26
20-34	3	27.0	1876	1	1	3	58	77	77	77
35-49	30	3.5	5	1	1	3	5	6	8	9
50-64	182	5.0	16	1	1	4	6	9	12	14
65+	858	5.9	19	1	2	5	7	11	14	22
B. *Operated*										
0-19 YRS	7	6.9	60	1	1	5	6	20	24	24
20-34	10	11.6	194	2	2	6	10	37	43	43
35-49	261	6.6	23	1	2	5	8	12	16	26
50-64	2604	7.0	29	2	2	6	9	13	16	28
65+	6170	7.5	33	2	2	6	9	14	18	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	4.1	14	<1	1	2	6	9	11	18
B. *Operated*	2119	4.8	9	1	1	4	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	1074	5.8	24	1	1	5	7	11	13	24
B. *Operated*	9052	7.3	32	2	2	6	9	13	17	30
1. SINGLE DX	2219	4.8	9	1	1	4	6	8	10	15
2. MULTIPLE DX	10126	7.2	32	2	2	6	9	13	17	30
A. NOT OPERATED	1174	5.6	23	1	1	5	7	11	13	22
B. OPERATED	11171	6.9	29	2	2	6	8	13	16	28
TOTAL 0-19 YRS	9	8.3	93	1	1	5	10	25	26	26
20-34	21	11.6	327	1	2	6	8	36	58	77
35-49	386	5.9	19	1	2	5	8	12	13	23
50-64	3589	6.4	25	1	2	5	8	12	15	27
65+	8340	6.9	29	1	2	6	9	13	17	28
GRAND TOTAL	**12345**	**6.7**	**28**	**1**	**2**	**5**	**8**	**12**	**16**	**27**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	7	13.9	166	2	3	8	23	35	37	37
50-64	18	13.2	155	3	4	9	15	37	43	44
65+	80	8.6	24	2	3	8	12	16	18	22
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	4	5.5	8	2	2	5	7	9	9	9
35-49	20	8.4	27	2	2	8	12	15	19	21
50-64	140	11.3	106	2	3	8	16	24	37	59
65+	310	12.0	115	2	3	9	15	26	36	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	105	9.8	58	2	3	8	13	17	23	42
B. *Operated*	475	11.6	108	2	3	8	14	25	35	60
1. SINGLE DX										
2. MULTIPLE DX	580	11.3	99	2	3	8	14	23	34	55
A. NOT OPERATED	105	9.8	58	2	3	8	13	17	23	42
B. OPERATED	475	11.6	108	2	3	8	14	25	35	60
TOTAL 0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	4	5.5	8	2	2	5	7	9	9	9
35-49	27	9.8	64	2	2	8	12	20	28	37
50-64	158	11.5	111	2	3	8	15	26	41	55
65+	390	11.3	98	2	3	8	14	22	34	59
GRAND TOTAL	**580**	**11.3**	**99**	**2**	**3**	**8**	**14**	**23**	**34**	**55**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	6	6.0	11	2	2	5	9	11	11	11
35-49	21	5.5	10	1	1	6	7	10	11	11
50-64	117	7.0	27	2	2	6	9	12	16	30
65+	421	7.7	25	2	3	6	10	14	17	25
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	9	6.8	48	2	2	5	8	18	24	24
35-49	27	9.4	184	2	2	6	9	14	34	72
50-64	71	6.1	31	1	2	5	8	12	17	31
65+	77	8.4	81	1	2	6	10	15	21	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	8.8	47	1	2	8	10	22	25	25
20-34	38	8.8	60	2	2	7	11	17	19	44
35-49	205	9.4	74	2	3	8	11	16	26	42
50-64	1339	9.7	61	3	3	8	12	19	24	40
65+	7320	10.0	45	3	4	8	12	18	22	35
B. *Operated*										
0-19 YRS	8	13.3	157	2	2	9	17	34	41	41
20-34	31	13.9	391	2	3	8	14	19	72	95
35-49	164	12.0	122	2	4	9	15	25	39	77
50-64	611	12.1	139	2	3	9	15	24	34	64
65+	1639	14.4	136	3	4	11	18	28	37	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	567	7.4	25	2	3	6	9	14	16	26
B. *Operated*	185	7.6	75	2	2	5	9	14	19	54
2. MULTIPLE DX										
A. *Not Operated*	8919	9.9	48	3	4	8	12	18	22	36
B. *Operated*	2453	13.7	140	3	4	10	17	27	37	64
1. SINGLE DX	752	7.5	37	2	2	6	9	14	17	31
2. MULTIPLE DX	11372	10.7	70	3	4	9	13	20	26	45
A. NOT OPERATED	9486	9.8	47	3	4	8	12	18	22	36
B. OPERATED	2638	13.2	138	3	4	10	16	26	36	64
TOTAL 0-19 YRS	28	9.8	75	2	2	8	11	22	27	41
20-34	84	10.3	182	2	2	7	12	17	22	88
35-49	417	10.2	99	2	3	8	12	19	29	60
50-64	2138	10.1	83	2	3	8	12	20	26	50
65+	9457	10.7	63	3	4	9	13	19	25	44
GRAND TOTAL	**12124**	**10.5**	**69**	**3**	**4**	**9**	**13**	**19**	**25**	**45**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	5.9	12	1	1	6	9	10	10	10
20-34	16	11.1	36	4	4	11	14	18	23	25
35-49	101	14.3	210	3	5	10	17	24	42	91
50-64	616	14.1	137	3	5	11	18	27	35	66
65+	3638	12.7	74	4	5	11	15	23	29	45
B. *Operated*										
0-19 YRS	3	8.7	34	2	2	11	12	13	13	13
20-34	11	11.5	108	2	3	10	12	24	40	41
35-49	59	17.8	257	4	5	11	23	51	59	97
50-64	219	19.9	310	5	5	15	25	44	61	83
65+	609	18.1	168	5	6	15	23	35	43	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	4378	12.9	86	4	5	11	16	23	30	52
B. *Operated*	901	18.4	208	5	6	14	23	37	48	77
1. SINGLE DX										
2. MULTIPLE DX	5279	13.9	111	4	5	11	17	26	33	58
A. NOT OPERATED	4378	12.9	86	4	5	11	16	23	30	52
B. OPERATED	901	18.4	208	5	6	14	23	37	48	77
TOTAL 0-19 YRS	10	6.7	17	1	1	6	10	12	13	13
20-34	27	11.3	62	3	4	11	13	18	27	41
35-49	160	15.6	229	4	5	10	18	32	52	92
50-64	835	15.6	188	4	5	12	19	30	44	74
65+	4247	13.5	91	4	5	11	16	24	31	51
GRAND TOTAL	**5279**	**13.9**	**111**	**4**	**5**	**11**	**17**	**26**	**33**	**58**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	38	2.9	2	1	1	2	4	5	6	6
35-49	95	3.5	5	1	1	3	5	7	8	12
50-64	281	3.5	5	1	1	3	5	6	8	12
65+	745	3.8	8	1	1	3	5	7	8	15
B. *Operated*										
0-19 YRS	2	15.0	128	7	7	15	23	23	23	23
20-34	10	4.9	5	2	2	5	7	8	8	8
35-49	65	4.1	11	1	1	3	5	8	9	18
50-64	213	4.1	11	1	1	3	5	7	10	17
65+	233	3.6	6	1	1	3	5	6	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	3.9	4	1	1	4	5	7	7	8
20-34	89	4.2	7	1	1	4	5	7	11	14
35-49	440	5.0	14	1	2	4	6	9	11	20
50-64	2162	5.0	12	1	2	4	6	9	11	17
65+	11227	5.6	14	2	2	5	7	10	12	20
B. *Operated*										
0-19 YRS	5	16.6	171	1	1	15	26	35	35	35
20-34	29	4.9	13	1	1	3	8	10	11	15
35-49	214	5.7	20	1	2	5	7	10	13	24
50-64	1093	6.5	26	2	2	5	8	12	16	27
65+	2684	7.7	34	2	2	6	10	15	19	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1160	3.7	7	1	1	3	5	7	8	13
B. *Operated*	523	4.0	9	1	1	3	5	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	13952	5.5	13	2	2	5	7	10	12	19
B. *Operated*	4025	7.3	32	2	2	6	9	14	18	29
1. SINGLE DX	1683	3.8	8	1	1	3	5	7	8	15
2. MULTIPLE DX	17977	5.9	18	2	2	5	7	10	13	22
A. NOT OPERATED	15112	5.3	13	2	2	5	7	9	12	19
B. OPERATED	4548	6.9	30	2	2	6	9	13	17	27
TOTAL 0-19 YRS	42	5.9	44	1	1	4	6	11	23	35
20-34	166	4.0	8	1	1	4	5	8	10	14
35-49	814	4.9	15	1	2	4	6	9	12	19
50-64	3749	5.3	16	1	2	4	7	10	12	21
65+	14889	5.9	18	2	2	5	7	10	13	22
GRAND TOTAL	**19660**	**5.7**	**18**	**2**	**2**	**5**	**7**	**10**	**13**	**22**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.8	4	<1	<1	2	5	5	5	5
20-34	14	4.2	7	1	1	4	5	8	9	9
35-49	31	6.0	28	<1	1	4	7	11	19	26
50-64	112	7.5	33	2	3	6	9	13	18	32
65+	363	8.4	59	2	2	7	10	14	20	39
B. *Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	5	3.8	3	2	2	3	5	6	6	6
35-49	21	6.9	19	1	2	5	9	13	16	18
50-64	39	7.2	29	1	2	6	10	15	17	25
65+	50	8.7	58	2	2	6	11	18	28	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	11.5	219	1	1	5	17	36	48	48
20-34	25	8.8	75	1	1	6	12	20	30	37
35-49	143	7.3	33	2	2	6	9	15	18	26
50-64	865	9.4	66	2	3	7	11	18	24	41
65+	4633	9.3	36	3	4	8	12	16	20	32
B. *Operated*										
0-19 YRS										
20-34	17	7.3	18	2	2	7	10	13	14	15
35-49	84	10.9	95	2	3	8	12	21	37	50
50-64	341	11.8	99	3	4	9	14	22	29	54
65+	835	13.2	99	3	4	10	16	26	32	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	526	7.9	50	2	2	7	9	14	19	36
B. *Operated*	117	7.6	39	1	2	6	10	15	18	32
2. MULTIPLE DX										
A. *Not Operated*	5676	9.2	41	3	3	8	12	17	21	34
B. *Operated*	1277	12.6	98	3	4	10	16	24	32	48
1. SINGLE DX	643	7.8	48	2	2	6	10	14	19	33
2. MULTIPLE DX	6953	9.8	53	3	3	8	12	18	23	38
A. NOT OPERATED	6202	9.1	42	2	3	8	11	16	21	34
B. OPERATED	1394	12.2	95	3	4	9	15	24	31	47
TOTAL 0-19 YRS	18	7.8	136	<1	<1	4	6	22	38	48
20-34	61	6.9	40	1	2	5	8	14	17	36
35-49	279	8.2	53	2	2	6	10	16	20	41
50-64	1357	9.8	72	2	3	8	12	19	25	46
65+	5881	9.8	49	3	4	8	12	18	22	36
GRAND TOTAL	**7596**	**9.7**	**53**	**2**	**3**	**8**	**12**	**18**	**23**	**38**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	10.7	52	6	6	7	16	19	19	19
20-34	8	9.4	38	<1	1	9	13	18	20	20
35-49	61	11.8	133	3	4	8	12	20	33	73
50-64	391	12.7	123	3	4	9	15	24	39	58
65+	1977	11.0	66	3	4	9	13	19	25	45
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	7.3	18	2	2	7	10	12	12	12
35-49	19	16.1	306	4	5	9	20	28	58	81
50-64	119	20.2	425	4	5	13	24	51	76	94
65+	318	16.6	125	4	6	13	22	32	41	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2440	11.3	77	3	4	9	14	20	26	50
B. *Operated*	461	17.4	212	4	6	13	22	35	49	86
1. SINGLE DX										
2. MULTIPLE DX	2901	12.2	103	3	4	10	15	23	30	58
A. NOT OPERATED	2440	11.3	77	3	4	9	14	20	26	50
B. OPERATED	461	17.4	212	4	6	13	22	35	49	86
TOTAL 0-19 YRS	4	8.5	54	2	2	6	13	19	19	19
20-34	12	8.7	30	<1	1	8	12	15	19	20
35-49	80	12.9	174	3	4	9	14	24	34	80
50-64	510	14.4	203	3	4	10	16	30	47	85
65+	2295	11.8	78	3	4	10	14	21	28	49
GRAND TOTAL	**2901**	**12.2**	**103**	**3**	**4**	**10**	**15**	**23**	**30**	**58**

515 Hospitals, North Central Region, January-December 1985

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	27	3.9	5	1	1	3	5	6	7	10
35-49	84	4.5	8	1	2	4	6	8	10	15
50-64	104	3.7	7	1	1	3	5	7	9	13
65+	154	4.7	14	1	1	4	6	10	11	19
B. *Operated*										
0-19 YRS	4	5.5	17	2	2	5	9	10	10	10
20-34	21	4.9	15	1	1	2	8	11	11	11
35-49	53	7.9	66	1	1	6	9	22	25	41
50-64	83	5.1	27	1	1	3	7	11	13	28
65+	81	3.8	16	1	1	2	4	9	13	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	5.2	12	1	1	5	7	11	12	12
20-34	86	5.0	11	1	2	4	6	9	12	18
35-49	329	5.5	20	1	2	4	7	10	12	25
50-64	818	6.3	22	2	2	5	8	11	14	24
65+	3030	7.1	31	2	2	6	9	13	17	29
B. *Operated*										
0-19 YRS	11	12.5	84	2	2	12	19	27	27	27
20-34	25	10.0	148	1	2	7	12	17	37	60
35-49	131	10.6	148	1	2	8	12	23	35	85
50-64	391	9.3	99	1	2	6	12	21	26	52
65+	678	10.0	102	2	2	7	13	20	27	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	371	4.3	10	1	1	3	6	9	10	18
B. *Operated*	242	5.3	32	1	1	3	7	11	14	28
2. MULTIPLE DX										
A. *Not Operated*	4282	6.8	28	2	2	5	8	12	17	28
B. *Operated*	1236	9.9	107	2	2	7	12	21	28	64
1. SINGLE DX	613	4.7	19	1	1	3	6	10	12	24
2. MULTIPLE DX	5518	7.5	48	2	2	6	9	14	19	35
A. NOT OPERATED	4653	6.6	27	2	2	5	8	12	16	27
B. OPERATED	1478	9.1	97	1	2	7	12	19	26	57
TOTAL 0-19 YRS	36	7.3	44	1	2	6	10	14	25	27
20-34	159	5.6	35	1	1	4	7	11	14	28
35-49	597	6.7	55	1	2	5	8	12	18	44
50-64	1396	6.9	45	1	2	5	8	13	19	34
65+	3943	7.4	44	2	2	6	9	14	19	34
GRAND TOTAL	**6131**	**7.2**	**45**	**2**	**2**	**5**	**9**	**14**	**19**	**35**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	23.0		23	23	23	23	23	23	23
35-49	3	15.0	588	<1	<1	1	32	43	43	43
50-64	16	3.3	5	1	1	3	4	7	8	8
65+	16	7.9	246	1	1	3	7	14	50	65
B. *Operated*										
0-19 YRS	2	6.0	18	3	3	6	9	9	9	9
20-34	5	3.2	8	1	1	2	4	8	8	8
35-49	53	4.4	12	1	1	3	7	9	11	13
50-64	168	5.1	18	1	1	3	9	11	12	17
65+	159	5.7	22	1	1	4	9	12	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	4.0		4	4	4	4	4	4	4
35-49	16	4.4	15	<1	1	3	5	10	14	16
50-64	83	5.3	19	1	1	4	8	11	14	20
65+	349	6.4	25	1	2	5	8	13	16	28
B. *Operated*										
0-19 YRS	7	6.3	68	2	2	2	7	21	24	24
20-34	27	7.9	42	1	1	9	13	16	19	22
35-49	192	7.1	32	1	1	6	10	15	18	33
50-64	1127	9.7	102	1	2	7	13	20	28	52
65+	2473	12.2	117	1	2	10	16	26	33	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	6.9	160	1	1	3	6	14	37	65
B. *Operated*	387	5.2	19	1	1	3	9	11	13	18
2. MULTIPLE DX										
A. *Not Operated*	451	6.1	24	1	2	5	8	13	15	25
B. *Operated*	3826	11.2	110	1	2	9	15	23	31	55
1. SINGLE DX	423	5.4	31	1	1	3	9	11	13	21
2. MULTIPLE DX	4277	10.6	103	1	2	8	14	22	30	53
A. NOT OPERATED	487	6.2	34	1	1	5	8	13	16	29
B. OPERATED	4213	10.6	104	1	2	8	14	22	30	53
TOTAL 0-19 YRS	9	6.2	53	2	2	3	9	18	24	24
20-34	36	7.4	43	1	1	4	12	16	21	23
35-49	264	6.5	33	1	1	5	9	14	16	37
50-64	1394	8.8	89	1	1	7	11	18	25	46
65+	2997	11.2	107	1	2	9	15	23	31	54
GRAND TOTAL	**4700**	**10.2**	**99**	**1**	**2**	**8**	**13**	**21**	**29**	**52**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	12	2.0	1	<1	<1	2	2	3	4	4
65+	28	3.7	16	<1	1	2	5	7	11	20
B. *Operated*										
0-19 YRS	3	4.0	19	1	1	2	7	9	9	9
20-34	2	9.5	25	6	6	9	13	13	13	13
35-49	11	7.5	19	1	1	8	9	13	15	15
50-64	117	8.8	23	1	2	9	11	13	15	26
65+	207	9.5	27	1	2	10	12	15	18	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.3	56	<1	<1	1	11	14	14	14
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	4.5	8	2	2	4	7	7	7	7
50-64	68	4.4	12	1	1	3	6	9	12	15
65+	393	5.8	25	1	1	5	7	11	14	24
B. *Operated*										
0-19 YRS	5	19.2	201	6	6	20	41	94	99+	99+
20-34	9	9.3	29	2	2	13	14	14	14	14
35-49	41	14.1	89	2	5	11	17	34	39	99+
50-64	776	12.7	73	2	4	11	15	22	30	52
65+	2121	14.3	97	2	5	12	17	24	32	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	3.1	11	<1	<1	2	4	6	9	20
B. *Operated*	340	9.2	25	1	2	9	11	14	17	30
2. MULTIPLE DX										
A. *Not Operated*	469	5.6	23	1	1	4	7	11	14	23
B. *Operated*	2952	13.9	91	2	5	12	16	24	32	56
1. SINGLE DX	381	8.5	27	1	1	9	11	14	16	28
2. MULTIPLE DX	3421	12.8	90	2	3	11	16	23	31	54
A. NOT OPERATED	510	5.4	22	1	1	4	7	11	14	23
B. OPERATED	3292	13.4	87	2	4	11	16	23	31	55
TOTAL 0-19 YRS	11	11.3	153	<1	1	8	20	59	94	99+
20-34	12	8.7	29	1	2	10	13	14	14	14
35-49	57	11.9	81	1	2	10	15	23	39	95
50-64	973	11.5	69	2	2	10	14	21	28	49
65+	2749	12.7	91	2	3	11	15	23	30	54
GRAND TOTAL	**3802**	**12.3**	**85**	**2**	**3**	**11**	**15**	**22**	**30**	**53**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	11.7	70	2	2	16	17	17	17	17
50-64	4	1.3		1	1	1	2	2	2	2
65+	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	19	8.2	55	1	1	6	12	19	24	28
35-49	24	7.0	65	1	1	4	9	23	26	27
50-64	70	7.7	26	1	2	7	10	14	18	24
65+	55	6.8	13	1	2	6	9	12	14	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	10.0		10	10	10	10	10	10	10
35-49	5	2.0	1	1	1	2	2	3	3	3
50-64	7	2.9	3	<1	<1	3	4	6	6	6
65+	17	6.4	48	1	1	4	7	18	25	27
B. *Operated*										
0-19 YRS	6	7.8	22	4	4	6	8	16	17	17
20-34	18	13.5	148	2	4	9	19	36	42	44
35-49	58	9.8	66	1	2	9	13	18	21	46
50-64	213	11.3	107	2	3	8	13	26	36	58
65+	362	11.1	78	2	3	9	14	23	28	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	4.9	39	1	1	2	5	16	17	17
B. *Operated*	169	7.3	30	1	1	6	10	14	18	27
2. MULTIPLE DX										
A. *Not Operated*	30	5.0	32	1	1	3	6	9	20	27
B. *Operated*	657	11.1	88	2	3	9	14	23	30	48
1. SINGLE DX	179	7.2	31	1	1	6	10	15	18	26
2. MULTIPLE DX	687	10.8	87	2	2	9	13	23	29	48
A. NOT OPERATED	40	5.0	33	1	1	3	6	13	18	27
B. OPERATED	826	10.3	78	2	2	8	12	21	28	45
TOTAL 0-19 YRS	7	7.6	19	4	4	6	8	15	17	17
20-34	39	10.5	101	1	1	8	12	25	35	44
35-49	90	8.7	65	1	1	7	12	18	23	42
50-64	294	10.1	88	1	2	7	12	22	32	55
65+	436	10.3	71	2	3	8	13	21	28	38
GRAND TOTAL	**866**	**10.1**	**77**	**1**	**2**	**8**	**12**	**21**	**28**	**45**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	6.3	8	2	2	7	9	9	9	9
20-34	15	6.9	5	3	4	7	9	10	10	10
35-49	17	9.9	213	1	1	7	9	12	46	65
50-64	35	5.1	20	1	1	3	8	12	14	19
65+	29	5.7	47	1	1	3	8	11	18	35
B. *Operated*										
0-19 YRS	16	6.4	14	1	1	6	10	11	12	12
20-34	22	5.0	14	1	1	4	8	10	12	14
35-49	149	5.8	15	1	1	6	8	11	13	16
50-64	408	6.2	25	1	1	6	9	12	15	25
65+	364	6.3	23	1	1	6	9	12	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	9.7	92	<1	<1	8	17	20	20	20
20-34	18	9.2	85	1	2	8	11	13	31	43
35-49	47	6.1	28	1	1	5	8	11	13	30
50-64	129	7.0	30	1	1	6	9	13	17	28
65+	374	7.2	26	1	2	6	9	13	17	27
B. *Operated*										
0-19 YRS	14	9.3	33	2	2	11	14	15	19	20
20-34	70	12.2	141	1	3	10	12	24	30	72
35-49	420	9.5	80	1	2	8	12	17	22	44
50-64	2048	10.6	73	1	2	9	13	20	27	44
65+	3420	12.3	88	2	2	10	16	23	30	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	6.4	58	1	1	5	8	11	13	49
B. *Operated*	959	6.2	22	1	1	6	9	12	14	24
2. MULTIPLE DX										
A. *Not Operated*	571	7.1	29	1	2	6	9	13	17	29
B. *Operated*	5972	11.5	84	2	2	10	15	22	29	48
1. SINGLE DX	1061	6.2	26	1	1	6	9	12	14	25
2. MULTIPLE DX	6543	11.1	80	2	2	9	14	21	28	47
A. NOT OPERATED	673	7.0	33	1	1	6	9	13	17	30
B. OPERATED	6931	10.8	79	1	2	9	14	21	27	46
TOTAL 0-19 YRS	39	7.7	25	1	2	7	11	14	18	20
20-34	125	9.8	101	1	2	8	11	18	28	54
35-49	633	8.4	67	1	2	7	11	15	20	43
50-64	2620	9.7	66	1	2	8	12	19	25	43
65+	4187	11.3	81	1	2	9	15	22	28	47
GRAND TOTAL	**7604**	**10.4**	**76**	**1**	**2**	**9**	**13**	**20**	**27**	**45**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	172	6.5	18	2	2	5	9	12	14	20
20-34	24	5.3	16	1	1	5	7	11	15	16
35-49	33	5.0	24	<1	1	4	6	7	13	28
50-64	59	4.3	13	<1	1	3	6	9	11	20
65+	60	7.4	64	1	1	5	9	15	23	41
B. *Operated*										
0-19 YRS	18	5.3	26	1	1	4	8	12	18	21
20-34	59	5.3	22	1	1	4	8	12	15	21
35-49	121	4.6	15	1	1	3	6	10	13	18
50-64	340	4.6	24	1	1	3	7	10	12	29
65+	279	5.1	29	1	1	3	7	12	17	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	175	6.6	24	2	2	5	9	14	16	24
20-34	75	6.5	33	1	1	5	9	13	16	32
35-49	138	5.4	15	<1	1	4	7	10	13	20
50-64	314	5.8	31	1	1	4	7	11	14	33
65+	639	7.1	37	1	2	5	9	13	17	31
B. *Operated*										
0-19 YRS	54	8.5	61	1	1	7	11	24	25	97
20-34	98	8.3	89	1	2	5	10	17	26	54
35-49	354	9.1	105	1	2	6	12	20	28	51
50-64	1246	8.8	91	1	2	6	11	19	26	50
65+	1985	10.4	99	1	2	8	14	22	29	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	348	6.0	27	1	1	5	8	12	14	28
B. *Operated*	817	4.8	24	1	1	3	7	11	14	25
2. MULTIPLE DX										
A. *Not Operated*	1341	6.5	32	1	2	5	8	12	16	30
B. *Operated*	3737	9.7	96	1	2	7	13	21	28	50
1. SINGLE DX	1165	5.2	25	1	1	3	7	11	14	26
2. MULTIPLE DX	5078	8.8	81	1	2	6	11	18	25	45
A. NOT OPERATED	1689	6.4	31	1	2	5	8	12	15	29
B. OPERATED	4554	8.8	87	1	2	6	12	19	26	46
TOTAL 0-19 YRS	419	6.7	27	1	2	5	9	13	17	26
20-34	256	6.8	52	1	1	5	9	14	19	36
35-49	646	7.2	69	1	2	5	9	15	22	40
50-64	1959	7.5	71	1	1	5	10	16	23	43
65+	2963	9.1	82	1	2	7	12	19	26	43
GRAND TOTAL	**6243**	**8.1**	**73**	**1**	**2**	**6**	**11**	**17**	**24**	**42**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	6.9	19	1	2	7	9	12	15	21
20-34	416	6.5	11	2	2	6	8	11	12	16
35-49	488	7.0	12	2	3	6	9	11	14	18
50-64	498	7.1	10	2	3	7	9	11	13	17
65+	377	7.1	10	3	4	7	9	11	12	17
B. *Operated*										
0-19 YRS	27	7.0	13	1	2	7	10	12	13	13
20-34	192	6.2	14	1	2	6	9	11	14	17
35-49	265	6.6	22	1	2	6	9	11	14	17
50-64	252	7.1	17	2	2	7	10	13	14	22
65+	154	7.9	18	2	3	8	10	12	14	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	6.5	9	3	3	6	9	11	12	13
20-34	441	7.9	27	2	3	7	10	13	16	31
35-49	1005	8.0	17	3	4	7	10	13	15	22
50-64	1602	8.4	18	3	4	8	10	14	16	23
65+	2442	8.6	21	3	4	8	10	13	16	25
B. *Operated*										
0-19 YRS	25	9.2	26	2	3	9	14	16	17	18
20-34	318	9.3	37	2	3	8	12	17	22	30
35-49	569	8.9	47	2	3	8	11	15	21	32
50-64	879	9.4	45	2	3	8	11	16	21	33
65+	1326	10.3	52	3	4	9	12	17	23	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1811	6.9	11	2	3	7	9	11	13	17
B. *Operated*	890	6.9	18	1	2	7	9	12	14	20
2. MULTIPLE DX										
A. *Not Operated*	5529	8.4	20	3	4	8	10	13	16	24
B. *Operated*	3117	9.7	48	2	3	8	12	16	22	36
1. SINGLE DX	2701	6.9	13	2	2	7	9	11	13	18
2. MULTIPLE DX	8646	8.8	30	3	4	8	11	15	18	29
A. NOT OPERATED	7340	8.0	18	3	4	7	10	13	15	22
B. OPERATED	4007	9.1	43	2	3	8	11	16	20	33
TOTAL 0-19 YRS	123	7.2	17	2	2	7	10	13	15	19
20-34	1367	7.6	24	2	2	7	10	13	16	27
35-49	2327	7.9	24	2	3	7	10	13	16	26
50-64	3231	8.4	25	2	3	8	10	14	17	25
65+	4299	9.0	30	3	4	8	11	14	17	29
GRAND TOTAL	**11347**	**8.4**	**27**	**2**	**3**	**8**	**10**	**14**	**17**	**27**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	7.7	43	1	1	7	14	17	17	17
35-49	26	5.2	8	1	2	5	7	10	10	11
50-64	33	6.8	18	1	2	6	9	13	15	16
65+	33	6.6	19	1	2	6	8	12	14	22
B. *Operated*										
0-19 YRS	24	2.2	1	<1	1	2	3	4	4	4
20-34	561	3.1	8	1	1	3	4	5	7	11
35-49	883	3.2	6	1	1	3	4	5	7	14
50-64	619	4.2	19	1	1	3	5	7	11	25
65+	176	6.5	54	1	2	4	7	15	21	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	28	6.5	38	<1	<1	3	12	15	20	20
35-49	78	7.8	51	<1	1	6	9	15	19	44
50-64	200	8.8	41	2	3	7	11	16	20	33
65+	691	9.9	45	3	4	8	12	16	19	40
B. *Operated*										
0-19 YRS	12	5.3	12	2	2	4	8	11	11	11
20-34	199	5.3	32	1	1	4	6	11	17	29
35-49	460	5.1	24	1	2	4	6	10	15	24
50-64	586	7.7	82	2	2	4	9	17	25	46
65+	578	13.0	109	2	3	11	19	27	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	6.3	18	1	2	5	9	13	14	19
B. *Operated*	2263	3.7	15	1	1	3	4	6	9	21
2. MULTIPLE DX										
A. *Not Operated*	998	9.4	45	2	3	8	12	16	20	39
B. *Operated*	1835	8.5	81	1	2	5	11	21	27	42
1. SINGLE DX	2363	3.8	15	1	1	3	4	7	10	21
2. MULTIPLE DX	2833	8.8	68	1	2	6	11	19	24	42
A. NOT OPERATED	1098	9.1	43	2	3	8	12	16	19	39
B. OPERATED	4098	5.8	50	1	1	4	6	14	21	35
TOTAL 0-19 YRS	38	3.4	10	<1	1	3	4	9	11	14
20-34	795	3.8	17	1	1	3	4	7	10	20
35-49	1447	4.1	16	1	1	3	5	8	11	21
50-64	1438	6.4	51	1	2	4	7	13	20	37
65+	1478	10.6	75	2	3	8	14	22	27	43
GRAND TOTAL	**5196**	**6.5**	**50**	**1**	**1**	**4**	**8**	**15**	**21**	**36**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.0	10	2	2	3	4	9	10	10
20-34	54	2.8	3	<1	1	2	4	6	7	8
35-49	65	2.9	3	<1	1	3	4	6	7	8
50-64	44	3.1	6	1	1	3	4	6	7	12
65+	22	3.1	4	<1	1	2	4	7	8	8
B. *Operated*										
0-19 YRS	12	3.8	4	1	1	3	5	7	8	8
20-34	371	3.6	4	1	1	3	5	6	7	11
35-49	444	3.7	4	1	2	3	5	6	7	11
50-64	281	3.8	4	1	2	4	5	6	7	11
65+	81	3.9	3	1	2	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	3.2	3	<1	1	3	4	6	7	7
20-34	119	3.5	5	<1	1	3	4	7	8	12
35-49	176	3.8	6	1	1	3	5	7	8	12
50-64	227	4.0	7	1	1	3	5	7	9	17
65+	322	4.6	10	1	2	4	6	8	11	16
B. *Operated*										
0-19 YRS	52	4.0	4	1	2	4	5	7	8	9
20-34	1464	4.0	5	1	2	4	5	6	8	12
35-49	2716	4.3	5	1	2	4	5	7	8	13
50-64	2082	4.6	8	2	2	4	5	7	9	15
65+	1208	5.6	15	2	2	5	7	10	13	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	191	3.0	4	1	1	3	4	6	7	9
B. *Operated*	1189	3.7	4	1	2	3	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	860	4.1	8	1	1	4	5	7	9	15
B. *Operated*	7522	4.5	8	1	2	4	5	7	9	15
1. SINGLE DX	1380	3.6	4	1	1	3	5	6	7	11
2. MULTIPLE DX	8382	4.5	8	1	2	4	5	7	9	15
A. NOT OPERATED	1051	3.9	7	1	1	3	5	7	9	14
B. OPERATED	8711	4.4	7	1	2	4	5	7	9	14
TOTAL 0-19 YRS	86	3.8	4	1	1	4	4	6	8	10
20-34	2008	3.9	5	1	2	4	5	6	8	11
35-49	3401	4.1	5	1	2	4	5	7	8	12
50-64	2634	4.4	7	1	2	4	5	7	9	14
65+	1633	5.3	14	1	2	4	6	9	12	19
GRAND TOTAL	**9762**	**4.3**	**7**	**1**	**2**	**4**	**5**	**7**	**9**	**14**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	4.4	11	1	1	3	7	9	10	15
20-34	180	6.1	13	1	2	6	9	10	11	16
35-49	208	6.5	14	1	2	6	9	11	13	18
50-64	209	6.7	13	1	1	7	9	11	12	16
65+	212	6.7	13	1	2	7	9	11	13	16
B. *Operated*										
0-19 YRS	110	2.9	11	<1	1	1	3	9	10	15
20-34	330	4.6	18	<1	1	2	7	11	12	17
35-49	195	6.5	28	1	1	6	9	12	17	26
50-64	150	7.3	30	1	2	7	9	13	14	24
65+	141	7.1	21	1	1	7	10	13	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	105	4.4	23	1	1	3	5	9	11	27
20-34	383	6.5	22	1	1	5	9	13	15	21
35-49	635	6.6	21	1	2	6	9	12	15	22
50-64	1337	6.9	26	1	2	6	9	13	16	26
65+	3094	7.1	23	2	2	6	9	13	15	24
B. *Operated*										
0-19 YRS	83	5.2	32	1	1	3	7	12	18	28
20-34	559	6.6	47	1	1	5	9	14	19	36
35-49	607	8.4	45	1	2	7	11	16	22	33
50-64	912	9.8	58	2	3	8	12	17	23	42
65+	1616	11.1	70	2	3	9	14	21	27	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	855	6.4	13	1	2	6	9	11	13	16
B. *Operated*	926	5.6	24	1	1	4	8	12	14	21
2. MULTIPLE DX										
A. *Not Operated*	5554	6.9	23	1	2	6	9	13	15	24
B. *Operated*	3777	9.6	62	1	2	8	12	18	25	40
1. SINGLE DX	1781	6.0	19	1	1	6	9	11	13	19
2. MULTIPLE DX	9331	8.0	41	1	2	7	10	15	19	33
A. NOT OPERATED	6409	6.9	22	1	2	6	9	12	15	23
B. OPERATED	4703	8.8	57	1	1	8	11	17	23	38
TOTAL 0-19 YRS	344	4.1	21	1	1	2	6	9	12	20
20-34	1452	6.1	30	1	1	5	9	12	16	26
35-49	1645	7.2	31	1	2	6	9	13	18	29
50-64	2608	7.9	38	1	2	7	10	14	18	31
65+	5063	8.4	41	2	2	7	11	15	20	34
GRAND TOTAL	**11112**	**7.7**	**38**	**1**	**2**	**7**	**10**	**14**	**18**	**31**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3902	2.5	3	1	1	2	3	4	5	7
20-34	418	3.0	4	1	1	3	4	5	6	7
35-49	148	3.5	8	1	1	3	4	6	8	11
50-64	78	3.2	3	1	1	3	4	6	7	10
65+	52	3.7	4	1	1	3	5	6	8	10
B. *Operated*										
0-19 YRS	387	1.8	3	1	1	1	2	3	4	11
20-34	160	2.1	3	1	1	2	2	4	6	8
35-49	35	3.2	6	<1	1	2	4	7	9	11
50-64	12	3.8	11	<1	<1	2	6	9	10	10
65+	3	3.3	5	2	2	2	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7309	3.2	6	1	1	3	4	5	7	10
20-34	1245	3.6	4	1	2	3	4	6	7	11
35-49	733	4.3	6	1	2	4	5	7	9	12
50-64	693	5.3	20	2	2	4	6	9	13	24
65+	876	5.8	14	2	2	5	7	10	12	20
B. *Operated*										
0-19 YRS	474	3.1	13	1	1	2	3	7	10	18
20-34	185	4.1	16	1	1	3	5	9	11	23
35-49	116	6.3	32	1	1	5	9	15	18	26
50-64	124	6.6	19	1	2	6	9	13	16	19
65+	74	9.4	71	1	2	7	11	17	33	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4598	2.6	3	1	1	2	3	4	5	8
B. *Operated*	597	2.0	3	1	1	1	2	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	10856	3.7	8	1	1	3	4	6	8	13
B. *Operated*	973	4.6	24	1	1	3	6	11	14	24
1. SINGLE DX	5195	2.5	3	1	1	2	3	4	5	8
2. MULTIPLE DX	11829	3.7	9	1	1	3	5	7	9	15
A. NOT OPERATED	15454	3.3	7	1	1	3	4	6	7	12
B. OPERATED	1570	3.6	18	1	1	2	4	8	12	20
TOTAL 0-19 YRS	12072	2.9	5	1	1	2	4	5	6	10
20-34	2008	3.4	5	1	1	3	4	6	7	12
35-49	1032	4.3	9	1	2	4	5	8	10	16
50-64	907	5.3	19	1	2	4	6	10	13	22
65+	1005	5.9	19	2	2	5	7	11	13	24
GRAND TOTAL	**17024**	**3.4**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**13**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5627	3.5	4	1	1	3	4	6	7	9
20-34	286	3.7	3	1	2	3	4	6	7	10
35-49	325	3.9	3	1	2	4	5	6	7	10
50-64	241	4.5	4	2	2	4	5	7	8	12
65+	251	4.8	7	2	2	4	6	8	9	13
B. *Operated*										
0-19 YRS	17	4.4	10	<1	1	4	6	8	11	13
20-34	6	4.3	10	1	1	4	6	9	9	9
35-49	8	3.1	2	2	2	3	4	5	5	5
50-64	6	5.5	20	2	2	4	7	13	14	14
65+	7	4.0	6	1	1	4	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7715	4.1	7	1	2	4	5	7	9	14
20-34	1110	5.1	12	2	2	4	6	9	13	18
35-49	1733	5.4	11	2	2	5	7	9	11	17
50-64	3859	6.2	16	2	3	5	8	10	13	21
65+	7490	6.9	18	2	3	6	8	12	15	22
B. *Operated*										
0-19 YRS	74	10.2	70	2	3	8	14	19	23	52
20-34	74	8.5	67	1	2	7	10	14	22	53
35-49	154	8.4	47	3	3	6	10	15	20	40
50-64	320	10.2	84	2	3	8	12	19	27	56
65+	558	11.4	68	3	4	10	14	21	28	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6730	3.6	4	1	2	3	4	6	7	10
B. *Operated*	44	4.2	9	1	1	3	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	21907	5.6	14	2	2	5	7	10	12	19
B. *Operated*	1180	10.4	71	3	3	8	13	19	26	45
1. SINGLE DX	6774	3.6	4	1	1	3	4	6	7	10
2. MULTIPLE DX	23087	5.8	18	2	2	5	7	10	13	22
A. NOT OPERATED	28637	5.1	13	2	2	4	6	9	11	18
B. OPERATED	1224	10.2	70	2	3	8	13	19	26	44
TOTAL 0-19 YRS	13433	3.9	6	1	2	3	5	7	8	13
20-34	1476	5.0	14	2	2	4	6	9	13	19
35-49	2220	5.3	14	2	2	5	6	9	11	19
50-64	4426	6.4	22	2	3	5	8	11	14	23
65+	8306	7.2	23	2	3	6	9	12	15	25
GRAND TOTAL	**29861**	**5.3**	**16**	**2**	**2**	**4**	**7**	**9**	**12**	**20**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	4	1.5		<1	<1	1	2	2	2	2
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	429	1.6	1	1	1	1	2	3	3	5
20-34	808	1.6	1	1	1	1	2	3	3	5
35-49	422	1.6	3	1	1	1	2	3	3	5
50-64	197	1.7	1	1	1	1	2	3	3	5
65+	52	2.0	2	1	1	2	2	4	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	1.0		<1	<1	1	1	1	1	1
20-34	19	1.3	1	<1	<1	1	1	2	4	5
35-49	18	1.2		<1	<1	1	1	2	2	2
50-64	9	2.8	8	1	1	1	4	7	9	9
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	1073	1.7	1	1	1	1	2	3	4	5
20-34	2545	1.8	1	1	1	1	2	3	4	6
35-49	1786	2.0	2	1	1	2	2	3	4	7
50-64	1062	2.1	7	1	1	2	2	4	4	7
65+	333	2.4	6	1	1	2	3	4	5	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	1.5		<1	<1	2	2	2	2	2
B. *Operated*	1908	1.6	1	1	1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	54	1.5	2	<1	<1	1	1	3	5	9
B. *Operated*	6799	1.9	3	1	1	2	2	3	4	6
1. SINGLE DX	1919	1.6	1	1	1	1	2	3	3	5
2. MULTIPLE DX	6853	1.9	3	1	1	2	2	3	4	6
A. NOT OPERATED	65	1.5	2	<1	<1	1	1	2	5	8
B. OPERATED	8707	1.8	2	1	1	1	2	3	4	6
TOTAL 0-19 YRS	1511	1.6	1	1	1	1	2	3	3	5
20-34	3374	1.8	1	1	1	1	2	3	4	5
35-49	2230	1.9	2	1	1	2	2	3	4	6
50-64	1270	2.0	6	1	1	2	2	3	4	7
65+	387	2.3	5	1	1	2	3	4	5	12
GRAND TOTAL	**8772**	**1.8**	**2**	**1**	**1**	**1**	**2**	**3**	**4**	**6**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.0		2	2	2	2	2	2	2
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	22	2.0	8	<1	<1	1	1	3	8	14
20-34	43	1.9	1	<1	1	2	3	3	4	5
35-49	54	1.6	1	<1	1	1	2	2	3	5
50-64	73	1.6	1	<1	<1	1	2	3	3	4
65+	29	1.7	5	1	1	1	2	2	3	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	1.0		1	1	1	1	1	1	1
50-64	4	7.0	65	<1	<1	4	[illegible]	18	18	18
65+	8	2.8	3	<1	<1	3	3	5	6	6
B. *Operated*										
0-19 YRS	53	2.5	5	<1	1	2	3	4	6	13
20-34	163	2.0	2	1	1	2	2	3	4	9
35-49	254	2.1	2	1	1	2	3	4	5	7
50-64	320	2.4	4	1	1	2	3	4	5	9
65+	196	2.7	7	1	1	2	3	4	6	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.5		<1	<1	1	2	2	2	2
B. *Operated*	221	1.7	2	<1	<1	1	2	3	3	7
2. MULTIPLE DX										
A. *Not Operated*	15	3.5	20	<1	<1	2	3	8	15	18
B. *Operated*	986	2.3	4	1	1	2	3	4	5	11
1. SINGLE DX	225	1.7	2	<1	<1	1	2	3	3	7
2. MULTIPLE DX	1001	2.3	4	1	1	2	3	4	5	12
A. NOT OPERATED	19	3.1	17	<1	<1	2	3	7	13	18
B. OPERATED	1207	2.2	4	1	1	2	3	4	5	11
TOTAL 0-19 YRS	75	2.3	6	<1	1	2	3	4	6	14
20-34	209	2.0	2	1	1	2	2	3	4	7
35-49	310	2.0	2	1	1	2	2	4	5	7
50-64	398	2.2	5	<1	1	2	3	4	5	10
65+	234	2.5	6	1	1	2	3	4	6	13
GRAND TOTAL	**1226**	**2.2**	**4**	**1**	**1**	**2**	**3**	**4**	**5**	**12**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	1.9	2	<1	<1	1	2	4	5	7
20-34	14	1.5	1	<1	<1	1	2	3	3	3
35-49	3	2.7	2	1	1	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	12571	1.3		<1	1	1	1	2	2	3
20-34	2808	1.4	1	1	1	1	2	2	3	4
35-49	313	1.6	1	1	1	1	2	3	4	5
50-64	63	1.7	1	1	1	1	2	3	4	4
65+	19	2.1	1	<1	1	2	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	239	1.6	2	<1	<1	1	2	3	4	7
20-34	28	2.4	3	<1	<1	2	3	5	5	6
35-49	6	1.3		<1	<1	1	2	2	2	2
50-64	3	3.0	3	1	1	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	8640	1.3		<1	1	1	1	2	2	4
20-34	796	1.7	2	1	1	1	2	3	4	8
35-49	163	2.0	3	1	1	1	2	4	5	11
50-64	35	2.4	4	1	1	2	3	5	7	11
65+	23	2.7	6	<1	1	2	4	7	8	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	1.9	2	<1	<1	1	2	4	5	7
B. *Operated*	15774	1.3		1	1	1	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	276	1.7	2	<1	<1	1	2	4	4	7
B. *Operated*	9657	1.3	1	<1	1	1	1	2	2	5
1. SINGLE DX	15847	1.3		1	1	1	2	2	2	4
2. MULTIPLE DX	9933	1.4	1	<1	1	1	1	2	3	5
A. NOT OPERATED	349	1.7	2	<1	<1	1	2	4	4	7
B. OPERATED	25431	1.3	1	<1	1	1	2	2	2	4
TOTAL 0-19 YRS	21506	1.3		<1	1	1	1	2	2	3
20-34	3646	1.5	1	1	1	1	2	2	3	5
35-49	485	1.8	2	1	1	1	2	3	4	7
50-64	101	2.0	2	1	1	2	2	4	4	9
65+	42	2.5	4	<1	1	2	3	5	7	9
GRAND TOTAL	**25780**	**1.3**	**1**	**<1**	**1**	**1**	**2**	**2**	**2**	**4**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	506	2.8	3	1	1	2	3	5	6	8
20-34	355	2.9	3	1	1	3	4	5	6	7
35-49	122	3.4	5	1	2	3	4	6	8	13
50-64	70	3.1	4	1	1	3	4	6	8	10
65+	27	3.7	5	1	1	4	5	7	8	9
B. *Operated*										
0-19 YRS	553	2.3	6	<1	1	2	3	4	5	11
20-34	770	2.1	2	1	1	2	3	4	5	8
35-49	572	1.9	2	1	1	2	2	3	4	8
50-64	455	1.9	3	1	1	1	2	3	5	9
65+	217	2.2	7	<1	1	2	2	3	5	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	628	3.6	16	1	1	3	4	6	8	13
20-34	345	3.6	6	1	1	3	4	6	8	11
35-49	274	4.4	13	1	1	4	5	8	10	20
50-64	273	4.5	12	1	1	4	6	8	11	17
65+	218	5.0	13	1	1	4	6	10	13	17
B. *Operated*										
0-19 YRS	703	3.2	15	1	1	2	4	7	10	23
20-34	1033	2.7	9	1	1	2	3	5	8	16
35-49	1079	2.7	7	1	1	2	3	6	8	14
50-64	1028	3.3	26	1	1	2	3	7	10	22
65+	676	4.2	28	1	1	3	5	9	14	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1080	3.0	3	1	1	3	4	5	6	9
B. *Operated*	2567	2.1	4	1	1	2	2	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	1738	4.1	13	1	1	3	5	7	9	15
B. *Operated*	4519	3.2	16	1	1	2	3	6	10	19
1. SINGLE DX	3647	2.3	4	1	1	2	3	4	5	9
2. MULTIPLE DX	6257	3.4	16	1	1	2	4	7	9	19
A. NOT OPERATED	2818	3.6	9	1	1	3	4	6	8	14
B. OPERATED	7086	2.8	12	1	1	2	3	5	8	18
TOTAL 0-19 YRS	2390	3.0	11	1	1	2	4	5	7	16
20-34	2503	2.7	6	1	1	2	3	5	6	12
35-49	2047	2.8	7	1	1	2	3	6	7	13
50-64	1826	3.2	18	1	1	2	4	7	9	18
65+	1138	4.0	21	1	1	3	5	8	12	21
GRAND TOTAL	**9904**	**3.0**	**11**	**1**	**1**	**2**	**4**	**6**	**8**	**16**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8319	4.0	5	1	2	4	5	7	8	11
20-34	1394	4.5	5	2	2	4	5	7	8	12
35-49	1113	5.1	6	2	2	5	6	8	9	13
50-64	1080	5.8	9	2	3	5	7	9	11	15
65+	1397	6.5	13	2	3	6	8	11	13	19
B. *Operated*										
0-19 YRS	32	7.5	43	<1	1	6	9	16	25	27
20-34	37	8.9	34	2	4	7	11	17	22	28
35-49	87	8.1	26	2	2	7	11	15	16	26
50-64	93	8.8	24	2	3	8	11	15	18	27
65+	77	8.9	35	2	2	8	11	15	22	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13827	4.7	10	2	2	4	6	8	10	16
20-34	2516	6.0	16	2	3	5	7	11	13	20
35-49	3341	6.6	19	2	3	6	8	11	14	21
50-64	7245	7.7	23	3	3	7	9	13	16	25
65+	25632	8.9	28	3	4	8	11	15	19	28
B. *Operated*										
0-19 YRS	340	11.6	89	2	3	9	16	23	28	59
20-34	310	13.4	143	3	5	11	16	23	32	77
35-49	532	13.1	102	4	5	11	16	25	34	61
50-64	1398	14.5	117	4	5	12	18	26	34	64
65+	3336	15.7	111	5	6	13	19	28	35	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13303	4.5	7	2	2	4	6	8	9	13
B. *Operated*	326	8.5	30	2	2	8	11	15	19	27
2. MULTIPLE DX										
A. *Not Operated*	52561	7.3	25	2	3	6	9	13	16	25
B. *Operated*	5916	14.8	113	4	5	12	18	26	34	61
1. SINGLE DX	13629	4.6	8	2	2	4	6	8	10	14
2. MULTIPLE DX	58477	8.1	39	2	3	7	10	15	19	32
A. NOT OPERATED	65864	6.8	22	2	3	6	8	12	15	24
B. OPERATED	6242	14.5	111	4	5	12	18	26	34	60
TOTAL 0-19 YRS	22518	4.5	10	2	2	4	5	8	10	16
20-34	4257	6.0	27	2	2	5	7	11	14	24
35-49	5073	7.0	30	2	3	6	8	12	16	30
50-64	9816	8.5	41	3	3	7	10	15	19	34
65+	30442	9.5	41	3	4	8	12	17	21	34
GRAND TOTAL	**72106**	**7.4**	**35**	**2**	**3**	**6**	**9**	**14**	**18**	**30**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	227	2.8	2	1	1	3	3	5	6	8
20-34	107	2.8	2	1	1	3	3	4	5	8
35-49	84	3.6	3	1	1	3	5	6	7	11
50-64	73	4.0	4	1	2	4	5	6	8	11
65+	72	4.7	6	1	2	5	6	8	9	11
B. *Operated*										
0-19 YRS										
20-34	3	3.3		3	3	3	4	4	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	3.0		3	3	3	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	495	3.2	4	1	1	3	4	6	7	11
20-34	344	3.4	4	1	1	3	4	6	7	10
35-49	328	4.3	11	2	2	4	5	7	8	16
50-64	467	5.0	9	2	2	4	6	9	11	17
65+	965	6.4	21	2	3	5	8	11	14	20
B. *Operated*										
0-19 YRS	10	6.0	21	<1	1	4	9	13	14	14
20-34	13	9.0	324	1	1	3	7	22	59	68
35-49	13	10.8	141	1	2	8	13	22	42	47
50-64	17	8.4	18	4	5	8	10	12	18	21
65+	56	13.4	96	5	5	11	15	25	36	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	563	3.3	3	1	1	3	4	6	7	9
B. *Operated*	5	3.0	1	2	2	3	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	2599	4.9	14	1	2	4	6	9	11	18
B. *Operated*	109	11.1	112	2	2	9	13	20	35	61
1. SINGLE DX	568	3.3	3	1	1	3	4	6	7	9
2. MULTIPLE DX	2708	5.1	19	1	2	4	6	9	12	19
A. NOT OPERATED	3162	4.6	12	1	2	4	6	8	11	17
B. OPERATED	114	10.8	110	2	2	8	13	20	33	61
TOTAL 0-19 YRS	732	3.1	4	1	1	3	4	6	7	11
20-34	467	3.4	13	1	1	3	4	6	7	10
35-49	426	4.4	14	1	2	4	5	7	9	17
50-64	558	5.0	9	2	2	4	6	9	11	17
65+	1093	6.6	26	2	3	5	8	12	15	24
GRAND TOTAL	**3276**	**4.8**	**17**	**1**	**2**	**4**	**6**	**9**	**11**	**19**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	961	3.1	5	1	1	3	4	5	7	10
20-34	58	3.8	5	1	2	3	5	7	8	12
35-49	83	4.0	4	1	2	4	5	6	8	10
50-64	177	5.2	12	1	2	4	6	9	11	21
65+	161	5.6	14	2	2	5	7	8	12	26
B. *Operated*										
0-19 YRS	9	5.0	24	1	1	2	9	12	14	14
20-34	9	5.6	14	<1	<1	5	9	11	12	12
35-49	13	5.2	33	1	1	3	6	17	18	18
50-64	23	5.0	19	<1	1	4	6	10	15	20
65+	16	5.8	22	<1	<1	5	8	11	17	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1536	3.8	6	1	2	3	5	7	8	13
20-34	325	4.5	9	1	2	4	6	9	10	15
35-49	483	5.5	13	2	2	5	7	10	13	21
50-64	1291	6.5	20	2	3	5	8	11	15	23
65+	2479	7.2	24	2	3	6	9	13	16	24
B. *Operated*										
0-19 YRS	31	6.3	26	1	1	5	9	16	17	18
20-34	52	6.3	120	1	2	5	8	9	11	80
35-49	96	7.8	36	2	3	7	9	15	21	33
50-64	210	8.6	40	2	2	7	11	17	22	29
65+	321	10.0	64	2	3	8	13	18	21	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1440	3.7	8	1	1	3	5	7	8	13
B. *Operated*	70	5.3	21	<1	1	4	7	11	17	20
2. MULTIPLE DX										
A. *Not Operated*	6114	6.0	19	2	2	5	7	11	14	22
B. *Operated*	710	8.8	57	2	2	7	11	17	21	37
1. SINGLE DX	1510	3.8	9	1	1	3	5	7	8	14
2. MULTIPLE DX	6824	6.2	23	2	2	5	8	12	15	23
A. NOT OPERATED	7554	5.5	18	1	2	4	7	10	13	21
B. OPERATED	780	8.5	54	1	2	7	11	17	20	37
TOTAL 0-19 YRS	2537	3.6	6	1	1	3	4	6	8	12
20-34	444	4.7	22	1	2	4	6	9	10	14
35-49	675	5.6	17	2	2	5	7	10	13	22
50-64	1701	6.6	22	2	2	5	8	12	15	24
65+	2977	7.4	28	2	3	6	9	13	17	27
GRAND TOTAL	**8334**	**5.8**	**22**	**1**	**2**	**5**	**7**	**11**	**14**	**23**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	4.3	1	3	3	5	5	5	5	5
35-49	14	4.9	3	2	2	5	6	7	7	7
50-64	133	6.6	14	2	2	6	8	12	14	18
65+	147	6.4	16	2	2	6	8	11	12	20
B. *Operated*										
0-19 YRS										
20-34	5	9.2	49	1	1	11	13	19	19	19
35-49	8	12.6	25	5	5	13	16	18	19	19
50-64	9	9.4	9	4	5	10	12	13	13	13
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	7	1	1	5	6	6	6	6
20-34	14	8.4	50	1	2	7	11	16	25	28
35-49	124	6.1	17	2	2	5	7	10	14	23
50-64	917	7.4	20	2	3	7	9	13	16	21
65+	1975	8.0	30	2	3	7	10	14	18	29
B. *Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	19	11.4	35	4	5	11	13	22	24	25
35-49	34	16.8	164	3	5	12	25	31	37	60
50-64	129	14.1	159	3	4	11	16	29	43	84
65+	229	14.2	103	4	5	11	19	29	37	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	297	6.4	15	2	2	6	8	11	13	19
B. *Operated*	22	10.5	24	3	4	11	13	18	19	19
2. MULTIPLE DX										
A. *Not Operated*	3033	7.8	27	2	3	7	10	14	18	27
B. *Operated*	412	14.3	122	3	5	11	19	29	37	73
1. SINGLE DX	319	6.7	16	2	2	6	9	12	14	19
2. MULTIPLE DX	3445	8.5	43	2	3	7	10	15	20	34
A. NOT OPERATED	3330	7.6	26	2	3	7	9	13	17	27
B. OPERATED	434	14.1	118	3	5	11	18	29	37	70
TOTAL 0-19 YRS	4	6.5	30	1	1	5	10	14	14	14
20-34	41	9.6	41	2	3	8	12	20	23	28
35-49	180	8.3	62	2	2	6	9	20	24	36
50-64	1188	8.1	38	2	3	7	10	14	18	32
65+	2351	8.5	40	2	3	7	10	15	21	34
GRAND TOTAL	**3764**	**8.4**	**41**	**2**	**3**	**7**	**10**	**15**	**20**	**34**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9501	3.2	3	1	1	3	4	5	6	8
20-34	2334	3.6	4	1	2	3	5	6	7	10
35-49	1771	4.3	6	1	2	4	5	7	9	13
50-64	1400	4.9	8	2	2	4	6	8	10	14
65+	686	5.1	7	2	2	5	6	8	9	14
B. *Operated*										
0-19 YRS	18	5.5	20	1	1	5	7	10	15	19
20-34	9	7.0	12	1	2	8	9	11	12	12
35-49	18	6.5	13	1	2	6	8	12	14	15
50-64	12	7.8	15	1	2	8	9	12	15	16
65+	9	10.6	40	5	5	8	15	20	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8855	3.7	5	1	2	3	5	6	7	11
20-34	2789	4.4	7	1	2	4	5	7	9	13
35-49	3402	5.3	10	2	2	5	7	9	11	16
50-64	4953	6.3	17	2	3	5	8	11	13	21
65+	5549	6.9	17	2	3	6	9	12	14	21
B. *Operated*										
0-19 YRS	122	8.7	76	2	3	7	9	17	23	48
20-34	102	8.6	54	1	2	6	10	19	22	40
35-49	194	10.1	56	3	4	8	13	18	22	30
50-64	319	11.1	71	3	4	9	14	21	27	51
65+	334	12.1	57	4	5	11	16	22	26	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15692	3.6	4	1	2	3	4	6	7	11
B. *Operated*	66	7.1	20	1	2	7	9	12	16	22
2. MULTIPLE DX										
A. *Not Operated*	25548	5.2	13	2	2	4	6	9	12	18
B. *Operated*	1071	10.7	64	3	4	9	14	20	25	42
1. SINGLE DX	15758	3.6	5	1	2	3	4	6	7	11
2. MULTIPLE DX	26619	5.4	16	2	2	4	7	10	12	20
A. NOT OPERATED	41240	4.6	10	1	2	4	6	8	10	16
B. OPERATED	1137	10.5	62	2	4	8	13	20	24	42
TOTAL 0-19 YRS	18496	3.5	5	1	2	3	4	6	7	10
20-34	5234	4.1	7	1	2	4	5	7	9	13
35-49	5385	5.1	12	2	2	4	6	9	11	17
50-64	6684	6.2	19	2	2	5	8	11	13	23
65+	6578	7.0	20	2	3	6	9	12	15	23
GRAND TOTAL	**42377**	**4.7**	**12**	**1**	**2**	**4**	**6**	**9**	**11**	**18**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	4.9	9	1	2	4	7	10	11	11
20-34	29	4.0	9	1	1	3	5	8	10	14
35-49	94	5.4	14	1	2	4	7	10	13	19
50-64	505	5.6	13	2	2	5	7	10	12	19
65+	596	5.9	11	2	2	5	8	10	12	16
B. *Operated*										
0-19 YRS										
20-34	8	5.5	43	1	1	2	8	16	20	20
35-49	17	6.6	18	1	1	7	9	13	14	14
50-64	26	6.5	42	1	2	4	9	13	20	30
65+	12	10.5	197	1	1	6	10	31	48	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	6.3	16	2	2	5	9	11	14	17
20-34	93	6.4	23	2	2	5	8	11	15	28
35-49	626	6.7	26	2	3	5	8	12	16	24
50-64	4236	7.3	25	2	3	6	9	13	16	27
65+	8102	7.8	29	2	3	7	10	14	17	28
B. *Operated*										
0-19 YRS	11	13.5	76	3	4	12	23	50	93	99+
20-34	18	7.0	15	3	4	6	8	13	16	17
35-49	99	9.9	106	2	3	8	12	18	22	61
50-64	471	12.1	114	3	4	9	14	23	31	69
65+	812	13.2	105	3	4	10	17	25	33	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1243	5.7	12	2	2	5	7	10	12	17
B. *Operated*	63	7.2	64	1	1	6	9	13	21	48
2. MULTIPLE DX										
A. *Not Operated*	13106	7.6	27	2	3	6	9	13	17	28
B. *Operated*	1411	12.5	108	3	4	10	16	24	32	64
1. SINGLE DX	1306	5.8	15	2	2	5	7	10	12	20
2. MULTIPLE DX	14517	8.1	37	2	3	7	10	14	19	32
A. NOT OPERATED	14349	7.4	26	2	3	6	9	13	16	27
B. OPERATED	1474	12.3	107	2	4	10	15	24	31	63
TOTAL 0-19 YRS	79	6.9	29	2	2	6	9	14	19	79
20-34	148	6.0	21	1	2	5	8	11	14	21
35-49	836	6.9	35	2	2	5	8	13	17	24
50-64	5238	7.6	34	2	3	6	9	14	17	31
65+	9522	8.2	37	2	3	7	10	15	19	32
GRAND TOTAL	**15823**	**7.9**	**36**	**2**	**3**	**6**	**10**	**14**	**18**	**31**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	2.3	2	1	1	2	3	5	5	8
20-34	192	3.0	6	1	1	2	4	5	8	13
35-49	46	3.8	5	1	1	3	5	7	9	10
50-64	17	3.4	2	1	1	3	4	5	6	6
65+	10	4.5	16	1	1	3	7	11	14	14
B. *Operated*										
0-19 YRS	150	6.2	17	2	2	5	8	12	15	19
20-34	631	5.9	16	2	3	5	7	10	13	22
35-49	183	5.4	12	2	2	5	7	9	11	20
50-64	65	6.8	17	2	3	6	8	12	14	22
65+	45	7.4	41	1	2	5	11	16	22	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	4.5	17	1	1	3	5	12	14	17
20-34	88	3.8	10	1	1	3	4	6	9	20
35-49	44	4.4	9	1	1	4	6	10	11	12
50-64	72	6.2	21	1	2	5	8	12	15	26
65+	118	7.1	18	1	2	6	10	13	15	21
B. *Operated*										
0-19 YRS	51	11.2	59	3	4	10	15	23	29	33
20-34	318	8.8	45	3	3	7	11	15	19	40
35-49	194	10.1	53	3	3	8	13	19	26	38
50-64	292	11.4	76	3	4	9	15	23	29	49
65+	429	12.7	105	3	4	10	16	25	35	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	338	3.0	5	1	1	2	4	6	8	12
B. *Operated*	1074	6.0	16	2	3	5	7	11	14	22
2. MULTIPLE DX										
A. *Not Operated*	357	5.5	18	1	1	4	8	11	14	19
B. *Operated*	1284	11.0	76	3	4	8	14	21	29	47
1. SINGLE DX	1412	5.3	15	1	2	4	7	10	13	21
2. MULTIPLE DX	1641	9.8	68	2	3	7	12	19	26	44
A. NOT OPERATED	695	4.3	13	1	1	3	5	9	12	17
B. OPERATED	2358	8.7	55	2	3	6	11	17	23	40
TOTAL 0-19 YRS	309	5.9	28	1	1	4	7	13	16	27
20-34	1229	6.1	25	1	2	5	8	12	15	25
35-49	467	7.1	35	2	2	5	9	14	19	31
50-64	446	9.6	62	2	3	7	13	20	26	40
65+	602	11.1	88	2	3	8	14	21	30	49
GRAND TOTAL	**3053**	**7.7**	**49**	**1**	**2**	**6**	**10**	**16**	**21**	**37**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	457	3.1	5	1	1	3	4	5	7	9
20-34	269	3.1	5	1	1	3	4	6	7	11
35-49	211	3.6	9	1	1	3	4	7	9	18
50-64	200	3.6	6	1	1	3	5	7	8	12
65+	184	5.3	25	1	1	4	6	10	15	27
B. *Operated*										
0-19 YRS	113	3.8	34	1	1	2	4	9	13	36
20-34	126	6.2	26	1	1	5	9	13	15	23
35-49	174	6.5	31	1	1	5	9	12	16	28
50-64	243	5.8	24	1	1	5	8	11	13	25
65+	158	6.4	24	1	1	6	9	13	15	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1206	4.9	31	1	1	4	6	9	13	28
20-34	619	4.8	16	1	1	4	6	10	13	21
35-49	957	5.6	21	1	2	4	7	11	14	24
50-64	2262	6.8	28	2	2	5	9	13	16	28
65+	6589	8.3	33	2	3	7	10	15	20	30
B. *Operated*										
0-19 YRS	289	9.2	128	1	1	5	13	22	38	99+
20-34	369	11.5	124	1	2	8	15	25	32	69
35-49	708	10.5	102	1	2	8	14	23	29	63
50-64	1453	11.0	103	1	2	8	14	23	31	60
65+	2498	13.3	122	2	3	10	17	26	34	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1321	3.6	9	1	1	3	4	7	8	17
B. *Operated*	814	5.9	28	1	1	5	8	11	15	27
2. MULTIPLE DX										
A. *Not Operated*	11633	7.2	32	2	2	6	9	14	18	29
B. *Operated*	5317	11.9	116	1	2	9	16	25	33	63
1. SINGLE DX	2135	4.5	17	1	1	3	6	9	11	20
2. MULTIPLE DX	16950	8.7	63	2	2	7	11	18	23	43
A. NOT OPERATED	12954	6.9	31	1	2	5	9	13	17	28
B. OPERATED	6131	11.1	109	1	2	8	15	23	31	60
TOTAL 0-19 YRS	2065	5.0	42	1	1	3	5	10	16	39
20-34	1383	6.4	54	1	1	4	8	14	19	39
35-49	2050	7.2	55	1	2	5	9	16	22	38
50-64	4158	8.0	58	1	2	6	10	16	22	42
65+	9429	9.5	62	2	3	8	12	18	24	42
GRAND TOTAL	**19085**	**8.2**	**60**	**1**	**2**	**6**	**10**	**17**	**23**	**41**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	3.2	6	1	1	2	4	6	9	13
20-34	37	3.1	3	1	1	3	4	5	6	7
35-49	19	2.6	2	1	1	2	3	5	6	6
50-64	9	4.9	15	1	1	3	8	11	12	12
65+	3	2.7	4	1	1	2	4	5	5	5
B. *Operated*										
0-19 YRS	1045	2.5	2	<1	1	2	3	4	5	6
20-34	1287	2.6	2	1	1	3	3	4	5	8
35-49	606	2.8	3	1	1	3	4	4	5	9
50-64	344	2.4	6	1	1	2	3	4	4	10
65+	98	2.3	2	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	148	3.1	6	<1	1	3	4	5	7	11
20-34	132	3.9	8	<1	1	3	5	7	9	14
35-49	80	3.9	12	1	1	3	5	9	12	17
50-64	73	4.7	17	<1	1	3	6	10	15	20
65+	54	6.0	50	<1	1	4	6	13	20	44
B. *Operated*										
0-19 YRS	1160	2.7	4	1	1	2	3	5	6	8
20-34	1267	3.1	6	1	1	3	4	5	6	14
35-49	904	3.1	9	1	1	2	4	5	7	15
50-64	814	3.3	15	1	1	2	3	6	10	22
65+	599	3.3	15	1	1	2	3	6	9	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	112	3.2	5	1	1	3	4	6	8	12
B. *Operated*	3380	2.6	3	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	487	4.0	15	<1	1	3	5	8	11	20
B. *Operated*	4744	3.0	9	1	1	2	4	5	7	15
1. SINGLE DX	3492	2.6	3	1	1	2	3	4	5	8
2. MULTIPLE DX	5231	3.1	9	1	1	2	4	5	7	15
A. NOT OPERATED	599	3.8	13	<1	1	3	5	7	10	19
B. OPERATED	8124	2.9	6	1	1	2	3	5	6	12
TOTAL 0-19 YRS	2397	2.6	3	<1	1	2	3	5	5	8
20-34	2723	2.9	5	1	1	3	4	5	6	11
35-49	1609	3.0	7	1	1	2	4	5	7	13
50-64	1240	3.2	13	1	1	2	3	5	9	18
65+	754	3.3	16	1	1	2	3	6	9	22
GRAND TOTAL	**8723**	**2.9**	**7**	**1**	**1**	**2**	**4**	**5**	**6**	**13**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	99	3.8	5	1	2	3	5	7	9	11
20-34	56	3.6	3	1	1	4	5	6	6	8
35-49	48	3.6	3	1	2	3	5	6	7	9
50-64	19	3.8	3	1	2	3	5	6	7	8
65+	25	4.4	6	1	1	4	6	7	9	12
B. *Operated*										
0-19 YRS	138	2.5	3	<1	1	2	3	4	6	10
20-34	160	2.6	5	1	1	2	3	5	6	11
35-49	188	2.6	3	1	1	2	3	5	6	8
50-64	181	3.2	49	1	1	2	3	5	6	11
65+	116	2.7	8	1	1	2	3	4	6	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	256	3.9	6	1	2	3	5	7	8	11
20-34	69	4.0	5	1	2	4	5	7	10	12
35-49	78	5.5	19	2	2	4	7	11	14	26
50-64	137	5.5	15	1	2	5	7	10	11	25
65+	207	6.9	21	2	2	6	8	12	18	25
B. *Operated*										
0-19 YRS	127	3.7	9	1	1	3	5	7	10	17
20-34	134	3.4	9	1	1	2	4	8	10	15
35-49	202	3.9	16	1	1	3	4	7	12	19
50-64	248	4.3	29	1	1	3	4	9	12	30
65+	306	4.5	31	1	1	3	5	10	13	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	247	3.8	4	1	2	3	5	6	8	11
B. *Operated*	783	2.7	15	1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	747	5.2	14	1	2	4	7	9	12	22
B. *Operated*	1017	4.1	22	1	1	3	4	8	12	20
1. SINGLE DX	1030	3.0	12	1	1	2	4	5	7	10
2. MULTIPLE DX	1764	4.5	19	1	1	3	5	9	12	22
A. NOT OPERATED	994	4.8	12	1	2	4	6	9	11	21
B. OPERATED	1800	3.5	19	1	1	3	4	6	9	17
TOTAL 0-19 YRS	620	3.5	6	1	1	3	4	7	8	12
20-34	419	3.2	6	1	1	3	4	6	8	13
35-49	516	3.6	11	1	1	3	4	7	9	17
50-64	585	4.2	32	1	1	3	5	8	10	26
65+	654	4.9	25	1	1	3	6	10	14	25
GRAND TOTAL	**2794**	**4.0**	**17**	**1**	**1**	**3**	**5**	**7**	**10**	**19**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	310	3.0	5	1	1	2	4	5	7	12
20-34	146	3.1	5	1	1	3	4	6	7	12
35-49	246	3.2	4	1	1	3	4	6	7	9
50-64	177	3.3	12	1	1	3	4	6	7	15
65+	98	3.1	3	1	1	3	4	6	6	7
B. *Operated*										
0-19 YRS	80	4.6	36	<1	<1	3	6	8	11	40
20-34	74	5.6	11	1	1	6	8	10	11	14
35-49	116	6.0	19	1	2	5	8	11	14	23
50-64	142	5.5	21	1	1	5	7	10	14	22
65+	134	4.7	15	1	1	4	7	10	11	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	597	4.0	9	1	1	3	5	7	10	17
20-34	636	3.8	6	1	1	3	5	7	9	13
35-49	1178	4.2	8	1	2	4	5	8	10	15
50-64	1492	4.5	9	1	2	4	6	8	10	16
65+	2052	5.4	19	1	2	4	7	9	12	20
B. *Operated*										
0-19 YRS	204	12.3	166	1	2	8	14	26	36	70
20-34	287	7.5	54	2	2	6	9	14	19	38
35-49	598	7.8	63	1	2	6	9	14	19	52
50-64	981	8.3	83	2	2	6	10	15	20	62
65+	1616	8.8	69	2	2	7	11	17	23	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	977	3.1	6	1	1	3	4	5	7	11
B. *Operated*	546	5.3	20	1	1	4	7	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	5955	4.6	12	1	2	4	6	8	10	17
B. *Operated*	3686	8.6	77	2	2	6	10	16	22	52
1. SINGLE DX	1523	3.9	12	1	1	3	5	8	10	17
2. MULTIPLE DX	9641	6.1	41	1	2	5	7	11	16	32
A. NOT OPERATED	6932	4.4	12	1	2	4	5	8	10	17
B. OPERATED	4232	8.2	71	1	2	6	10	15	21	48
TOTAL 0-19 YRS	1191	5.2	47	1	1	3	6	10	15	36
20-34	1143	4.8	21	1	1	4	6	9	11	20
35-49	2138	5.2	26	1	2	4	6	9	13	24
50-64	2792	5.8	39	1	2	4	7	10	14	31
65+	3900	6.7	43	1	2	5	8	13	18	34
GRAND TOTAL	**11164**	**5.8**	**37**	**1**	**2**	**4**	**7**	**11**	**15**	**31**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	4.1	3	2	2	4	5	6	8	9
20-34	70	3.8	5	1	2	3	5	7	8	11
35-49	92	4.3	7	1	2	4	6	7	9	13
50-64	80	4.1	5	1	2	4	5	8	9	11
65+	54	4.1	5	1	2	4	5	7	9	9
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	26	6.7	32	2	3	6	8	9	17	31
35-49	81	6.8	14	2	3	6	8	12	14	19
50-64	79	6.3	15	1	2	6	8	12	13	20
65+	42	6.1	12	1	2	6	8	11	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	4.8	9	1	2	4	6	9	11	12
20-34	202	4.8	7	1	2	4	6	8	10	13
35-49	357	5.4	10	2	2	5	7	9	11	16
50-64	439	5.4	12	2	2	4	7	9	11	19
65+	657	6.0	14	2	3	5	7	10	13	20
B. *Operated*										
0-19 YRS	8	5.4	5	2	2	5	7	8	9	9
20-34	112	7.5	23	2	3	6	10	14	16	27
35-49	338	8.1	40	2	3	6	10	15	20	36
50-64	476	8.2	29	3	3	7	10	15	19	30
65+	715	8.4	32	3	3	7	10	14	18	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	312	4.1	5	1	2	4	5	7	9	11
B. *Operated*	229	6.5	16	2	2	6	8	12	13	21
2. MULTIPLE DX										
A. *Not Operated*	1683	5.5	12	2	2	5	7	9	12	18
B. *Operated*	1649	8.2	32	3	3	7	10	15	18	32
1. SINGLE DX	541	5.1	11	1	2	4	7	9	11	16
2. MULTIPLE DX	3332	6.9	24	2	3	6	8	12	15	26
A. NOT OPERATED	1995	5.3	11	2	2	5	7	9	11	17
B. OPERATED	1878	8.0	30	2	3	7	10	14	18	31
TOTAL 0-19 YRS	53	4.7	6	2	2	4	6	9	9	12
20-34	410	5.5	14	1	2	5	7	10	12	18
35-49	868	6.5	24	2	2	5	8	11	15	26
50-64	1074	6.6	21	2	2	5	8	12	15	23
65+	1468	7.1	24	2	3	6	9	12	15	28
GRAND TOTAL	**3873**	**6.6**	**22**	**2**	**2**	**5**	**8**	**12**	**15**	**25**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.8	4	1	1	3	5	7	7	7
20-34	35	3.9	3	2	2	4	5	6	7	8
35-49	84	4.0	4	2	2	4	5	6	8	12
50-64	102	4.7	7	2	2	4	5	9	10	15
65+	117	4.9	7	2	2	5	6	8	9	15
B. *Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	35	7.3	17	2	3	7	8	12	16	24
35-49	63	7.4	24	3	4	7	8	11	12	36
50-64	91	7.6	16	3	3	7	10	12	14	22
65+	94	8.1	34	2	3	7	10	13	18	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	4.4	5	1	2	4	5	8	9	9
20-34	115	4.7	9	1	2	4	6	8	10	17
35-49	264	5.2	13	2	2	4	6	9	11	25
50-64	513	5.8	19	2	3	5	7	9	12	22
65+	1442	7.0	24	3	3	6	8	12	15	25
B. *Operated*										
0-19 YRS	15	10.9	107	3	5	7	12	20	39	45
20-34	76	8.4	49	3	4	7	10	14	15	48
35-49	266	9.6	57	2	3	7	12	18	21	39
50-64	673	9.9	63	3	4	8	12	18	24	42
65+	1678	11.2	79	3	4	9	14	21	27	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	346	4.5	6	2	2	4	5	7	9	14
B. *Operated*	285	7.7	24	3	3	7	9	12	15	32
2. MULTIPLE DX										
A. *Not Operated*	2356	6.4	21	2	3	5	8	11	14	23
B. *Operated*	2708	10.7	72	3	4	8	13	20	26	46
1. SINGLE DX	631	5.9	16	2	2	5	7	10	13	20
2. MULTIPLE DX	5064	8.7	53	3	3	7	10	16	21	39
A. NOT OPERATED	2702	6.2	20	2	3	5	7	10	14	22
B. OPERATED	2993	10.4	69	3	4	8	12	19	25	45
TOTAL 0-19 YRS	47	6.3	45	1	3	5	7	9	15	45
20-34	261	6.0	24	1	2	5	7	10	14	21
35-49	677	7.0	35	2	2	5	8	13	18	35
50-64	1379	7.8	44	2	3	6	9	15	19	36
65+	3331	9.1	56	3	3	7	11	17	22	39
GRAND TOTAL	**5695**	**8.4**	**50**	**2**	**3**	**6**	**10**	**16**	**21**	**38**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	106	3.4	4	1	1	3	4	6	7	50
20-34	432	3.5	4	1	1	3	4	6	7	10
35-49	394	3.7	5	1	2	3	5	6	8	10
50-64	201	3.9	7	1	1	3	5	7	8	15
65+	97	3.8	4	1	1	4	5	6	8	9
B. *Operated*										
0-19 YRS	6	7.5	12	2	2	8	10	11	11	11
20-34	42	8.5	16	3	4	8	10	13	15	22
35-49	91	8.1	13	3	4	8	9	12	16	22
50-64	51	7.9	22	2	3	7	9	12	14	30
65+	13	9.9	60	2	4	7	12	20	30	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	120	3.9	5	1	2	3	5	6	8	14
20-34	723	4.5	11	1	2	4	6	8	10	15
35-49	1025	4.7	8	2	2	4	6	8	10	15
50-64	1042	5.1	10	2	2	4	6	9	10	16
65+	1252	5.9	13	2	3	5	7	10	12	18
B. *Operated*										
0-19 YRS	6	6.8	5	3	3	7	7	10	10	10
20-34	127	8.2	28	2	3	7	10	13	20	30
35-49	267	9.0	38	2	4	8	11	16	20	34
50-64	307	9.3	42	3	3	8	11	17	23	31
65+	323	9.9	59	3	4	8	12	17	24	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1230	3.6	5	1	1	3	5	6	7	10
B. *Operated*	203	8.2	19	3	4	8	10	13	16	26
2. MULTIPLE DX										
A. *Not Operated*	4162	5.1	11	2	2	4	6	9	11	16
B. *Operated*	1030	9.3	44	3	3	8	11	17	22	34
1. SINGLE DX	1433	4.3	9	1	2	4	5	8	10	16
2. MULTIPLE DX	5192	5.9	20	2	2	5	7	10	13	24
A. NOT OPERATED	5392	4.8	10	1	2	4	6	8	10	16
B. OPERATED	1233	9.1	40	3	3	8	11	16	21	32
TOTAL 0-19 YRS	238	3.8	5	1	1	3	5	7	8	13
20-34	1324	4.7	12	1	2	4	6	8	11	20
35-49	1777	5.3	15	2	2	4	7	9	12	20
50-64	1601	5.8	19	2	2	5	7	10	13	25
65+	1685	6.6	25	2	3	5	8	12	15	29
GRAND TOTAL	**6625**	**5.6**	**18**	**2**	**2**	**4**	**7**	**10**	**13**	**22**

193: Nongastric peptic ulcer with hemorrhage or perforation (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	3.7	3	2	2	3	5	6	7	9
20-34	198	3.7	4	1	2	3	5	6	7	11
35-49	245	4.3	5	1	2	4	5	7	8	11
50-64	209	4.3	4	2	2	4	5	7	8	10
65+	197	5.0	16	2	2	4	6	8	9	13
B. *Operated*										
0-19 YRS	19	5.7	8	1	2	6	8	9	10	11
20-34	76	7.4	10	3	4	7	9	11	13	18
35-49	97	8.6	18	3	4	8	10	13	16	28
50-64	90	9.0	35	3	4	8	11	14	18	38
65+	74	8.8	15	3	4	8	11	14	16	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	4.3	8	1	2	3	5	8	8	18
20-34	274	4.3	7	2	2	4	5	7	9	15
35-49	499	5.1	8	2	2	4	6	8	11	16
50-64	847	5.5	9	2	3	5	7	9	11	16
65+	2035	7.1	23	3	3	6	9	12	15	23
B. *Operated*										
0-19 YRS	12	9.5	25	5	5	9	10	15	23	24
20-34	109	9.8	50	3	4	8	12	18	25	69
35-49	236	10.7	60	3	4	9	12	20	26	42
50-64	493	12.6	109	4	5	10	15	23	31	65
65+	1159	13.7	110	4	5	11	17	24	30	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	883	4.3	7	2	2	4	5	7	8	11
B. *Operated*	356	8.3	20	3	4	8	10	13	16	24
2. MULTIPLE DX										
A. *Not Operated*	3700	6.2	17	2	3	5	8	11	13	21
B. *Operated*	2009	12.9	102	4	5	10	16	23	29	59
1. SINGLE DX	1239	5.5	14	2	2	5	7	10	12	17
2. MULTIPLE DX	5709	8.6	57	2	3	7	10	16	22	39
A. NOT OPERATED	4583	5.9	16	2	2	5	7	10	13	19
B. OPERATED	2365	12.2	92	4	5	10	15	22	28	58
TOTAL 0-19 YRS	110	4.9	11	2	2	4	6	9	10	20
20-34	657	5.4	18	2	2	4	6	10	12	24
35-49	1077	6.4	26	2	2	5	8	11	15	31
50-64	1639	7.7	51	2	3	6	9	14	19	37
65+	3465	9.3	62	3	3	7	11	17	23	39
GRAND TOTAL	**6948**	**8.0**	**51**	**2**	**3**	**6**	**9**	**15**	**20**	**36**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3	12	1	1	4	7	8	8	8
20-34	12	4.4	4	3	3	4	5	8	9	9
35-49	15	4.1	3	1	3	4	5	6	7	7
50-64	18	5.3	9	2	2	4	7	8	12	14
65+	11	5.7	7	1	2	5	7	9	11	11
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	15	9.6	25	3	5	8	12	18	19	19
35-49	25	11.6	18	6	7	12	15	17	37	99+
50-64	31	9.9	15	3	6	10	12	15	17	19
65+	17	11.3	22	2	5	13	15	17	18	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	16	5.8	22	1	2	4	7	11	17	20
35-49	56	5.3	9	1	2	5	7	9	10	18
50-64	73	6.5	21	3	3	5	7	11	16	27
65+	193	8.5	28	3	3	7	10	15	18	31
B. *Operated*										
0-19 YRS	5	20.0	146	9	9	18	29	37	37	37
20-34	33	15.2	223	4	6	12	17	20	39	88
35-49	89	13.7	67	6	6	12	18	22	25	49
50-64	174	15.2	132	4	6	12	18	25	47	61
65+	274	16.6	168	5	5	13	20	33	46	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	4.9	6	2	3	4	7	8	9	14
B. *Operated*	89	10.6	19	4	6	10	14	17	19	68
2. MULTIPLE DX										
A. *Not Operated*	340	7.4	24	2	3	6	9	13	17	27
B. *Operated*	575	15.7	145	5	6	13	19	27	42	70
1. SINGLE DX	148	8.3	22	2	3	8	11	15	17	22
2. MULTIPLE DX	915	12.6	116	3	4	10	16	23	34	61
A. NOT OPERATED	399	7.0	23	2	3	6	8	13	16	25
B. OPERATED	664	15.0	131	5	6	12	18	26	39	70
TOTAL 0-19 YRS	11	11.9	123	1	3	9	16	31	36	37
20-34	76	10.4	125	2	3	8	13	19	20	76
35-49	185	10.1	53	3	3	8	14	19	23	49
50-64	296	11.9	101	3	4	9	14	20	32	56
65+	495	13.0	121	3	4	10	16	25	35	69
GRAND TOTAL	**1063**	**12.0**	**105**	**3**	**4**	**9**	**15**	**22**	**31**	**60**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	732	2.5	2	1	1	2	3	4	5	7
20-34	1010	3.0	3	1	1	3	4	5	6	9
35-49	672	3.1	3	1	1	3	4	5	7	9
50-64	373	3.3	5	1	1	3	4	6	7	12
65+	192	3.3	8	1	1	3	4	6	7	13
B. *Operated*										
0-19 YRS	15	4.3	3	2	3	4	5	7	8	8
20-34	55	5.2	8	1	2	4	7	9	10	16
35-49	88	6.3	19	2	2	6	8	12	16	23
50-64	54	5.5	14	1	1	5	6	11	14	18
65+	29	6.0	24	<1	1	5	8	10	11	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1832	2.9	3	1	1	3	3	5	6	9
20-34	2941	4.1	9	1	2	3	5	7	9	15
35-49	3124	4.8	10	1	2	4	6	8	10	16
50-64	2805	4.9	11	1	2	4	6	9	11	17
65+	3554	5.5	13	2	2	5	7	10	12	17
B. *Operated*										
0-19 YRS	53	5.4	13	2	2	5	6	11	12	21
20-34	382	7.2	30	2	3	6	9	13	16	31
35-49	669	7.5	26	3	3	6	9	13	18	25
50-64	730	7.8	30	2	3	6	9	14	17	29
65+	1010	8.8	41	3	3	7	11	16	21	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2979	2.9	4	1	1	3	4	5	6	9
B. *Operated*	241	5.7	15	1	2	5	7	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	14256	4.6	10	1	2	4	6	8	10	16
B. *Operated*	2844	8.0	33	2	3	7	10	15	18	31
1. SINGLE DX	3220	3.1	5	1	1	3	4	6	7	11
2. MULTIPLE DX	17100	5.1	16	1	2	4	6	9	12	20
A. NOT OPERATED	17235	4.3	10	1	2	4	5	8	10	15
B. OPERATED	3085	7.8	32	2	3	6	9	14	18	30
TOTAL 0-19 YRS	2632	2.8	3	1	1	2	3	5	6	9
20-34	4388	4.1	10	1	1	3	5	7	9	15
35-49	4553	5.0	13	1	2	4	6	9	11	19
50-64	3962	5.3	15	1	2	4	6	9	12	20
65+	4785	6.1	21	2	2	5	7	11	14	24
GRAND TOTAL	**20320**	**4.8**	**15**	**1**	**2**	**4**	**6**	**9**	**11**	**19**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	117	2.4	2	1	1	2	3	4	5	8
20-34	107	3.5	14	<1	1	3	4	6	8	23
35-49	109	3.4	9	<1	1	3	4	6	7	19
50-64	61	4.1	8	<1	1	3	5	8	9	15
65+	46	4.2	7	1	1	3	6	7	8	12
B. *Operated*										
0-19 YRS	91	3.6	4	1	2	3	4	6	8	11
20-34	13	8.5	15	2	4	8	10	14	16	17
35-49	25	10.7	50	2	4	8	13	21	24	29
50-64	30	10.4	86	2	3	9	13	16	22	53
65+	16	10.8	39	4	5	9	12	20	26	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	273	3.6	16	1	1	3	4	6	7	18
20-34	369	4.4	11	1	2	4	5	8	12	17
35-49	413	4.8	17	1	2	4	6	9	11	19
50-64	431	5.3	20	1	2	4	6	10	12	22
65+	699	6.2	29	1	2	5	8	11	16	28
B. *Operated*										
0-19 YRS	45	6.5	26	2	2	5	8	15	18	24
20-34	81	10.1	72	1	2	8	14	21	25	44
35-49	207	12.6	138	2	3	9	16	24	36	64
50-64	273	13.8	105	3	4	11	17	29	36	51
65+	420	15.4	146	3	4	12	21	30	39	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	440	3.3	9	<1	1	3	4	6	8	14
B. *Operated*	175	6.8	39	1	2	5	8	13	18	29
2. MULTIPLE DX										
A. *Not Operated*	2185	5.1	21	1	2	4	6	10	12	23
B. *Operated*	1026	13.6	127	2	3	11	18	27	37	61
1. SINGLE DX	615	4.3	20	1	1	3	5	8	12	22
2. MULTIPLE DX	3211	7.8	70	1	2	5	9	17	24	45
A. NOT OPERATED	2625	4.8	19	1	1	4	6	9	12	21
B. OPERATED	1201	12.6	120	2	3	10	17	25	35	58
TOTAL 0-19 YRS	526	3.5	13	1	1	3	4	6	8	17
20-34	570	5.2	25	1	1	4	6	11	15	24
35-49	754	6.9	64	1	2	5	8	14	22	45
50-64	795	8.3	68	2	2	6	10	17	26	46
65+	1181	9.5	90	2	2	6	11	21	27	53
GRAND TOTAL	**3826**	**7.3**	**64**	**1**	**2**	**5**	**9**	**16**	**22**	**43**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	1.8	2	<1	1	1	2	4	4	8
20-34	39	2.6	3	<1	1	2	3	5	6	10
35-49	12	2.8	4	1	1	2	4	6	7	7
50-64	5	4.4	16	<1	<1	3	6	11	11	11
65+	2	5.5	13	3	3	5	8	8	8	8
B. *Operated*										
0-19 YRS	5399	3.3	2	2	2	3	4	5	6	8
20-34	4051	3.4	2	2	2	3	4	5	6	8
35-49	1222	3.9	3	2	2	4	5	6	7	9
50-64	452	4.4	4	2	2	4	5	7	9	11
65+	92	5.1	4	3	3	5	6	8	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	2.7	3	1	1	2	3	5	7	7
20-34	29	2.4	3	1	1	2	3	5	7	8
35-49	10	3.3	6	1	1	3	5	7	7	7
50-64	8	5.4	1	4	4	5	6	7	7	7
65+	11	4.6	6	2	2	3	7	8	8	8
B. *Operated*										
0-19 YRS	1093	4.4	7	2	2	4	5	7	9	14
20-34	1019	4.7	7	2	2	4	5	7	9	14
35-49	464	5.4	11	2	2	4	7	9	12	17
50-64	301	6.6	20	2	3	5	8	12	16	23
65+	203	8.2	51	3	4	7	9	14	16	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	2.5	4	<1	1	2	3	5	7	11
B. *Operated*	11216	3.5	2	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	90	3.2	4	1	1	3	4	7	7	8
B. *Operated*	3080	5.1	13	2	2	4	6	9	11	17
1. SINGLE DX	11309	3.5	2	2	2	3	4	5	6	9
2. MULTIPLE DX	3170	5.0	13	2	2	4	6	8	11	17
A. NOT OPERATED	183	2.8	4	1	1	2	4	6	7	9
B. OPERATED	14296	3.8	5	2	2	3	4	6	7	12
TOTAL 0-19 YRS	6559	3.5	3	2	2	3	4	5	6	10
20-34	5138	3.7	3	2	2	3	4	6	7	10
35-49	1708	4.3	5	2	2	4	5	7	8	13
50-64	766	5.3	11	2	3	4	6	9	11	19
65+	308	7.1	37	3	3	6	8	11	14	30
GRAND TOTAL	**14479**	**3.8**	**5**	**2**	**2**	**3**	**4**	**6**	**7**	**12**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	6.8	19	1	2	6	8	14	16	17
20-34	13	6.8	7	2	4	7	8	10	12	13
35-49	9	5.7	5	3	3	5	6	9	10	10
50-64	11	8.5	9	4	4	9	11	12	14	14
65+	2	7.5	1	7	7	7	8	8	8	8
B. *Operated*										
0-19 YRS	1083	6.5	10	3	3	6	8	10	12	18
20-34	623	6.3	8	3	3	6	8	10	11	14
35-49	452	7.0	12	3	3	6	8	11	13	19
50-64	279	7.7	8	4	5	7	9	11	13	17
65+	114	8.9	18	4	5	8	10	14	15	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	7.0	12	1	2	7	9	12	14	14
20-34	11	8.4	6	4	5	8	10	12	13	13
35-49	12	7.6	13	2	4	7	9	14	15	15
50-64	13	9.0	12	4	4	9	11	14	16	16
65+	16	8.4	27	2	4	7	10	18	19	19
B. *Operated*										
0-19 YRS	797	8.7	23	4	4	8	10	14	17	28
20-34	516	9.0	25	4	4	8	11	15	17	29
35-49	445	9.6	27	4	5	8	11	15	20	30
50-64	515	11.2	44	5	6	10	13	18	24	37
65+	530	12.9	61	6	6	11	15	22	28	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	7.0	11	2	3	7	8	12	14	17
B. *Operated*	2551	6.8	10	3	3	6	8	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	62	8.1	14	3	4	8	10	13	15	19
B. *Operated*	2803	10.2	37	4	5	9	12	17	22	34
1. SINGLE DX	2602	6.8	10	3	3	6	8	11	12	18
2. MULTIPLE DX	2865	10.1	37	4	5	9	12	17	22	34
A. NOT OPERATED	113	7.6	13	2	4	7	9	13	14	19
B. OPERATED	5354	8.6	27	3	4	7	10	14	17	29
TOTAL 0-19 YRS	1906	7.4	17	3	4	7	9	12	15	23
20-34	1163	7.5	17	3	4	7	9	12	14	23
35-49	918	8.3	21	3	4	7	10	13	16	27
50-64	818	10.0	33	4	5	9	12	16	20	31
65+	662	12.1	55	5	6	10	14	21	25	42
GRAND TOTAL	**5467**	**8.5**	**27**	**3**	**4**	**7**	**10**	**14**	**17**	**29**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81	2.0	2	1	1	2	2	4	5	7
20-34	78	2.3	2	1	1	2	3	4	6	8
35-49	29	2.7	4	1	1	2	3	6	7	9
50-64	10	3.5	5	2	2	3	4	7	9	9
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	431	3.7	3	2	2	3	4	6	7	10
20-34	296	4.0	3	2	2	4	5	6	8	11
35-49	85	4.6	4	2	3	4	5	8	9	11
50-64	31	6.1	16	3	3	5	7	9	10	25
65+	6	6.8	5	4	4	6	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	2.4	2	1	1	2	3	4	5	6
20-34	61	2.5	2	1	1	2	3	5	6	8
35-49	32	2.6	2	1	1	2	4	4	6	6
50-64	19	3.3	4	<1	1	3	5	6	6	6
65+	17	4.2	5	2	2	4	5	7	10	11
B. *Operated*										
0-19 YRS	303	4.7	8	2	2	4	6	8	10	16
20-34	284	5.3	8	2	3	5	6	9	12	15
35-49	114	6.9	43	3	3	6	8	11	12	46
50-64	44	7.9	32	2	3	6	11	15	21	26
65+	30	8.8	26	3	4	7	11	17	18	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	200	2.3	3	1	1	2	3	4	6	8
B. *Operated*	849	4.0	4	2	2	4	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	193	2.7	3	1	1	2	4	5	6	8
B. *Operated*	775	5.6	16	2	3	5	7	10	12	19
1. SINGLE DX	1049	3.7	4	1	2	3	4	6	7	10
2. MULTIPLE DX	968	5.0	15	1	2	4	6	9	12	17
A. NOT OPERATED	393	2.5	3	1	1	2	3	5	6	8
B. OPERATED	1624	4.7	10	2	2	4	6	8	10	16
TOTAL 0-19 YRS	879	3.8	5	1	2	3	5	6	8	14
20-34	719	4.2	6	1	2	4	5	7	9	13
35-49	260	5.2	24	1	2	4	6	9	11	17
50-64	104	6.1	23	1	2	5	7	11	15	25
65+	55	6.9	21	2	3	6	9	14	17	23
GRAND TOTAL	**2017**	**4.3**	**10**	**1**	**2**	**4**	**5**	**7**	**9**	**15**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	1.3		<1	<1	1	1	2	2	4
20-34	21	2.0	2	<1	<1	1	3	4	4	4
35-49	12	3.1	2	1	1	3	4	5	5	5
50-64	14	1.9	1	<1	<1	2	3	4	4	4
65+	10	2.8	5	<1	<1	2	4	6	7	7
B. *Operated*										
0-19 YRS	2024	1.6	1	<1	<1	1	2	3	3	5
20-34	3482	2.4	4	1	1	2	3	4	5	6
35-49	3184	2.6	2	1	1	2	3	4	5	7
50-64	4189	2.9	3	1	1	3	4	5	6	8
65+	2592	3.1	3	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	114	1.8	4	<1	<1	1	2	4	4	13
20-34	27	2.8	8	<1	<1	1	3	6	9	14
35-49	31	1.5	1	<1	<1	1	2	3	4	6
50-64	71	2.2	3	<1	<1	1	3	5	6	10
65+	135	3.4	11	<1	<1	2	4	9	11	16
B. *Operated*										
0-19 YRS	1353	2.0	4	<1	<1	1	2	4	5	10
20-34	1396	3.0	5	1	1	3	4	5	7	11
35-49	2098	3.4	7	1	1	3	4	6	7	12
50-64	4293	3.8	6	1	1	3	5	6	8	13
65+	5471	4.5	11	1	2	4	5	8	10	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	2.0	2	<1	<1	1	3	4	4	7
B. *Operated*	15471	2.6	3	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	378	2.5	7	<1	<1	1	3	5	8	15
B. *Operated*	14611	3.7	8	1	1	3	5	7	8	14
1. SINGLE DX	15559	2.6	3	1	1	2	3	4	5	7
2. MULTIPLE DX	14989	3.7	8	1	1	3	5	7	8	14
A. NOT OPERATED	466	2.4	6	<1	<1	1	3	5	6	14
B. OPERATED	30082	3.1	6	1	1	3	4	5	7	12
TOTAL 0-19 YRS	3522	1.8	2	<1	<1	1	2	3	4	7
20-34	4926	2.5	4	1	1	2	3	4	5	8
35-49	5325	2.9	4	1	1	3	4	5	6	9
50-64	8567	3.3	4	1	1	3	4	6	7	11
65+	8208	4.0	9	1	1	3	5	7	9	15
GRAND TOTAL	**30548**	**3.1**	**6**	**1**	**1**	**3**	**4**	**5**	**7**	**12**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	1.3		<1	<1	1	1	3	3	3
20-34	6	2.3	2	1	1	2	3	5	5	5
35-49	5	1.4	1	<1	<1	1	2	3	3	3
50-64	6	2.0	6	<1	<1	1	1	6	7	7
65+	13	3.1	4	1	1	2	5	6	6	6
B. *Operated*										
0-19 YRS	363	1.7	1	<1	1	1	2	3	4	5
20-34	193	2.7	2	1	1	2	3	5	5	7
35-49	132	3.1	2	1	1	3	4	5	6	7
50-64	198	3.4	4	1	1	3	4	5	7	10
65+	280	4.7	9	1	2	4	6	7	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	1.9	2	<1	<1	1	3	4	5	5
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	13	2.1	1	<1	<1	2	3	4	4	4
65+	63	4.4	11	<1	1	4	6	8	10	17
B. *Operated*										
0-19 YRS	298	2.6	6	1	1	2	3	5	7	15
20-34	96	3.7	6	1	2	3	5	6	8	14
35-49	116	4.3	9	1	2	4	5	7	9	18
50-64	300	5.8	17	1	2	5	7	12	14	20
65+	1182	7.6	37	2	3	6	9	14	19	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	2.0	3	<1	<1	1	3	5	6	7
B. *Operated*	1166	3.0	5	1	1	3	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	94	3.6	9	<1	1	3	5	8	9	17
B. *Operated*	1992	6.2	29	1	2	5	8	12	16	26
1. SINGLE DX	1212	3.0	5	1	1	3	4	5	7	11
2. MULTIPLE DX	2086	6.1	29	1	2	5	8	12	16	26
A. NOT OPERATED	140	3.1	8	<1	<1	2	4	7	8	17
B. OPERATED	3158	5.0	23	1	1	4	6	10	14	24
TOTAL 0-19 YRS	692	2.1	3	1	1	2	3	4	5	10
20-34	297	3.0	4	1	1	3	4	5	6	10
35-49	254	3.6	6	1	1	3	5	6	7	16
50-64	517	4.8	13	1	2	4	6	9	13	18
65+	1538	6.9	32	2	2	5	8	13	18	27
GRAND TOTAL	**3298**	**4.9**	**22**	**1**	**1**	**4**	**6**	**10**	**14**	**23**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7	1	<1	<1	1	2	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	269	1.8	3	<1	<1	1	2	3	4	7
20-34	154	2.4	2	1	1	2	3	4	5	8
35-49	249	2.5	2	1	1	2	3	4	5	7
50-64	192	2.8	3	<1	1	3	4	5	6	9
65+	61	3.2	4	1	1	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	1.9	2	1	1	2	3	4	5	5
20-34	5	2.0	3	<1	<1	1	3	5	5	5
35-49	9	2.6	4	<1	<1	2	4	6	6	6
50-64	8	1.9	1	<1	<1	1	3	4	4	4
65+	12	5.8	25	1	1	4	8	15	15	15
B. *Operated*										
0-19 YRS	76	2.6	7	<1	<1	2	3	5	7	15
20-34	95	3.8	6	1	1	3	5	8	9	12
35-49	231	4.0	10	1	1	3	5	7	9	16
50-64	260	4.5	15	1	1	4	5	8	11	21
65+	184	4.8	12	1	2	4	6	8	11	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.0	2	<1	<1	1	3	4	4	4
B. *Operated*	925	2.4	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	50	3.0	10	<1	1	2	4	5	11	15
B. *Operated*	846	4.2	11	1	1	3	5	8	10	17
1. SINGLE DX	932	2.4	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX	896	4.1	11	1	1	3	5	8	10	17
A. NOT OPERATED	57	2.9	9	<1	<1	2	3	5	9	15
B. OPERATED	1771	3.2	8	<1	1	3	4	6	8	13
TOTAL 0-19 YRS	364	1.9	4	<1	<1	1	2	4	5	11
20-34	255	2.9	4	1	1	2	4	5	7	10
35-49	490	3.3	6	1	1	3	4	6	8	11
50-64	461	3.7	10	1	1	3	4	7	9	16
65+	258	4.5	11	1	1	4	6	8	11	20
GRAND TOTAL	**1828**	**3.2**	**8**	**<1**	**1**	**3**	**4**	**6**	**8**	**14**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3	1	<1	<1	2	3	3	3	3
20-34	6	2.5	3	<1	<1	2	4	5	5	5
35-49	4	2.3	2	<1	<1	2	3	4	4	4
50-64	6	2.0	2	<1	<1	2	3	4	4	4
65+	8	3.6	14	1	1	2	6	10	11	11
B. *Operated*										
0-19 YRS	67	2.4	4	<1	<1	2	3	5	7	11
20-34	339	3.4	9	1	1	3	4	6	7	14
35-49	601	4.0	6	1	1	4	5	7	8	11
50-64	601	4.4	6	1	2	4	6	8	9	12
65+	340	4.8	6	1	2	4	6	9	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	6	1	1	4	5	6	6	6
20-34	15	1.9	1	<1	<1	1	3	4	4	4
35-49	39	3.0	11	<1	1	2	3	8	12	14
50-64	66	3.7	8	1	1	3	5	8	10	12
65+	90	4.5	10	<1	1	4	6	9	11	16
B. *Operated*										
0-19 YRS	38	4.8	112	<1	1	3	4	6	15	65
20-34	285	4.8	19	1	2	4	6	8	10	17
35-49	744	5.6	14	2	2	5	7	9	12	18
50-64	1127	6.3	17	2	2	5	8	11	13	22
65+	1106	6.9	19	2	3	6	8	12	14	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	2.6	5	<1	<1	2	4	6	7	11
B. *Operated*	1948	4.1	7	1	1	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	213	3.8	10	<1	1	3	5	8	11	14
B. *Operated*	3300	6.2	19	2	2	5	8	11	13	21
1. SINGLE DX	1976	4.1	7	1	1	4	5	7	8	11
2. MULTIPLE DX	3513	6.0	18	1	2	5	8	10	13	21
A. NOT OPERATED	241	3.7	9	<1	1	3	5	8	10	14
B. OPERATED	5248	5.4	15	1	2	5	7	9	12	19
TOTAL 0-19 YRS	112	3.2	41	<1	<1	2	3	5	7	38
20-34	645	4.0	14	1	1	3	5	7	9	16
35-49	1388	4.8	11	1	2	4	6	8	10	16
50-64	1800	5.5	14	1	2	5	7	10	12	19
65+	1544	6.2	17	2	2	6	8	11	13	19
GRAND TOTAL	**5489**	**5.3**	**15**	**1**	**2**	**5**	**7**	**9**	**12**	**18**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	19	3.1	1	1	2	3	4	5	5	5
35-49	52	2.9	2	<1	1	3	4	6	6	6
50-64	60	3.6	5	1	1	3	5	6	8	12
65+	40	3.8	7	1	1	3	4	8	9	13
B. *Operated*										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	6	7.7	13	2	2	7	11	12	12	12
35-49	21	7.1	14	2	3	7	8	9	15	21
50-64	35	7.1	8	2	3	8	9	10	12	14
65+	17	7.1	6	2	3	7	9	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	3.8	8	1	1	3	5	7	10	12
20-34	132	4.2	5	1	2	4	5	7	8	12
35-49	455	4.2	7	1	2	4	5	7	9	14
50-64	774	4.5	6	2	2	4	6	8	9	14
65+	1173	5.0	10	2	2	4	6	9	11	18
B. *Operated*										
0-19 YRS	13	9.4	55	<1	2	8	12	17	27	30
20-34	93	7.7	21	3	3	7	9	12	13	30
35-49	210	7.9	36	2	3	7	9	12	15	35
50-64	388	8.2	25	2	3	7	10	15	18	28
65+	391	9.8	45	3	4	8	11	16	21	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	172	3.4	4	1	1	3	4	6	8	12
B. *Operated*	82	7.0	9	2	3	7	8	10	11	19
2. MULTIPLE DX										
A. *Not Operated*	2553	4.7	8	1	2	4	6	8	10	15
B. *Operated*	1095	8.7	35	2	3	8	10	14	19	30
1. SINGLE DX	254	4.5	9	1	2	4	6	8	10	13
2. MULTIPLE DX	3648	5.9	20	2	2	5	7	10	13	23
A. NOT OPERATED	2725	4.6	8	1	2	4	6	8	10	14
B. OPERATED	1177	8.6	33	2	3	8	10	14	19	30
TOTAL 0-19 YRS	36	5.8	31	1	1	4	7	12	13	30
20-34	250	5.5	14	2	2	5	7	10	12	19
35-49	738	5.3	18	1	2	4	7	9	11	20
50-64	1257	5.6	15	2	2	5	7	10	13	20
65+	1621	6.2	23	2	2	5	8	11	13	23
GRAND TOTAL	**3902**	**5.8**	**19**	**2**	**2**	**5**	**7**	**10**	**13**	**22**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	6.0	2	5	5	6	7	7	7	7
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64	2	8.0	8	6	6	8	10	10	10	10
65+										
B. *Operated*										
0-19 YRS	9	2.0	1	1	1	2	3	4	4	4
20-34	62	3.1	3	1	1	3	4	5	6	7
35-49	93	2.8	2	1	1	3	4	4	6	9
50-64	106	3.2	4	1	1	3	4	6	7	11
65+	79	3.5	4	1	1	3	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3	1	1	1	2	3	3	3	3
20-34	9	4.3	12	<1	<1	4	6	10	12	12
35-49	12	4.3	5	<1	1	4	6	7	7	7
50-64	10	4.4	12	1	1	4	5	10	13	13
65+	14	6.1	22	1	2	5	8	14	16	17
B. *Operated*										
0-19 YRS	8	4.3	15	1	1	3	6	11	12	12
20-34	32	5.1	22	1	1	3	6	12	16	19
35-49	67	5.1	32	1	1	4	6	9	11	37
50-64	109	5.2	30	1	1	4	6	10	12	30
65+	145	5.4	17	2	2	5	6	9	11	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	4.6	12	<1	<1	5	7	9	10	10
B. *Operated*	349	3.1	3	1	1	3	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	49	4.7	13	1	1	4	6	9	13	17
B. *Operated*	361	5.2	24	1	2	4	6	9	12	23
1. SINGLE DX	356	3.2	4	1	1	3	4	5	7	10
2. MULTIPLE DX	410	5.2	22	1	2	4	6	9	12	21
A. NOT OPERATED	56	4.7	12	<1	1	4	6	9	13	17
B. OPERATED	710	4.2	15	1	1	3	5	7	10	17
TOTAL 0-19 YRS	22	2.8	7	1	1	2	3	5	10	12
20-34	105	3.9	10	1	1	3	5	7	10	17
35-49	174	3.8	15	1	1	3	4	7	8	22
50-64	227	4.3	17	1	1	3	5	7	10	16
65+	238	4.9	14	1	2	4	6	9	11	18
GRAND TOTAL	**766**	**4.2**	**15**	**1**	**1**	**3**	**5**	**8**	**10**	**17**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.2		1	1	1	2	2	2	2
20-34	4	1.8	1	<1	<1	1	2	3	3	3
35-49	7	2.3	1	<1	<1	2	3	4	4	4
50-64	8	3.0	4	1	1	3	5	6	6	6
65+	12	3.4	15	<1	1	2	4	8	14	15
B. *Operated*										
0-19 YRS	39	3.2	10	<1	1	3	4	7	8	18
20-34	153	3.6	8	1	1	3	5	7	9	12
35-49	285	3.7	7	1	1	3	5	7	9	13
50-64	262	4.4	8	1	2	4	6	8	9	16
65+	311	5.9	16	1	2	5	7	10	13	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	6	1.5	1	1	1	1	2	3	3	3
35-49	16	3.9	5	1	2	3	5	8	8	8
50-64	42	4.7	11	1	1	4	6	10	12	12
65+	187	6.0	15	2	2	5	7	10	13	22
B. *Operated*										
0-19 YRS	30	5.6	109	1	1	3	5	11	15	58
20-34	110	5.8	32	1	2	5	7	10	12	34
35-49	346	7.0	51	1	2	5	8	13	17	37
50-64	662	8.5	53	2	2	7	10	16	23	48
65+	1371	10.2	59	2	3	8	13	19	23	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	2.6	6	<1	1	2	3	5	6	15
B. *Operated*	1050	4.5	11	1	1	4	6	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	253	5.5	14	1	2	5	7	10	12	18
B. *Operated*	2519	9.1	58	2	3	7	11	17	22	40
1. SINGLE DX	1086	4.4	11	1	1	4	6	8	10	17
2. MULTIPLE DX	2772	8.7	55	2	2	7	11	16	22	39
A. NOT OPERATED	289	5.2	14	1	1	4	7	10	12	18
B. OPERATED	3569	7.7	48	1	2	6	10	15	20	35
TOTAL 0-19 YRS	76	4.1	50	1	1	2	4	8	12	48
20-34	273	4.5	19	1	1	3	6	8	11	23
35-49	654	5.4	33	1	2	4	7	10	14	24
50-64	974	7.2	43	1	2	6	9	14	18	37
65+	1881	9.0	51	2	3	7	11	17	21	35
GRAND TOTAL	**3858**	**7.5**	**46**	**1**	**2**	**6**	**9**	**15**	**19**	**34**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	221	2.7	5	<1	1	2	4	6	7	11
20-34	278	4.0	6	1	1	3	5	7	9	13
35-49	442	4.5	8	1	2	4	6	8	10	14
50-64	442	4.5	8	1	2	4	6	8	10	13
65+	525	4.9	9	1	2	4	6	9	11	16
B. *Operated*										
0-19 YRS	161	6.0	9	2	3	6	7	9	11	17
20-34	147	9.0	22	3	4	8	11	15	17	26
35-49	229	10.1	27	4	5	9	12	17	20	29
50-64	228	10.5	32	5	6	9	12	16	21	30
65+	213	12.1	45	6	7	11	13	19	23	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	247	4.0	14	1	1	3	5	7	11	20
20-34	455	5.1	14	1	2	4	7	9	12	19
35-49	839	5.3	12	1	2	5	7	9	12	19
50-64	1510	6.1	19	2	2	5	8	11	14	23
65+	4466	7.1	25	2	3	6	9	13	16	25
B. *Operated*										
0-19 YRS	232	9.1	56	3	4	7	10	17	22	50
20-34	391	12.4	86	4	5	10	14	23	30	49
35-49	720	13.7	109	5	6	11	16	24	34	63
50-64	1152	15.6	121	5	6	13	18	28	37	73
65+	2672	16.7	103	6	8	14	20	29	36	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1908	4.3	8	1	1	4	6	8	10	14
B. *Operated*	978	9.8	32	3	4	9	12	16	20	29
2. MULTIPLE DX										
A. *Not Operated*	7517	6.5	22	2	2	5	8	12	15	24
B. *Operated*	5167	15.3	108	5	6	13	18	28	35	61
1. SINGLE DX	2886	6.2	23	1	2	5	8	12	14	24
2. MULTIPLE DX	12684	10.1	76	2	3	8	13	20	26	47
A. NOT OPERATED	9425	6.1	20	1	2	5	8	11	14	22
B. OPERATED	6145	14.5	100	5	6	12	17	26	33	56
TOTAL 0-19 YRS	861	5.4	28	1	1	4	7	10	15	27
20-34	1271	7.6	48	2	2	6	9	15	19	36
35-49	2230	8.3	60	2	2	6	10	16	21	43
50-64	3332	9.5	75	2	3	7	12	19	25	45
65+	7876	10.4	73	2	3	8	13	20	26	47
GRAND TOTAL	**15570**	**9.4**	**69**	**2**	**3**	**7**	**12**	**18**	**24**	**44**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4994	2.6	2	1	1	2	3	4	5	7
20-34	2067	2.5	3	1	1	2	3	4	5	8
35-49	925	3.0	3	1	1	3	4	5	7	9
50-64	494	3.0	4	1	1	3	4	6	7	10
65+	334	3.4	5	1	1	3	4	6	8	10
B. *Operated*										
0-19 YRS	99	4.2	6	1	2	4	5	8	10	13
20-34	140	4.8	9	1	2	4	6	8	10	14
35-49	84	5.5	16	1	2	4	7	11	14	20
50-64	48	5.4	21	<1	1	4	6	9	20	21
65+	19	6.3	11	1	2	7	8	11	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11795	3.3	5	1	1	3	4	5	7	10
20-34	3885	3.3	5	1	1	3	4	6	7	11
35-49	2560	4.2	7	1	2	4	5	7	9	14
50-64	2856	4.6	11	1	2	4	6	8	10	16
65+	5256	5.3	13	2	2	4	7	9	12	19
B. *Operated*										
0-19 YRS	185	8.3	108	2	2	5	9	17	34	89
20-34	301	7.1	29	2	3	6	8	12	16	32
35-49	372	8.3	34	3	3	7	10	16	22	29
50-64	415	8.6	36	3	3	7	10	15	21	33
65+	673	11.1	75	3	4	9	14	21	28	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8814	2.6	3	1	1	2	3	5	6	8
B. *Operated*	390	5.0	12	1	2	4	6	9	11	20
2. MULTIPLE DX										
A. *Not Operated*	26352	3.9	8	1	2	3	5	7	9	14
B. *Operated*	1946	9.1	57	2	3	7	11	18	24	42
1. SINGLE DX	9204	2.7	3	1	1	2	3	5	6	9
2. MULTIPLE DX	28298	4.3	13	1	2	3	5	8	10	18
A. NOT OPERATED	35166	3.6	7	1	1	3	4	6	8	13
B. OPERATED	2336	8.4	52	2	3	6	10	16	22	37
TOTAL 0-19 YRS	17073	3.1	6	1	1	3	4	5	6	10
20-34	6393	3.2	6	1	1	3	4	6	8	12
35-49	3941	4.3	11	1	1	3	5	8	10	17
50-64	3813	4.8	15	1	2	4	6	9	11	21
65+	6282	5.8	23	2	2	5	7	11	14	24
GRAND TOTAL	**37502**	**3.9**	**11**	**1**	**1**	**3**	**5**	**7**	**9**	**17**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	75	4.2	5	1	2	4	5	6	7	12
35-49	451	4.7	5	2	2	4	6	7	9	11
50-64	717	4.7	6	2	2	4	6	8	9	13
65+	662	5.0	7	2	2	5	6	8	10	12
B. *Operated*										
0-19 YRS	2	11.5	13	9	9	11	14	14	14	14
20-34	37	7.1	4	4	4	7	8	9	10	13
35-49	113	9.1	18	4	5	9	10	14	17	24
50-64	204	9.7	11	5	6	9	11	14	17	20
65+	155	11.5	29	4	6	10	14	18	22	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	5.4	5	2	2	6	7	8	10	10
20-34	61	4.3	9	1	1	4	5	7	8	20
35-49	584	5.3	8	2	2	5	7	9	11	14
50-64	1884	5.6	13	2	2	5	7	9	11	17
65+	5561	6.3	16	2	3	5	8	11	13	21
B. *Operated*										
0-19 YRS	8	9.6	37	2	3	8	12	20	22	22
20-34	87	10.0	35	4	5	8	11	18	21	35
35-49	447	11.4	40	5	6	10	14	18	21	40
50-64	1250	12.4	71	4	5	11	15	21	27	44
65+	2421	13.8	86	4	5	12	17	24	30	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1906	4.8	6	2	2	4	6	8	9	12
B. *Operated*	511	9.9	19	4	5	9	11	15	18	25
2. MULTIPLE DX										
A. *Not Operated*	8103	6.0	15	2	2	5	7	10	13	20
B. *Operated*	4213	13.0	76	4	5	11	16	22	28	50
1. SINGLE DX	2417	5.9	13	2	2	5	7	10	12	19
2. MULTIPLE DX	12316	8.4	47	2	3	7	10	16	21	35
A. NOT OPERATED	10009	5.8	13	2	2	5	7	10	12	19
B. OPERATED	4724	12.7	71	4	5	11	15	22	27	47
TOTAL 0-19 YRS	24	7.3	21	2	2	7	9	14	17	22
20-34	260	6.6	22	2	2	6	8	11	15	24
35-49	1595	7.1	25	2	3	6	9	13	16	24
50-64	4055	7.8	40	2	3	6	10	14	18	33
65+	8799	8.3	47	2	3	6	10	16	21	35
GRAND TOTAL	**14733**	**8.0**	**42**	**2**	**3**	**6**	**10**	**15**	**19**	**34**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	2.9	3	1	1	3	4	5	6	7
20-34	44	3.0	4	1	1	3	4	6	8	9
35-49	41	3.2	3	1	1	3	4	6	7	8
50-64	17	3.6	8	<1	<1	2	6	8	9	9
65+	7	7.4	25	2	2	8	11	14	15	15
B. *Operated*										
0-19 YRS	147	2.6	4	1	1	2	3	5	5	12
20-34	892	2.7	4	1	1	2	3	5	6	11
35-49	815	2.8	4	1	1	2	3	5	6	9
50-64	417	3.0	5	1	1	2	4	5	7	11
65+	149	3.4	6	1	1	3	4	6	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	3.6	9	1	1	3	5	7	8	19
20-34	79	3.8	7	1	1	3	5	8	9	13
35-49	93	5.2	30	1	2	4	6	9	11	36
50-64	82	4.4	11	1	1	4	6	9	9	19
65+	81	5.0	8	2	2	5	7	9	10	16
B. *Operated*										
0-19 YRS	86	4.1	17	1	1	3	5	7	10	26
20-34	912	3.7	14	1	1	3	4	7	9	19
35-49	1297	3.9	14	1	1	3	5	7	9	23
50-64	1027	4.5	20	1	1	3	5	8	13	22
65+	615	5.9	40	1	2	4	7	11	18	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	135	3.3	6	1	1	3	4	7	9	12
B. *Operated*	2420	2.8	4	1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	392	4.5	14	1	1	4	6	8	10	19
B. *Operated*	3937	4.3	20	1	1	3	5	8	11	23
1. SINGLE DX	2555	2.8	4	1	1	2	3	5	7	11
2. MULTIPLE DX	4329	4.3	20	1	1	3	5	8	11	23
A. NOT OPERATED	527	4.2	12	1	1	3	5	8	9	16
B. OPERATED	6357	3.7	15	1	1	3	4	7	9	20
TOTAL 0-19 YRS	316	3.2	8	1	1	2	4	6	7	14
20-34	1927	3.2	9	1	1	3	4	6	8	15
35-49	2246	3.5	11	1	1	3	4	6	8	15
50-64	1543	4.1	16	1	1	3	5	8	11	20
65+	852	5.4	32	1	2	4	6	10	16	27
GRAND TOTAL	**6884**	**3.8**	**14**	**1**	**1**	**3**	**4**	**7**	**9**	**20**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	707	3.4	10	1	1	2	4	7	9	17
20-34	907	4.2	9	1	1	3	5	7	9	15
35-49	617	4.4	12	1	2	4	5	8	10	18
50-64	357	4.5	12	1	1	4	6	9	11	19
65+	297	4.0	12	1	1	3	5	7	9	17
B. *Operated*										
0-19 YRS	226	6.1	34	1	2	4	8	11	15	35
20-34	591	7.2	31	1	2	6	9	13	18	29
35-49	390	7.1	27	1	2	6	9	13	16	27
50-64	334	6.9	27	1	2	6	9	13	16	24
65+	263	7.6	52	1	1	6	10	14	20	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	938	3.9	13	1	1	3	5	7	10	20
20-34	1762	5.1	16	1	2	4	6	9	12	22
35-49	1790	5.5	18	1	2	4	7	10	13	21
50-64	1960	5.6	18	1	2	4	7	10	14	21
65+	4678	6.1	25	1	2	5	7	11	15	25
B. *Operated*										
0-19 YRS	423	10.0	125	2	2	7	11	23	32	68
20-34	1583	10.1	74	2	3	8	12	20	28	47
35-49	1638	10.8	107	2	3	8	13	22	30	59
50-64	1891	11.6	116	2	3	9	14	24	33	62
65+	3195	12.9	123	2	3	10	16	25	35	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2885	4.1	11	1	1	3	5	8	10	17
B. *Operated*	1804	7.1	33	1	2	6	9	13	17	29
2. MULTIPLE DX										
A. *Not Operated*	11128	5.5	21	1	2	4	7	11	13	23
B. *Operated*	8730	11.6	111	2	3	9	14	23	32	58
1. SINGLE DX	4689	5.2	21	1	1	4	7	10	13	24
2. MULTIPLE DX	19858	8.2	69	1	2	6	10	17	23	45
A. NOT OPERATED	14013	5.2	19	1	2	4	7	10	13	22
B. OPERATED	10534	10.8	101	2	3	8	13	22	30	54
TOTAL 0-19 YRS	2294	5.1	41	1	1	3	6	10	15	32
20-34	4843	6.8	41	1	2	5	8	13	19	35
35-49	4435	7.4	58	1	2	5	9	15	20	41
50-64	4542	8.1	68	1	2	6	10	16	23	43
65+	8433	8.6	74	2	2	6	11	17	24	48
GRAND TOTAL	**24547**	**7.6**	**62**	**1**	**2**	**5**	**9**	**15**	**22**	**42**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	27	5.8	17	2	2	5	7	7	15	22
35-49	47	5.9	15	2	2	5	7	11	15	20
50-64	53	7.2	34	1	2	6	9	14	18	32
65+	12	5.6	20	1	1	4	8	13	14	14
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	11	6.0	21	1	1	5	8	13	16	16
35-49	32	4.8	49	1	1	3	5	11	15	38
50-64	23	5.3	30	1	1	2	8	13	16	20
65+	5	6.2	123	1	1	1	8	26	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	9.0	61	4	4	5	15	18	18	18
20-34	271	7.7	39	2	2	6	9	15	21	33
35-49	749	9.1	54	2	3	7	11	17	22	37
50-64	816	10.0	65	2	3	8	12	19	26	41
65+	400	9.8	37	3	4	8	12	18	22	32
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	67	13.1	174	2	3	9	15	28	48	64
35-49	230	12.5	124	2	3	9	17	26	34	70
50-64	320	12.7	128	1	2	9	16	28	34	55
65+	138	13.2	119	2	4	11	17	25	30	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	139	6.4	23	1	2	5	7	13	15	23
B. *Operated*	72	5.2	41	1	1	3	7	13	16	35
2. MULTIPLE DX										
A. *Not Operated*	2239	9.4	54	2	3	7	11	18	24	36
B. *Operated*	756	12.7	129	2	3	9	16	26	34	60
1. SINGLE DX	211	6.0	29	1	1	5	7	13	15	28
2. MULTIPLE DX	2995	10.2	75	2	3	8	13	20	27	42
A. NOT OPERATED	2378	9.2	52	2	3	7	11	17	23	36
B. OPERATED	828	12.1	126	1	2	9	16	26	33	58
TOTAL 0-19 YRS	5	5.8	50	1	1	4	8	18	18	18
20-34	376	8.5	66	2	2	6	10	17	24	45
35-49	1058	9.6	70	2	3	7	12	19	25	42
50-64	1212	10.5	82	2	3	8	13	21	29	45
65+	555	10.5	61	3	4	9	13	19	25	36
GRAND TOTAL	**3206**	**10.0**	**73**	**2**	**3**	**8**	**13**	**20**	**26**	**42**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.0	7	1	1	2	5	7	7	7
20-34	18	4.8	11	1	1	5	5	10	11	12
35-49	22	4.7	15	1	1	4	7	10	13	15
50-64	34	5.1	10	1	1	5	6	9	12	14
65+	12	4.9	14	1	1	4	7	11	13	13
B. *Operated*										
0-19 YRS	8	1.9	1	1	1	2	3	4	4	4
20-34	88	2.9	10	1	1	1	3	8	10	15
35-49	96	2.5	8	1	1	2	3	5	7	18
50-64	113	3.1	17	<1	1	2	3	6	12	22
65+	54	3.0	30	1	1	2	3	5	6	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	5.1	53	1	1	3	6	9	12	42
20-34	95	7.0	39	1	1	5	8	14	19	33
35-49	194	8.8	35	2	3	7	11	17	21	29
50-64	387	9.0	46	2	3	7	12	17	22	37
65+	432	9.3	32	2	4	8	12	16	19	30
B. *Operated*										
0-19 YRS	28	6.2	21	1	1	5	10	13	15	16
20-34	101	5.3	28	1	1	3	7	13	17	23
35-49	257	8.0	99	1	1	4	10	20	26	50
50-64	408	8.3	67	1	1	6	11	19	23	34
65+	416	10.3	98	1	1	8	14	23	29	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	90	4.8	11	1	1	4	6	10	12	15
B. *Operated*	359	2.8	14	1	1	2	3	6	9	19
2. MULTIPLE DX										
A. *Not Operated*	1140	8.8	39	2	3	7	11	16	20	34
B. *Operated*	1210	8.6	82	1	1	6	12	20	26	38
1. SINGLE DX	449	3.2	14	1	1	2	4	7	10	19
2. MULTIPLE DX	2350	8.7	61	1	1	7	12	18	23	36
A. NOT OPERATED	1230	8.5	38	2	2	7	11	16	20	33
B. OPERATED	1569	7.3	73	1	1	4	10	18	23	37
TOTAL 0-19 YRS	72	5.1	33	1	1	3	6	11	14	36
20-34	302	5.1	27	1	1	3	7	12	15	27
35-49	569	7.2	64	1	1	5	9	17	21	34
50-64	942	7.8	54	1	1	6	11	17	22	35
65+	914	9.3	65	1	2	8	12	18	24	37
GRAND TOTAL	**2799**	**7.8**	**58**	**1**	**1**	**6**	**11**	**17**	**22**	**35**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	3.6	5	1	1	3	5	7	8	10
20-34	153	5.0	13	2	2	4	6	9	12	16
35-49	85	6.4	31	1	2	5	7	11	13	34
50-64	56	5.6	20	1	1	5	7	10	12	29
65+	33	6.5	19	2	2	5	8	13	16	19
B. *Operated*										
0-19 YRS	8	3.0	3	1	1	2	4	6	6	6
20-34	31	5.7	28	1	1	4	9	14	18	19
35-49	56	6.1	49	1	1	3	8	17	22	30
50-64	42	4.7	22	<1	1	2	7	12	15	18
65+	24	6.6	81	<1	1	3	8	16	29	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	6.5	45	1	2	5	8	11	21	41
20-34	248	6.1	16	1	2	5	8	12	14	19
35-49	370	8.1	53	2	3	6	10	15	20	38
50-64	664	8.6	41	2	3	7	11	16	20	34
65+	678	9.0	40	3	3	8	11	17	21	33
B. *Operated*										
0-19 YRS	32	12.8	227	1	1	9	14	37	47	62
20-34	79	10.9	118	1	1	8	14	20	33	60
35-49	150	12.0	174	1	1	9	14	29	48	99
50-64	263	13.1	159	1	2	10	17	27	35	67
65+	272	14.3	122	2	2	12	19	30	35	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	367	5.4	18	1	2	4	7	10	13	27
B. *Operated*	161	5.6	40	1	1	3	7	14	18	30
2. MULTIPLE DX										
A. *Not Operated*	2038	8.3	41	2	3	7	10	16	19	32
B. *Operated*	796	13.1	148	1	2	10	17	29	37	63
1. SINGLE DX	528	5.5	25	1	1	4	7	11	14	28
2. MULTIPLE DX	2834	9.6	76	2	3	7	12	19	26	47
A. NOT OPERATED	2405	7.8	38	2	3	6	10	15	19	31
B. OPERATED	957	11.8	138	1	1	9	15	26	35	57
TOTAL 0-19 YRS	158	6.9	79	1	2	4	8	13	25	47
20-34	511	6.5	35	1	2	5	8	13	16	31
35-49	661	8.6	81	1	2	6	11	17	25	57
50-64	1025	9.4	75	2	2	7	12	19	25	45
65+	1007	10.3	69	2	3	8	13	20	27	41
GRAND TOTAL	**3362**	**9.0**	**70**	**1**	**2**	**7**	**11**	**18**	**25**	**46**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	2.6	3	1	1	2	3	5	6	9
20-34	459	2.6	3	1	1	2	3	5	6	9
35-49	422	2.8	4	1	1	2	4	5	6	11
50-64	365	3.0	4	1	1	2	4	6	7	11
65+	236	3.6	5	1	1	3	5	7	9	12
B. *Operated*										
0-19 YRS	366	5.6	4	3	3	5	7	8	10	13
20-34	4057	5.5	4	3	3	5	6	8	9	12
35-49	3692	5.8	5	3	4	5	7	8	10	13
50-64	2926	6.2	5	3	4	6	7	9	10	14
65+	1286	7.4	8	4	5	7	9	11	13	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	3.3	4	1	1	3	4	6	7	11
20-34	520	3.4	8	1	1	3	4	6	8	12
35-49	618	3.9	7	1	1	3	5	7	8	13
50-64	1181	4.6	10	1	1	4	6	9	11	15
65+	2528	5.9	15	2	2	5	7	11	14	19
B. *Operated*										
0-19 YRS	306	7.0	25	3	4	6	8	11	14	25
20-34	3681	6.9	13	3	4	6	8	11	13	21
35-49	5009	7.3	15	3	4	6	9	12	14	22
50-64	6566	8.5	23	4	5	7	10	14	16	27
65+	7614	10.8	41	5	5	9	13	18	22	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1531	2.9	4	1	1	2	4	5	7	10
B. *Operated*	12327	5.9	5	3	4	6	7	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	4908	5.0	13	1	2	4	6	9	12	18
B. *Operated*	23176	8.7	28	4	4	7	10	14	18	29
1. SINGLE DX	13858	5.6	6	2	3	5	7	9	10	13
2. MULTIPLE DX	28084	8.1	27	3	4	7	10	14	17	28
A. NOT OPERATED	6439	4.5	12	1	1	4	6	9	11	17
B. OPERATED	35503	7.8	22	3	4	7	9	13	16	25
TOTAL 0-19 YRS	782	5.8	14	2	3	5	7	9	11	16
20-34	8717	5.8	9	2	3	5	7	9	11	16
35-49	9741	6.3	12	2	3	6	7	10	12	19
50-64	11038	7.3	19	2	3	6	9	12	15	22
65+	11664	9.2	36	3	4	8	11	16	20	31
GRAND TOTAL	**41942**	**7.3**	**22**	**2**	**3**	**6**	**9**	**12**	**15**	**24**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	3.5	4	2	2	3	5	6	8	10
20-34	289	3.0	3	1	1	3	4	5	6	8
35-49	228	3.2	4	1	1	3	4	6	7	10
50-64	170	3.4	4	1	1	3	4	6	7	10
65+	102	4.7	7	1	1	4	6	8	9	12
B. *Operated*										
0-19 YRS	28	5.8	4	3	4	5	7	9	10	11
20-34	319	6.4	9	3	4	6	7	9	12	18
35-49	296	6.2	6	3	4	6	7	9	12	14
50-64	189	7.0	8	4	4	7	8	11	12	18
65+	100	8.1	13	3	4	8	10	12	16	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	4.2	11	1	2	3	5	7	11	19
20-34	360	4.1	13	1	1	3	5	7	9	13
35-49	421	4.5	9	1	1	4	6	8	10	14
50-64	466	5.0	11	1	2	4	6	9	11	19
65+	755	6.4	14	2	2	6	8	11	13	20
B. *Operated*										
0-19 YRS	35	8.7	38	3	3	6	11	14	23	30
20-34	562	7.2	15	3	4	6	8	12	15	21
35-49	712	8.1	19	3	4	7	10	14	17	25
50-64	663	9.3	38	4	5	8	11	15	19	38
65+	812	12.4	63	5	6	10	15	21	26	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	832	3.4	4	1	1	3	4	6	7	10
B. *Operated*	932	6.6	9	3	4	6	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	2058	5.2	13	1	2	4	7	10	12	18
B. *Operated*	2784	9.5	40	4	4	8	11	16	20	34
1. SINGLE DX	1764	5.1	9	1	2	5	6	9	11	16
2. MULTIPLE DX	4842	7.7	33	2	3	6	9	14	17	28
A. NOT OPERATED	2890	4.7	11	1	2	4	6	9	11	16
B. OPERATED	3716	8.8	34	4	4	7	10	15	19	30
TOTAL 0-19 YRS	162	5.2	17	2	2	4	6	10	13	24
20-34	1530	5.5	14	1	2	5	7	10	12	18
35-49	1657	6.2	16	1	2	5	8	11	14	20
50-64	1488	7.0	27	2	2	6	9	12	15	26
65+	1769	9.1	45	2	3	8	11	16	21	35
GRAND TOTAL	**6606**	**7.0**	**28**	**2**	**2**	**6**	**9**	**13**	**16**	**26**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	35	2.7	3	1	1	2	4	5	5	9
35-49	25	3.3	3	<1	1	3	5	6	6	7
50-64	27	3.1	10	<1	1	2	4	8	11	12
65+	41	4.1	12	1	1	3	6	8	9	19
B. *Operated*										
0-19 YRS	16	7.3	12	2	4	6	10	12	13	14
20-34	127	6.8	12	2	3	6	9	11	13	19
35-49	105	7.0	10	2	3	7	9	11	12	16
50-64	114	7.2	19	1	2	7	9	14	15	19
65+	143	8.1	29	1	1	8	11	16	19	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	29	2.8	3	1	1	3	3	6	7	8
35-49	53	4.8	8	1	1	4	7	8	9	15
50-64	70	5.4	22	1	1	4	7	10	12	26
65+	299	6.3	19	2	2	5	8	11	15	23
B. *Operated*										
0-19 YRS	15	9.9	32	4	4	9	14	19	20	21
20-34	171	9.4	23	4	5	8	11	15	18	26
35-49	167	9.5	26	3	4	9	12	17	19	24
50-64	348	12.0	65	3	5	10	15	21	26	41
65+	1115	14.1	71	4	6	12	17	24	29	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	3.4	7	1	1	3	4	7	8	13
B. *Operated*	505	7.3	18	1	2	7	10	12	15	20
2. MULTIPLE DX										
A. *Not Operated*	452	5.8	18	1	2	5	7	10	13	22
B. *Operated*	1816	12.8	64	4	5	11	16	22	27	41
1. SINGLE DX	634	6.5	18	1	1	6	9	12	14	20
2. MULTIPLE DX	2268	11.4	62	2	3	10	15	21	25	39
A. NOT OPERATED	581	5.3	17	1	1	4	7	10	12	22
B. OPERATED	2321	11.6	59	3	4	10	15	20	25	39
TOTAL 0-19 YRS	33	8.4	22	3	4	7	11	15	19	21
20-34	362	7.3	22	1	2	7	9	13	16	22
35-49	350	7.6	21	2	3	7	10	13	17	21
50-64	559	9.8	56	1	2	9	13	18	23	36
65+	1598	11.8	68	2	3	10	15	21	27	40
GRAND TOTAL	**2902**	**10.3**	**57**	**2**	**3**	**9**	**13**	**19**	**24**	**38**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	6.5	20	2	2	6	10	12	12	12
20-34	22	4.2	8	<1	1	4	6	8	10	11
35-49	31	4.4	8	1	1	4	6	9	11	11
50-64	26	4.3	9	1	1	4	6	9	10	12
65+	48	5.7	23	1	2	5	7	10	13	31
B. *Operated*										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	20	10.3	126	<1	1	7	15	19	36	50
35-49	25	6.2	27	1	1	5	9	16	17	17
50-64	29	6.9	32	1	1	6	9	14	17	27
65+	37	7.8	37	1	1	6	11	18	20	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	7.6	26	1	2	7	10	16	17	17
20-34	63	5.8	16	1	2	5	8	10	12	24
35-49	111	6.4	27	1	2	5	7	13	20	25
50-64	160	6.7	18	1	2	6	9	12	14	21
65+	376	7.7	33	2	3	6	10	14	19	30
B. *Operated*										
0-19 YRS	13	21.0	203	2	7	18	27	47	49	49
20-34	76	10.1	75	2	2	9	14	18	20	54
35-49	125	12.8	99	2	3	11	17	23	32	54
50-64	193	13.0	120	2	3	10	17	26	38	57
65+	436	14.9	108	3	5	13	19	27	35	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	131	4.9	14	1	1	4	6	9	11	19
B. *Operated*	113	7.6	49	1	1	6	11	16	20	35
2. MULTIPLE DX										
A. *Not Operated*	737	7.2	28	2	2	6	9	13	18	27
B. *Operated*	843	13.8	110	2	4	11	18	26	35	54
1. SINGLE DX	244	6.1	32	1	1	5	8	12	16	27
2. MULTIPLE DX	1580	10.7	83	2	3	8	14	21	27	47
A. NOT OPERATED	868	6.8	26	1	2	6	9	12	17	26
B. OPERATED	956	13.1	107	2	3	11	17	25	33	52
TOTAL 0-19 YRS	46	11.2	110	1	2	8	15	25	33	49
20-34	181	7.9	57	1	2	6	10	16	19	43
35-49	292	8.9	67	1	2	7	12	19	23	44
50-64	408	9.6	77	1	2	7	12	19	26	48
65+	897	11.1	83	2	3	9	14	21	28	45
GRAND TOTAL	**1824**	**10.1**	**78**	**2**	**2**	**8**	**13**	**20**	**26**	**46**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	129	4.6	9	1	2	4	6	8	10	18
20-34	684	5.0	11	2	2	4	6	8	11	17
35-49	605	5.3	9	2	2	5	7	9	11	16
50-64	289	5.9	14	2	2	5	7	10	13	17
65+	215	5.6	9	2	3	5	7	9	11	17
B. *Operated*										
0-19 YRS	10	9.7	37	2	2	9	11	19	20	20
20-34	69	9.5	53	1	2	8	12	19	20	43
35-49	69	11.8	113	1	2	8	17	28	35	45
50-64	53	10.2	54	1	2	9	13	19	22	37
65+	29	8.0	23	2	2	7	11	15	16	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	144	5.9	20	2	2	5	7	11	15	24
20-34	1846	6.2	17	2	3	5	8	11	14	22
35-49	2552	6.8	20	2	3	6	8	12	15	22
50-64	1629	7.3	24	2	3	6	9	13	16	26
65+	1769	7.9	28	3	3	7	10	14	18	29
B. *Operated*										
0-19 YRS	36	14.6	247	3	3	9	13	43	54	68
20-34	347	16.6	204	4	5	11	21	39	56	99+
35-49	617	15.7	177	3	5	12	19	34	47	86
50-64	618	15.6	150	3	5	12	19	31	40	62
65+	656	15.6	152	4	6	12	19	30	39	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1922	5.3	10	2	2	5	7	9	11	17
B. *Operated*	230	10.2	67	1	2	8	13	20	26	44
2. MULTIPLE DX										
A. *Not Operated*	7940	7.0	22	2	3	6	8	12	15	25
B. *Operated*	2274	15.8	167	3	5	12	19	32	45	79
1. SINGLE DX	2152	5.8	19	2	2	5	7	10	13	21
2. MULTIPLE DX	10214	9.0	68	2	3	7	10	17	23	48
A. NOT OPERATED	9862	6.7	20	2	3	6	8	12	15	24
B. OPERATED	2504	15.2	161	3	5	12	19	31	43	76
TOTAL 0-19 YRS	319	6.5	51	2	2	5	7	12	17	46
20-34	2946	7.3	51	2	3	5	8	13	19	44
35-49	3843	8.1	57	2	3	6	9	15	21	45
50-64	2589	9.2	67	2	3	7	11	17	24	46
65+	2669	9.6	69	3	3	7	12	18	24	45
GRAND TOTAL	**12366**	**8.4**	**61**	**2**	**3**	**6**	**10**	**16**	**22**	**45**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	100	2.8	3	1	1	2	3	6	7	7
20-34	125	3.0	4	1	1	3	4	5	7	10
35-49	131	3.7	11	1	1	3	4	6	8	16
50-64	145	4.0	7	1	1	3	5	7	8	14
65+	214	4.2	6	1	1	4	5	7	9	13
B. *Operated*										
0-19 YRS	4	5.0	12	2	2	4	7	10	10	10
20-34	17	5.4	13	1	2	5	7	9	14	16
35-49	14	9.4	110	1	2	5	13	28	34	36
50-64	28	6.1	8	2	3	6	8	10	11	12
65+	35	10.0	172	1	2	6	10	18	47	60
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	232	3.8	9	1	1	3	4	7	10	18
20-34	603	4.3	9	1	1	3	5	8	10	16
35-49	875	5.4	20	1	2	4	6	9	13	21
50-64	1603	5.7	17	2	2	5	7	10	12	23
65+	5796	6.6	21	2	3	6	8	12	15	24
B. *Operated*										
0-19 YRS	31	6.9	41	1	1	5	9	15	22	29
20-34	123	7.0	47	2	2	6	9	13	15	76
35-49	268	8.7	85	2	3	6	11	17	22	86
50-64	671	9.2	66	2	3	7	11	18	23	38
65+	1781	10.3	70	3	4	8	13	19	26	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	715	3.7	7	1	1	3	5	7	8	12
B. *Operated*	98	7.8	84	1	2	5	8	15	23	55
2. MULTIPLE DX										
A. *Not Operated*	9109	6.1	20	2	2	5	7	11	14	23
B. *Operated*	2874	9.7	70	2	3	7	12	18	25	42
1. SINGLE DX	813	4.2	18	1	1	3	5	7	9	17
2. MULTIPLE DX	11983	7.0	34	2	2	6	8	13	17	30
A. NOT OPERATED	9824	5.9	19	2	2	5	7	11	14	23
B. OPERATED	2972	9.6	70	2	3	7	12	18	25	43
TOTAL 0-19 YRS	367	3.8	11	1	1	3	4	7	10	18
20-34	868	4.5	15	1	1	4	6	9	11	16
35-49	1288	5.9	36	1	2	4	7	11	15	29
50-64	2447	6.5	33	2	2	5	8	12	17	28
65+	7826	7.4	35	2	3	6	9	14	18	31
GRAND TOTAL	**12796**	**6.8**	**34**	**2**	**2**	**5**	**8**	**13**	**17**	**29**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	4.2	12	1	2	3	5	8	12	19
20-34	3	7.7		7	7	8	8	8	8	8
35-49	4	6.8	23	3	3	6	10	13	13	13
50-64	5	7.6	14	2	2	7	10	12	12	12
65+	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
0-19 YRS	11	6.4	48	<1	<1	5	8	18	22	22
20-34	9	6.8	18	2	2	6	8	14	16	16
35-49	8	12.9	131	<1	1	10	16	32	38	38
50-64	4	10.3	11	7	7	10	13	14	14	14
65+	5	15.4	657	1	1	5	21	61	61	61
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	174	4.9	45	1	2	3	5	10	13	65
20-34	25	7.5	28	2	2	7	9	13	20	24
35-49	39	7.2	27	1	2	6	9	14	17	27
50-64	55	8.4	50	1	2	7	10	16	23	41
65+	77	8.5	27	2	3	8	11	15	18	28
B. *Operated*										
0-19 YRS	30	10.1	134	1	1	4	19	33	39	99+
20-34	24	12.5	133	2	3	9	15	27	38	54
35-49	60	13.0	118	3	4	9	16	28	37	54
50-64	62	14.3	89	3	5	13	17	27	33	51
65+	70	14.2	112	3	5	12	18	25	33	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	4.6	13	2	2	3	7	10	13	19
B. *Operated*	37	9.5	129	<1	1	7	12	17	32	61
2. MULTIPLE DX										
A. *Not Operated*	370	6.6	41	1	2	5	9	13	17	37
B. *Operated*	246	13.3	112	2	3	11	17	27	34	55
1. SINGLE DX	130	6.0	50	1	2	4	7	12	16	43
2. MULTIPLE DX	616	9.3	80	1	2	7	12	19	27	53
A. NOT OPERATED	463	6.2	36	1	2	4	8	12	16	30
B. OPERATED	283	12.8	116	1	3	10	17	26	34	59
TOTAL 0-19 YRS	294	5.3	47	1	2	3	5	11	18	58
20-34	61	9.4	71	2	3	8	10	17	25	51
35-49	111	10.7	90	1	3	8	14	22	32	48
50-64	126	11.3	75	2	3	9	14	20	29	45
65+	154	11.3	91	2	3	9	14	21	25	60
GRAND TOTAL	**746**	**8.7**	**76**	**1**	**2**	**6**	**11**	**18**	**25**	**52**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	125	4.6	11	1	2	3	6	9	12	16
20-34	16	3.6	4	<1	1	3	5	6	7	8
35-49	9	3.9	6	1	1	4	5	8	9	9
50-64	5	6.0	11	1	1	6	8	10	10	10
65+	5	6.6	5	4	4	7	8	10	10	10
B. *Operated*										
0-19 YRS	70	4.0	21	1	1	2	4	9	14	23
20-34	51	2.4	4	1	1	2	2	4	7	10
35-49	37	2.5	3	<1	1	2	3	4	6	9
50-64	32	4.4	16	1	1	3	5	11	14	16
65+	19	3.3	12	<1	1	2	3	7	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	195	5.6	29	1	2	4	6	12	17	33
20-34	54	6.0	19	1	2	5	8	11	15	21
35-49	55	5.7	18	1	2	5	7	9	15	22
50-64	71	8.5	79	2	3	7	10	16	19	61
65+	120	8.2	32	2	3	7	11	14	17	30
B. *Operated*										
0-19 YRS	85	8.0	91	1	1	4	11	20	37	99+
20-34	105	7.9	58	1	1	6	10	18	26	36
35-49	95	7.5	67	1	1	4	10	19	25	41
50-64	129	9.3	74	1	2	7	13	19	29	39
65+	130	10.2	69	1	2	8	14	22	30	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	160	4.5	10	1	1	4	6	9	11	15
B. *Operated*	209	3.3	13	1	1	2	3	7	11	19
2. MULTIPLE DX										
A. *Not Operated*	495	6.7	36	1	2	5	9	13	17	30
B. *Operated*	544	8.7	72	1	1	6	11	20	28	49
1. SINGLE DX	369	3.9	12	1	1	3	5	8	11	17
2. MULTIPLE DX	1039	7.8	56	1	2	5	10	17	22	36
A. NOT OPERATED	655	6.2	31	1	2	5	8	12	16	27
B. OPERATED	753	7.2	61	1	1	4	10	17	24	36
TOTAL 0-19 YRS	475	5.5	36	1	1	4	7	12	17	35
20-34	226	5.9	38	1	1	4	8	11	19	33
35-49	196	5.9	42	1	1	4	8	13	20	30
50-64	237	8.4	69	1	2	6	11	17	22	38
65+	274	8.8	51	1	2	7	11	17	25	35
GRAND TOTAL	**1408**	**6.7**	**47**	**1**	**1**	**4**	**9**	**15**	**20**	**34**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	3.8	5	1	1	3	5	7	8	10
20-34	8	4.6	7	2	2	4	6	9	9	9
35-49	2	5.0	8	3	3	5	7	7	7	7
50-64										
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	8	4.6	11	2	2	3	6	10	11	11
20-34	2	8.0		8	8	8	8	8	8	8
35-49	3	3.0	3	2	2	2	4	5	5	5
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	4.6	8	2	2	4	6	7	9	16
20-34	19	4.5	16	1	1	3	6	9	14	18
35-49	18	4.9	10	2	2	4	5	11	13	13
50-64	17	9.5	30	2	3	8	14	16	21	23
65+	50	8.6	35	3	4	7	10	18	21	30
B. *Operated*										
0-19 YRS	10	5.8	14	2	2	5	8	11	14	14
20-34	11	6.1	14	1	1	5	10	11	11	11
35-49	16	9.1	52	1	1	7	10	22	26	27
50-64	22	10.9	60	2	2	9	16	21	27	29
65+	36	14.7	127	1	2	12	18	30	40	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	4.0	5	1	2	3	5	7	8	10
B. *Operated*	15	4.4	9	1	2	3	7	8	10	11
2. MULTIPLE DX										
A. *Not Operated*	160	6.4	24	2	2	5	8	13	17	25
B. *Operated*	95	10.9	83	1	2	8	14	22	28	47
1. SINGLE DX	70	4.1	6	1	2	3	5	8	8	11
2. MULTIPLE DX	255	8.1	50	2	2	6	10	17	22	39
A. NOT OPERATED	215	5.8	20	1	2	5	7	10	16	24
B. OPERATED	110	10.0	78	1	2	8	13	20	27	45
TOTAL 0-19 YRS	118	4.4	7	1	2	4	6	8	9	15
20-34	40	5.1	13	1	1	4	8	10	11	18
35-49	39	6.5	31	1	2	5	8	13	19	27
50-64	40	10.1	46	2	2	8	15	20	24	29
65+	88	11.0	81	2	3	8	14	21	30	48
GRAND TOTAL	**325**	**7.2**	**43**	**1**	**2**	**5**	**8**	**15**	**20**	**33**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	1.6	1	<1	<1	1	2	4	4	4
20-34	14	2.7	6	<1	<1	2	3	7	9	9
35-49	8	6.6	116	<1	<1	1	9	26	30	30
50-64	11	6.0	43	<1	<1	2	13	16	16	16
65+	4	6.8	40	2	2	4	10	16	16	16
B. *Operated*										
0-19 YRS	32	6.2	27	2	2	4	8	13	15	24
20-34	49	9.3	80	1	1	8	13	21	30	40
35-49	54	8.0	46	1	1	7	12	17	19	32
50-64	50	7.6	50	1	1	5	11	17	20	33
65+	28	5.4	26	1	1	4	6	11	18	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	115	3.4	24	<1	1	1	3	9	14	27
20-34	87	3.7	7	<1	1	3	5	7	9	12
35-49	116	4.3	14	<1	1	3	5	8	11	19
50-64	191	6.6	39	1	1	5	8	13	17	38
65+	505	8.6	41	2	3	7	10	17	21	33
B. *Operated*										
0-19 YRS	111	14.3	115	2	3	12	21	31	36	44
20-34	443	12.0	139	1	2	9	16	26	38	62
35-49	494	10.7	91	1	2	8	15	24	31	51
50-64	593	10.8	96	1	2	8	15	23	31	44
65+	644	12.9	127	2	3	10	17	28	36	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	4.2	35	<1	<1	2	4	15	16	30
B. *Operated*	213	7.6	50	1	1	5	11	17	21	33
2. MULTIPLE DX										
A. *Not Operated*	1014	6.7	37	1	1	5	9	14	18	29
B. *Operated*	2285	11.8	114	1	2	9	16	25	34	54
1. SINGLE DX	261	7.0	49	<1	1	4	10	16	20	33
2. MULTIPLE DX	3299	10.2	96	1	2	7	14	23	30	49
A. NOT OPERATED	1062	6.6	37	1	1	5	9	14	18	29
B. OPERATED	2498	11.4	110	1	2	9	15	25	33	53
TOTAL 0-19 YRS	269	8.2	88	1	1	4	12	23	29	41
20-34	593	10.4	122	1	1	7	14	24	34	59
35-49	672	9.3	80	1	1	7	13	21	28	46
50-64	845	9.6	83	1	2	7	13	21	29	43
65+	1181	10.9	93	2	3	8	14	23	30	45
GRAND TOTAL	**3560**	**10.0**	**93**	**1**	**2**	**7**	**13**	**22**	**30**	**47**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.0	3	1	1	1	2	5	6	6
20-34	4	7.0	5	4	4	7	8	9	9	9
35-49										
50-64	6	13.5	336	<1	<1	6	13	46	50	50
65+	23	9.0	31	2	3	8	14	17	20	21
B. *Operated*										
0-19 YRS										
20-34	4	6.5	3	4	4	7	8	8	8	8
35-49	3	5.7	12	2	2	6	8	9	9	9
50-64	4	15.8	95	8	8	12	21	30	30	30
65+	9	10.2	46	2	3	9	14	21	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	6.8	45	1	1	4	9	16	19	28
20-34	31	7.6	24	1	2	7	10	15	19	20
35-49	62	8.1	29	2	3	7	9	17	19	25
50-64	194	8.9	36	2	3	7	12	17	21	29
65+	1230	10.3	45	3	4	9	13	18	23	33
B. *Operated*										
0-19 YRS	28	18.0	331	1	1	11	26	34	68	75
20-34	55	11.0	58	2	3	9	14	22	26	33
35-49	101	15.0	203	2	3	11	20	29	39	83
50-64	236	16.8	219	3	4	13	21	29	44	91
65+	602	17.9	146	5	6	15	23	34	41	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	8.3	73	1	1	7	10	16	20	50
B. *Operated*	20	9.9	49	2	3	8	12	20	27	30
2. MULTIPLE DX										
A. *Not Operated*	1544	9.9	44	2	3	8	13	18	22	32
B. *Operated*	1022	17.0	171	3	5	14	22	32	41	68
1. SINGLE DX	60	8.8	65	1	1	7	12	17	22	48
2. MULTIPLE DX	2566	12.7	106	3	4	10	16	25	31	55
A. NOT OPERATED	1584	9.9	44	2	3	8	13	18	22	32
B. OPERATED	1042	16.9	170	3	5	14	22	31	41	68
TOTAL 0-19 YRS	62	11.3	206	1	1	7	15	28	33	74
20-34	94	9.5	45	2	2	8	12	19	24	33
35-49	166	12.2	146	2	3	9	16	25	30	72
50-64	440	13.3	152	2	3	10	17	26	31	66
65+	1864	12.7	91	3	4	10	16	24	31	48
GRAND TOTAL	**2626**	**12.6**	**106**	**3**	**4**	**10**	**16**	**25**	**31**	**54**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	408	3.7	3	1	2	4	5	6	7	9
20-34	632	3.8	3	2	2	4	5	6	7	9
35-49	212	4.2	4	2	2	4	5	6	8	12
50-64	89	4.7	4	2	2	4	6	8	9	10
65+	68	4.8	5	2	2	5	6	7	7	15
B. *Operated*										
0-19 YRS	20	3.8	2	2	2	4	5	6	6	6
20-34	17	5.5	5	2	3	6	7	8	9	10
35-49	16	6.3	14	2	2	5	8	9	15	17
50-64	4	6.8	6	5	5	6	8	10	10	10
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	790	4.4	5	2	2	4	5	7	8	11
20-34	1452	4.7	5	2	2	4	6	7	9	13
35-49	694	5.6	12	2	3	5	7	9	11	19
50-64	708	6.4	14	3	3	6	8	11	13	19
65+	1400	7.1	18	3	4	6	8	12	15	23
B. *Operated*										
0-19 YRS	75	6.8	19	2	3	6	8	12	15	26
20-34	191	8.5	68	2	3	7	10	13	19	45
35-49	133	9.5	33	4	4	8	11	16	21	32
50-64	178	11.1	59	4	5	9	13	21	27	41
65+	272	12.2	55	4	5	10	15	21	28	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1409	3.9	3	2	2	4	5	6	7	10
B. *Operated*	58	5.2	7	2	2	5	7	9	10	16
2. MULTIPLE DX										
A. *Not Operated*	5044	5.7	12	2	3	5	7	9	12	19
B. *Operated*	849	10.2	55	3	4	8	12	18	25	40
1. SINGLE DX	1467	4.0	3	2	2	4	5	6	7	10
2. MULTIPLE DX	5893	6.3	21	2	3	5	7	11	14	25
A. NOT OPERATED	6453	5.3	11	2	2	5	6	9	11	17
B. OPERATED	907	9.9	54	3	4	8	12	17	24	40
TOTAL 0-19 YRS	1293	4.3	5	2	2	4	5	7	8	12
20-34	2292	4.8	11	2	2	4	6	7	9	14
35-49	1055	5.8	15	2	3	5	7	10	12	23
50-64	979	7.1	25	3	3	6	8	12	15	28
65+	1741	7.8	27	3	4	6	9	14	17	28
GRAND TOTAL	**7360**	**5.9**	**18**	**2**	**2**	**5**	**7**	**10**	**13**	**23**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	288	3.9	3	2	2	4	5	6	7	11
20-34	431	3.8	13	1	2	3	5	6	6	9
35-49	130	3.9	4	2	2	4	5	6	6	13
50-64	62	4.0	3	1	2	4	5	6	7	10
65+	34	5.1	5	2	3	5	6	9	9	11
B. *Operated*										
0-19 YRS	19	6.7	25	1	2	6	10	15	17	17
20-34	35	6.5	15	1	2	6	9	12	14	16
35-49	23	5.3	13	1	1	5	7	10	12	15
50-64	13	8.9	50	1	2	9	10	21	25	26
65+	6	9.3	24	2	2	10	13	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	504	4.7	7	2	2	4	6	8	10	14
20-34	826	4.7	7	2	2	4	6	7	9	15
35-49	403	5.4	14	2	2	5	7	9	12	20
50-64	447	6.3	17	2	3	5	8	10	12	25
65+	701	7.3	20	3	3	6	9	12	15	22
B. *Operated*										
0-19 YRS	98	7.6	58	2	3	6	8	13	17	48
20-34	161	8.7	41	3	3	7	10	16	21	27
35-49	172	10.3	70	2	4	8	13	19	25	40
50-64	189	10.8	53	4	5	9	13	20	25	40
65+	247	14.4	112	4	5	12	17	24	35	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	945	3.9	8	2	2	4	5	6	7	10
B. *Operated*	96	6.8	22	1	1	6	9	13	16	23
2. MULTIPLE DX										
A. *Not Operated*	2881	5.7	14	2	2	5	7	10	12	20
B. *Operated*	867	11.0	77	3	4	8	14	20	25	45
1. SINGLE DX	1041	4.2	10	1	2	4	5	6	8	14
2. MULTIPLE DX	3748	6.9	33	2	3	5	8	13	16	28
A. NOT OPERATED	3826	5.2	13	2	2	4	6	9	11	17
B. OPERATED	963	10.5	73	2	4	8	13	19	25	45
TOTAL 0-19 YRS	909	4.8	13	2	2	4	6	8	11	16
20-34	1453	4.9	15	2	2	4	6	8	11	19
35-49	728	6.3	30	2	2	5	7	12	16	28
50-64	711	7.4	31	2	3	6	9	13	19	29
65+	988	9.0	52	3	3	7	11	16	20	42
GRAND TOTAL	**4789**	**6.3**	**29**	**2**	**2**	**5**	**7**	**12**	**15**	**27**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	72	2.1	2	<1	1	2	3	3	4	9
20-34	549	2.0	2	<1	1	2	2	3	4	6
35-49	690	1.9	1	<1	1	2	2	3	4	6
50-64	401	2.0	2	1	1	2	2	3	5	7
65+	116	2.5	2	<1	1	2	3	5	6	7
B. *Operated*										
0-19 YRS	24	5.3	22	1	1	4	6	13	17	19
20-34	252	5.3	8	1	2	5	7	8	11	16
35-49	388	5.6	12	1	2	5	7	10	12	17
50-64	325	6.0	16	1	2	5	8	11	13	19
65+	135	6.0	12	1	2	6	8	10	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	3.0	9	1	1	2	3	7	10	15
20-34	471	2.8	5	1	1	2	3	6	7	10
35-49	592	2.8	4	1	1	2	3	5	7	11
50-64	596	3.0	5	1	1	2	4	6	7	12
65+	433	4.1	15	1	1	3	5	8	10	19
B. *Operated*										
0-19 YRS	32	7.0	28	1	2	6	9	14	15	26
20-34	305	7.0	32	1	2	6	9	12	16	27
35-49	509	7.3	25	2	2	6	9	14	18	26
50-64	643	8.1	43	2	3	7	10	15	18	30
65+	562	9.9	61	2	3	8	12	20	27	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1828	2.0	2	<1	1	2	3	4	5	7
B. *Operated*	1124	5.7	12	1	2	5	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	2150	3.2	7	1	1	2	4	6	8	13
B. *Operated*	2051	8.2	43	2	3	7	10	15	20	34
1. SINGLE DX	2952	3.4	9	1	1	2	5	7	9	14
2. MULTIPLE DX	4201	5.6	31	1	1	4	7	11	15	28
A. NOT OPERATED	3978	2.6	5	1	1	2	3	5	7	10
B. OPERATED	3175	7.3	34	1	2	6	9	13	17	31
TOTAL 0-19 YRS	186	3.6	14	1	1	2	4	9	13	18
20-34	1577	3.7	13	1	1	3	5	8	10	16
35-49	2179	4.1	14	1	1	3	5	9	11	19
50-64	1965	5.0	25	1	1	3	7	10	14	21
65+	1246	6.8	43	1	1	5	8	14	20	35
GRAND TOTAL	**7153**	**4.7**	**23**	**1**	**1**	**3**	**6**	**10**	**13**	**23**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	189	2.0	2	1	1	2	3	3	4	7
20-34	1733	1.8	1	<1	1	2	2	3	4	6
35-49	2311	1.8	1	<1	1	2	2	3	4	6
50-64	1263	2.0	1	1	1	2	3	3	4	6
65+	329	2.2	2	1	1	2	3	4	5	7
B. *Operated*										
0-19 YRS	107	4.1	6	1	1	3	5	8	9	11
20-34	1075	4.3	8	1	1	4	6	8	9	14
35-49	1514	4.4	8	1	1	4	6	8	10	14
50-64	1043	4.7	9	1	2	4	6	9	10	16
65+	323	5.2	13	1	2	4	7	11	13	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	95	2.9	4	1	1	2	3	5	7	11
20-34	824	2.3	3	1	1	2	3	4	5	8
35-49	1370	2.4	3	1	1	2	3	4	6	8
50-64	1200	2.6	3	1	1	2	3	5	6	9
65+	710	3.1	4	1	1	3	4	6	7	10
B. *Operated*										
0-19 YRS	77	5.7	21	1	2	5	8	10	13	28
20-34	712	5.8	18	1	2	5	7	10	12	17
35-49	1161	6.0	17	1	2	5	8	11	14	20
50-64	1488	6.6	21	1	2	5	8	13	15	23
65+	1190	8.3	39	2	3	7	10	16	20	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5825	1.9	1	<1	1	2	2	3	4	6
B. *Operated*	4062	4.5	9	1	1	4	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	4199	2.6	3	1	1	2	3	5	6	9
B. *Operated*	4628	6.7	25	2	2	6	9	13	16	25
1. SINGLE DX	9887	3.0	6	1	1	2	4	6	8	12
2. MULTIPLE DX	8827	4.7	19	1	1	3	6	10	13	21
A. NOT OPERATED	10024	2.2	2	1	1	2	3	4	5	8
B. OPERATED	8690	5.7	19	1	2	5	7	11	13	22
TOTAL 0-19 YRS	468	3.3	8	1	1	2	4	7	9	13
20-34	4344	3.2	8	1	1	2	4	7	9	13
35-49	6356	3.3	9	1	1	2	4	7	9	14
50-64	4994	4.1	13	1	1	3	5	8	11	18
65+	2552	5.7	28	1	1	4	7	12	16	26
GRAND TOTAL	**18714**	**3.8**	**13**	**1**	**1**	**3**	**5**	**8**	**10**	**17**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	2.6	3	<1	1	2	3	6	6	9
20-34	41	2.7	3	1	1	2	3	5	6	7
35-49	52	3.2	9	<1	1	2	4	7	11	14
50-64	26	2.3	5	<1	<1	2	3	4	9	11
65+	12	4.4	7	<1	1	4	6	8	9	9
B. *Operated*										
0-19 YRS	344	6.0	9	1	2	6	8	10	11	15
20-34	166	6.2	15	1	1	6	9	11	13	19
35-49	166	5.1	13	1	1	4	7	10	13	15
50-64	121	5.0	20	1	1	4	7	11	14	20
65+	90	4.9	17	1	1	3	8	11	15	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	115	3.4	6	1	1	3	4	7	8	14
20-34	119	3.6	6	1	1	3	5	7	9	12
35-49	126	4.4	10	1	1	4	6	9	11	16
50-64	171	5.7	34	1	1	4	7	10	14	26
65+	355	6.7	27	2	2	6	8	12	16	25
B. *Operated*										
0-19 YRS	561	6.7	15	1	2	6	9	12	14	19
20-34	406	7.5	28	1	2	7	10	13	16	25
35-49	454	8.3	45	1	2	7	11	16	21	37
50-64	697	8.7	49	1	2	7	12	17	22	35
65+	852	9.9	80	1	2	8	13	19	24	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	180	2.9	6	<1	1	2	4	6	8	12
B. *Operated*	887	5.6	13	1	1	5	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	886	5.3	22	1	1	4	7	10	13	21
B. *Operated*	2970	8.4	49	1	2	7	11	16	21	35
1. SINGLE DX	1067	5.2	13	1	1	5	7	10	12	16
2. MULTIPLE DX	3856	7.7	45	1	2	6	10	15	19	34
A. NOT OPERATED	1066	4.9	20	1	1	4	6	9	12	20
B. OPERATED	3857	7.8	42	1	2	7	10	15	19	34
TOTAL 0-19 YRS	1069	5.9	13	1	1	6	8	10	13	17
20-34	732	6.3	23	1	1	5	9	11	15	24
35-49	798	6.7	34	1	1	5	9	13	16	31
50-64	1015	7.6	45	1	1	6	10	15	19	34
65+	1309	8.7	64	1	2	7	11	17	22	41
GRAND TOTAL	**4923**	**7.2**	**39**	**1**	**1**	**6**	**9**	**14**	**18**	**32**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.5	7	1	1	2	2	5	9	11
20-34	89	2.0	2	1	1	2	2	4	5	8
35-49	118	1.8	1	1	1	1	2	3	5	6
50-64	71	2.2	2	1	1	2	3	4	6	7
65+	15	2.1	1	1	1	2	3	3	4	4
B. *Operated*										
0-19 YRS	5	5.4	35	<1	<1	3	9	15	15	15
20-34	41	3.8	10	1	1	3	5	9	11	15
35-49	67	4.4	15	1	1	3	5	9	12	22
50-64	39	4.1	8	1	1	3	7	8	9	11
65+	44	4.6	11	1	1	4	6	10	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	3.2	7	1	1	3	4	7	9	10
20-34	64	2.9	6	1	1	2	4	6	8	13
35-49	85	2.9	6	1	1	2	3	6	8	15
50-64	78	2.9	4	<1	1	2	4	6	7	10
65+	60	3.8	9	1	1	3	4	8	11	15
B. *Operated*										
0-19 YRS	9	5.0	19	1	1	4	6	13	15	15
20-34	83	5.5	26	1	2	4	7	11	13	31
35-49	78	6.2	24	1	2	5	8	13	16	26
50-64	175	5.6	21	1	2	4	7	11	13	36
65+	378	7.0	34	1	2	6	9	14	20	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	308	2.0	2	1	1	2	2	4	5	7
B. *Operated*	196	4.3	12	1	1	3	5	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	300	3.1	6	1	1	2	4	6	8	13
B. *Operated*	723	6.4	29	1	2	5	9	12	16	30
1. SINGLE DX	504	2.9	7	1	1	2	3	6	8	13
2. MULTIPLE DX	1023	5.4	25	1	1	4	7	11	14	24
A. NOT OPERATED	608	2.5	4	1	1	2	3	5	6	11
B. OPERATED	919	5.9	26	1	1	4	8	12	15	24
TOTAL 0-19 YRS	42	3.6	13	1	1	2	4	9	12	15
20-34	277	3.5	13	1	1	2	4	7	10	15
35-49	348	3.6	13	1	1	2	4	8	11	17
50-64	363	4.2	14	1	1	3	5	8	11	17
65+	497	6.3	30	1	2	5	9	13	17	25
GRAND TOTAL	**1527**	**4.6**	**20**	**1**	**1**	**3**	**6**	**10**	**13**	**21**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	2.9	3	1	1	3	4	5	6	9
20-34	64	3.1	4	<1	1	3	4	5	6	12
35-49	23	3.6	4	1	1	4	5	6	7	9
50-64	14	3.7	6	1	1	3	5	8	9	9
65+	24	3.5	5	<1	1	3	5	7	8	9
B. *Operated*										
0-19 YRS	51	3.0	4	<1	1	3	4	6	8	9
20-34	67	2.9	4	<1	1	2	4	6	7	10
35-49	86	2.9	6	<1	1	2	4	5	9	11
50-64	95	3.1	7	<1	1	2	4	5	8	16
65+	115	2.8	4	1	1	2	3	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	165	3.3	3	1	2	3	4	5	7	9
20-34	239	4.1	12	1	1	3	5	7	9	13
35-49	181	4.3	5	1	2	4	6	7	9	11
50-64	205	5.6	10	2	2	5	7	10	12	17
65+	607	6.3	24	2	2	5	8	11	14	23
B. *Operated*										
0-19 YRS	114	4.0	6	1	1	4	5	7	9	12
20-34	311	4.8	11	1	1	4	7	9	11	19
35-49	423	5.3	25	1	1	4	6	10	14	24
50-64	584	5.3	21	1	1	4	7	11	12	23
65+	1273	6.9	38	1	2	5	9	13	17	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	204	3.2	4	1	1	3	4	5	7	9
B. *Operated*	414	2.9	5	<1	1	2	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	1397	5.2	16	1	2	4	7	9	12	18
B. *Operated*	2705	6.0	29	1	2	5	8	11	15	25
1. SINGLE DX	618	3.0	5	<1	1	2	4	6	7	10
2. MULTIPLE DX	4102	5.7	25	1	2	5	7	11	13	23
A. NOT OPERATED	1601	5.0	15	1	2	4	6	9	11	17
B. OPERATED	3119	5.5	27	1	1	4	7	11	14	24
TOTAL 0-19 YRS	409	3.4	4	1	1	3	4	6	7	11
20-34	681	4.2	10	1	1	4	5	8	9	15
35-49	713	4.7	18	1	1	4	6	9	11	20
50-64	898	5.1	17	1	1	4	7	10	12	20
65+	2019	6.5	32	1	2	5	8	12	15	26
GRAND TOTAL	**4720**	**5.3**	**23**	**1**	**1**	**4**	**7**	**10**	**13**	**22**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	8	1	1	1	5	6	6	6
20-34	4	2.0	1	<1	<1	2	3	3	3	3
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	5	2.4	2	<1	<1	2	4	4	4	4
B. *Operated*										
0-19 YRS	170	2.0	3	<1	<1	1	2	4	5	7
20-34	208	2.4	3	<1	1	2	3	5	6	9
35-49	151	2.3	3	<1	<1	2	3	5	6	9
50-64	135	2.7	5	<1	1	2	4	5	7	13
65+	166	3.2	9	1	1	3	4	6	9	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	2.0	2	<1	<1	1	3	4	6	6
20-34	14	2.9	8	<1	<1	1	5	7	9	10
35-49	7	2.6	3	1	1	2	3	5	6	6
50-64	15	4.3	33	<1	1	3	5	7	20	24
65+	66	4.2	11	1	1	3	5	9	11	16
B. *Operated*										
0-19 YRS	247	2.5	5	<1	<1	2	3	5	7	15
20-34	371	3.3	9	<1	<1	2	4	7	9	15
35-49	336	3.9	18	<1	1	3	5	7	10	15
50-64	498	3.9	10	<1	1	3	5	8	10	16
65+	1009	5.2	26	1	1	4	7	10	13	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	2.3	2	<1	<1	2	3	4	5	6
B. *Operated*	830	2.5	5	<1	<1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*	113	3.7	12	<1	1	3	5	9	10	19
B. *Operated*	2461	4.2	18	<1	1	3	5	8	11	19
1. SINGLE DX	847	2.5	5	<1	<1	2	3	5	6	12
2. MULTIPLE DX	2574	4.2	18	<1	1	3	5	8	11	19
A. NOT OPERATED	130	3.5	11	<1	<1	3	4	7	10	18
B. OPERATED	3291	3.8	15	<1	1	3	5	8	10	18
TOTAL 0-19 YRS	431	2.3	4	<1	<1	2	3	5	6	14
20-34	597	2.9	7	<1	<1	2	4	6	8	13
35-49	497	3.4	14	<1	1	3	5	7	8	14
50-64	650	3.6	10	<1	1	3	5	8	9	15
65+	1246	4.9	23	1	1	4	6	9	13	21
GRAND TOTAL	**3421**	**3.8**	**15**	**<1**	**1**	**3**	**5**	**8**	**10**	**18**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	564	2.9	4	1	1	3	4	5	6	9
20-34	248	2.9	3	1	1	3	4	5	6	7
35-49	116	2.9	3	<1	1	3	4	5	7	10
50-64	100	3.8	11	<1	1	3	5	6	9	21
65+	220	5.1	21	1	1	4	6	10	11	24
B. *Operated*										
0-19 YRS	175	2.7	5	<1	<1	2	3	6	6	13
20-34	229	3.0	5	<1	<1	2	4	6	8	10
35-49	197	3.2	8	<1	1	2	4	7	9	15
50-64	268	2.9	3	<1	1	3	4	5	6	8
65+	335	4.3	27	1	1	3	5	8	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1744	3.8	6	1	1	3	5	7	9	12
20-34	1263	4.6	13	1	1	4	6	8	11	18
35-49	970	5.5	16	1	2	4	7	10	13	18
50-64	1767	6.4	22	2	2	5	8	11	14	23
65+	8046	7.5	23	2	3	7	9	13	16	25
B. *Operated*										
0-19 YRS	458	4.6	16	<1	1	4	6	9	11	19
20-34	666	6.2	55	1	1	4	7	12	17	37
35-49	871	6.4	40	1	1	5	8	13	18	33
50-64	1680	7.1	47	1	2	5	9	15	20	37
65+	5128	8.4	52	2	2	6	10	16	21	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1248	3.4	8	1	1	3	4	6	7	13
B. *Operated*	1204	3.3	12	<1	1	3	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	13790	6.5	21	2	2	5	8	12	15	23
B. *Operated*	8803	7.6	49	1	2	6	9	15	20	36
1. SINGLE DX	2452	3.3	10	<1	1	3	4	6	8	14
2. MULTIPLE DX	22593	6.9	32	1	2	6	9	13	17	29
A. NOT OPERATED	15038	6.2	21	1	2	5	8	11	14	23
B. OPERATED	10007	7.1	47	1	2	5	9	14	19	33
TOTAL 0-19 YRS	2941	3.7	7	1	1	3	5	7	9	14
20-34	2406	4.7	24	1	1	4	6	9	12	22
35-49	2154	5.5	25	1	1	4	7	11	15	29
50-64	3815	6.4	33	1	2	5	8	12	16	28
65+	13729	7.7	34	2	3	6	10	14	18	29
GRAND TOTAL	**25045**	**6.5**	**31**	**1**	**2**	**5**	**8**	**13**	**16**	**28**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	14	3.0	4	<1	<1	2	5	6	7	7
65+	28	4.5	11	1	1	4	5	9	13	15
B. *Operated*										
0-19 YRS	3	5.3	10	3	3	4	8	9	9	9
20-34	7	3.7	2	2	2	4	4	6	6	6
35-49	78	3.6	5	<1	1	3	5	7	8	9
50-64	1587	4.6	5	1	2	5	6	7	8	12
65+	2442	5.1	7	2	2	5	6	8	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	10.5	25	7	7	10	14	14	14	14
20-34	1	3.0		3	3	3	3	3	3	3
35-49	11	3.6	4	<1	1	3	5	7	7	7
50-64	141	3.7	6	<1	1	3	5	7	8	10
65+	501	4.5	17	<1	1	3	6	9	12	19
B. *Operated*										
0-19 YRS	16	5.4	14	1	1	4	7	12	13	13
20-34	16	3.9	7	<1	1	3	5	6	10	12
35-49	180	5.7	59	1	1	5	6	10	13	17
50-64	4257	5.9	12	2	3	5	7	10	12	19
65+	12377	7.1	20	3	3	6	8	12	15	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	4.0	9	<1	1	3	5	7	11	15
B. *Operated*	4117	4.9	6	1	2	5	6	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	656	4.3	14	<1	1	3	6	9	12	18
B. *Operated*	16846	6.8	19	2	3	6	8	11	14	22
1. SINGLE DX	4160	4.9	6	1	2	5	6	7	9	13
2. MULTIPLE DX	17502	6.7	19	2	3	6	8	11	14	22
A. NOT OPERATED	699	4.3	14	<1	1	3	5	9	12	18
B. OPERATED	20963	6.4	17	2	3	5	7	11	14	21
TOTAL 0-19 YRS	21	5.9	15	1	2	5	9	12	13	14
20-34	24	3.8	5	1	2	3	5	6	8	12
35-49	270	5.0	42	<1	1	4	6	9	12	16
50-64	5999	5.5	10	2	2	5	6	9	11	17
65+	15348	6.7	19	2	3	6	8	11	14	22
GRAND TOTAL	**21662**	**6.3**	**17**	**2**	**3**	**5**	**7**	**11**	**14**	**21**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.8	6	1	1	4	5	7	7	7
20-34	38	3.3	5	<1	1	3	5	6	7	12
35-49	61	3.7	4	1	2	3	4	6	8	13
50-64	43	4.1	4	1	2	4	5	7	9	10
65+	15	4.1	1	3	3	4	5	5	7	7
B. *Operated*										
0-19 YRS	3	3.7	4	2	2	3	5	6	6	6
20-34	25	2.5	2	<1	<1	2	4	4	5	5
35-49	41	3.0	5	<1	<1	2	4	7	8	9
50-64	47	3.5	6	<1	<1	3	5	7	9	10
65+	36	3.4	5	1	1	3	4	5	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.3	1	2	2	3	4	5	5	5
20-34	77	3.9	6	1	2	3	4	7	10	12
35-49	127	4.6	7	2	2	4	6	9	10	13
50-64	227	4.8	7	2	2	4	6	7	9	15
65+	196	5.4	12	2	2	5	7	9	12	18
B. *Operated*										
0-19 YRS	9	6.1	28	<1	<1	4	8	14	18	18
20-34	98	3.8	10	<1	1	3	5	7	10	17
35-49	173	4.6	10	1	1	4	7	9	10	16
50-64	300	5.4	15	1	1	5	7	10	12	21
65+	362	6.4	20	1	2	6	8	12	14	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	162	3.7	4	1	2	3	5	6	8	12
B. *Operated*	152	3.2	5	<1	<1	3	4	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	637	4.8	8	2	2	4	6	8	10	14
B. *Operated*	942	5.5	16	1	1	5	7	10	13	18
1. SINGLE DX	314	3.5	5	<1	1	3	4	6	8	10
2. MULTIPLE DX	1579	5.2	13	1	2	4	7	9	12	17
A. NOT OPERATED	799	4.6	8	2	2	4	6	8	10	14
B. OPERATED	1094	5.1	15	1	1	4	7	10	12	18
TOTAL 0-19 YRS	27	4.4	12	1	1	4	5	8	10	18
20-34	238	3.6	7	<1	1	3	5	6	9	13
35-49	402	4.3	8	1	1	4	6	9	10	13
50-64	617	4.9	11	1	2	4	6	9	11	16
65+	609	5.8	17	1	2	5	7	10	13	18
GRAND TOTAL	**1893**	**4.9**	**12**	**1**	**1**	**4**	**6**	**9**	**11**	**17**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.4		1	1	1	2	2	2	2
20-34	3	2.0	3	<1	<1	1	3	4	4	4
35-49										
50-64	1	13.0		13	13	13	13	13	13	13
65+										
B. *Operated*										
0-19 YRS	170	1.6	1	<1	<1	1	2	3	4	5
20-34	106	2.2	2	<1	1	2	3	4	5	7
35-49	128	1.9	2	<1	1	1	3	3	4	7
50-64	186	2.1	2	1	1	2	3	4	4	8
65+	114	2.2	1	<1	1	2	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	1.6	8	<1	<1	1	1	1	8	13
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64	6	2.7	13	<1	<1	1	2	9	10	10
65+	5	5.0	6	2	2	6	7	8	8	8
B. *Operated*										
0-19 YRS	180	1.9	7	<1	<1	1	2	3	4	8
20-34	69	2.7	4	1	1	2	4	5	6	10
35-49	125	2.9	10	1	1	2	3	5	7	18
50-64	281	3.1	5	1	1	3	4	6	8	12
65+	279	3.9	10	1	1	3	5	8	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	2.6	13	<1	<1	1	2	8	13	13
B. *Operated*	704	2.0	2	<1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	33	2.4	9	<1	<1	1	2	7	10	13
B. *Operated*	934	3.1	8	1	1	2	4	6	8	14
1. SINGLE DX	715	2.0	2	<1	1	2	3	4	4	7
2. MULTIPLE DX	967	3.0	8	1	1	2	4	6	8	14
A. NOT OPERATED	44	2.4	9	<1	<1	1	2	6	11	13
B. OPERATED	1638	2.6	6	<1	1	2	3	5	6	12
TOTAL 0-19 YRS	376	1.7	4	<1	<1	1	2	3	4	6
20-34	180	2.4	3	<1	1	2	3	4	5	9
35-49	254	2.4	6	1	1	2	3	4	5	14
50-64	474	2.7	5	1	1	2	3	5	7	12
65+	398	3.4	8	1	1	3	4	7	9	15
GRAND TOTAL	**1682**	**2.6**	**6**	**<1**	**1**	**2**	**3**	**5**	**6**	**12**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	136	3.5	4	1	1	3	5	7	8	9
20-34	270	3.7	5	1	1	3	5	7	8	10
35-49	163	4.5	6	1	2	4	6	8	9	13
50-64	90	5.0	7	2	2	5	7	8	9	16
65+	46	5.0	7	2	3	4	6	7	9	17
B. *Operated*										
0-19 YRS	56	2.9	5	1	1	2	3	6	8	11
20-34	63	3.3	7	1	1	2	3	7	9	11
35-49	63	3.2	8	1	1	2	4	7	10	13
50-64	51	4.1	15	1	1	2	6	11	12	14
65+	37	4.0	9	1	1	3	5	9	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	3.4	2	1	1	3	5	5	6	7
20-34	170	4.9	8	1	2	4	6	9	10	15
35-49	150	5.8	11	2	2	5	8	10	13	17
50-64	229	5.8	8	2	3	5	7	9	10	15
65+	281	6.3	11	2	3	6	8	10	13	18
B. *Operated*										
0-19 YRS	36	4.0	9	1	1	4	5	9	10	12
20-34	84	5.0	20	1	1	4	6	10	13	25
35-49	90	5.1	22	1	1	4	6	9	12	29
50-64	158	6.5	25	1	2	5	8	12	15	29
65+	201	7.2	23	2	2	6	10	13	17	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	705	4.1	6	1	1	4	5	7	8	11
B. *Operated*	270	3.4	9	1	1	2	4	8	10	13
2. MULTIPLE DX										
A. *Not Operated*	884	5.6	10	2	2	5	7	9	11	17
B. *Operated*	569	6.2	23	1	2	5	8	12	15	24
1. SINGLE DX	975	3.9	6	1	1	3	5	7	9	12
2. MULTIPLE DX	1453	5.8	15	1	2	5	7	10	13	20
A. NOT OPERATED	1589	5.0	8	1	2	4	6	8	10	15
B. OPERATED	839	5.3	20	1	1	4	7	11	13	23
TOTAL 0-19 YRS	282	3.4	5	1	1	3	5	6	8	11
20-34	587	4.2	8	1	1	4	5	7	9	14
35-49	466	4.9	11	1	1	4	6	9	10	17
50-64	528	5.7	14	1	2	5	7	10	12	17
65+	565	6.4	15	2	3	5	8	11	14	20
GRAND TOTAL	**2428**	**5.1**	**12**	**1**	**1**	**4**	**7**	**9**	**11**	**17**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.8	6	1	1	1	5	6	6	6
20-34	4	1.0		<1	<1	<1	1	1	1	1
35-49	4	1.8	1	<1	<1	1	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	334	1.4		<1	<1	1	2	2	3	4
20-34	88	1.6	1	<1	<1	1	2	3	3	5
35-49	41	1.4		<1	1	1	2	2	3	3
50-64	35	1.7	1	1	1	2	2	2	3	4
65+	21	2.2	7	1	1	1	2	4	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	1.6	2	<1	<1	1	2	3	4	7
20-34	3	4.0	13	1	1	3	7	8	8	8
35-49	4	3.8	1	3	3	4	4	5	5	5
50-64	2	2.5	5	1	1	2	4	4	4	4
65+	18	4.8	11	1	2	4	7	10	12	12
B. *Operated*										
0-19 YRS	117	1.8	1	<1	<1	1	2	3	4	6
20-34	53	2.1	2	<1	<1	2	3	4	6	7
35-49	75	2.5	4	<1	<1	2	3	6	7	10
50-64	94	2.5	7	<1	1	2	2	5	8	15
65+	104	4.1	19	1	1	2	5	9	14	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	1.9	3	<1	<1	1	2	5	6	6
B. *Operated*	519	1.5	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	55	3.0	7	<1	<1	2	4	7	9	12
B. *Operated*	443	2.6	8	<1	1	2	3	6	8	17
1. SINGLE DX	532	1.5	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX	498	2.7	8	<1	1	2	3	6	8	16
A. NOT OPERATED	68	2.8	6	<1	<1	2	3	7	8	12
B. OPERATED	962	2.0	4	<1	<1	1	2	3	6	12
TOTAL 0-19 YRS	484	1.5	1	<1	<1	1	2	2	3	6
20-34	148	1.9	2	<1	<1	1	2	3	4	7
35-49	124	2.1	3	<1	1	2	2	4	6	10
50-64	131	2.2	5	<1	1	2	2	4	6	13
65+	143	4.0	17	1	1	2	5	9	13	19
GRAND TOTAL	**1030**	**2.1**	**5**	**<1**	**<1**	**1**	**2**	**4**	**6**	**12**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	1.6	1	<1	<1	1	2	3	4	5
20-34	43	2.5	2	1	1	2	3	5	6	7
35-49	29	2.4	3	1	1	2	4	5	6	6
50-64	26	2.3	2	<1	1	2	2	5	6	6
65+	16	2.9	8	1	1	2	3	9	10	10
B. *Operated*										
0-19 YRS	754	1.6	1	<1	1	1	2	3	4	6
20-34	390	2.2	3	<1	1	2	3	4	5	8
35-49	254	2.3	3	<1	1	2	3	4	5	7
50-64	371	2.9	3	1	1	3	4	5	6	9
65+	114	3.2	4	1	1	3	4	5	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	2.9	4	<1	1	3	4	5	7	10
20-34	52	3.7	11	<1	1	3	5	8	10	17
35-49	50	3.8	8	1	1	3	6	8	9	11
50-64	66	3.8	7	1	1	3	5	8	8	12
65+	71	6.0	19	<1	1	5	9	12	16	18
B. *Operated*										
0-19 YRS	303	2.4	4	<1	1	2	3	5	6	11
20-34	313	3.7	20	1	1	2	4	7	11	24
35-49	429	4.2	19	1	1	3	5	7	11	23
50-64	810	4.4	31	1	1	3	5	7	10	25
65+	430	5.7	44	1	1	4	6	12	21	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	168	2.2	3	<1	1	2	3	5	5	9
B. *Operated*	1883	2.2	3	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	304	4.1	11	<1	1	3	6	9	10	17
B. *Operated*	2285	4.2	27	1	1	3	5	8	11	27
1. SINGLE DX	2051	2.2	3	<1	1	2	3	4	5	8
2. MULTIPLE DX	2589	4.2	25	1	1	3	5	8	11	25
A. NOT OPERATED	472	3.4	9	<1	1	2	5	7	10	16
B. OPERATED	4168	3.3	17	1	1	2	4	6	8	21
TOTAL 0-19 YRS	1176	1.9	2	<1	1	1	2	4	5	8
20-34	798	2.9	11	1	1	2	3	6	8	17
35-49	762	3.5	13	1	1	2	4	6	9	19
50-64	1273	3.9	22	1	1	3	5	7	9	19
65+	631	5.2	34	1	1	3	6	10	17	29
GRAND TOTAL	**4640**	**3.3**	**16**	**1**	**1**	**2**	**4**	**6**	**9**	**20**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	2.6	2	1	1	2	3	5	5	5
35-49	6	1.5	2	<1	<1	1	1	4	4	4
50-64	8	1.0		<1	<1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	26	1.8	1	<1	<1	1	2	3	4	6
20-34	237	2.5	3	<1	<1	2	3	5	6	9
35-49	808	2.2	3	<1	<1	2	3	4	5	9
50-64	508	2.1	2	<1	<1	2	2	3	5	9
65+	149	2.0	3	<1	1	2	2	3	3	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	4.1	7	<1	<1	4	6	8	8	8
35-49	20	4.2	44	<1	<1	2	4	7	19	31
50-64	13	2.8	3	1	1	3	4	5	6	6
65+	9	5.6	17	<1	<1	6	8	12	13	13
B. *Operated*										
0-19 YRS	12	3.1	3	1	1	3	4	6	7	7
20-34	191	3.0	5	<1	1	2	4	6	7	12
35-49	786	3.3	6	<1	1	3	4	6	8	13
50-64	668	3.1	6	1	1	2	4	6	7	13
65+	422	2.8	5	1	1	2	3	5	7	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	1.6	1	<1	<1	1	2	4	5	5
B. *Operated*	1728	2.2	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	50	4.1	22	<1	1	3	6	8	10	31
B. *Operated*	2079	3.1	6	1	1	2	4	6	7	12
1. SINGLE DX	1747	2.2	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX	2129	3.1	6	1	1	2	4	6	7	13
A. NOT OPERATED	69	3.4	18	<1	1	2	4	7	8	28
B. OPERATED	3807	2.7	4	<1	1	2	3	5	6	11
TOTAL 0-19 YRS	38	2.2	2	<1	<1	2	3	5	6	7
20-34	441	2.8	4	<1	1	2	4	5	6	10
35-49	1620	2.8	5	<1	1	2	3	5	7	11
50-64	1197	2.6	4	<1	1	2	3	5	6	11
65+	580	2.6	4	1	1	2	3	5	7	10
GRAND TOTAL	**3876**	**2.7**	**5**	**<1**	**1**	**2**	**3**	**5**	**7**	**11**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	3.5	3	1	1	3	5	6	7	7
20-34	59	3.4	6	<1	1	3	4	6	7	16
35-49	18	3.8	3	<1	1	4	4	6	8	8
50-64	14	4.4	9	<1	<1	4	6	9	10	10
65+	3	7.0	4	5	5	7	8	9	9	9
B. *Operated*										
0-19 YRS	381	2.4	2	<1	1	2	3	4	5	7
20-34	594	3.0	3	1	1	3	4	5	6	7
35-49	368	2.8	3	<1	1	2	4	5	6	10
50-64	249	2.8	2	<1	1	3	4	5	6	7
65+	89	2.4	3	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	4.1	10	<1	1	3	5	9	11	12
20-34	59	3.2	6	<1	<1	3	4	7	9	11
35-49	52	4.4	13	<1	<1	4	6	9	10	18
50-64	50	3.2	7	<1	<1	2	4	7	9	12
65+	32	5.0	25	<1	1	4	6	11	16	24
B. *Operated*										
0-19 YRS	93	3.3	6	1	1	3	4	5	7	15
20-34	324	3.5	7	1	1	3	4	6	8	13
35-49	474	3.7	7	1	1	3	4	7	9	15
50-64	384	4.0	12	1	1	3	5	7	10	21
65+	224	3.9	13	1	1	3	5	7	9	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	114	3.7	6	<1	1	3	4	7	8	13
B. *Operated*	1681	2.8	3	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	213	3.9	11	<1	<1	3	5	9	10	17
B. *Operated*	1499	3.8	9	1	1	3	4	7	9	17
1. SINGLE DX	1795	2.8	3	1	1	3	4	5	6	8
2. MULTIPLE DX	1712	3.8	10	1	1	3	5	7	9	16
A. NOT OPERATED	327	3.8	9	<1	1	3	5	8	9	16
B. OPERATED	3180	3.2	6	1	1	3	4	6	7	13
TOTAL 0-19 YRS	514	2.7	3	<1	1	2	4	4	5	11
20-34	1036	3.2	4	1	1	3	4	5	7	11
35-49	912	3.4	6	1	1	3	4	6	8	13
50-64	697	3.5	9	1	1	3	4	6	9	17
65+	348	3.6	12	1	1	3	4	7	9	16
GRAND TOTAL	**3507**	**3.3**	**6**	**1**	**1**	**3**	**4**	**6**	**7**	**13**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	455	2.3	2	1	1	2	3	4	5	8
20-34	740	2.1	2	1	1	2	3	4	5	7
35-49	168	2.3	2	1	1	2	3	4	5	9
50-64	15	2.8	2	<1	2	2	4	5	5	5
65+										
B. *Operated*										
0-19 YRS	472	3.8	4	1	1	4	5	6	7	11
20-34	1377	4.1	5	1	1	4	5	7	8	11
35-49	400	5.1	6	1	2	5	6	8	9	13
50-64	68	6.0	5	3	3	6	7	9	10	15
65+	29	6.6	8	3	4	6	8	10	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	337	2.7	6	1	1	2	3	4	5	8
20-34	610	2.8	4	1	1	2	4	5	6	9
35-49	197	3.4	6	1	1	3	4	6	7	15
50-64	14	5.7	16	<1	2	5	8	13	14	14
65+	7	6.0	18	2	2	4	9	12	13	13
B. *Operated*										
0-19 YRS	527	4.6	7	1	2	4	6	7	9	14
20-34	3318	5.2	8	1	2	5	6	8	10	14
35-49	1750	6.2	14	2	3	6	7	9	12	17
50-64	255	7.0	10	4	4	6	8	10	13	18
65+	157	9.3	41	3	5	8	10	16	20	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1378	2.2	2	1	1	2	3	4	5	7
B. *Operated*	2346	4.3	5	1	1	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	1165	2.9	5	1	1	2	4	5	6	11
B. *Operated*	6007	5.6	11	1	2	5	7	9	11	17
1. SINGLE DX	3724	3.5	5	1	1	3	5	6	7	11
2. MULTIPLE DX	7172	5.2	11	1	2	5	6	8	11	16
A. NOT OPERATED	2543	2.5	3	1	1	2	3	5	6	8
B. OPERATED	8353	5.3	10	1	2	5	6	8	10	16
TOTAL 0-19 YRS	1791	3.4	6	1	1	3	5	6	7	11
20-34	6045	4.3	7	1	1	4	6	7	9	13
35-49	2515	5.6	12	1	2	5	7	9	11	16
50-64	352	6.6	9	2	4	6	7	10	12	18
65+	193	8.7	36	3	4	7	10	16	18	32
GRAND TOTAL	**10896**	**4.6**	**10**	**1**	**1**	**4**	**6**	**8**	**10**	**15**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1147	3.9	3	1	2	4	5	6	7	10
20-34	2717	4.1	5	1	2	4	5	7	8	11
35-49	319	4.4	4	2	2	4	5	7	8	10
50-64	23	4.0	3	2	2	4	5	6	7	7
65+	4	5.8	6	3	3	5	7	9	9	9
B. *Operated*										
0-19 YRS	212	4.9	6	1	2	5	6	8	9	12
20-34	1027	4.9	8	1	2	5	6	8	11	14
35-49	274	5.4	10	1	2	5	7	9	12	16
50-64	39	5.3	20	1	1	5	6	9	12	26
65+	13	4.2	10	<1	1	5	6	8	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	973	4.3	5	2	2	4	5	7	8	11
20-34	2611	4.7	8	2	2	4	6	8	9	13
35-49	518	5.4	8	2	2	5	7	9	11	15
50-64	53	5.6	12	2	2	5	7	12	14	16
65+	38	7.6	28	2	2	7	10	12	18	29
B. *Operated*										
0-19 YRS	489	6.1	11	2	3	6	8	10	12	17
20-34	4206	5.8	13	2	2	5	7	10	12	18
35-49	1617	7.0	19	2	3	6	8	12	15	23
50-64	164	9.2	53	3	4	7	10	18	21	36
65+	88	11.9	119	1	2	9	15	23	27	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4210	4.1	5	1	2	4	5	7	8	10
B. *Operated*	1565	5.0	8	1	2	5	6	8	11	14
2. MULTIPLE DX										
A. *Not Operated*	4193	4.7	7	2	2	4	6	8	9	13
B. *Operated*	6564	6.3	17	2	2	6	7	10	13	21
1. SINGLE DX	5775	4.3	6	1	2	4	5	7	8	12
2. MULTIPLE DX	10757	5.7	14	2	2	5	7	9	12	19
A. NOT OPERATED	8403	4.4	6	2	2	4	5	7	8	12
B. OPERATED	8129	6.0	16	1	2	5	7	10	13	20
TOTAL 0-19 YRS	2821	4.5	6	2	2	4	6	7	9	13
20-34	10561	5.0	10	1	2	5	6	8	10	15
35-49	2728	6.2	15	2	2	6	7	10	13	21
50-64	279	7.5	40	2	2	6	9	14	20	31
65+	143	9.9	89	1	2	7	13	21	24	75
GRAND TOTAL	**16532**	**5.2**	**12**	**2**	**2**	**5**	**6**	**9**	**11**	**17**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.3	3	1	1	2	3	5	6	6
20-34	44	2.5	4	1	1	2	3	4	5	12
35-49	16	3.1	3	<1	2	3	4	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	40	3.7	5	<1	1	4	5	7	8	8
20-34	794	4.4	5	1	1	5	6	7	7	10
35-49	574	5.2	3	2	3	5	6	7	8	9
50-64	26	6.1	3	4	4	6	7	8	9	12
65+	4	5.3	6	2	2	6	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	3.1	2	1	1	3	4	6	6	6
20-34	102	3.6	7	1	1	3	5	7	9	13
35-49	48	3.1	5	<1	1	3	4	7	8	9
50-64	4	3.5	4	2	2	3	5	6	6	6
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	79	4.2	9	1	1	4	5	9	10	14
20-34	3856	5.4	5	1	3	5	6	8	9	13
35-49	4633	6.1	5	4	4	6	7	8	9	14
50-64	456	6.5	5	4	4	6	7	9	10	15
65+	39	7.8	14	5	5	7	8	12	16	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	2.6	3	1	1	2	3	5	6	11
B. *Operated*	1438	4.7	4	1	2	5	6	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	170	3.4	6	1	1	3	4	7	8	12
B. *Operated*	9063	5.8	5	2	4	6	7	8	9	13
1. SINGLE DX	1506	4.6	4	1	1	5	6	7	8	10
2. MULTIPLE DX	9233	5.8	5	2	3	6	7	8	9	13
A. NOT OPERATED	238	3.2	5	1	1	3	4	6	8	12
B. OPERATED	10501	5.7	5	2	3	6	7	8	9	13
TOTAL 0-19 YRS	142	3.8	7	1	1	3	5	8	9	12
20-34	4796	5.1	5	1	2	5	6	7	9	12
35-49	5271	6.0	5	3	4	6	7	8	9	13
50-64	486	6.5	5	4	4	6	7	9	10	15
65+	44	7.4	14	2	5	7	8	11	16	24
GRAND TOTAL	**10739**	**5.6**	**5**	**2**	**3**	**6**	**7**	**8**	**9**	**13**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	6	3.2	8	<1	<1	2	5	8	8	8
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	47	2.7	3	<1	<1	2	4	5	6	8
35-49	26	3.2	5	<1	<1	2	5	6	8	10
50-64	13	2.2	3	<1	<1	2	3	5	6	6
65+	4	3.0	11	1	1	2	5	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.8	1	2	2	3	4	4	4	4
20-34	23	3.8	4	1	1	3	5	7	8	9
35-49	7	11.3	230	1	1	5	12	38	44	44
50-64	2	3.5	5	2	2	3	5	5	5	5
65+	2	7.0	18	4	4	7	10	10	10	10
B. *Operated*										
0-19 YRS	7	3.4	3	<1	<1	3	5	6	6	6
20-34	369	4.6	8	<1	1	5	6	8	9	13
35-49	393	5.5	7	1	2	6	7	8	9	14
50-64	93	4.6	11	<1	<1	5	7	8	9	16
65+	36	5.6	14	1	1	5	8	11	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	3.5	7	<1	<1	3	5	7	8	8
B. *Operated*	93	2.7	4	<1	<1	2	4	5	7	9
2. MULTIPLE DX										
A. *Not Operated*	40	5.1	47	1	1	4	5	9	12	44
B. *Operated*	898	5.0	8	<1	1	5	7	8	9	14
1. SINGLE DX	101	2.8	4	<1	<1	2	4	6	7	9
2. MULTIPLE DX	938	5.0	10	<1	1	5	7	8	9	14
A. NOT OPERATED	48	4.8	41	1	1	3	5	9	11	44
B. OPERATED	991	4.8	8	<1	1	5	7	8	9	14
TOTAL 0-19 YRS	17	2.8	2	<1	<1	3	4	5	6	6
20-34	445	4.4	8	<1	1	4	6	8	9	12
35-49	427	5.4	11	1	1	6	7	8	9	14
50-64	108	4.3	10	<1	<1	4	7	8	9	15
65+	42	5.5	14	1	1	5	8	10	14	14
GRAND TOTAL	**1039**	**4.8**	**10**	**<1**	**1**	**5**	**7**	**8**	**9**	**14**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	3.4	2	1	1	3	4	5	6	7
20-34	151	3.5	3	1	1	3	5	6	7	8
35-49	26	4.2	4	1	2	4	6	7	8	9
50-64	3	4.0	13	1	1	3	7	8	8	8
65+	2	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	40	2.6	2	1	1	2	3	5	6	7
20-34	295	2.2	3	<1	1	2	3	4	6	9
35-49	139	2.1	2	<1	1	2	3	4	5	8
50-64	36	2.2	2	<1	1	2	3	4	6	7
65+	19	3.2	5	<1	1	2	4	7	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	4.1	5	2	2	3	6	7	8	11
20-34	235	4.3	6	1	2	4	5	7	9	13
35-49	73	4.5	6	1	2	4	6	7	9	13
50-64	32	5.9	25	1	2	5	8	9	10	29
65+	50	7.1	20	2	3	6	8	14	17	21
B. *Operated*										
0-19 YRS	47	4.5	14	1	1	3	6	9	11	20
20-34	335	4.6	12	1	1	4	6	9	11	18
35-49	183	4.9	18	<1	1	4	6	10	12	18
50-64	66	5.9	41	1	1	4	6	15	21	32
65+	78	6.6	33	1	1	4	9	15	19	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	229	3.6	3	1	1	3	5	6	7	8
B. *Operated*	529	2.2	3	<1	1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	459	4.7	9	1	2	4	6	8	10	15
B. *Operated*	709	5.0	19	1	1	4	6	10	13	22
1. SINGLE DX	758	2.6	3	<1	1	2	3	5	6	8
2. MULTIPLE DX	1168	4.9	15	1	1	4	6	9	12	21
A. NOT OPERATED	688	4.3	8	1	2	4	5	8	9	14
B. OPERATED	1238	3.8	14	<1	1	3	5	7	10	19
TOTAL 0-19 YRS	203	3.7	6	1	1	3	5	7	8	13
20-34	1016	3.7	8	1	1	3	5	7	9	13
35-49	421	3.9	11	<1	1	3	5	7	10	15
50-64	137	4.9	29	1	1	3	6	9	16	30
65+	149	6.3	26	1	1	5	8	14	17	23
GRAND TOTAL	**1926**	**4.0**	**12**	**1**	**1**	**3**	**5**	**8**	**10**	**17**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	2.8	3	<1	<1	3	4	5	5	5
35-49	4	3.8	14	<1	<1	2	6	9	9	9
50-64	3	2.3	2	1	1	2	3	4	4	4
65+										
B. *Operated*										
0-19 YRS	5	4.0	7	1	1	4	6	7	7	7
20-34	245	5.4	3	2	3	5	6	7	8	10
35-49	564	5.9	5	3	3	6	7	9	10	13
50-64	949	6.0	5	3	4	6	7	9	10	14
65+	758	6.4	5	3	4	6	8	9	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	21	2.5	4	<1	<1	1	5	6	6	6
35-49	33	3.1	6	<1	<1	2	5	7	8	9
50-64	39	3.3	9	<1	<1	2	5	7	8	14
65+	88	4.9	21	1	1	4	6	10	15	24
B. *Operated*										
0-19 YRS	4	9.8	6	7	7	9	11	13	13	13
20-34	1307	6.0	5	3	4	6	7	8	9	13
35-49	2882	6.5	6	3	4	6	8	9	11	16
50-64	2779	7.0	8	4	4	7	8	10	11	16
65+	2926	7.5	10	4	4	7	9	11	13	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.8	6	<1	<1	2	4	6	8	9
B. *Operated*	2521	6.0	5	3	4	6	7	9	10	13
2. MULTIPLE DX										
A. *Not Operated*	181	4.0	14	<1	<1	3	6	8	11	17
B. *Operated*	9898	6.9	8	4	4	6	8	10	12	16
1. SINGLE DX	2534	6.0	5	3	4	6	7	9	10	13
2. MULTIPLE DX	10079	6.8	8	3	4	6	8	10	12	16
A. NOT OPERATED	194	3.9	14	<1	<1	3	6	8	10	17
B. OPERATED	12419	6.7	7	3	4	6	8	10	11	16
TOTAL 0-19 YRS	10	6.0	16	1	1	6	9	11	13	13
20-34	1578	5.9	5	3	4	6	7	8	9	13
35-49	3483	6.4	6	3	4	6	7	9	11	15
50-64	3770	6.7	8	3	4	6	8	10	11	15
65+	3772	7.2	9	3	4	7	8	10	12	18
GRAND TOTAL	**12613**	**6.7**	**8**	**3**	**4**	**6**	**8**	**10**	**11**	**16**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	1.2		<1	<1	1	1	2	2	2
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	4	2.0	2	<1	<1	1	3	4	4	4
20-34	54	2.1	3	<1	1	2	2	4	5	10
35-49	51	2.6	3	<1	<1	2	4	6	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	1.8	1	<1	<1	1	2	4	4	4
20-34	14	2.9	4	<1	1	2	4	6	6	6
35-49	10	2.6	5	1	1	2	3	6	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	118	4.8	13	1	1	5	6	8	9	22
35-49	198	4.3	9	1	1	4	6	8	10	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	1.4	1	<1	<1	1	2	3	3	3
B. *Operated*	109	2.3	3	<1	1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	30	2.6	4	<1	1	2	3	6	6	8
B. *Operated*	319	4.5	10	1	1	4	6	8	10	14
1. SINGLE DX	117	2.3	3	<1	1	2	3	5	6	8
2. MULTIPLE DX	349	4.3	10	1	1	4	6	8	10	14
A. NOT OPERATED	38	2.3	3	<1	1	2	3	5	6	8
B. OPERATED	428	3.9	9	1	1	3	6	7	9	13
TOTAL 0-19 YRS	14	1.8	1	<1	<1	1	2	4	4	4
20-34	192	3.8	11	1	1	3	6	7	8	16
35-49	260	3.9	8	<1	1	3	6	8	9	13
50-64										
65+										
GRAND TOTAL	**466**	**3.8**	**9**	**<1**	**1**	**3**	**6**	**7**	**9**	**13**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	104	2.0	2	<1	1	2	2	4	4	7
20-34	237	1.8	2	<1	<1	1	2	3	4	5
35-49	84	1.6	1	<1	1	1	2	3	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	139	1.8	1	<1	1	2	2	3	4	6
20-34	1128	2.4	3	<1	1	2	3	5	6	8
35-49	992	2.7	4	<1	<1	2	4	6	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	151	2.6	2	1	1	2	3	5	5	8
20-34	335	2.5	3	<1	1	2	3	5	5	10
35-49	211	2.3	3	<1	<1	2	3	5	6	8
50-64										
65+										
B. *Operated*										
0-19 YRS	187	3.0	5	1	1	2	4	6	8	11
20-34	3350	4.4	9	1	1	4	6	7	8	12
35-49	5382	5.1	8	1	1	5	7	8	9	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	425	1.8	2	<1	<1	1	2	3	4	6
B. *Operated*	2259	2.5	3	<1	<1	2	3	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	697	2.5	3	<1	1	2	3	5	6	8
B. *Operated*	8919	4.8	9	1	1	5	6	8	9	13
1. SINGLE DX	2684	2.4	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX	9616	4.6	9	1	1	5	6	8	9	12
A. NOT OPERATED	1122	2.2	3	<1	1	2	3	4	5	8
B. OPERATED	11178	4.3	8	<1	1	4	6	7	8	12
TOTAL 0-19 YRS	581	2.4	3	<1	1	2	3	5	6	9
20-34	5050	3.7	8	<1	1	3	5	7	8	12
35-49	6669	4.6	8	<1	1	5	6	8	9	12
50-64										
65+										
GRAND TOTAL	**12300**	**4.1**	**8**	**<1**	**1**	**4**	**6**	**7**	**8**	**12**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	2.3	2	1	1	2	3	4	4	4
50-64	2	1.0		1	1	1	1	1	1	1
65+	7	2.3	4	<1	<1	1	4	5	5	5
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	6	4.0	3	2	2	4	5	6	6	6
35-49	79	2.0	2	<1	<1	2	2	4	5	7
50-64	263	1.9	3	<1	<1	1	2	3	5	8
65+	82	2.0	2	<1	<1	2	2	3	4	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	5.5	25	2	2	5	9	9	9	9
35-49	20	3.5	4	1	1	3	5	7	8	8
50-64	41	2.6	4	<1	<1	2	4	6	7	9
65+	40	4.3	11	1	1	3	6	8	10	17
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	25	5.6	5	2	2	6	6	8	9	12
35-49	206	4.4	8	1	1	5	6	8	9	12
50-64	777	3.9	10	1	1	2	6	8	10	15
65+	528	3.9	12	1	1	2	5	8	11	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.1	2	<1	<1	1	3	5	5	5
B. *Operated*	431	2.0	2	<1	<1	2	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*	103	3.5	8	<1	<1	2	5	7	9	14
B. *Operated*	1537	4.0	11	1	1	3	6	8	10	16
1. SINGLE DX	444	2.0	2	<1	<1	2	2	3	5	8
2. MULTIPLE DX	1640	3.9	11	1	1	3	6	8	10	16
A. NOT OPERATED	116	3.3	7	<1	<1	2	5	7	9	13
B. OPERATED	1968	3.5	10	<1	1	2	5	7	9	15
TOTAL 0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	34	5.2	6	2	2	6	6	8	9	12
35-49	308	3.7	7	<1	1	3	6	7	8	12
50-64	1083	3.3	9	<1	1	2	5	7	9	14
65+	657	3.6	11	1	1	2	5	8	10	17
GRAND TOTAL	**2084**	**3.5**	**9**	**<1**	**1**	**2**	**5**	**7**	**9**	**15**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	1.8	1	<1	1	1	2	4	4	5
20-34	93	2.3	3	<1	1	2	3	4	6	7
35-49	35	3.0	6	<1	1	2	4	7	8	9
50-64	7	1.7	1	<1	<1	1	2	4	4	4
65+	5	2.4	3	<1	<1	2	3	5	5	5
B. *Operated*										
0-19 YRS	97	2.8	4	<1	<1	2	4	6	6	11
20-34	937	3.0	6	<1	1	2	4	6	7	12
35-49	604	3.4	7	<1	1	3	5	7	8	12
50-64	288	3.7	11	<1	1	3	6	7	8	12
65+	83	4.3	17	<1	1	3	6	10	13	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	2.6	3	<1	1	2	4	4	5	10
20-34	186	3.1	8	<1	1	2	4	6	8	12
35-49	81	2.9	4	<1	<1	2	4	6	7	9
50-64	41	5.4	23	1	1	4	6	10	18	22
65+	98	6.2	29	1	2	5	7	13	17	28
B. *Operated*										
0-19 YRS	162	4.0	9	<1	1	4	5	8	9	13
20-34	1830	4.5	10	1	1	5	6	8	9	13
35-49	2585	5.3	11	<1	1	5	7	8	10	17
50-64	1367	5.9	22	1	1	6	7	9	12	25
65+	709	7.4	59	1	1	6	9	15	20	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	187	2.3	3	<1	1	2	3	5	6	8
B. *Operated*	2009	3.3	7	<1	1	2	5	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	460	3.9	14	<1	1	3	5	8	10	23
B. *Operated*	6653	5.4	19	1	1	5	7	9	11	21
1. SINGLE DX	2196	3.2	7	<1	1	2	5	6	8	12
2. MULTIPLE DX	7113	5.3	19	1	1	5	7	9	11	21
A. NOT OPERATED	647	3.4	12	<1	1	2	4	7	9	21
B. OPERATED	8662	4.9	17	<1	1	5	6	8	11	19
TOTAL 0-19 YRS	360	3.2	6	<1	1	3	4	6	8	11
20-34	3046	3.9	9	<1	1	4	6	7	8	12
35-49	3305	4.9	11	<1	1	5	6	8	10	15
50-64	1703	5.5	21	1	1	5	7	9	11	22
65+	895	6.9	52	1	1	5	9	15	19	38
GRAND TOTAL	**9309**	**4.8**	**17**	**<1**	**1**	**4**	**6**	**8**	**10**	**19**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	219	1.8	1	<1	1	1	2	4	4	5
20-34	242	2.1	2	<1	1	2	3	4	5	7
35-49	43	1.9	2	<1	1	2	2	4	5	6
50-64	6	2.7	2	1	1	2	3	5	5	5
65+	3	2.0	1	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	77	2.5	3	<1	<1	2	3	5	6	8
20-34	656	3.6	5	<1	1	4	5	7	7	9
35-49	667	5.5	6	1	2	5	7	8	9	12
50-64	448	6.3	5	3	4	6	8	9	10	13
65+	233	6.6	6	3	4	6	8	10	11	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	176	2.2	2	<1	1	2	3	4	5	7
20-34	453	2.6	5	<1	1	2	3	5	6	10
35-49	150	3.1	6	<1	1	2	4	6	7	13
50-64	45	3.0	6	<1	<1	2	4	7	9	11
65+	34	5.2	17	<1	1	4	7	10	14	19
B. *Operated*										
0-19 YRS	103	3.4	5	1	1	3	5	6	8	12
20-34	2564	4.9	6	1	2	5	6	8	9	12
35-49	2022	6.2	7	2	4	6	7	9	10	14
50-64	933	7.0	11	3	4	7	8	10	13	20
65+	543	7.9	12	3	4	7	9	12	14	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	513	2.0	2	<1	1	2	3	4	5	6
B. *Operated*	2081	5.1	7	1	1	5	7	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	858	2.7	5	<1	1	2	4	5	7	12
B. *Operated*	6165	5.9	9	1	2	6	7	9	11	15
1. SINGLE DX	2594	4.5	7	1	1	4	6	8	9	12
2. MULTIPLE DX	7023	5.5	9	1	2	5	7	9	10	15
A. NOT OPERATED	1371	2.5	4	<1	1	2	3	5	6	10
B. OPERATED	8246	5.7	8	1	2	6	7	9	10	14
TOTAL 0-19 YRS	575	2.3	3	<1	1	2	3	5	5	9
20-34	3915	4.2	6	1	1	4	6	7	8	11
35-49	2882	5.8	7	1	2	6	7	9	10	14
50-64	1432	6.6	9	2	3	6	8	10	12	18
65+	813	7.4	11	3	4	7	9	11	13	19
GRAND TOTAL	**9617**	**5.2**	**9**	**1**	**1**	**5**	**7**	**9**	**10**	**14**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.0	1	<1	1	2	2	4	4	4
20-34	67	1.8	2	<1	<1	1	2	3	6	7
35-49	9	2.2	3	<1	<1	1	3	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	168	4.3	2	2	3	4	5	6	7	8
20-34	2233	4.5	2	2	3	4	5	6	7	10
35-49	245	4.7	3	3	3	5	5	6	8	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	2.2	2	<1	<1	2	3	5	5	5
20-34	41	2.6	4	<1	<1	2	3	5	7	9
35-49	2	5.5	1	5	5	5	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	157	4.6	3	3	3	4	5	6	8	12
20-34	2434	4.8	3	3	3	5	5	7	8	10
35-49	345	5.3	4	3	3	5	6	8	9	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	91	1.9	2	<1	<1	1	2	4	6	7
B. *Operated*	2646	4.5	2	2	3	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	52	2.7	4	<1	<1	2	3	5	7	9
B. *Operated*	2936	4.9	3	3	3	5	6	7	8	11
1. SINGLE DX	2737	4.4	3	2	3	4	5	6	7	10
2. MULTIPLE DX	2988	4.8	3	3	3	5	5	7	8	11
A. NOT OPERATED	143	2.2	3	<1	<1	2	2	4	6	8
B. OPERATED	5582	4.7	3	3	3	5	5	6	7	10
TOTAL 0-19 YRS	349	4.3	3	1	3	4	5	6	7	11
20-34	4775	4.6	3	2	3	4	5	6	7	10
35-49	601	5.0	4	3	3	5	6	7	8	13
50-64										
65+										
GRAND TOTAL	**5725**	**4.6**	**3**	**2**	**3**	**4**	**5**	**6**	**7**	**10**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	1.5	1	<1	1	1	2	3	4	7
20-34	47	1.3		<1	1	1	1	2	3	3
35-49	11	1.1		<1	<1	1	1	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	262	1.4	1	<1	<1	1	2	2	3	5
20-34	575	1.4	1	<1	<1	1	1	2	3	6
35-49	107	1.2		<1	<1	<1	1	2	2	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	1.9	2	<1	<1	1	3	4	5	5
20-34	73	2.1	3	<1	1	2	3	4	5	10
35-49	22	1.8	1	<1	1	2	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	81	2.2	4	<1	1	1	2	5	6	9
20-34	368	3.1	13	<1	1	2	4	6	9	15
35-49	112	3.3	20	<1	<1	2	3	7	10	25
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	92	1.4	1	<1	1	1	1	2	3	6
B. *Operated*	944	1.4	1	<1	<1	1	1	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	116	2.0	2	<1	<1	2	3	4	4	9
B. *Operated*	561	3.0	13	<1	1	2	3	6	9	18
1. SINGLE DX	1036	1.4	1	<1	<1	1	1	2	3	6
2. MULTIPLE DX	677	2.8	11	<1	1	2	3	6	8	16
A. NOT OPERATED	208	1.7	2	<1	1	1	2	3	4	7
B. OPERATED	1505	2.0	6	<1	<1	1	2	4	6	13
TOTAL 0-19 YRS	398	1.6	2	<1	<1	1	2	3	4	7
20-34	1063	2.0	6	<1	<1	1	2	4	6	11
35-49	252	2.2	10	<1	<1	1	2	4	6	19
50-64										
65+										
GRAND TOTAL	**1713**	**1.9**	**6**	**<1**	**<1**	**1**	**2**	**4**	**5**	**11**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. NOT OPERATED	1	1.0		1	1	1	1	1	1	1
B. OPERATED	1	3.0		3	3	3	3	3	3	3
TOTAL 0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
GRAND TOTAL	**2**	**2.0**	**2**	**1**	**1**	**2**	**3**	**3**	**3**	**3**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	267	1.4	1	<1	<1	1	2	2	3	6
20-34	991	1.4	1	<1	<1	1	2	2	3	5
35-49	96	1.4	1	<1	<1	1	2	3	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	1887	1.5	1	<1	<1	1	2	2	3	5
20-34	9887	1.4	1	<1	<1	1	1	2	3	5
35-49	1292	1.3		<1	<1	1	1	2	2	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	2.1	2	<1	1	2	3	4	5	6
20-34	252	2.3	3	<1	1	2	3	4	6	9
35-49	36	2.2	4	<1	1	2	2	4	5	11
50-64										
65+										
B. *Operated*										
0-19 YRS	334	2.1	2	<1	1	2	2	4	5	9
20-34	1871	2.1	5	<1	1	1	2	4	6	10
35-49	332	2.1	3	<1	1	1	2	4	6	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1354	1.4	1	<1	<1	1	2	2	3	5
B. *Operated*	13066	1.4	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	357	2.3	3	<1	1	2	3	4	6	9
B. *Operated*	2537	2.1	4	<1	1	1	2	4	5	10
1. SINGLE DX	14420	1.4	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX	2894	2.1	4	<1	1	1	2	4	5	10
A. NOT OPERATED	1711	1.6	1	<1	<1	1	2	3	4	6
B. OPERATED	15603	1.5	2	<1	<1	1	2	2	3	6
TOTAL 0-19 YRS	2557	1.5	1	<1	<1	1	2	3	4	6
20-34	13001	1.5	2	<1	<1	1	2	3	3	6
35-49	1756	1.5	1	<1	<1	1	2	2	3	6
50-64										
65+										
GRAND TOTAL	**17314**	**1.5**	**2**	**<1**	**<1**	**1**	**2**	**3**	**3**	**6**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	86	2.7	2	<1	1	2	3	5	6	8
20-34	330	2.1	3	<1	<1	2	3	4	6	8
35-49	40	2.1	2	<1	<1	2	3	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	202	1.8	1	<1	<1	1	2	3	4	7
20-34	1655	1.5	1	<1	<1	1	2	3	3	6
35-49	215	1.6	2	<1	<1	1	2	3	4	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	2.9	3	1	1	3	4	6	6	7
20-34	145	2.9	6	<1	1	2	4	6	6	12
35-49	18	2.5	4	<1	1	2	3	5	7	9
50-64										
65+										
B. *Operated*										
0-19 YRS	90	2.7	4	<1	1	2	4	6	7	9
20-34	601	2.7	8	<1	1	2	3	6	7	13
35-49	113	2.9	7	1	1	2	4	6	9	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	456	2.2	3	<1	<1	2	3	4	6	8
B. *Operated*	2072	1.6	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	203	2.8	5	<1	1	2	4	5	7	11
B. *Operated*	804	2.7	8	<1	1	2	3	6	7	13
1. SINGLE DX	2528	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	1007	2.8	7	<1	1	2	3	6	7	13
A. NOT OPERATED	659	2.4	3	<1	1	2	3	5	6	8
B. OPERATED	2876	1.9	3	<1	<1	1	2	4	5	9
TOTAL 0-19 YRS	418	2.3	3	<1	1	2	3	4	6	8
20-34	2731	1.9	3	<1	<1	1	2	4	5	9
35-49	386	2.1	4	<1	<1	1	2	4	6	9
50-64										
65+										
GRAND TOTAL	**3535**	**2.0**	**3**	**<1**	**<1**	**1**	**2**	**4**	**5**	**9**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	362	2.0	2	<1	1	2	3	4	5	6
20-34	1876	2.1	2	<1	1	2	3	4	5	7
35-49	141	2.0	1	<1	1	2	3	4	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	8	2.1	2	<1	<1	2	3	4	5	5
20-34	36	1.9	2	<1	1	1	3	4	6	7
35-49	5	1.4		<1	<1	1	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92	2.7	6	<1	1	2	3	4	6	16
20-34	563	2.7	3	1	1	2	4	5	6	9
35-49	37	3.4	7	<1	1	2	5	7	9	11
50-64										
65+										
B. *Operated*										
0-19 YRS	8	3.6	3	1	1	4	5	5	5	5
20-34	47	3.9	15	<1	1	3	5	8	9	23
35-49	3	2.0		2	2	2	2	2	2	2
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2379	2.1	2	<1	1	2	3	4	5	7
B. *Operated*	49	1.9	2	<1	1	1	2	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	692	2.8	4	<1	1	2	4	5	6	10
B. *Operated*	58	3.8	12	1	1	3	5	7	9	22
1. SINGLE DX	2428	2.1	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	750	2.8	5	1	1	2	4	5	6	10
A. NOT OPERATED	3071	2.2	2	<1	1	2	3	4	5	7
B. OPERATED	107	2.9	9	<1	1	2	4	6	7	16
TOTAL 0-19 YRS	470	2.2	3	<1	1	2	3	4	5	7
20-34	2522	2.3	2	<1	1	2	3	4	5	8
35-49	186	2.3	3	<1	1	2	3	4	6	9
50-64										
65+										
GRAND TOTAL	**3178**	**2.3**	**2**	**<1**	**1**	**2**	**3**	**4**	**5**	**8**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	1.9	1	<1	1	2	2	3	4	5
20-34	115	2.1	3	<1	1	2	2	4	4	11
35-49	3	1.3		1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	6	2.7	3	<1	<1	2	4	5	5	5
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	1.8	1	1	1	2	2	3	4	4
20-34	39	2.7	2	1	1	3	4	5	5	6
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	152	2.0	3	<1	1	2	2	3	4	9
B. *Operated*	7	2.6	2	<1	<1	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	54	2.4	2	1	1	2	3	4	5	6
B. *Operated*	3	1.3		1	1	1	2	2	2	2
1. SINGLE DX	159	2.0	3	<1	1	2	2	4	4	9
2. MULTIPLE DX	57	2.4	2	1	1	2	3	4	5	6
A. NOT OPERATED	206	2.1	2	<1	1	2	3	4	5	8
B. OPERATED	10	2.2	2	<1	<1	2	3	4	5	5
TOTAL 0-19 YRS	48	1.9	1	<1	1	2	2	3	4	5
20-34	162	2.2	3	<1	1	2	3	4	5	9
35-49	6	1.7	1	1	1	2	2	3	3	3
50-64										
65+										
GRAND TOTAL	**216**	**2.1**	**2**	**<1**	**1**	**2**	**3**	**4**	**5**	**8**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	352	3.1	6	1	1	3	4	5	7	11
20-34	1797	2.9	4	1	1	3	3	5	6	10
35-49	151	3.1	4	1	1	3	4	5	8	10
50-64										
65+										
B. *Operated*										
0-19 YRS	34	3.1	4	<1	1	3	4	5	7	11
20-34	153	3.4	5	<1	1	3	4	6	8	12
35-49	19	2.9	4	<1	1	2	4	7	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	109	3.4	11	1	1	3	4	5	8	23
20-34	616	3.4	8	<1	1	3	4	6	8	15
35-49	88	3.9	10	1	1	3	5	7	10	16
50-64										
65+										
B. *Operated*										
0-19 YRS	36	3.1	6	<1	<1	2	5	6	8	11
20-34	161	3.4	12	<1	<1	2	4	7	10	20
35-49	21	5.5	24	<1	<1	4	7	15	16	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2300	3.0	4	1	1	3	3	5	7	10
B. *Operated*	206	3.3	5	<1	1	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	813	3.4	8	<1	1	3	4	6	8	16
B. *Operated*	218	3.5	13	<1	<1	2	4	7	11	18
1. SINGLE DX	2506	3.0	4	1	1	3	4	5	7	11
2. MULTIPLE DX	1031	3.5	9	<1	1	3	4	6	9	16
A. NOT OPERATED	3113	3.1	5	1	1	3	4	5	7	12
B. OPERATED	424	3.4	9	<1	<1	3	4	7	9	15
TOTAL 0-19 YRS	531	3.2	7	<1	1	3	4	5	7	12
20-34	2727	3.1	5	1	1	3	4	5	7	12
35-49	279	3.5	8	1	1	3	4	6	8	16
50-64										
65+										
GRAND TOTAL	**3537**	**3.1**	**6**	**1**	**1**	**3**	**4**	**5**	**7**	**13**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	529	3.4	6	1	1	3	4	6	7	14
20-34	2845	3.8	6	1	2	3	5	6	8	13
35-49	126	4.5	9	2	2	4	5	8	10	17
50-64										
65+										
B. *Operated*										
0-19 YRS	7	3.7	11	<1	<1	2	6	9	9	9
20-34	15	6.8	66	<1	<1	3	11	23	24	25
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	301	3.4	4	1	1	3	4	6	7	11
20-34	1318	4.0	8	1	2	3	5	7	9	15
35-49	77	4.7	10	1	2	4	6	9	11	17
50-64										
65+										
B. *Operated*										
0-19 YRS	7	4.0	3	<1	<1	5	5	6	6	6
20-34	37	9.5	70	2	2	6	16	23	27	30
35-49	2	21.5	761	2	2	21	41	41	41	41
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3500	3.7	6	1	2	3	4	6	8	13
B. *Operated*	23	5.8	47	<1	<1	3	8	15	24	25
2. MULTIPLE DX										
A. *Not Operated*	1696	3.9	8	1	2	3	5	7	9	14
B. *Operated*	46	9.2	84	1	2	5	14	23	28	41
1. SINGLE DX	3523	3.8	6	1	2	3	4	6	8	13
2. MULTIPLE DX	1742	4.1	10	1	2	3	5	7	9	17
A. NOT OPERATED	5196	3.8	6	1	2	3	5	7	8	13
B. OPERATED	69	8.0	73	<1	1	5	11	22	26	39
TOTAL 0-19 YRS	844	3.4	5	1	1	3	4	6	7	13
20-34	4215	3.9	7	1	2	3	5	7	9	14
35-49	206	4.7	15	2	2	4	6	8	11	18
50-64										
65+										
GRAND TOTAL	**5265**	**3.9**	**7**	**1**	**2**	**3**	**5**	**7**	**9**	**14**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1858	1.1	1	<1	<1	<1	1	1	2	4
20-34	7414	1.1	1	<1	<1	<1	1	1	2	4
35-49	358	1.1		<1	<1	<1	1	1	2	4
50-64										
65+										
B. *Operated*										
0-19 YRS	288	1.2	1	<1	<1	<1	1	2	2	5
20-34	1061	1.2	1	<1	<1	<1	1	1	2	5
35-49	60	1.1		<1	<1	<1	1	1	1	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	203	1.5	3	<1	<1	1	1	2	3	6
20-34	823	1.5	3	<1	<1	1	1	3	4	8
35-49	43	1.8	3	<1	<1	1	2	5	6	10
50-64										
65+										
B. *Operated*										
0-19 YRS	41	1.5	2	<1	<1	<1	1	3	3	10
20-34	175	2.0	10	<1	<1	1	2	4	5	15
35-49	8	2.4	2	<1	<1	2	3	5	5	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9630	1.1	1	<1	<1	<1	1	1	2	4
B. *Operated*	1409	1.2	1	<1	<1	<1	1	1	2	5
2. MULTIPLE DX										
A. *Not Operated*	1069	1.5	3	<1	<1	1	1	3	4	8
B. *Operated*	224	1.9	8	<1	<1	1	2	3	5	12
1. SINGLE DX	11039	1.1	1	<1	<1	<1	1	1	2	4
2. MULTIPLE DX	1293	1.6	4	<1	<1	1	1	3	4	9
A. NOT OPERATED	10699	1.2	1	<1	<1	<1	1	1	2	4
B. OPERATED	1633	1.3	2	<1	<1	<1	1	2	3	6
TOTAL 0-19 YRS	2390	1.2	1	<1	<1	<1	1	1	2	4
20-34	9473	1.2	1	<1	<1	<1	1	1	2	5
35-49	469	1.2	1	<1	<1	1	1	2	2	5
50-64										
65+										
GRAND TOTAL	**12332**	**1.2**	**1**	**<1**	**<1**	**<1**	**1**	**1**	**2**	**5**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VAR-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	72	2.8	5	<1	<1	2	4	5	7	12
20-34	692	3.1	13	<1	1	2	3	5	8	16
35-49	75	3.7	18	1	1	3	4	6	8	27
50-64										
65+										
B. *Operated*										
0-19 YRS	7	2.0	1	1	1	2	3	4	4	4
20-34	78	4.8	42	<1	1	3	5	11	14	36
35-49	8	5.8	44	1	1	3	7	17	21	21
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	3.1	5	<1	1	2	4	7	7	7
20-34	253	4.0	30	<1	1	3	4	7	11	27
35-49	22	3.8	12	<1	<1	3	5	9	12	14
50-64										
65+										
B. *Operated*										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	30	4.8	24	1	1	4	6	8	13	27
35-49	3	9.0	67	2	2	7	15	18	18	18
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	839	3.1	13	<1	1	2	4	5	8	16
B. *Operated*	93	4.7	40	1	1	3	4	11	15	36
2. MULTIPLE DX										
A. *Not Operated*	295	3.9	27	<1	1	3	4	7	10	25
B. *Operated*	36	5.0	25	1	2	4	6	8	16	27
1. SINGLE DX	932	3.3	16	<1	1	2	4	6	9	21
2. MULTIPLE DX	331	4.0	27	<1	1	3	4	7	11	27
A. NOT OPERATED	1134	3.3	17	<1	1	2	4	6	9	18
B. OPERATED	129	4.8	35	1	1	3	5	10	15	36
TOTAL 0-19 YRS	102	2.8	4	<1	1	2	4	5	7	11
20-34	1053	3.5	20	<1	1	2	4	6	10	22
35-49	108	4.0	20	<1	1	3	4	7	11	26
50-64										
65+										
GRAND TOTAL	**1263**	**3.5**	**19**	**<1**	**1**	**2**	**4**	**6**	**10**	**22**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	197	1.6	2	<1	<1	1	2	3	4	7
20-34	853	1.9	2	<1	<1	1	2	4	5	9
35-49	78	2.0	3	<1	<1	1	2	4	6	9
50-64										
65+										
B. *Operated*										
0-19 YRS	28	1.3		<1	<1	1	1	3	3	3
20-34	104	2.1	11	<1	<1	1	2	3	5	20
35-49	9	1.1		<1	<1	1	1	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	79	2.2	8	<1	<1	1	2	4	5	19
20-34	341	2.5	5	<1	<1	2	3	5	6	11
35-49	29	2.2	4	<1	<1	2	3	4	6	11
50-64										
65+										
B. *Operated*										
0-19 YRS	7	3.0	3	<1	<1	3	4	6	6	6
20-34	44	4.3	24	<1	<1	3	4	10	16	23
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1128	1.9	2	<1	<1	1	2	3	5	9
B. *Operated*	141	1.9	8	<1	<1	1	2	3	4	11
2. MULTIPLE DX										
A. *Not Operated*	449	2.4	5	<1	<1	2	3	4	6	11
B. *Operated*	53	4.1	21	<1	<1	3	4	10	13	23
1. SINGLE DX	1269	1.9	3	<1	<1	1	2	3	5	9
2. MULTIPLE DX	502	2.6	7	<1	<1	2	3	5	7	13
A. NOT OPERATED	1577	2.0	3	<1	<1	1	2	4	5	10
B. OPERATED	194	2.5	12	<1	<1	1	3	4	7	23
TOTAL 0-19 YRS	311	1.8	3	<1	<1	1	2	3	4	8
20-34	1342	2.2	5	<1	<1	1	3	4	6	11
35-49	118	2.0	3	<1	<1	1	2	4	6	10
50-64										
65+										
GRAND TOTAL	**1771**	**2.1**	**4**	**<1**	**<1**	**1**	**2**	**4**	**5**	**10**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	440	2.8	3	<1	1	3	4	5	6	8
20-34	991	2.9	3	<1	1	3	4	5	6	8
35-49	22	2.9	1	<1	1	3	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	27	2.6	4	<1	<1	2	3	6	7	8
20-34	68	3.4	10	<1	<1	3	4	6	8	20
35-49	6	3.7	2	2	2	3	4	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	602	3.5	4	<1	1	3	5	6	7	10
20-34	1228	3.4	4	<1	1	3	4	6	7	10
35-49	34	2.9	4	1	1	2	4	6	7	10
50-64										
65+										
B. *Operated*										
0-19 YRS	29	3.9	13	<1	1	3	5	9	14	14
20-34	106	3.7	11	<1	1	3	5	8	10	17
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1453	2.9	3	<1	1	3	4	5	6	8
B. *Operated*	101	3.2	8	<1	<1	3	4	6	7	16
2. MULTIPLE DX										
A. *Not Operated*	1864	3.4	4	<1	1	3	4	6	7	10
B. *Operated*	137	3.7	11	<1	1	3	5	8	11	15
1. SINGLE DX	1554	2.9	3	<1	1	3	4	5	6	8
2. MULTIPLE DX	2001	3.5	5	<1	1	3	4	6	7	11
A. NOT OPERATED	3317	3.2	4	<1	1	3	4	6	7	9
B. OPERATED	238	3.5	10	<1	<1	3	4	7	10	15
TOTAL 0-19 YRS	1098	3.2	4	<1	1	3	4	6	7	10
20-34	2393	3.2	4	<1	1	3	4	6	7	10
35-49	64	2.9	3	<1	1	3	4	5	6	10
50-64										
65+										
GRAND TOTAL	**3555**	**3.2**	**4**	**<1**	**1**	**3**	**4**	**6**	**7**	**10**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	117	3.1	6	<1	<1	3	4	6	7	13
20-34	790	3.6	8	1	1	3	5	7	8	15
35-49	118	3.9	6	1	1	4	5	7	8	14
50-64										
65+										
B. *Operated*										
0-19 YRS	8	5.0	40	1	1	3	5	16	20	20
20-34	48	3.3	7	<1	<1	3	5	6	7	15
35-49	5	3.0	6	1	1	2	4	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	607	3.6	26	<1	<1	2	4	7	10	24
20-34	3125	3.8	14	<1	1	3	4	7	10	20
35-49	286	4.0	10	1	1	3	5	7	8	12
50-64										
65+										
B. *Operated*										
0-19 YRS	66	4.0	8	1	1	3	6	8	10	12
20-34	389	5.7	34	<1	1	4	7	12	20	33
35-49	37	5.9	13	<1	1	6	9	11	12	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1025	3.6	7	<1	1	3	5	7	8	15
B. *Operated*	61	3.5	11	<1	<1	3	4	6	8	19
2. MULTIPLE DX										
A. *Not Operated*	4018	3.8	15	<1	1	3	5	7	10	20
B. *Operated*	492	5.5	29	<1	1	4	7	11	17	32
1. SINGLE DX	1086	3.6	7	<1	1	3	5	7	8	15
2. MULTIPLE DX	4510	3.9	17	<1	1	3	5	8	10	21
A. NOT OPERATED	5043	3.7	14	<1	1	3	5	7	9	19
B. OPERATED	553	5.2	28	<1	1	4	7	11	16	31
TOTAL 0-19 YRS	798	3.6	21	<1	<1	3	4	7	10	19
20-34	4352	3.9	15	<1	1	3	5	8	10	20
35-49	446	4.1	10	1	1	3	5	8	9	13
50-64										
65+										
GRAND TOTAL	**5596**	**3.9**	**15**	**<1**	**1**	**3**	**5**	**7**	**10**	**20**

268: Miscellaneous complications of pregnancy without delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1236	2.0	3	<1	<1	1	2	4	5	9
20-34	5806	2.2	6	<1	<1	1	3	4	6	12
35-49	337	2.2	5	<1	<1	1	3	4	7	12
50-64										
65+										
B. *Operated*										
0-19 YRS	354	2.4	13	<1	<1	1	3	4	8	19
20-34	2375	2.3	7	<1	<1	1	3	4	6	13
35-49	181	2.2	4	<1	<1	1	3	4	6	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	741	2.7	10	<1	<1	2	3	5	7	12
20-34	3205	3.0	15	<1	<1	2	4	6	8	20
35-49	221	3.7	16	<1	<1	2	5	8	11	22
50-64										
65+										
B. *Operated*										
0-19 YRS	248	3.5	21	<1	<1	2	4	7	11	29
20-34	1402	3.1	20	<1	<1	2	4	6	9	21
35-49	115	3.2	21	<1	<1	2	3	6	10	26
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7379	2.1	6	<1	<1	1	3	4	6	12
B. *Operated*	2910	2.3	8	<1	<1	1	3	4	6	13
2. MULTIPLE DX										
A. *Not Operated*	4167	3.0	14	<1	<1	2	4	6	8	19
B. *Operated*	1765	3.2	20	<1	<1	2	4	6	9	21
1. SINGLE DX	10289	2.2	6	<1	<1	1	3	4	6	12
2. MULTIPLE DX	5932	3.1	16	<1	<1	2	4	6	8	20
A. NOT OPERATED	11546	2.5	9	<1	<1	1	3	5	7	14
B. OPERATED	4675	2.6	13	<1	<1	1	3	5	7	18
TOTAL 0-19 YRS	2579	2.4	9	<1	<1	1	3	4	6	15
20-34	12788	2.5	10	<1	<1	1	3	5	7	15
35-49	854	2.7	10	<1	<1	2	3	6	8	18
50-64										
65+										
GRAND TOTAL	**16221**	**2.5**	**10**	**<1**	**<1**	**1**	**3**	**5**	**7**	**15**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	111	2.8	1	2	2	3	3	4	4	7
20-34	623	3.0	2	1	2	3	3	4	5	8
35-49	67	3.2	3	1	2	3	4	5	6	10
50-64										
65+										
B. *Operated*										
0-19 YRS	41	3.0	1	1	2	3	4	5	5	6
20-34	402	3.7	5	2	2	3	4	6	6	12
35-49	33	3.5	2	2	2	3	4	6	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	225	3.0	3	1	2	3	3	4	5	8
20-34	1181	3.1	6	1	2	3	3	4	5	10
35-49	101	3.2	2	2	2	3	4	5	6	8
50-64										
65+										
B. *Operated*										
0-19 YRS	287	4.3	13	2	2	3	5	7	11	24
20-34	2486	4.9	20	2	2	4	5	7	10	25
35-49	273	5.5	33	2	2	4	6	8	12	39
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	801	3.0	2	1	2	3	3	4	5	9
B. *Operated*	476	3.7	4	2	2	3	4	6	6	10
2. MULTIPLE DX										
A. *Not Operated*	1507	3.1	5	1	2	3	3	4	5	9
B. *Operated*	3046	4.9	20	2	2	4	5	7	11	26
1. SINGLE DX	1277	3.2	3	2	2	3	4	5	6	9
2. MULTIPLE DX	4553	4.3	16	2	2	3	5	6	9	22
A. NOT OPERATED	2308	3.0	4	1	2	3	3	4	5	9
B. OPERATED	3522	4.7	18	2	2	4	5	7	10	25
TOTAL 0-19 YRS	664	3.5	7	2	2	3	4	5	7	19
20-34	4692	4.1	13	2	2	3	4	6	8	20
35-49	474	4.5	21	2	2	3	5	7	9	31
50-64										
65+										
GRAND TOTAL	**5830**	**4.0**	**13**	**2**	**2**	**3**	**4**	**6**	**8**	**20**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7837	2.6	1	1	2	3	3	3	4	5
20-34	50165	2.6	1	1	2	3	3	4	4	5
35-49	2657	2.7	1	1	2	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	2385	2.6	1	2	2	3	3	4	4	5
20-34	14514	2.7	1	1	2	3	3	4	4	5
35-49	714	2.8	1	2	2	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	325	2.7	1	1	2	3	3	4	4	6
20-34	1635	2.9	2	1	2	3	3	4	4	6
35-49	127	2.9	1	1	2	3	4	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	163	3.0	2	2	2	3	3	4	5	6
20-34	6581	3.3	1	2	2	3	4	4	5	6
35-49	737	3.4	1	2	2	3	4	5	5	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60659	2.6	1	1	2	3	3	4	4	5
B. *Operated*	17613	2.7	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	2087	2.9	2	1	2	3	3	4	4	6
B. *Operated*	7481	3.3	1	2	2	3	4	4	5	6
1. SINGLE DX	78272	2.7	1	1	2	3	3	4	4	5
2. MULTIPLE DX	9568	3.2	1	2	2	3	4	4	5	6
A. NOT OPERATED	62746	2.6	1	1	2	3	3	4	4	5
B. OPERATED	25094	2.9	1	2	2	3	3	4	4	5
TOTAL 0-19 YRS	10710	2.6	1	1	2	3	3	4	4	5
20-34	72895	2.7	1	1	2	3	3	4	4	5
35-49	4235	2.9	1	1	2	3	3	4	4	5
50-64										
65+										
GRAND TOTAL	**87840**	**2.7**	**1**	**1**	**2**	**3**	**3**	**4**	**4**	**5**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.2	1	<1	<1	2	3	3	3	3
20-34	29	2.6	1	1	1	3	3	4	4	4
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	15	6.4	33	3	3	5	7	10	22	26
20-34	199	7.9	82	3	4	5	6	14	34	46
35-49	18	6.3	21	3	3	5	6	7	17	24
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.8	2	3	3	3	5	6	6	6
20-34	38	5.2	40	1	2	3	[illegible]	10	17	36
35-49	6	5.8	23	2	2	5	6	14	15	15
50-64										
65+										
B. *Operated*										
0-19 YRS	24	8.1	152	2	2	5	7	11	38	61
20-34	558	7.8	70	3	3	5	7	13	24	53
35-49	115	10.0	132	3	4	6	8	23	33	64
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	2.4	1	1	1	3	3	3	4	4
B. *Operated*	232	7.7	74	3	3	5	6	13	26	46
2. MULTIPLE DX										
A. *Not Operated*	48	5.2	34	2	2	3	6	10	15	36
B. *Operated*	697	8.1	83	3	3	5	7	15	26	55
1. SINGLE DX	269	7.0	67	2	3	5	6	11	25	45
2. MULTIPLE DX	745	7.9	80	2	3	5	7	14	26	54
A. NOT OPERATED	85	4.0	21	1	2	3	4	6	11	30
B. OPERATED	929	8.0	81	3	3	5	7	14	26	54
TOTAL 0-19 YRS	48	6.6	89	2	2	4	6	9	26	61
20-34	824	7.5	70	2	3	5	7	13	25	46
35-49	142	9.2	113	3	3	6	8	22	31	62
50-64										
65+										
GRAND TOTAL	**1014**	**7.7**	**77**	**2**	**3**	**5**	**7**	**14**	**26**	**49**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	2.5	1	<1	1	3	3	4	4	4
20-34	262	2.7	3	1	1	3	3	4	5	10
35-49	24	2.5	1	<1	1	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	39	3.7	2	1	2	4	5	6	6	7
20-34	300	4.2	6	2	2	4	5	6	7	12
35-49	16	4.5	5	<1	1	5	6	6	9	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	2.9	2	1	1	3	4	5	6	7
20-34	254	3.0	4	1	1	3	3	4	6	14
35-49	33	3.4	8	1	2	3	4	5	7	18
50-64										
65+										
B. *Operated*										
0-19 YRS	155	4.3	6	1	2	4	6	7	8	13
20-34	1101	4.8	12	2	2	4	5	7	10	19
35-49	92	5.4	25	2	3	5	6	7	11	34
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	307	2.7	2	1	1	3	3	4	4	8
B. *Operated*	355	4.2	5	1	2	4	5	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	348	3.0	4	1	1	3	3	4	6	14
B. *Operated*	1348	4.8	13	2	2	4	5	7	9	19
1. SINGLE DX	662	3.5	4	1	1	3	4	6	6	11
2. MULTIPLE DX	1696	4.4	11	1	2	4	5	7	8	18
A. NOT OPERATED	655	2.9	3	1	1	3	3	4	5	12
B. OPERATED	1703	4.7	11	2	2	4	5	7	8	18
TOTAL 0-19 YRS	276	3.8	5	1	2	3	5	6	7	12
20-34	1917	4.2	10	1	2	4	5	6	8	17
35-49	165	4.5	17	1	2	4	5	7	8	18
50-64										
65+										
GRAND TOTAL	**2358**	**4.2**	**10**	**1**	**2**	**4**	**5**	**6**	**8**	**17**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	2	1	1	2	3	4	4	4
20-34	52	2.7	1	1	1	3	3	4	4	6
35-49	5	2.8	1	2	2	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	87	2.6	1	1	1	3	3	4	4	4
20-34	725	2.8	1	1	1	3	3	4	4	5
35-49	49	3.0	3	1	1	3	3	4	5	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3	2	1	1	2	3	4	4	4
20-34	25	3.0	1	1	2	3	4	4	5	5
35-49	3	2.7		2	2	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	59	2.7	1	1	1	3	3	4	5	6
20-34	643	3.2	2	1	2	3	4	5	5	7
35-49	45	3.7	32	1	1	3	4	4	5	40
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	2.7	1	1	1	3	3	4	4	6
B. *Operated*	861	2.8	1	1	1	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	32	2.9	1	1	2	3	4	4	4	5
B. *Operated*	747	3.2	3	1	2	3	4	5	5	7
1. SINGLE DX	922	2.8	1	1	1	3	3	4	4	6
2. MULTIPLE DX	779	3.2	3	1	2	3	4	5	5	7
A. NOT OPERATED	93	2.7	1	1	1	3	3	4	4	6
B. OPERATED	1608	3.0	2	1	2	3	3	4	5	6
TOTAL 0-19 YRS	154	2.6	1	1	1	3	3	4	4	5
20-34	1445	3.0	2	1	2	3	3	4	5	6
35-49	102	3.3	15	1	1	3	4	4	5	25
50-64										
65+										
GRAND TOTAL	**1701**	**3.0**	**2**	**1**	**2**	**3**	**3**	**4**	**5**	**6**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	2.8	1	1	2	3	3	4	4	5
20-34	228	2.8	1	1	2	3	3	4	4	5
35-49	8	2.3	1	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	29	2.6	1	1	1	3	3	4	5	5
20-34	165	2.9	1	2	2	3	3	4	4	6
35-49	8	3.5	1	3	3	3	4	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	3.0	1	1	2	3	3	4	5	5
20-34	160	3.4	6	1	2	3	4	5	5	13
35-49	10	2.5		2	2	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	49	3.1	2	1	2	3	4	4	5	8
20-34	318	3.3	2	2	2	3	4	5	6	8
35-49	20	4.0	2	2	2	4	4	6	7	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	271	2.8	1	1	2	3	3	4	4	5
B. *Operated*	202	2.9	1	1	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	203	3.3	5	1	2	3	4	5	5	11
B. *Operated*	387	3.3	2	2	2	3	4	5	6	8
1. SINGLE DX	473	2.8	1	1	2	3	3	4	4	5
2. MULTIPLE DX	590	3.3	3	2	2	3	4	5	5	8
A. NOT OPERATED	474	3.0	3	1	2	3	3	4	5	7
B. OPERATED	589	3.2	1	2	2	3	4	5	5	7
TOTAL 0-19 YRS	146	2.9	1	1	2	3	3	4	5	6
20-34	871	3.1	2	2	2	3	4	4	5	7
35-49	46	3.3	2	1	2	3	4	4	6	8
50-64										
65+										
GRAND TOTAL	**1063**	**3.1**	**2**	**1**	**2**	**3**	**4**	**4**	**5**	**7**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.0	1	2	2	3	3	4	4	4
20-34	117	3.6	4	2	2	3	4	5	6	14
35-49	10	3.1		3	3	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	111	4.3	2	2	3	4	5	7	7	9
35-49	7	4.9	4	2	2	5	7	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	4.4	11	1	2	3	5	11	12	13
20-34	190	3.9	6	1	2	4	4	6	7	18
35-49	13	3.5		3	3	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	68	5.0	4	2	3	5	6	7	9	11
20-34	1035	5.6	22	2	3	5	6	8	10	28
35-49	77	5.6	6	2	3	5	7	9	10	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	136	3.5	4	2	2	3	4	5	5	12
B. *Operated*	119	4.3	3	2	3	4	5	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	219	3.9	6	1	2	3	4	6	7	17
B. *Operated*	1180	5.5	20	2	3	5	6	8	10	25
1. SINGLE DX	255	3.9	3	2	2	4	5	6	7	9
2. MULTIPLE DX	1399	5.3	18	2	3	5	6	7	9	24
A. NOT OPERATED	355	3.8	5	2	2	3	4	5	7	17
B. OPERATED	1299	5.4	18	2	3	5	6	8	9	25
TOTAL 0-19 YRS	94	4.7	5	2	2	4	6	7	9	12
20-34	1453	5.1	18	2	3	4	6	7	9	23
35-49	107	5.1	5	2	3	5	6	8	9	13
50-64										
65+										
GRAND TOTAL	**1654**	**5.1**	**16**	**2**	**3**	**4**	**6**	**7**	**9**	**23**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	2.4	1	1	2	2	3	3	4	5
20-34	218	2.7	1	1	2	3	3	4	4	5
35-49	24	2.6	1	1	1	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	277	4.6	2	2	3	4	5	6	7	10
20-34	2245	4.6	1	3	3	5	5	6	6	8
35-49	99	4.7	2	2	3	5	6	6	7	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	2.8	3	1	1	2	3	4	7	8
20-34	152	2.8	1	1	2	3	3	4	5	7
35-49	9	2.3		2	2	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	380	5.1	4	3	3	5	6	7	8	13
20-34	2984	5.0	6	3	3	5	6	7	8	13
35-49	303	5.3	5	3	3	5	6	7	8	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	267	2.7	1	1	2	3	3	4	4	5
B. *Operated*	2621	4.6	2	3	3	5	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	178	2.8	1	1	2	3	3	4	5	8
B. *Operated*	3667	5.0	6	3	3	5	6	7	8	13
1. SINGLE DX	2888	4.4	2	2	3	4	5	6	6	8
2. MULTIPLE DX	3845	4.9	6	2	3	5	6	7	8	13
A. NOT OPERATED	445	2.7	1	1	2	3	3	4	4	6
B. OPERATED	6288	4.8	4	3	3	5	5	6	7	10
TOTAL 0-19 YRS	699	4.8	3	2	3	5	5	7	8	12
20-34	5599	4.7	4	2	3	5	5	6	7	10
35-49	435	5.0	4	2	3	5	6	7	8	13
50-64										
65+										
GRAND TOTAL	**6733**	**4.7**	**4**	**2**	**3**	**5**	**5**	**6**	**7**	**10**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	90	2.9	9	1	2	3	3	4	4	20
20-34	786	2.8	1	2	2	3	3	4	4	5
35-49	62	2.9	1	1	2	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	133	3.5	2	2	2	3	4	6	6	8
20-34	1269	3.7	2	2	2	3	5	6	6	7
35-49	83	4.0	2	2	2	4	5	6	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	2.7	1	1	2	3	3	4	4	6
20-34	490	2.9	1	1	2	3	3	4	4	6
35-49	40	3.3	8	1	2	3	4	4	5	20
50-64										
65+										
B. *Operated*										
0-19 YRS	654	4.5	12	2	2	4	5	7	9	14
20-34	5127	4.3	3	2	2	4	5	6	7	10
35-49	480	5.1	8	2	3	5	6	7	8	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	938	2.8	2	1	2	3	3	4	4	5
B. *Operated*	1485	3.7	2	2	2	3	5	6	6	7
2. MULTIPLE DX										
A. *Not Operated*	597	2.9	2	1	2	3	3	4	4	6
B. *Operated*	6261	4.4	5	2	2	4	5	6	7	11
1. SINGLE DX	2423	3.3	2	2	2	3	4	5	6	7
2. MULTIPLE DX	6858	4.3	5	2	2	4	5	6	7	10
A. NOT OPERATED	1535	2.8	2	1	2	3	3	4	4	6
B. OPERATED	7746	4.3	4	2	2	4	5	6	7	10
TOTAL 0-19 YRS	944	4.1	10	2	2	4	5	6	8	13
20-34	7672	4.0	3	2	2	4	5	6	7	9
35-49	665	4.6	7	2	2	4	6	7	8	11
50-64										
65+										
GRAND TOTAL	**9281**	**4.0**	**4**	**2**	**2**	**4**	**5**	**6**	**7**	**10**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.8	2	1	1	3	4	5	5	5
20-34	48	3.2	1	2	2	3	3	5	6	6
35-49	3	3.7	2	2	2	4	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	366	5.2	2	3	4	5	6	7	7	9
20-34	1791	5.1	2	3	4	5	6	6	7	8
35-49	77	5.5	4	3	4	5	6	7	8	17
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.9	3	2	2	3	5	7	7	7
20-34	48	3.3	2	1	1	3	4	5	6	7
35-49	3	2.7		2	2	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	1207	5.6	5	4	4	5	6	8	9	13
20-34	6731	5.4	3	4	4	5	6	7	8	11
35-49	474	5.8	3	4	4	5	6	8	8	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	3.2	1	2	2	3	4	5	6	6
B. *Operated*	2234	5.1	2	3	4	5	6	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	61	3.3	2	1	2	3	4	6	7	7
B. *Operated*	8412	5.4	3	4	4	5	6	7	8	11
1. SINGLE DX	2291	5.1	2	3	4	5	6	6	7	9
2. MULTIPLE DX	8473	5.4	3	4	4	5	6	7	8	11
A. NOT OPERATED	118	3.3	2	1	2	3	4	5	6	7
B. OPERATED	10646	5.4	3	4	4	5	6	7	8	11
TOTAL 0-19 YRS	1589	5.5	4	3	4	5	6	7	9	13
20-34	8618	5.3	3	3	4	5	6	7	7	10
35-49	557	5.7	3	4	4	5	6	7	8	12
50-64										
65+										
GRAND TOTAL	**10764**	**5.3**	**3**	**3**	**4**	**5**	**6**	**7**	**8**	**11**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	124	2.8	1	1	2	3	3	4	4	5
20-34	925	3.0	1	1	2	3	4	4	5	6
35-49	38	3.0	2	1	1	3	4	5	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	214	3.9	2	2	2	4	5	6	6	8
20-34	1648	3.9	2	2	2	4	5	6	6	7
35-49	93	3.9	2	2	2	4	5	6	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	115	3.1	1	2	2	3	4	4	4	5
20-34	678	3.1	1	2	2	3	4	4	5	7
35-49	34	3.2	2	2	2	3	4	4	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	739	4.5	6	2	2	4	5	7	8	12
20-34	4806	4.3	3	2	2	4	5	6	7	10
35-49	368	4.6	4	2	3	4	6	6	7	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1087	3.0	1	1	2	3	4	4	5	6
B. *Operated*	1955	3.9	2	2	2	4	5	6	6	7
2. MULTIPLE DX										
A. *Not Operated*	827	3.1	1	2	2	3	4	4	5	7
B. *Operated*	5913	4.4	4	2	2	4	5	6	7	10
1. SINGLE DX	3042	3.5	2	2	2	3	4	5	6	7
2. MULTIPLE DX	6740	4.2	4	2	2	4	5	6	7	10
A. NOT OPERATED	1914	3.0	1	2	2	3	4	4	5	6
B. OPERATED	7868	4.3	3	2	2	4	5	6	7	10
TOTAL 0-19 YRS	1192	4.1	4	2	2	4	5	6	7	11
20-34	8057	4.0	3	2	2	4	5	6	7	9
35-49	533	4.3	4	2	2	4	5	6	7	10
50-64										
65+										
GRAND TOTAL	**9782**	**4.0**	**3**	**2**	**2**	**4**	**5**	**6**	**7**	**9**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	3.0	1	2	2	3	4	4	4	4
20-34	161	3.0	3	2	2	3	3	4	5	8
35-49	11	2.6	1	1	1	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	58	3.7	2	1	2	4	5	6	7	7
20-34	448	4.0	4	2	2	4	5	6	7	8
35-49	42	4.0	4	1	1	4	5	7	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	2.7	2	1	1	2	3	5	6	7
20-34	136	3.1	4	1	2	3	3	4	5	11
35-49	21	3.0	1	1	2	3	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	170	5.1	7	2	3	5	6	7	8	12
20-34	1506	4.9	9	2	3	5	6	7	8	11
35-49	184	5.7	45	2	3	5	6	7	9	22
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	184	3.0	3	2	2	3	3	4	5	8
B. *Operated*	548	4.0	4	1	2	4	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	175	3.1	3	1	2	3	3	4	5	9
B. *Operated*	1860	5.0	12	2	3	5	6	7	8	11
1. SINGLE DX	732	3.7	4	1	2	3	5	6	6	8
2. MULTIPLE DX	2035	4.9	12	2	3	5	6	7	8	11
A. NOT OPERATED	359	3.0	3	1	2	3	3	4	5	8
B. OPERATED	2408	4.8	10	2	2	5	6	7	8	11
TOTAL 0-19 YRS	258	4.5	6	2	2	4	5	7	8	11
20-34	2251	4.5	8	2	2	4	6	6	7	11
35-49	258	5.1	34	2	2	5	6	7	8	11
50-64										
65+										
GRAND TOTAL	**2767**	**4.6**	**10**	**2**	**2**	**4**	**6**	**7**	**7**	**11**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.4	2	1	1	2	3	5	6	6
20-34	202	2.8	1	1	2	3	3	4	5	7
35-49	17	2.8	1	1	2	3	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	517	4.9	1	3	4	5	6	6	6	7
20-34	9195	4.9	1	3	4	5	6	6	7	8
35-49	548	5.3	1	3	4	5	6	7	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.5	5	2	2	3	3	8	8	8
20-34	109	3.2	4	1	2	3	4	5	7	13
35-49	9	4.4	3	1	2	5	5	6	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	394	5.4	8	3	4	5	6	7	9	13
20-34	12001	5.2	3	3	4	5	6	7	7	10
35-49	1313	5.6	4	4	4	5	6	7	8	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	231	2.8	1	1	2	3	3	4	5	7
B. *Operated*	10260	5.0	1	3	4	5	6	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	124	3.3	4	1	2	3	4	5	7	13
B. *Operated*	13708	5.3	3	3	4	5	6	7	7	10
1. SINGLE DX	10491	4.9	1	3	4	5	6	6	7	8
2. MULTIPLE DX	13832	5.3	3	3	4	5	6	7	7	10
A. NOT OPERATED	355	3.0	2	1	2	3	3	5	5	8
B. OPERATED	23968	5.1	2	3	4	5	6	7	7	9
TOTAL 0-19 YRS	929	5.0	4	3	4	5	6	6	7	11
20-34	21507	5.1	2	3	4	5	6	6	7	9
35-49	1887	5.5	3	4	4	5	6	7	8	11
50-64										
65+										
GRAND TOTAL	**24323**	**5.1**	**2**	**3**	**4**	**5**	**6**	**7**	**7**	**9**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	210	2.9	1	1	2	3	3	4	5	7
20-34	1525	3.0	1	2	2	3	4	4	5	6
35-49	95	3.0	1	1	2	3	4	4	5	8
50-64										
65+										
B. *Operated*										
0-19 YRS	186	3.1	4	2	2	3	3	4	5	20
20-34	1380	3.3	2	2	2	3	4	5	5	7
35-49	103	3.4	2	2	2	3	4	5	6	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	259	3.2	2	1	2	3	4	5	6	10
20-34	1332	3.6	6	2	2	3	4	5	7	12
35-49	91	3.8	7	2	2	3	4	5	10	17
50-64										
65+										
B. *Operated*										
0-19 YRS	744	4.1	4	2	2	4	5	6	8	12
20-34	5046	4.3	8	2	2	4	5	6	7	14
35-49	436	4.8	9	2	3	4	6	7	9	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1830	3.0	1	2	2	3	4	4	5	7
B. *Operated*	1669	3.3	2	2	2	3	4	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	1682	3.5	6	2	2	3	4	5	7	11
B. *Operated*	6226	4.3	7	2	2	4	5	6	8	14
1. SINGLE DX	3499	3.1	2	2	2	3	4	4	5	7
2. MULTIPLE DX	7908	4.1	7	2	2	4	5	6	7	13
A. NOT OPERATED	3512	3.3	3	2	2	3	4	5	5	9
B. OPERATED	7895	4.1	6	2	2	4	5	6	7	12
TOTAL 0-19 YRS	1399	3.6	4	2	2	3	4	6	7	11
20-34	9283	3.8	6	2	2	3	4	6	7	11
35-49	725	4.2	7	2	2	4	5	7	8	15
50-64										
65+										
GRAND TOTAL	**11407**	**3.8**	**6**	**2**	**2**	**3**	**4**	**6**	**7**	**11**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	929	2.6	1	1	2	3	3	3	4	5
20-34	7793	2.7	1	1	2	3	3	4	4	5
35-49	435	2.8	1	1	2	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	502	2.6	1	1	2	3	3	4	4	5
20-34	3865	2.8	1	2	2	3	3	4	4	5
35-49	212	3.0	1	2	2	3	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	296	2.7	1	1	2	3	3	4	5	7
20-34	1917	2.8	1	1	2	3	3	4	4	6
35-49	145	2.8	1	1	2	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	568	3.1	4	2	2	3	3	5	5	8
20-34	5334	3.2	2	2	2	3	4	5	5	7
35-49	467	3.5	2	2	2	3	4	5	6	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9157	2.7	1	1	2	3	3	4	4	5
B. *Operated*	4579	2.8	1	2	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	2358	2.8	1	1	2	3	3	4	4	6
B. *Operated*	6369	3.2	2	2	2	3	4	5	5	7
1. SINGLE DX	13736	2.7	1	1	2	3	3	4	4	5
2. MULTIPLE DX	8727	3.1	2	2	2	3	4	4	5	7
A. NOT OPERATED	11515	2.7	1	1	2	3	3	4	4	5
B. OPERATED	10948	3.0	1	2	2	3	4	4	5	7
TOTAL 0-19 YRS	2295	2.7	2	1	2	3	3	4	4	6
20-34	18909	2.9	1	1	2	3	3	4	5	6
35-49	1259	3.1	1	2	2	3	4	4	5	6
50-64										
65+										
GRAND TOTAL	**22463**	**2.9**	**1**	**1**	**2**	**3**	**3**	**4**	**5**	**6**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	152	2.3	1	1	1	2	3	3	4	5
20-34	1025	2.4	1	1	1	2	3	3	4	4
35-49	71	2.5	1	1	1	2	3	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	1436	2.5	1	1	2	2	3	3	4	4
20-34	11447	2.5	1	1	2	3	3	3	4	5
35-49	876	2.6	1	1	2	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	2.7	1	1	2	3	3	4	5	6
20-34	432	2.7	1	1	2	3	3	4	4	6
35-49	27	2.7	1	1	2	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	837	2.7	1	1	2	3	3	4	4	7
20-34	7656	2.9	3	1	2	3	3	4	4	6
35-49	839	3.1	2	2	2	3	4	4	5	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1248	2.4	1	1	1	2	3	3	4	4
B. *Operated*	13759	2.5	1	1	2	3	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	540	2.7	1	1	2	3	3	4	4	5
B. *Operated*	9332	2.9	2	1	2	3	3	4	4	6
1. SINGLE DX	15007	2.5	1	1	1	3	3	3	4	5
2. MULTIPLE DX	9872	2.9	2	1	2	3	3	4	4	6
A. NOT OPERATED	1788	2.5	1	1	1	2	3	3	4	5
B. OPERATED	23091	2.7	2	1	2	3	3	4	4	5
TOTAL 0-19 YRS	2506	2.5	1	1	2	2	3	3	4	6
20-34	20560	2.6	2	1	2	3	3	4	4	5
35-49	1813	2.8	1	1	2	3	3	4	4	6
50-64										
65+										
GRAND TOTAL	**24879**	**2.7**	**1**	**1**	**2**	**3**	**3**	**4**	**4**	**5**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	2.9	1	1	2	3	3	4	5	8
20-34	349	3.1	25	1	2	3	3	4	4	6
35-49	12	3.1	1	2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	1355	2.8	1	2	2	3	3	4	4	5
20-34	5946	2.9	1	2	2	3	3	4	4	5
35-49	217	2.9	1	1	2	3	3	4	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	2.9	2	1	2	3	3	4	5	10
20-34	176	3.0	1	2	2	3	4	4	4	7
35-49	9	3.2	3	1	1	3	4	6	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	1147	3.2	3	2	2	3	4	4	5	8
20-34	4928	3.2	1	2	2	3	4	4	5	7
35-49	249	3.2	1	2	2	3	4	4	5	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	425	3.1	21	1	2	3	3	4	4	6
B. *Operated*	7518	2.9	1	2	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	230	3.0	1	2	2	3	3	4	4	7
B. *Operated*	6324	3.2	2	2	2	3	4	4	5	7
1. SINGLE DX	7943	2.9	2	2	2	3	3	4	4	5
2. MULTIPLE DX	6554	3.2	2	2	2	3	4	4	5	7
A. NOT OPERATED	655	3.1	14	1	2	3	3	4	4	7
B. OPERATED	13842	3.0	1	2	2	3	3	4	4	6
TOTAL 0-19 YRS	2611	2.9	2	2	2	3	3	4	4	7
20-34	11399	3.0	2	2	2	3	3	4	4	6
35-49	487	3.1	1	1	2	3	4	4	5	7
50-64										
65+										
GRAND TOTAL	**14497**	**3.0**	**2**	**2**	**2**	**3**	**3**	**4**	**4**	**6**

286: Other obstetrical trauma (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	105	2.4	1	1	2	2	3	3	4	5
20-34	539	2.5	1	1	1	2	3	4	4	5
35-49	25	2.5	1	1	2	2	3	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	661	2.6	1	1	2	3	3	3	4	5
20-34	2890	2.7	1	1	2	3	3	4	4	5
35-49	127	2.9	1	1	2	3	3	4	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	2.9	2	1	2	3	3	4	4	12
20-34	237	2.7	1	1	2	3	3	4	4	7
35-49	9	5.0	18	2	2	3	5	12	16	15
50-64										
65+										
B. *Operated*										
0-19 YRS	620	2.8	1	2	2	3	3	4	5	6
20-34	2979	3.0	2	2	2	3	4	4	5	7
35-49	194	3.4	2	2	2	3	4	5	7	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	669	2.5	1	1	2	2	3	3	4	5
B. *Operated*	3678	2.7	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	307	2.8	2	1	2	3	3	4	4	9
B. *Operated*	3793	3.0	2	2	2	3	3	4	5	7
1. SINGLE DX	4347	2.6	1	1	2	3	3	4	4	5
2. MULTIPLE DX	4100	3.0	2	2	2	3	3	4	5	7
A. NOT OPERATED	976	2.6	1	1	2	2	3	4	4	6
B. OPERATED	7471	2.8	1	1	2	3	3	4	4	6
TOTAL 0-19 YRS	1447	2.7	1	1	2	3	3	4	4	6
20-34	6645	2.8	1	1	2	3	3	4	4	6
35-49	355	3.2	2	1	2	3	4	5	6	8
50-64										
65+										
GRAND TOTAL	**8447**	**2.8**	**1**	**1**	**2**	**3**	**3**	**4**	**4**	**6**

287: Miscellaneous complications of delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1522	2.7	2	1	1	3	3	4	5	7
20-34	7936	2.8	2	1	2	3	3	4	4	7
35-49	510	2.9	2	1	2	3	3	4	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	2749	3.2	3	2	2	3	4	5	6	9
20-34	14870	3.2	2	2	2	3	4	5	5	8
35-49	808	3.4	4	2	2	3	4	5	6	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1264	3.2	6	1	2	3	4	5	6	12
20-34	5899	3.0	6	1	2	3	3	4	5	10
35-49	481	3.0	2	1	2	3	4	4	5	8
50-64										
65+										
B. *Operated*										
0-19 YRS	5156	4.2	11	2	2	3	5	7	8	15
20-34	29813	4.1	10	2	2	3	5	6	8	15
35-49	2699	4.7	19	2	2	4	5	7	9	23
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9968	2.8	2	1	2	3	3	4	5	7
B. *Operated*	18427	3.2	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	7644	3.1	6	1	2	3	3	4	5	10
B. *Operated*	37668	4.2	10	2	2	4	5	6	8	15
1. SINGLE DX	28395	3.1	2	1	2	3	4	5	5	8
2. MULTIPLE DX	45312	4.0	10	2	2	3	5	6	8	15
A. NOT OPERATED	17612	2.9	4	1	2	3	3	4	5	8
B. OPERATED	56095	3.9	8	2	2	3	4	6	7	13
TOTAL 0-19 YRS	10691	3.6	7	1	2	3	4	6	7	13
20-34	58518	3.6	7	2	2	3	4	6	7	12
35-49	4498	4.1	13	2	2	3	5	6	8	16
50-64										
65+										
GRAND TOTAL	**73707**	**3.6**	**7**	**2**	**2**	**3**	**4**	**6**	**7**	**12**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	75	3.5	3	1	2	3	4	6	7	8
20-34	247	3.5	3	2	2	3	4	5	7	10
35-49	9	3.1	2	1	1	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	5	7.2	13	4	4	6	11	11	11	11
20-34	22	4.6	10	1	1	4	6	8	11	14
35-49	2	5.5	25	2	2	5	9	9	9	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	4.1	4	1	2	3	6	7	8	9
20-34	148	3.9	3	2	2	4	5	6	7	10
35-49	9	3.9	5	2	2	3	4	7	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	4	5.5	3	4	4	5	7	8	8	8
20-34	42	5.5	9	2	2	5	7	9	12	15
35-49	2	25.0	800	5	5	25	45	45	45	45
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	331	3.5	3	2	2	3	4	5	7	9
B. *Operated*	29	5.1	11	1	1	4	7	10	11	14
2. MULTIPLE DX										
A. *Not Operated*	200	4.0	4	2	2	4	5	6	7	10
B. *Operated*	48	6.3	41	2	2	5	7	9	14	45
1. SINGLE DX	360	3.6	4	1	2	3	4	6	7	11
2. MULTIPLE DX	248	4.4	12	2	2	4	5	7	9	14
A. NOT OPERATED	531	3.7	3	2	2	3	4	6	7	10
B. OPERATED	77	5.9	30	2	2	5	7	9	13	37
TOTAL 0-19 YRS	127	3.9	4	2	2	3	5	7	8	11
20-34	459	3.9	4	2	2	3	4	6	8	13
35-49	22	5.6	81	1	2	3	5	9	24	45
50-64										
65+										
GRAND TOTAL	**608**	**3.9**	**7**	**2**	**2**	**3**	**5**	**7**	**8**	**12**

289: Puerperal hemorrhage (after 24 h [illegible] 6.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	1.7	1	1	1	2	2	3	3	3
20-34	109	1.6	1	<1	<1	1	2	2	3	7
35-49	7	1.3		1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	45	1.8	1	<1	<1	2	2	3	4	4
20-34	318	1.6	2	<1	<1	1	2	3	3	6
35-49	21	2.3	5	<1	<1	1	2	7	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	2.7	5	1	1	2	3	6	8	8
20-34	50	2.1	2	<1	1	2	3	4	6	7
35-49	11	2.0	2	1	1	2	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	47	2.6	3	1	1	2	3	4	5	11
20-34	241	2.6	4	1	1	2	3	5	7	12
35-49	19	4.2	19	<1	1	3	4	10	15	18
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	1.6	1	<1	<1	1	2	2	3	6
B. *Operated*	384	1.6	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	70	2.1	2	1	1	2	3	4	6	8
B. *Operated*	307	2.7	5	1	1	2	3	5	7	12
1. SINGLE DX	513	1.6	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	377	2.6	5	1	1	2	3	5	7	12
A. NOT OPERATED	199	1.8	2	<1	1	1	2	3	4	8
B. OPERATED	691	2.1	4	<1	1	1	2	4	5	11
TOTAL 0-19 YRS	114	2.2	2	<1	1	2	3	4	4	9
20-34	718	1.9	3	<1	1	1	2	4	5	9
35-49	58	2.7	9	<1	1	2	3	7	9	17
50-64										
65+										
GRAND TOTAL	**890**	**2.0**	**3**	**<1**	**1**	**1**	**2**	**4**	**5**	**10**

290: Other puerperal complications (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	2.7	3	<1	1	2	4	5	6	7
20-34	171	3.8	12	1	1	3	4	7	9	18
35-49	14	5.4	10	1	2	5	8	9	11	11
50-64										
65+										
B. *Operated*										
0-19 YRS	48	3.0	4	1	1	2	3	7	8	9
20-34	222	3.2	5	1	1	3	4	7	8	12
35-49	13	3.3	36	<1	<1	2	2	7	20	23
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	3.8	7	<1	1	3	5	8	9	9
20-34	123	4.3	17	1	1	3	5	8	10	21
35-49	12	6.6	31	<1	1	5	8	15	20	21
50-64										
65+										
B. *Operated*										
0-19 YRS	35	3.8	16	1	2	3	4	5	9	24
20-34	204	4.4	17	1	1	3	5	9	12	22
35-49	26	9.2	103	2	2	5	10	32	35	36
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	210	3.7	11	1	1	3	4	7	9	17
B. *Operated*	283	3.2	6	1	1	3	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	151	4.4	17	1	1	3	5	8	10	21
B. *Operated*	265	4.8	27	1	2	3	5	10	13	33
1. SINGLE DX	493	3.4	8	1	1	3	4	7	8	14
2. MULTIPLE DX	416	4.7	24	1	1	3	5	9	11	31
A. NOT OPERATED	361	4.0	14	1	1	3	5	8	10	19
B. OPERATED	548	4.0	17	1	1	3	4	8	10	23
TOTAL 0-19 YRS	124	3.3	7	1	1	3	4	6	8	14
20-34	720	3.9	12	1	1	3	4	8	10	19
35-49	65	6.7	60	1	1	4	8	12	26	36
50-64										
65+										
GRAND TOTAL	**909**	**4.0**	**16**	**1**	**1**	**3**	**4**	**8**	**10**	**22**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	880	3.7	4	1	2	3	4	6	8	11
20-34	729	4.1	6	1	2	4	5	7	8	12
35-49	516	4.5	6	2	2	4	6	7	9	14
50-64	398	4.9	8	2	2	4	6	8	11	15
65+	270	5.9	12	2	2	6	7	10	12	18
B. *Operated*										
0-19 YRS	337	4.8	12	1	1	4	6	9	13	17
20-34	411	5.0	17	1	1	4	6	10	13	21
35-49	249	5.2	22	1	1	4	7	11	13	20
50-64	160	6.1	26	1	2	5	7	12	19	26
65+	88	7.5	88	1	2	5	8	13	21	60
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1194	4.4	8	2	2	4	5	7	9	16
20-34	1524	5.4	17	2	2	4	7	10	12	21
35-49	1705	6.4	18	2	2	5	8	11	14	22
50-64	2109	6.9	19	2	3	6	8	12	15	24
65+	3641	8.0	24	3	3	7	10	14	17	26
B. *Operated*										
0-19 YRS	449	6.8	54	2	2	5	8	12	16	29
20-34	974	8.3	61	2	2	6	10	16	22	43
35-49	1003	10.1	82	2	3	7	13	20	27	46
50-64	1142	11.4	93	2	3	8	14	23	32	51
65+	1498	12.7	96	3	4	10	16	25	33	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2793	4.3	7	2	2	4	5	7	9	14
B. *Operated*	1245	5.3	23	1	1	4	7	10	13	24
2. MULTIPLE DX										
A. *Not Operated*	10173	6.7	20	2	3	6	8	12	15	24
B. *Operated*	5066	10.5	86	2	3	8	13	21	28	48
1. SINGLE DX	4038	4.6	12	1	2	4	6	8	11	16
2. MULTIPLE DX	15239	8.0	45	2	3	6	10	15	20	36
A. NOT OPERATED	12966	6.2	18	2	2	5	8	11	14	23
B. OPERATED	6311	9.5	78	2	2	7	12	19	26	46
TOTAL 0-19 YRS	2860	4.6	15	1	2	4	5	8	10	18
20-34	3638	5.9	29	1	2	4	7	11	15	28
35-49	3473	7.1	39	2	2	5	8	13	18	33
50-64	3809	8.0	45	2	3	6	9	15	21	36
65+	5497	9.2	49	3	3	7	11	17	22	37
GRAND TOTAL	**19277**	**7.3**	**40**	**2**	**2**	**6**	**9**	**14**	**19**	**34**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	285	3.9	5	1	2	3	5	7	8	11
20-34	145	3.6	5	1	1	3	5	7	8	11
35-49	78	4.9	46	1	1	4	6	8	10	47
50-64	36	5.9	14	2	2	5	7	10	12	22
65+	25	4.3	10	<1	2	3	6	8	10	15
B. *Operated*										
0-19 YRS	151	4.3	15	<1	1	3	6	9	12	19
20-34	110	3.7	9	1	1	3	5	7	10	15
35-49	89	4.3	28	1	1	3	5	9	10	33
50-64	49	5.5	34	<1	1	4	7	11	14	38
65+	26	9.0	266	<1	1	4	8	16	34	84
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	470	4.1	6	1	2	3	5	7	9	13
20-34	238	4.5	9	1	2	4	5	8	11	16
35-49	228	5.5	17	1	2	4	6	11	12	21
50-64	264	7.3	24	2	3	6	9	13	17	26
65+	366	7.4	23	3	3	6	9	13	15	25
B. *Operated*										
0-19 YRS	169	5.3	27	1	1	4	6	10	14	27
20-34	209	7.3	63	1	2	5	9	14	19	36
35-49	208	8.8	62	2	2	6	11	20	26	35
50-64	274	10.5	66	2	2	8	14	23	28	46
65+	267	10.2	62	2	3	8	13	20	24	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	569	4.1	12	1	2	3	5	7	9	13
B. *Operated*	425	4.6	34	<1	1	3	5	10	12	21
2. MULTIPLE DX										
A. *Not Operated*	1566	5.7	17	2	2	5	7	10	13	22
B. *Operated*	1127	8.7	61	1	2	6	11	19	24	38
1. SINGLE DX	994	4.3	22	1	1	3	5	8	10	19
2. MULTIPLE DX	2693	7.0	38	2	2	5	9	14	19	32
A. NOT OPERATED	2135	5.3	16	2	2	4	6	10	12	20
B. OPERATED	1552	7.6	57	1	2	5	10	16	22	37
TOTAL 0-19 YRS	1075	4.3	11	1	1	3	5	8	10	17
20-34	702	5.0	26	1	2	4	6	10	12	22
35-49	603	6.4	41	1	2	5	7	12	18	34
50-64	623	8.4	46	2	2	6	11	17	23	37
65+	684	8.4	49	2	3	7	10	15	21	33
GRAND TOTAL	**3687**	**6.2**	**35**	**1**	**2**	**5**	**8**	**12**	**17**	**30**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	2.8	4	<1	<1	2	4	6	7	7
20-34	18	2.5	3	1	1	2	3	5	6	7
35-49	6	4.2	24	1	1	2	4	13	14	14
50-64										
65+										
B. *Operated*										
0-19 YRS	690	2.8	5	1	1	2	3	5	6	10
20-34	1202	2.8	4	1	1	2	4	5	6	10
35-49	210	2.6	3	1	1	2	3	5	5	11
50-64	39	2.4	1	1	1	2	3	4	5	5
65+	9	5.6	28	<1	1	4	7	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	2.1	2	<1	<1	2	3	4	4	4
20-34	14	2.7	8	<1	<1	1	4	8	9	9
35-49	3	6.3	1	5	5	7	7	7	7	7
50-64	1	6.0		6	6	6	6	6	6	6
65+	4	6.8	4	4	4	7	8	8	8	8
B. *Operated*										
0-19 YRS	121	3.2	3	1	1	3	4	6	7	9
20-34	248	3.6	6	1	1	3	4	6	8	11
35-49	96	3.8	8	1	1	3	5	8	9	15
50-64	53	4.9	17	1	2	4	6	9	12	21
65+	21	4.9	12	2	2	4	5	10	13	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	2.9	7	1	1	2	4	5	7	14
B. *Operated*	2150	2.8	4	1	1	2	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	30	3.6	8	<1	<1	3	6	8	8	9
B. *Operated*	539	3.7	7	1	1	3	4	7	8	15
1. SINGLE DX	2185	2.8	4	1	1	2	4	5	6	10
2. MULTIPLE DX	569	3.7	7	1	1	3	5	7	8	15
A. NOT OPERATED	65	3.2	7	<1	<1	2	4	7	8	13
B. OPERATED	2689	3.0	5	1	1	3	4	5	7	11
TOTAL 0-19 YRS	830	2.9	5	1	1	2	4	5	6	9
20-34	1482	2.9	4	1	1	3	4	5	6	10
35-49	315	3.1	6	1	1	2	4	5	8	14
50-64	93	3.9	12	1	1	3	5	7	11	20
65+	34	5.3	15	1	2	4	6	11	15	16
GRAND TOTAL	**2754**	**3.0**	**5**	**1**	**1**	**3**	**4**	**5**	**7**	**11**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	1.0		1	1	1	1	1	1	1
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	6.0		6	6	6	6	6	6	6
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	68	1.4	1	<1	<1	1	1	2	3	5
20-34	78	1.8	2	<1	<1	1	2	3	4	8
35-49	75	1.9	2	<1	<1	2	2	3	4	9
50-64	40	2.1	3	<1	<1	1	3	4	6	10
65+	17	2.1	2	<1	<1	1	3	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.7	2	1	1	2	3	5	5	5
20-34	3	3.3	6	1	1	3	5	6	6	6
35-49	5	2.0	1	<1	<1	2	3	3	3	3
50-64	6	5.2	11	1	1	5	8	9	9	9
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	28	2.4	2	<1	<1	2	3	5	6	6
20-34	50	3.4	11	<1	1	2	3	8	10	19
35-49	67	3.1	5	1	1	2	4	6	8	10
50-64	72	3.7	10	<1	1	3	5	8	9	18
65+	63	3.7	9	1	1	3	5	8	10	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.0	4	<1	<1	1	2	6	6	6
B. *Operated*	278	1.8	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	21	3.3	6	<1	1	3	4	7	8	9
B. *Operated*	280	3.4	8	<1	1	2	4	7	9	13
1. SINGLE DX	287	1.8	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX	301	3.4	8	<1	1	3	4	7	9	13
A. NOT OPERATED	30	2.9	5	<1	1	2	3	7	8	9
B. OPERATED	558	2.6	6	<1	<1	2	3	5	8	12
TOTAL 0-19 YRS	103	1.7	1	<1	<1	1	2	3	5	6
20-34	136	2.4	6	<1	<1	2	3	4	8	11
35-49	148	2.5	4	<1	<1	2	3	5	7	10
50-64	119	3.2	8	<1	1	2	4	7	9	14
65+	82	3.3	8	<1	1	2	4	8	9	13
GRAND TOTAL	**588**	**2.6**	**6**	**<1**	**<1**	**2**	**3**	**5**	**8**	**11**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	459	4.1	32	1	1	3	4	7	12	30
20-34	324	7.3	67	1	1	4	9	18	25	41
35-49	215	8.7	98	1	2	5	10	23	30	45
50-64	152	8.4	112	1	2	5	9	20	31	56
65+	133	8.3	52	1	2	6	12	19	24	33
B. *Operated*										
0-19 YRS	371	2.9	15	<1	<1	2	3	5	9	23
20-34	553	4.8	49	1	1	3	5	10	18	34
35-49	388	4.9	39	1	1	3	5	11	16	29
50-64	337	4.8	44	1	1	3	5	11	17	32
65+	256	7.8	101	1	1	4	10	17	26	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	702	4.2	19	1	1	3	5	7	11	25
20-34	615	8.1	94	1	1	5	9	19	30	47
35-49	646	8.8	85	1	2	6	11	19	27	45
50-64	950	9.4	79	1	2	7	11	19	27	44
65+	2104	9.7	53	2	3	8	12	18	24	37
B. *Operated*										
0-19 YRS	436	6.1	79	1	1	3	7	14	22	63
20-34	986	14.1	284	1	2	7	19	38	54	92
35-49	1118	12.3	219	1	2	7	16	31	45	79
50-64	1399	11.2	173	1	1	6	16	28	39	70
65+	2552	16.9	223	2	3	13	22	37	48	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1283	6.6	67	1	1	4	7	16	25	44
B. *Operated*	1905	4.8	48	<1	1	2	5	11	17	34
2. MULTIPLE DX										
A. *Not Operated*	5017	8.5	65	1	2	6	11	18	25	40
B. *Operated*	6491	13.7	220	1	2	9	19	34	46	83
1. SINGLE DX	3188	5.6	57	1	1	3	6	13	20	38
2. MULTIPLE DX	11508	11.5	159	1	2	7	15	27	38	70
A. NOT OPERATED	6300	8.2	66	1	2	6	10	17	25	41
B. OPERATED	8396	11.7	195	1	1	7	16	30	42	78
TOTAL 0-19 YRS	1968	4.4	36	<1	1	3	5	8	14	32
20-34	2478	9.6	170	1	1	4	11	25	38	74
35-49	2367	9.8	149	1	1	5	12	24	36	64
50-64	2838	9.7	127	1	1	6	12	24	33	59
65+	5045	13.2	155	2	3	9	17	28	39	69
GRAND TOTAL	**14696**	**10.2**	**143**	**1**	**1**	**6**	**13**	**24**	**35**	**64**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	3.9	8	<1	1	3	6	8	10	11
20-34	52	5.5	15	1	2	5	7	11	13	21
35-49	52	6.1	17	1	2	5	8	12	15	22
50-64	28	7.6	54	2	3	6	9	11	16	42
65+	13	5.4	13	2	2	5	6	10	14	15
B. *Operated*										
0-19 YRS	25	5.1	22	1	1	3	7	11	16	18
20-34	38	5.3	40	1	1	4	6	10	12	38
35-49	23	6.0	25	1	2	5	8	13	18	18
50-64	20	7.0	89	1	1	4	8	14	30	43
65+	6	10.0	78	1	1	8	14	24	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	84	7.3	94	1	2	5	8	16	26	91
20-34	278	6.6	34	1	2	5	8	14	20	29
35-49	250	7.5	44	1	2	6	9	14	23	33
50-64	222	7.7	28	2	3	6	10	14	17	30
65+	204	8.6	34	3	3	7	10	15	20	30
B. *Operated*										
0-19 YRS	41	8.8	46	2	2	8	11	19	24	29
20-34	163	14.4	206	2	2	10	18	32	54	76
35-49	151	11.1	111	2	2	9	13	22	37	99
50-64	178	13.9	153	2	2	10	19	33	42	50
65+	125	15.1	149	4	5	11	18	32	44	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	186	5.6	21	1	1	5	7	11	13	22
B. *Operated*	112	6.0	43	1	1	4	8	12	18	40
2. MULTIPLE DX										
A. *Not Operated*	1038	7.5	40	2	2	6	9	15	20	31
B. *Operated*	658	13.3	152	2	2	10	17	29	42	70
1. SINGLE DX	298	5.7	29	1	1	4	7	11	14	32
2. MULTIPLE DX	1696	9.8	91	2	2	7	12	21	29	56
A. NOT OPERATED	1224	7.2	37	1	2	6	9	13	19	31
B. OPERATED	770	12.2	142	2	2	9	15	27	39	70
TOTAL 0-19 YRS	191	6.6	58	1	1	5	8	15	19	57
20-34	531	8.8	99	1	2	6	11	20	26	64
35-49	476	8.5	65	2	2	6	10	17	24	50
50-64	448	10.1	91	2	2	7	12	21	31	46
65+	348	10.8	85	3	4	8	13	21	29	51
GRAND TOTAL	**1994**	**9.2**	**84**	**2**	**2**	**7**	**11**	**19**	**27**	**52**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	124	5.2	15	1	1	4	6	11	14	18
20-34	63	6.7	19	1	2	6	9	11	13	25
35-49	108	5.6	10	2	2	5	7	10	12	15
50-64	152	6.8	17	2	2	6	9	12	14	16
65+	91	6.6	13	2	3	6	8	11	13	20
B. *Operated*										
0-19 YRS	21	6.4	28	1	2	4	9	15	16	18
20-34	77	6.8	21	1	2	6	10	13	13	22
35-49	192	6.6	20	1	2	5	10	12	13	21
50-64	424	7.3	24	1	2	6	10	13	16	24
65+	242	8.2	30	1	2	7	12	15	18	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	97	7.2	34	1	2	5	10	13	17	31
20-34	97	6.2	12	2	2	6	8	11	13	18
35-49	248	7.5	35	2	3	6	9	13	17	32
50-64	540	7.6	22	2	3	7	10	13	16	24
65+	876	8.0	26	2	3	7	10	14	17	29
B. *Operated*										
0-19 YRS	27	8.3	107	1	2	5	11	14	21	55
20-34	87	8.2	34	1	2	7	12	17	19	24
35-49	285	7.5	42	2	2	6	10	14	21	35
50-64	720	9.2	64	2	2	7	12	18	23	44
65+	745	11.1	65	2	3	10	14	20	26	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	538	6.1	15	1	2	5	8	11	13	17
B. *Operated*	956	7.3	25	1	2	6	10	13	16	23
2. MULTIPLE DX										
A. *Not Operated*	1858	7.7	26	2	3	7	10	13	16	26
B. *Operated*	1864	9.6	62	2	2	8	13	18	24	42
1. SINGLE DX	1494	6.9	22	1	2	6	10	13	15	21
2. MULTIPLE DX	3722	8.7	45	2	3	7	11	16	20	36
A. NOT OPERATED	2396	7.3	24	2	3	6	9	13	16	25
B. OPERATED	2820	8.9	51	2	2	7	12	17	21	39
TOTAL 0-19 YRS	269	6.3	33	1	2	5	8	13	15	27
20-34	324	7.0	22	1	2	6	10	13	16	23
35-49	833	7.0	31	2	2	6	9	13	16	28
50-64	1836	8.1	39	2	2	7	11	15	19	28
65+	1954	9.2	43	2	3	8	12	16	21	36
GRAND TOTAL	**5216**	**8.2**	**39**	**2**	**2**	**7**	**11**	**15**	**19**	**32**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	9.0	127	2	2	3	17	22	22	22
20-34	5	1.2		<1	<1	1	1	2	2	2
35-49	20	3.6	6	1	1	3	5	7	8	9
50-64	60	4.1	10	1	1	3	5	8	11	15
65+	82	4.8	11	1	1	4	7	9	11	15
B. *Operated*										
0-19 YRS	15	5.0	20	1	1	2	9	11	13	13
20-34	199	4.4	24	1	1	3	5	10	12	23
35-49	511	5.7	19	1	1	5	9	11	13	17
50-64	2033	8.5	21	1	2	9	12	14	16	20
65+	2862	11.2	17	3	6	11	14	16	17	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.8	18	2	2	3	7	11	11	11
20-34	19	3.5	8	<1	<1	3	4	9	10	11
35-49	108	5.6	17	1	2	4	8	11	15	20
50-64	395	5.3	14	1	1	5	7	11	12	18
65+	1466	6.1	23	1	2	5	8	12	14	24
B. *Operated*										
0-19 YRS	16	6.5	32	<1	1	5	13	15	70	99+
20-34	222	4.9	23	1	1	3	6	12	14	26
35-49	666	6.5	31	1	1	5	9	13	16	22
50-64	2930	10.1	43	2	2	10	13	17	20	30
65+	6621	13.0	42	4	7	12	15	19	23	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	170	4.4	11	1	1	4	6	8	11	16
B. *Operated*	5620	9.4	23	1	2	10	12	15	17	21
2. MULTIPLE DX										
A. *Not Operated*	1992	5.9	21	1	1	5	8	11	14	22
B. *Operated*	10455	11.6	46	2	3	11	15	18	22	35
1. SINGLE DX	5790	9.3	23	1	2	10	12	15	16	21
2. MULTIPLE DX	12447	10.7	46	2	2	10	14	18	21	33
A. NOT OPERATED	2162	5.8	20	1	1	5	8	11	14	22
B. OPERATED	16075	10.8	39	2	3	11	14	17	20	31
TOTAL 0-19 YRS	38	5.9	30	1	1	3	11	14	19	99+
20-34	445	4.6	23	1	1	3	5	11	13	26
35-49	1305	6.0	25	1	1	5	9	12	15	20
50-64	5418	9.1	34	1	2	9	12	15	18	26
65+	11031	11.6	38	2	4	11	14	18	21	33
GRAND TOTAL	**18237**	**10.2**	**39**	**1**	**2**	**10**	**13**	**17**	**20**	**30**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	132	6.2	33	1	2	4	8	12	17	33
20-34	97	5.4	13	1	2	4	7	10	12	19
35-49	84	5.3	10	2	2	5	7	10	12	14
50-64	49	5.0	17	<1	1	3	7	10	16	18
65+	45	5.5	13	1	2	5	6	12	13	17
B. *Operated*										
0-19 YRS	80	10.5	63	2	2	9	16	20	24	40
20-34	184	4.4	15	1	1	3	5	9	13	19
35-49	215	5.6	31	1	1	4	7	13	16	29
50-64	242	5.8	25	1	1	4	8	12	15	22
65+	129	9.6	33	2	2	10	12	16	21	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	144	7.2	38	1	2	5	10	14	20	31
20-34	160	6.7	26	2	2	5	9	14	17	25
35-49	167	6.6	32	1	2	5	8	12	18	30
50-64	246	7.7	54	1	2	6	10	14	21	38
65+	494	8.2	45	2	3	6	10	16	21	37
B. *Operated*										
0-19 YRS	122	15.8	132	2	4	14	20	27	36	63
20-34	221	10.0	123	1	2	6	12	24	35	56
35-49	285	8.5	76	1	2	6	10	19	29	43
50-64	394	10.0	101	2	2	7	12	21	31	53
65+	461	14.1	111	2	3	12	17	27	36	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	407	5.6	19	1	2	4	7	11	13	21
B. *Operated*	850	6.5	33	1	1	5	9	14	17	27
2. MULTIPLE DX										
A. *Not Operated*	1211	7.6	42	2	2	6	9	15	20	31
B. *Operated*	1483	11.5	111	2	2	9	15	24	34	53
1. SINGLE DX	1257	6.2	29	1	1	5	8	13	16	25
2. MULTIPLE DX	2694	9.7	84	2	2	7	12	20	28	46
A. NOT OPERATED	1618	7.1	37	1	2	5	9	14	19	30
B. OPERATED	2333	9.6	88	1	2	7	13	20	29	47
TOTAL 0-19 YRS	478	9.7	80	1	2	7	14	20	24	44
20-34	662	7.0	59	1	1	5	8	15	19	42
35-49	751	6.9	48	1	2	5	8	14	20	35
50-64	931	8.1	68	1	2	6	10	16	22	44
65+	1129	10.7	78	2	3	9	14	21	28	44
GRAND TOTAL	**3951**	**8.6**	**69**	**1**	**2**	**6**	**11**	**18**	**24**	**43**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.6	5	<1	<1	2	3	7	8	8
20-34	18	1.8	2	<1	<1	1	2	5	5	5
35-49	6	1.5		1	1	1	2	2	2	2
50-64	5	2.8	3	<1	<1	3	4	5	5	5
65+	2	2.5	5	<1	<1	2	4	4	4	4
B. *Operated*										
0-19 YRS	322	2.1	2	<1	<1	2	3	4	5	8
20-34	794	2.4	3	<1	<1	2	3	5	6	8
35-49	454	2.3	5	<1	<1	2	3	4	6	10
50-64	210	2.3	4	<1	<1	2	3	5	6	11
65+	74	3.4	26	<1	<1	2	3	9	11	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	1.7	2	<1	<1	1	2	4	5	5
20-34	36	2.5	6	<1	<1	1	3	6	8	12
35-49	23	4.4	29	<1	<1	3	5	10	17	24
50-64	22	4.8	17	<1	1	4	7	12	14	15
65+	26	3.3	6	<1	1	3	5	8	8	9
B. *Operated*										
0-19 YRS	424	2.5	3	<1	1	2	4	5	6	9
20-34	1064	2.9	6	<1	1	2	4	6	7	11
35-49	785	2.6	5	<1	1	2	3	5	7	11
50-64	756	3.0	10	<1	1	2	3	6	8	19
65+	336	4.2	41	1	1	3	4	9	14	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	2.1	3	<1	<1	1	3	5	6	8
B. *Operated*	1854	2.4	4	<1	<1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	122	3.4	12	<1	<1	2	4	8	10	18
B. *Operated*	3365	2.9	10	<1	1	2	4	6	7	15
1. SINGLE DX	1898	2.4	4	<1	<1	2	3	5	6	9
2. MULTIPLE DX	3487	3.0	10	<1	1	2	4	6	8	15
A. NOT OPERATED	166	3.0	10	<1	<1	2	4	7	9	15
B. OPERATED	5219	2.7	8	<1	1	2	3	5	7	12
TOTAL 0-19 YRS	774	2.4	3	<1	1	2	3	5	6	9
20-34	1912	2.7	5	<1	1	2	4	5	7	10
35-49	1268	2.6	5	<1	1	2	3	5	6	11
50-64	993	2.9	9	<1	1	2	3	6	7	17
65+	438	4.0	36	<1	1	2	4	9	12	22
GRAND TOTAL	**5385**	**2.7**	**8**	**<1**	**1**	**2**	**3**	**5**	**7**	**12**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	175	3.1	5	1	1	3	4	6	7	11
20-34	95	3.6	8	<1	1	3	5	8	8	16
35-49	60	4.3	24	<1	1	3	5	9	10	33
50-64	50	3.6	13	<1	1	3	4	7	10	23
65+	59	4.4	17	1	1	3	5	9	11	22
B. *Operated*										
0-19 YRS	1036	2.8	4	1	1	3	3	5	6	12
20-34	1652	3.0	5	1	1	3	4	5	6	9
35-49	528	3.1	7	1	1	3	4	5	7	13
50-64	228	4.3	13	1	1	3	5	10	13	16
65+	101	7.4	132	1	1	4	9	15	23	70
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	192	3.8	15	<1	1	3	5	7	11	22
20-34	193	4.4	26	<1	1	3	6	9	12	19
35-49	206	4.3	27	1	1	3	5	8	14	23
50-64	250	5.5	26	1	1	4	7	11	15	24
65+	524	7.4	49	1	2	5	9	15	22	35
B. *Operated*										
0-19 YRS	657	3.9	18	1	1	3	5	7	10	23
20-34	979	4.1	24	1	1	3	5	8	11	21
35-49	568	4.2	17	1	1	3	5	9	12	23
50-64	466	5.7	50	1	1	3	6	12	17	34
65+	370	8.9	63	1	2	6	12	19	26	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	439	3.6	11	1	1	3	4	7	9	17
B. *Operated*	3545	3.2	10	1	1	3	4	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	1365	5.7	36	1	1	4	7	12	16	31
B. *Operated*	3040	4.9	33	1	1	3	5	10	15	28
1. SINGLE DX	3984	3.2	10	1	1	3	4	6	7	14
2. MULTIPLE DX	4405	5.1	34	1	1	3	6	11	15	29
A. NOT OPERATED	1804	5.2	30	1	1	4	6	10	15	30
B. OPERATED	6585	4.0	21	1	1	3	4	7	11	23
TOTAL 0-19 YRS	2060	3.3	10	1	1	3	4	6	7	15
20-34	2919	3.5	13	1	1	3	4	6	8	16
35-49	1362	3.8	15	1	1	3	4	7	10	20
50-64	994	5.2	34	1	1	3	6	11	15	24
65+	1054	7.8	61	1	2	5	10	17	24	36
GRAND TOTAL	**8389**	**4.2**	**23**	**1**	**1**	**3**	**5**	**8**	**12**	**24**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	8.0	27	2	2	11	11	11	11	11
20-34	10	6.0	10	<1	1	6	8	11	13	13
35-49	9	6.2	20	2	2	6	7	13	17	17
50-64										
65+	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS										
20-34	2	15.0	50	10	10	15	20	20	20	20
35-49	7	5.1	24	1	1	4	9	13	13	13
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	2	1	1	3	4	4	4	4
20-34	6	4.0	7	1	1	3	4	9	9	9
35-49	22	6.1	11	1	2	6	7	11	14	14
50-64	19	6.3	12	2	2	6	7	12	14	15
65+	31	9.0	45	3	3	8	10	15	19	38
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	5	14.2	63	4	4	15	20	24	24	24
35-49	9	13.6	81	1	3	11	20	27	30	30
50-64	14	12.3	28	4	7	12	15	20	22	23
65+	7	13.4	78	2	3	11	20	26	27	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	6.1	15	1	2	5	8	11	14	17
B. *Operated*	10	6.7	42	<1	<1	4	11	16	20	20
2. MULTIPLE DX										
A. *Not Operated*	82	6.9	26	2	2	6	9	12	15	32
B. *Operated*	36	12.9	51	2	4	11	19	23	26	30
1. SINGLE DX	34	6.3	22	<1	1	5	8	13	16	20
2. MULTIPLE DX	118	8.8	41	2	3	7	11	19	22	33
A. NOT OPERATED	106	6.7	24	2	2	6	8	12	14	27
B. OPERATED	46	11.6	55	1	2	11	19	22	25	30
TOTAL 0-19 YRS	8	5.3	16	1	1	4	9	11	11	11
20-34	23	8.0	39	1	2	6	10	19	21	24
35-49	47	7.4	35	1	2	6	10	14	20	30
50-64	33	8.8	28	2	3	7	12	16	19	23
65+	41	9.3	52	1	2	8	11	19	23	38
GRAND TOTAL	**152**	**8.2**	**38**	**1**	**2**	**7**	**11**	**16**	**20**	**30**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	7.5	47	2	2	5	12	17	17	17
20-34	38	5.5	13	1	2	5	7	10	12	20
35-49	145	5.8	29	1	2	4	7	10	14	35
50-64	156	5.4	10	1	2	5	7	9	12	17
65+	137	5.9	14	1	2	5	8	10	14	18
B. *Operated*										
0-19 YRS	7	5.4	8	1	1	6	8	9	9	9
20-34	87	5.4	21	1	1	4	8	11	13	24
35-49	481	5.0	15	1	1	4	7	10	12	19
50-64	575	5.4	19	1	1	4	8	12	14	20
65+	243	6.2	27	1	1	5	9	13	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	5.7	29	<1	1	4	8	13	18	19
20-34	79	6.4	14	2	2	6	8	11	13	21
35-49	423	6.5	18	2	2	6	8	12	14	19
50-64	1016	6.8	21	2	2	6	9	12	16	24
65+	1834	6.9	19	2	3	6	9	12	14	23
B. *Operated*										
0-19 YRS	7	7.4	16	3	3	7	10	13	14	14
20-34	125	5.8	20	1	1	5	8	13	15	20
35-49	611	7.3	41	1	1	6	10	15	20	33
50-64	1127	7.5	42	1	2	6	10	15	20	30
65+	1009	10.0	66	2	2	8	13	20	26	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	480	5.7	17	1	2	5	7	10	13	21
B. *Operated*	1393	5.4	19	1	1	4	8	11	14	21
2. MULTIPLE DX										
A. *Not Operated*	3365	6.8	19	2	3	6	9	12	15	23
B. *Operated*	2879	8.2	51	1	2	7	11	17	22	35
1. SINGLE DX	1873	5.5	19	1	1	4	8	11	14	21
2. MULTIPLE DX	6244	7.5	34	1	2	6	9	14	18	29
A. NOT OPERATED	3845	6.7	19	2	2	6	8	12	14	22
B. OPERATED	4272	7.3	42	1	1	6	10	15	20	31
TOTAL 0-19 YRS	31	6.3	22	1	1	6	9	13	17	19
20-34	329	5.8	18	1	1	5	8	11	14	21
35-49	1660	6.3	27	1	2	5	8	12	16	27
50-64	2874	6.7	29	1	2	5	9	13	17	27
65+	3223	7.8	37	2	2	6	10	14	19	31
GRAND TOTAL	**8117**	**7.0**	**32**	**1**	**2**	**6**	**9**	**13**	**17**	**28**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	6.2	12	1	2	5	9	12	12	15
20-34	1150	6.1	17	1	2	5	8	11	13	18
35-49	1651	6.4	16	1	2	6	8	11	13	19
50-64	778	6.8	16	1	2	6	9	12	14	19
65+	202	7.1	16	2	2	7	9	13	14	19
B. *Operated*										
0-19 YRS	211	5.5	18	1	1	4	7	11	15	20
20-34	5120	5.9	21	1	1	5	8	12	14	21
35-49	7219	6.1	21	1	1	5	8	12	15	21
50-64	2954	6.8	27	1	1	6	9	13	17	24
65+	586	7.3	27	1	2	6	10	14	18	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	7.8	34	1	1	7	10	16	20	24
20-34	790	6.9	20	1	2	6	9	12	16	23
35-49	1639	7.6	23	2	3	7	10	13	16	22
50-64	1623	7.7	22	2	3	7	10	13	16	22
65+	1407	8.0	21	3	3	7	10	14	16	23
B. *Operated*										
0-19 YRS	56	7.9	29	1	2	7	12	15	18	24
20-34	1781	8.2	39	1	2	7	11	16	19	31
35-49	3634	8.5	38	1	2	7	11	16	20	30
50-64	2937	9.6	51	2	2	8	12	18	22	36
65+	1572	11.3	67	2	3	10	15	21	25	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3836	6.4	16	1	2	6	8	11	14	19
B. *Operated*	16090	6.2	23	1	1	5	8	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	5494	7.6	22	2	3	7	10	13	16	23
B. *Operated*	9980	9.2	48	1	2	8	12	18	22	34
1. SINGLE DX	19926	6.3	21	1	1	5	8	12	15	22
2. MULTIPLE DX	15474	8.6	39	2	2	7	11	16	20	31
A. NOT OPERATED	9330	7.1	20	2	2	6	9	12	15	22
B. OPERATED	26070	7.4	34	1	2	6	10	14	18	28
TOTAL 0-19 YRS	357	6.2	21	1	1	5	8	13	16	22
20-34	8841	6.5	25	1	2	5	8	13	16	23
35-49	14143	6.9	26	1	2	6	9	13	16	24
50-64	8292	7.9	35	1	2	7	10	15	19	29
65+	3767	9.2	44	2	3	8	12	17	21	32
GRAND TOTAL	**35400**	**7.3**	**30**	**1**	**2**	**6**	**10**	**14**	**17**	**26**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	4.3	8	<1	1	3	6	9	9	9
20-34	125	5.5	11	1	2	5	7	10	12	16
35-49	228	5.8	23	1	2	5	7	10	12	22
50-64	127	5.9	14	1	2	5	8	11	14	17
65+	25	5.0	9	1	2	4	7	8	10	14
B. *Operated*										
0-19 YRS	14	4.0	5	1	1	4	5	7	8	8
20-34	436	5.4	16	1	1	4	7	10	14	19
35-49	1152	5.6	21	1	1	5	7	10	13	23
50-64	533	5.6	19	1	1	5	8	11	14	20
65+	48	6.5	21	1	1	6	9	12	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	8.4	25	4	4	7	9	17	19	19
20-34	117	7.0	27	1	2	5	9	13	16	30
35-49	301	6.9	19	2	3	6	9	12	14	22
50-64	326	7.5	40	2	2	6	10	13	16	35
65+	248	6.7	14	2	3	6	8	11	13	21
B. *Operated*										
0-19 YRS	7	5.9	10	1	1	8	8	9	9	9
20-34	226	6.6	27	1	2	5	8	14	16	24
35-49	865	6.9	31	1	2	6	9	13	17	24
50-64	708	7.7	56	1	2	6	10	14	17	30
65+	218	8.8	58	1	2	7	12	18	21	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	514	5.7	17	1	2	5	8	10	12	20
B. *Operated*	2183	5.6	19	1	1	5	7	10	14	20
2. MULTIPLE DX										
A. *Not Operated*	999	7.1	25	2	3	6	9	12	15	26
B. *Operated*	2024	7.3	43	1	2	6	10	14	18	29
1. SINGLE DX	2697	5.6	19	1	1	5	7	10	14	20
2. MULTIPLE DX	3023	7.3	37	1	2	6	9	13	17	28
A. NOT OPERATED	1513	6.6	23	1	2	6	8	12	14	23
B. OPERATED	4207	6.4	31	1	1	5	8	12	16	25
TOTAL 0-19 YRS	37	5.3	12	1	1	5	7	9	10	19
20-34	904	5.9	20	1	1	5	8	11	15	22
35-49	2546	6.2	25	1	1	5	8	12	15	23
50-64	1694	6.9	39	1	1	6	9	13	16	28
65+	539	7.5	34	1	2	6	9	14	18	30
GRAND TOTAL	**5720**	**6.5**	**29**	**1**	**1**	**5**	**8**	**12**	**15**	**24**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.4	1	2	2	3	4	5	5	5
20-34	118	4.9	18	1	1	4	7	9	13	20
35-49	132	5.9	16	1	1	5	8	11	14	20
50-64	63	6.1	16	1	1	5	9	11	13	17
65+	17	5.4	16	1	1	5	9	10	12	13
B. *Operated*										
0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34	94	4.1	15	1	1	2	6	9	14	17
35-49	139	4.9	26	1	1	3	7	10	12	18
50-64	52	5.7	33	1	1	3	10	14	18	26
65+	2	8.5	13	6	6	8	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	8.8	18	4	4	10	12	14	14	14
20-34	177	7.3	15	2	3	7	9	11	14	21
35-49	302	7.5	15	3	3	7	9	12	14	21
50-64	188	8.3	29	2	3	7	11	16	19	29
65+	99	7.4	18	2	3	6	9	13	15	24
B. *Operated*										
0-19 YRS	5	3.2	7	1	1	2	5	7	7	7
20-34	113	6.9	23	1	1	8	9	12	16	21
35-49	164	8.1	36	1	2	7	11	17	19	29
50-64	79	8.2	44	1	2	7	11	15	22	36
65+	30	10.3	64	1	2	10	14	21	29	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	337	5.5	16	1	1	5	8	11	13	19
B. *Operated*	291	4.7	24	1	1	3	7	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	771	7.6	19	2	3	7	10	13	16	23
B. *Operated*	391	7.9	36	1	2	7	11	16	19	29
1. SINGLE DX	628	5.2	20	1	1	4	7	11	13	19
2. MULTIPLE DX	1162	7.7	25	2	2	7	10	13	17	27
A. NOT OPERATED	1108	7.0	19	1	2	6	9	12	15	22
B. OPERATED	682	6.5	33	1	1	5	9	13	17	28
TOTAL 0-19 YRS	21	4.3	13	1	1	3	5	10	12	14
20-34	502	6.0	19	1	1	5	9	11	14	20
35-49	737	6.8	23	1	2	6	9	12	15	24
50-64	382	7.6	32	1	2	6	10	14	18	28
65+	148	7.8	28	1	2	7	10	14	17	29
GRAND TOTAL	**1790**	**6.8**	**24**	**1**	**1**	**6**	**9**	**12**	**16**	**24**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	5.3	7	3	3	4	7	9	9	9
20-34	110	5.8	17	1	1	5	8	11	16	20
35-49	163	6.2	16	1	1	5	9	11	13	19
50-64	117	6.0	14	1	2	5	8	11	12	21
65+	34	6.3	14	1	2	6	8	11	13	18
B. *Operated*										
0-19 YRS	3	2.7	4	1	1	2	4	5	5	5
20-34	93	3.8	16	1	1	2	5	10	12	19
35-49	140	3.7	15	1	1	2	5	9	12	19
50-64	83	4.6	29	1	1	3	5	12	16	28
65+	17	3.3	10	1	1	2	4	8	11	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	5.2	1	4	4	5	6	7	7	7
20-34	123	7.5	30	1	3	6	9	12	15	36
35-49	245	7.1	22	2	2	6	8	13	16	27
50-64	277	7.6	17	2	3	7	10	13	15	21
65+	373	7.7	19	3	3	7	9	14	15	23
B. *Operated*										
0-19 YRS	5	6.6	10	4	4	6	8	12	12	12
20-34	58	6.4	27	1	1	5	10	13	18	24
35-49	115	7.4	35	1	2	7	10	15	19	28
50-64	83	8.8	46	1	2	8	10	19	25	30
65+	68	11.1	68	2	2	10	15	20	27	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	428	6.1	15	1	1	5	8	11	13	19
B. *Operated*	336	3.9	18	1	1	2	5	9	13	21
2. MULTIPLE DX										
A. *Not Operated*	1024	7.5	21	2	3	7	9	13	15	24
B. *Operated*	329	8.3	45	1	2	7	11	17	22	33
1. SINGLE DX	764	5.1	18	1	1	4	7	10	13	20
2. MULTIPLE DX	1353	7.7	27	2	2	7	10	14	17	27
A. NOT OPERATED	1452	7.1	19	1	3	6	9	12	15	22
B. OPERATED	665	6.1	36	1	1	4	9	13	18	28
TOTAL 0-19 YRS	18	5.2	6	1	2	5	6	8	11	12
20-34	384	6.0	24	1	1	5	8	11	15	23
35-49	663	6.2	23	1	1	5	8	12	15	25
50-64	560	7.0	24	1	2	6	9	13	16	26
65+	492	7.9	27	2	3	7	10	14	17	26
GRAND TOTAL	**2117**	**6.8**	**25**	**1**	**1**	**6**	**9**	**13**	**16**	**25**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	140	3.9	9	1	1	3	6	8	10	15
20-34	1171	5.3	17	1	1	4	7	10	12	18
35-49	1520	5.3	15	1	1	5	7	10	12	19
50-64	807	5.8	20	1	1	5	8	12	14	20
65+	280	5.6	19	1	1	5	8	11	14	20
B. *Operated*										
0-19 YRS	85	3.0	6	1	1	2	4	7	8	11
20-34	1141	3.8	15	1	1	2	5	8	11	18
35-49	1753	4.3	17	1	1	3	6	10	12	18
50-64	1116	4.8	17	1	1	3	7	10	13	18
65+	528	6.5	27	1	1	6	9	13	16	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	177	4.0	9	1	1	3	5	8	10	15
20-34	1661	6.6	24	1	2	6	8	13	16	24
35-49	2588	6.9	24	1	2	6	9	13	16	26
50-64	2187	7.1	23	1	2	6	9	13	16	25
65+	2155	7.1	22	2	2	6	9	13	15	23
B. *Operated*										
0-19 YRS	71	6.4	78	1	1	4	8	13	16	54
20-34	1035	6.3	33	1	1	4	9	14	17	28
35-49	2029	6.9	39	1	1	5	9	14	18	30
50-64	1981	7.9	46	1	2	7	10	15	21	32
65+	1902	10.8	67	2	2	9	14	21	26	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3918	5.4	17	1	1	5	7	10	13	19
B. *Operated*	4623	4.5	18	1	1	3	6	10	13	18
2. MULTIPLE DX										
A. *Not Operated*	8768	6.9	23	1	2	6	9	13	16	25
B. *Operated*	7018	8.1	51	1	2	7	11	17	22	34
1. SINGLE DX	8541	4.9	18	1	1	4	7	10	13	18
2. MULTIPLE DX	15786	7.4	36	1	2	6	10	14	18	30
A. NOT OPERATED	12686	6.4	22	1	2	5	8	12	15	23
B. OPERATED	11641	6.7	41	1	1	5	9	14	18	30
TOTAL 0-19 YRS	473	4.2	20	1	1	3	6	9	11	17
20-34	5008	5.6	23	1	1	4	7	11	14	23
35-49	7890	6.0	26	1	1	5	8	12	15	25
50-64	6091	6.7	30	1	1	6	9	13	16	27
65+	4865	8.4	44	1	2	7	11	16	20	33
GRAND TOTAL	**24327**	**6.6**	**31**	**1**	**1**	**5**	**9**	**13**	**17**	**27**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	234	3.1	4	1	1	3	4	6	7	9
20-34	120	4.1	17	1	1	3	5	6	9	22
35-49	117	4.1	9	1	1	3	5	8	11	14
50-64	90	4.5	13	1	1	3	5	9	11	18
65+	41	4.0	6	1	2	3	5	7	7	14
B. *Operated*										
0-19 YRS	223	2.5	8	<1	1	2	3	5	6	10
20-34	676	2.6	4	1	1	2	3	5	6	11
35-49	1014	2.6	3	1	1	2	3	5	6	9
50-64	836	3.0	6	1	1	2	4	5	7	13
65+	176	3.4	7	1	1	3	4	6	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	127	4.0	6	1	2	3	5	7	9	13
20-34	180	4.7	9	1	1	4	6	9	11	13
35-49	238	5.1	16	1	1	4	7	10	14	19
50-64	297	5.5	25	1	2	4	7	10	12	19
65+	404	5.7	12	2	2	5	8	10	13	17
B. *Operated*										
0-19 YRS	130	4.0	31	1	1	2	4	8	10	30
20-34	493	3.6	14	1	1	2	4	7	12	20
35-49	968	3.8	26	1	1	3	4	7	9	24
50-64	1023	4.2	21	1	1	3	5	8	11	20
65+	487	5.5	32	1	1	4	7	11	14	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	602	3.8	9	1	1	3	5	7	9	15
B. *Operated*	2925	2.8	5	1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	1246	5.2	15	1	2	4	7	10	12	17
B. *Operated*	3101	4.2	24	1	1	3	5	8	11	24
1. SINGLE DX	3527	2.9	6	1	1	2	4	5	7	12
2. MULTIPLE DX	4347	4.5	22	1	1	3	5	9	12	22
A. NOT OPERATED	1848	4.7	14	1	1	4	6	9	11	17
B. OPERATED	6026	3.5	15	1	1	3	4	6	9	18
TOTAL 0-19 YRS	714	3.3	11	1	1	2	4	6	8	13
20-34	1469	3.3	10	1	1	3	4	6	9	15
35-49	2337	3.4	15	1	1	3	4	6	9	17
50-64	2246	3.9	16	1	1	3	5	8	10	17
65+	1108	5.2	20	1	1	4	6	10	13	24
GRAND TOTAL	**7874**	**3.8**	**15**	**1**	**1**	**3**	**4**	**7**	**10**	**18**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	5	2.2	3	<1	<1	1	4	4	4	4
65+	5	2.8	1	<1	<1	3	3	4	4	4
B. *Operated*										
0-19 YRS	312	2.5	2	1	1	2	3	4	5	7
20-34	617	2.6	2	1	1	2	3	4	5	7
35-49	696	2.7	2	1	1	3	3	4	5	6
50-64	782	2.8	2	1	1	3	4	5	6	8
65+	304	2.8	2	1	1	3	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.3		<1	<1	1	1	2	2	2
20-34	15	1.9	2	<1	<1	1	3	3	5	5
35-49	16	1.6	1	<1	<1	1	2	4	4	4
50-64	30	2.5	5	<1	<1	2	4	5	7	10
65+	18	1.9	4	<1	<1	1	2	5	7	7
B. *Operated*										
0-19 YRS	371	2.7	2	1	1	2	3	4	5	6
20-34	1017	2.9	3	1	1	3	4	5	5	8
35-49	1620	3.1	3	1	1	3	4	5	6	8
50-64	2639	3.3	3	1	1	3	4	5	6	10
65+	1736	3.7	5	1	2	3	4	6	8	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	2.3	2	<1	<1	2	4	4	4	4
B. *Operated*	2711	2.7	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	83	2.0	3	<1	<1	1	2	4	6	9
B. *Operated*	7383	3.3	4	1	1	3	4	5	6	10
1. SINGLE DX	2726	2.7	2	1	1	2	3	4	5	7
2. MULTIPLE DX	7466	3.2	4	1	1	3	4	5	6	10
A. NOT OPERATED	98	2.1	3	<1	<1	1	3	4	6	9
B. OPERATED	10094	3.1	3	1	1	3	4	5	6	9
TOTAL 0-19 YRS	688	2.6	2	1	1	2	3	4	5	7
20-34	1651	2.8	2	1	1	3	3	4	5	7
35-49	2334	2.9	3	1	1	3	4	5	6	8
50-64	3456	3.2	3	1	1	3	4	5	6	10
65+	2063	3.6	5	1	1	3	4	6	8	12
GRAND TOTAL	**10192**	**3.1**	**3**	**1**	**1**	**3**	**4**	**5**	**6**	**9**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	1.4	1	<1	<1	1	2	3	3	3
35-49	3	1.7	1	<1	<1	1	2	3	3	3
50-64	4	3.5	4	<1	<1	3	5	6	6	6
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	177	1.6	1	<1	<1	1	2	3	3	6
20-34	236	1.8	1	<1	<1	2	2	3	4	6
35-49	224	2.1	2	<1	<1	2	3	4	5	9
50-64	137	2.5	3	<1	1	2	3	5	6	8
65+	57	3.3	11	<1	1	2	4	5	8	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
20-34	10	2.5	3	1	1	2	4	5	5	5
35-49	9	2.6	2	1	1	2	3	5	5	5
50-64	22	3.7	7	<1	<1	3	5	7	9	12
65+	19	5.2	20	<1	1	4	8	11	16	18
B. *Operated*										
0-19 YRS	29	2.0	1	<1	1	2	3	3	4	5
20-34	90	3.0	8	1	1	2	3	6	9	15
35-49	121	3.6	18	1	1	3	4	7	9	26
50-64	174	3.4	7	1	1	3	4	6	9	14
65+	114	4.3	11	1	1	4	5	7	12	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.3	3	<1	<1	1	3	5	6	6
B. *Operated*	831	2.1	3	<1	<1	2	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	63	3.7	10	<1	1	3	5	7	10	17
B. *Operated*	528	3.5	10	1	1	3	4	7	9	16
1. SINGLE DX	844	2.1	3	<1	<1	2	2	4	5	8
2. MULTIPLE DX	591	3.5	10	1	1	3	4	7	9	16
A. NOT OPERATED	76	3.4	9	<1	<1	3	4	7	9	17
B. OPERATED	1359	2.6	6	<1	<1	2	3	5	7	13
TOTAL 0-19 YRS	209	1.7	1	<1	<1	1	2	3	3	5
20-34	341	2.2	3	<1	<1	2	2	4	5	9
35-49	357	2.6	8	<1	<1	2	3	5	7	14
50-64	337	3.0	5	<1	1	2	4	6	7	13
65+	191	4.1	12	1	1	3	5	8	12	19
GRAND TOTAL	**1435**	**2.7**	**6**	**<1**	**<1**	**2**	**3**	**5**	**7**	**13**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	88	11.0	52	2	4	9	14	21	27	37
20-34	46	10.9	85	2	3	7	17	26	30	37
35-49	28	9.8	91	1	2	7	11	25	33	40
50-64	24	9.7	77	2	3	7	11	18	27	44
65+	27	8.7	69	<1	1	9	10	12	20	46
B. *Operated*										
0-19 YRS	89	13.2	102	2	2	11	20	27	33	48
20-34	111	11.2	119	2	2	7	13	26	31	56
35-49	104	10.7	95	2	2	8	12	25	33	46
50-64	89	12.2	112	2	2	9	15	26	37	48
65+	53	10.8	69	2	2	9	14	24	30	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	118	13.1	77	2	3	10	20	26	28	40
20-34	91	13.0	123	1	2	9	19	31	35	48
35-49	117	12.9	127	2	2	9	16	29	41	49
50-64	194	12.4	83	2	4	10	16	25	30	42
65+	268	13.3	94	3	4	11	16	29	32	46
B. *Operated*										
0-19 YRS	160	16.9	173	2	4	14	23	33	42	63
20-34	298	17.5	249	2	3	12	24	43	47	75
35-49	395	18.0	220	2	4	14	24	40	48	76
50-64	561	18.6	206	3	5	14	25	38	47	77
65+	636	18.6	221	4	5	15	23	41	49	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	213	10.4	68	2	3	8	13	21	27	43
B. *Operated*	446	11.6	103	2	2	9	14	27	32	47
2. MULTIPLE DX										
A. *Not Operated*	788	12.9	97	2	3	10	17	28	33	46
B. *Operated*	2050	18.2	217	3	4	14	24	40	47	75
1. SINGLE DX	659	11.2	92	2	2	8	14	25	31	46
2. MULTIPLE DX	2838	16.8	189	3	4	13	22	35	45	66
A. NOT OPERATED	1001	12.4	92	2	3	10	16	26	32	45
B. OPERATED	2496	17.1	203	2	4	13	23	38	46	69
TOTAL 0-19 YRS	455	14.0	115	2	3	11	20	28	33	50
20-34	546	14.9	195	2	3	10	20	36	45	62
35-49	644	15.5	187	2	3	11	21	36	44	66
50-64	868	16.3	175	3	4	13	22	33	44	62
65+	984	16.5	183	3	5	12	21	34	45	67
GRAND TOTAL	**3497**	**15.7**	**175**	**2**	**4**	**12**	**21**	**33**	**44**	**63**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	182	5.2	27	1	1	4	7	12	17	27
20-34	134	3.1	5	1	1	3	4	6	8	11
35-49	172	3.8	13	1	1	3	4	7	10	21
50-64	143	3.9	11	1	1	3	5	8	11	15
65+	198	6.0	15	1	2	5	8	11	13	21
B. *Operated*										
0-19 YRS	1030	4.3	21	1	1	3	5	9	12	22
20-34	970	3.8	11	1	1	3	5	8	10	17
35-49	580	5.1	25	1	1	4	6	10	13	23
50-64	443	5.7	24	1	1	4	8	11	14	29
65+	261	8.6	45	1	2	8	12	16	18	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	145	6.1	47	1	1	3	7	13	22	34
20-34	347	4.1	11	1	1	3	5	8	10	18
35-49	629	4.4	18	1	1	3	5	8	10	24
50-64	949	5.9	26	1	2	4	7	11	15	28
65+	3898	8.1	28	2	3	7	10	14	17	28
B. *Operated*										
0-19 YRS	454	5.2	38	1	1	3	7	11	15	28
20-34	748	5.6	27	1	1	4	8	11	14	26
35-49	794	8.1	87	1	2	5	10	17	25	50
50-64	1066	10.2	85	1	2	8	13	21	28	45
65+	1814	13.6	89	3	4	12	17	24	31	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	829	4.6	16	1	1	3	6	9	12	21
B. *Operated*	3284	4.8	23	1	1	3	6	10	13	23
2. MULTIPLE DX										
A. *Not Operated*	5968	7.1	29	1	2	6	9	13	16	28
B. *Operated*	4876	10.0	84	1	2	8	13	20	27	45
1. SINGLE DX	4113	4.7	21	1	1	3	6	10	13	22
2. MULTIPLE DX	10844	8.4	56	1	2	7	11	17	22	37
A. NOT OPERATED	6797	6.8	28	1	2	6	9	13	16	27
B. OPERATED	8160	7.9	66	1	1	5	11	17	23	41
TOTAL 0-19 YRS	1811	4.8	28	1	1	3	6	10	14	27
20-34	2199	4.4	17	1	1	3	5	9	12	19
35-49	2175	5.9	48	1	1	4	7	12	17	37
50-64	2601	7.5	54	1	2	5	10	16	21	37
65+	6171	9.7	53	2	3	8	12	18	22	37
GRAND TOTAL	**14957**	**7.4**	**49**	**1**	**2**	**5**	**10**	**15**	**20**	**35**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	285	4.1	20	1	1	3	5	6	9	22
20-34	109	3.8	9	1	1	3	5	8	9	15
35-49	64	3.9	9	<1	1	3	5	8	9	16
50-64	50	4.5	13	1	1	4	6	8	11	20
65+	34	5.4	17	<1	2	4	7	11	16	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	3.1	11	<1	<1	1	4	9	11	12
20-34	14	5.1	31	<1	1	3	6	12	19	21
35-49	5	16.6	209	<1	<1	10	32	32	32	32
50-64	17	16.8	232	2	3	8	25	36	50	57
65+	51	18.2	211	2	4	16	24	41	43	68
B. *Operated*										
0-19 YRS	401	4.3	22	1	1	3	5	8	10	29
20-34	197	4.9	49	1	1	3	5	8	11	31
35-49	182	4.9	10	1	2	4	6	9	11	17
50-64	195	5.3	24	1	2	4	6	9	12	35
65+	134	8.3	76	2	3	6	10	16	20	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.0	2	<1	<1	1	3	4	4	4
B. *Operated*	542	4.1	16	1	1	3	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	109	13.2	189	<1	1	8	19	34	42	61
B. *Operated*	1109	5.2	33	1	2	4	6	9	12	32
1. SINGLE DX	549	4.1	15	1	1	3	5	8	10	17
2. MULTIPLE DX	1218	5.9	52	1	1	4	6	11	17	39
A. NOT OPERATED	116	12.5	185	<1	1	8	18	33	41	61
B. OPERATED	1651	4.8	28	1	1	4	6	9	11	30
TOTAL 0-19 YRS	711	4.2	21	1	1	3	5	7	9	26
20-34	322	4.5	34	1	1	3	5	8	11	27
35-49	252	4.8	16	1	1	4	6	9	11	19
50-64	263	5.9	43	1	1	4	7	10	16	37
65+	219	10.2	118	2	2	6	12	20	34	58
GRAND TOTAL	**1767**	**5.3**	**41**	**1**	**1**	**4**	**6**	**10**	**14**	**36**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.7	3	2	2	3	4	7	7	7
20-34	32	6.1	15	1	2	6	8	12	12	16
35-49	34	4.9	13	1	1	5	7	9	10	16
50-64	28	6.0	27	1	1	4	9	15	18	18
65+	6	5.2	11	2	2	4	8	10	10	10
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	29	3.6	20	1	1	3	4	6	8	25
35-49	56	3.6	15	1	1	2	4	8	11	20
50-64	19	3.2	12	1	1	2	4	9	11	12
65+	4	3.5	7	1	1	3	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	34	8.6	70	1	2	7	12	13	19	48
35-49	71	6.4	22	1	1	5	8	12	17	22
50-64	100	6.7	26	1	2	6	8	11	14	32
65+	115	6.4	16	2	2	5	9	11	14	21
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	25	6.2	14	1	1	6	9	11	12	14
35-49	55	6.2	18	1	2	5	8	11	15	24
50-64	28	8.0	30	1	2	6	11	16	19	21
65+	27	9.0	69	2	2	7	11	17	31	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	106	5.5	17	1	1	5	8	11	14	18
B. *Operated*	109	3.5	15	1	1	2	4	8	10	22
2. MULTIPLE DX										
A. *Not Operated*	322	6.7	27	1	2	6	9	12	15	26
B. *Operated*	136	7.1	31	1	2	6	9	14	16	31
1. SINGLE DX	215	4.5	17	1	1	3	7	10	12	19
2. MULTIPLE DX	458	6.8	28	1	2	6	9	13	15	29
A. NOT OPERATED	428	6.4	24	1	2	5	8	12	15	22
B. OPERATED	245	5.5	27	1	1	4	7	11	15	25
TOTAL 0-19 YRS	10	2.9	3	1	1	3	3	5	7	7
20-34	120	6.2	34	1	1	5	8	12	14	32
35-49	216	5.4	19	1	1	4	8	11	15	21
50-64	175	6.4	26	1	1	5	9	12	16	28
65+	152	6.7	26	2	2	5	9	12	15	30
GRAND TOTAL	**673**	**6.1**	**25**	**1**	**1**	**5**	**8**	**12**	**15**	**24**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	167	2.8	5	<1	1	2	4	6	7	11
20-34	362	4.5	17	1	1	3	6	8	11	27
35-49	380	4.5	18	1	1	3	6	9	12	26
50-64	236	4.9	21	1	1	4	6	9	11	28
65+	109	5.3	23	1	1	4	6	11	17	24
B. *Operated*										
0-19 YRS	643	5.6	24	1	1	3	9	12	14	21
20-34	694	4.0	18	1	1	2	5	9	11	24
35-49	583	3.9	17	1	1	2	5	9	12	20
50-64	585	3.4	14	1	1	2	4	7	10	21
65+	280	3.4	10	1	1	2	4	7	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	244	3.7	13	<1	1	2	5	7	10	21
20-34	789	5.1	19	1	1	4	6	10	12	25
35-49	1042	5.7	25	1	2	4	7	11	14	25
50-64	1004	5.6	22	1	2	4	7	10	13	28
65+	1012	6.2	21	1	2	5	8	12	15	24
B. *Operated*										
0-19 YRS	908	5.4	44	1	1	3	7	13	18	36
20-34	1159	4.8	48	1	1	2	6	11	15	33
35-49	1128	5.5	40	1	1	3	7	12	16	32
50-64	1053	5.8	43	1	1	4	8	12	17	31
65+	832	7.3	63	1	1	5	9	16	21	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1254	4.4	17	1	1	3	6	8	11	25
B. *Operated*	2785	4.2	18	1	1	2	5	10	12	21
2. MULTIPLE DX										
A. *Not Operated*	4091	5.5	21	1	2	4	7	11	14	24
B. *Operated*	5080	5.7	47	1	1	3	7	12	17	35
1. SINGLE DX	4039	4.2	18	1	1	3	5	9	12	21
2. MULTIPLE DX	9171	5.6	36	1	1	4	7	12	16	31
A. NOT OPERATED	5345	5.3	21	1	1	4	7	10	13	25
B. OPERATED	7865	5.1	38	1	1	3	7	11	16	30
TOTAL 0-19 YRS	1962	5.0	31	1	1	3	7	11	15	27
20-34	3004	4.7	30	1	1	3	6	10	13	28
35-49	3133	5.2	28	1	1	3	6	11	14	27
50-64	2878	5.2	28	1	1	4	6	10	14	28
65+	2233	6.2	37	1	1	4	8	12	17	30
GRAND TOTAL	**13210**	**5.2**	**31**	**1**	**1**	**3**	**7**	**11**	**15**	**28**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	13	4.5	4	2	2	5	6	7	8	8
35-49	17	5.4	6	3	3	5	6	10	11	11
50-64	7	4.3	6	2	2	4	5	8	9	9
65+	2	5.0	2	4	4	5	6	6	6	6
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	9	2.9	2	1	1	3	4	5	5	5
35-49	11	6.3	44	1	1	4	8	17	22	23
50-64	5	2.6	2	1	1	2	3	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	4.3	3	2	2	4	6	7	7	7
20-34	90	5.0	9	2	2	4	6	10	12	14
35-49	126	5.1	10	2	2	4	7	10	11	14
50-64	72	6.5	21	1	2	6	8	13	17	24
65+	22	5.6	10	2	3	5	6	12	13	14
B. *Operated*										
0-19 YRS										
20-34	16	7.9	60	2	2	6	9	13	28	34
35-49	38	5.1	14	1	1	4	7	9	14	18
50-64	15	9.8	206	2	2	6	9	20	49	59
65+	6	14.0	196	3	4	10	11	39	42	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	4.8	5	2	2	4	6	8	10	11
B. *Operated*	26	4.2	22	1	1	3	5	9	15	23
2. MULTIPLE DX										
A. *Not Operated*	317	5.4	12	2	2	4	7	10	12	19
B. *Operated*	75	7.4	79	1	2	5	9	12	19	55
1. SINGLE DX	66	4.6	12	1	2	4	5	9	10	21
2. MULTIPLE DX	392	5.8	25	2	2	4	7	10	13	23
A. NOT OPERATED	357	5.3	11	2	2	4	7	10	12	18
B. OPERATED	101	6.6	66	1	2	4	8	12	19	50
TOTAL 0-19 YRS	9	3.7	4	1	1	3	5	7	7	7
20-34	128	5.2	15	2	2	4	6	10	12	19
35-49	192	5.2	12	1	2	4	7	10	11	20
50-64	99	6.7	48	1	2	5	8	12	18	42
65+	30	7.2	53	3	3	5	9	12	14	42
GRAND TOTAL	**458**	**5.6**	**24**	**1**	**2**	**4**	**7**	**10**	**12**	**23**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	2.2	3	<1	<1	2	3	4	5	9
20-34	4	2.3		2	2	2	3	3	3	3
35-49										
50-64	4	6.0	12	3	3	6	9	9	9	9
65+	3	4.3	5	3	3	3	6	7	7	7
B. *Operated*										
0-19 YRS	102	5.5	18	1	2	5	6	9	13	26
20-34	10	9.3	31	3	3	9	14	16	17	17
35-49	9	11.9	457	1	1	5	10	46	68	68
50-64	5	13.0	63	5	5	12	20	23	23	23
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	177	4.9	63	<1	1	3	5	10	16	36
20-34	14	5.1	9	1	2	4	8	9	10	10
35-49	10	7.9	81	1	1	4	11	23	28	28
50-64	7	6.9	17	3	3	6	10	13	14	14
65+	8	6.1	21	1	1	5	7	14	16	16
B. *Operated*										
0-19 YRS	286	9.9	114	2	2	7	12	22	35	59
20-34	27	13.5	257	2	3	9	16	44	77	99+
35-49	22	11.8	59	2	3	11	14	25	30	31
50-64	19	10.8	252	1	2	7	12	18	49	73
65+	22	12.4	117	3	4	9	15	22	35	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	2.5	4	<1	<1	2	3	4	7	9
B. *Operated*	127	6.5	53	1	2	5	7	13	16	42
2. MULTIPLE DX										
A. *Not Operated*	216	5.2	57	<1	1	3	6	10	16	36
B. *Operated*	376	10.5	128	2	2	7	12	23	37	70
1. SINGLE DX	204	5.0	38	<1	1	4	6	9	13	28
2. MULTIPLE DX	592	8.6	108	1	1	5	10	19	30	61
A. NOT OPERATED	293	4.5	44	<1	1	3	5	9	14	33
B. OPERATED	503	9.5	112	2	2	6	11	20	31	64
TOTAL 0-19 YRS	631	7.0	80	1	1	4	8	15	26	54
20-34	55	9.8	148	2	2	6	12	19	44	98
35-49	41	10.9	143	1	1	9	13	25	30	68
50-64	35	9.8	150	1	3	6	12	19	22	73
65+	34	10.1	90	2	3	7	13	18	22	54
GRAND TOTAL	**796**	**7.6**	**93**	**1**	**1**	**5**	**9**	**17**	**26**	**58**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	1.7	1	<1	<1	<1	2	4	5	5
20-34	4	2.0	4	1	1	1	3	5	5	5
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	476	1.9	2	<1	1	1	2	3	4	8
20-34	118	2.2	2	<1	1	2	3	4	5	7
35-49	69	2.1	2	1	1	2	2	4	4	10
50-64	50	2.1	2	1	1	2	2	3	4	8
65+	32	2.0	1	1	1	2	3	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	1.8	2	<1	<1	1	2	3	5	8
20-34	5	2.2	5	1	1	1	3	6	6	6
35-49	4	4.3	6	1	1	5	6	6	6	6
50-64	4	3.0	3	<1	<1	3	4	5	5	5
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	225	2.3	5	<1	1	2	3	4	7	13
20-34	63	2.3	3	1	1	2	3	5	6	8
35-49	38	2.6	3	1	1	2	3	5	6	10
50-64	50	2.4	4	1	1	2	2	3	7	14
65+	68	2.4	3	1	1	2	2	4	7	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	1.8	2	<1	<1	1	2	4	5	5
B. *Operated*	745	2.0	2	<1	1	2	2	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	47	2.2	3	<1	<1	1	3	5	6	8
B. *Operated*	444	2.3	4	1	1	2	2	4	7	11
1. SINGLE DX	787	1.9	2	<1	1	2	2	4	4	7
2. MULTIPLE DX	491	2.3	4	<1	1	2	2	4	7	11
A. NOT OPERATED	89	2.0	2	<1	<1	1	2	5	5	7
B. OPERATED	1189	2.1	3	<1	1	2	2	4	5	10
TOTAL 0-19 YRS	771	2.0	3	<1	<1	1	2	4	5	10
20-34	190	2.2	2	1	1	2	3	4	6	7
35-49	112	2.4	3	1	1	2	3	5	6	10
50-64	104	2.2	3	1	1	2	2	3	5	11
65+	101	2.2	2	1	1	2	2	4	6	9
GRAND TOTAL	**1278**	**2.1**	**3**	**<1**	**1**	**2**	**2**	**4**	**5**	**10**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	2.5	3	1	1	2	3	5	7	8
20-34	23	3.8	11	1	1	3	4	10	11	12
35-49	8	2.8	5	<1	<1	2	4	6	6	6
50-64	4	2.5		2	2	2	3	3	3	3
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	791	4.0	10	1	1	2	6	8	10	15
20-34	131	5.0	17	1	1	3	8	10	13	18
35-49	82	5.4	26	1	1	3	9	12	16	23
50-64	44	4.9	21	1	1	2	10	12	14	17
65+	10	3.3	12	1	1	2	3	9	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	300	3.9	22	<1	1	3	5	8	11	18
20-34	64	4.0	7	1	1	3	6	8	9	12
35-49	37	4.5	20	1	1	4	5	6	17	22
50-64	27	5.7	18	1	2	4	8	12	14	17
65+	62	5.7	21	1	2	5	8	10	13	28
B. *Operated*										
0-19 YRS	1837	7.2	69	1	1	6	9	15	20	48
20-34	185	7.4	65	1	1	5	10	17	27	37
35-49	129	8.4	100	1	1	5	10	18	27	52
50-64	124	8.4	83	1	2	6	12	18	22	52
65+	101	9.1	94	1	2	6	11	20	30	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	2.9	6	1	1	2	3	6	8	12
B. *Operated*	1058	4.3	13	1	1	2	6	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	490	4.3	20	<1	1	3	6	9	11	21
B. *Operated*	2376	7.4	72	1	1	6	10	16	22	47
1. SINGLE DX	1137	4.2	12	1	1	2	6	9	11	17
2. MULTIPLE DX	2866	6.9	65	1	1	5	9	14	20	44
A. NOT OPERATED	569	4.1	18	1	1	3	5	8	11	19
B. OPERATED	3434	6.4	56	1	1	4	9	13	19	39
TOTAL 0-19 YRS	2971	5.9	50	1	1	4	8	12	17	38
20-34	403	5.9	39	1	1	3	8	12	17	32
35-49	256	6.7	65	1	1	4	9	14	22	38
50-64	199	7.2	62	1	2	3	11	16	19	40
65+	174	7.5	66	1	2	5	10	17	24	42
GRAND TOTAL	**4003**	**6.1**	**51**	**1**	**1**	**4**	**8**	**12**	**18**	**37**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.3	1	<1	<1	1	1	3	3	3
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	601	3.4	4	1	2	3	4	6	7	9
20-34	11	2.6	2	1	1	3	4	5	5	5
35-49	3	2.7	2	1	1	3	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	2.2	5	<1	1	1	2	6	8	10
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	620	3.6	6	1	2	3	4	7	8	10
20-34	32	3.5	4	1	1	3	4	6	7	9
35-49	8	4.3	6	2	2	3	6	8	8	8
50-64	3	2.0		2	2	2	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	1.3	1	<1	<1	1	1	3	3	3
B. *Operated*	615	3.4	4	1	2	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	39	2.2	5	<1	<1	1	2	6	8	10
B. *Operated*	664	3.6	5	1	2	3	4	7	8	10
1. SINGLE DX	623	3.3	4	1	1	3	4	6	7	9
2. MULTIPLE DX	703	3.5	6	1	2	3	4	7	8	10
A. NOT OPERATED	47	2.0	4	<1	<1	1	2	5	7	10
B. OPERATED	1279	3.5	5	1	2	3	4	7	7	9
TOTAL 0-19 YRS	1266	3.5	5	1	2	3	4	6	7	9
20-34	45	3.2	3	1	1	3	4	5	7	9
35-49	11	3.8	5	1	2	3	4	8	8	8
50-64	3	2.0		2	2	2	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**1326**	**3.4**	**5**	**1**	**2**	**3**	**4**	**6**	**7**	**9**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	2.6	3	<1	1	2	4	5	7	7
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	631	3.4	3	1	2	3	4	5	6	9
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	3.5	7	1	1	3	4	7	10	12
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	245	4.2	4	2	2	4	5	6	9	10
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	2.6	3	<1	1	2	4	5	7	7
B. *Operated*	631	3.4	3	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	31	3.5	7	1	1	3	4	7	10	12
B. *Operated*	245	4.2	4	2	2	4	5	6	9	10
1. SINGLE DX	663	3.3	3	1	2	3	4	5	6	9
2. MULTIPLE DX	276	4.1	4	2	2	4	5	6	9	11
A. NOT OPERATED	63	3.0	5	<1	1	3	4	5	8	12
B. OPERATED	876	3.6	3	2	2	3	4	6	7	10
TOTAL 0-19 YRS	939	3.6	4	1	2	3	4	6	7	10
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**939**	**3.6**	**4**	**1**	**2**	**3**	**4**	**6**	**7**	**10**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	80	2.5	5	<1	1	2	3	5	6	14
20-34	6	3.3	7	1	1	2	6	7	7	7
35-49	3	3.7	6	1	1	4	5	6	6	6
50-64	6	4.7	5	2	2	5	7	7	7	7
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	300	5.1	24	<1	1	3	7	11	14	26
20-34	56	4.6	19	1	1	3	7	10	12	22
35-49	24	5.7	22	1	2	4	9	11	15	20
50-64	15	3.7	9	<1	<1	3	6	9	10	10
65+	11	5.5	29	1	1	2	10	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	170	5.7	57	<1	1	3	7	12	20	47
20-34	12	4.1	7	1	1	4	5	7	10	11
35-49	12	4.5	22	1	1	3	4	13	16	17
50-64	15	5.3	11	<1	2	5	7	12	12	12
65+	36	4.4	14	1	1	4	6	9	10	21
B. *Operated*										
0-19 YRS	500	8.3	115	1	2	6	10	16	24	95
20-34	77	8.0	68	1	2	7	9	12	23	53
35-49	62	7.3	47	1	2	5	10	17	21	32
50-64	65	7.7	30	1	2	7	9	15	17	31
65+	61	12.5	139	1	2	8	18	25	43	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	2.7	5	<1	1	2	3	6	7	14
B. *Operated*	406	5.0	22	<1	1	3	7	11	14	24
2. MULTIPLE DX										
A. *Not Operated*	245	5.3	44	1	1	3	6	11	16	41
B. *Operated*	765	8.5	101	1	2	6	10	18	24	83
1. SINGLE DX	502	4.6	20	<1	1	3	7	10	13	22
2. MULTIPLE DX	1010	7.7	89	1	1	5	9	16	22	55
A. NOT OPERATED	341	4.6	34	1	1	3	5	10	13	30
B. OPERATED	1171	7.3	76	1	1	5	9	15	21	51
TOTAL 0-19 YRS	1050	6.5	75	1	1	4	8	13	20	51
20-34	151	6.2	46	1	1	5	8	11	12	36
35-49	101	6.5	38	1	1	4	9	14	19	32
50-64	101	6.6	25	1	1	5	9	12	16	26
65+	109	9.0	100	1	1	5	12	21	28	50
GRAND TOTAL	**1512**	**6.7**	**68**	**1**	**1**	**5**	**8**	**14**	**20**	**48**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.2		<1	<1	1	1	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	562	1.8	1	<1	<1	1	2	3	4	6
20-34	50	2.0	1	1	1	2	2	3	4	6
35-49	20	1.7	1	<1	<1	2	2	3	3	3
50-64	3	1.3		<1	<1	1	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	1.3	1	<1	<1	1	1	2	4	5
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	549	1.9	2	<1	1	2	2	3	5	7
20-34	71	2.7	4	1	1	2	3	5	7	11
35-49	21	2.4	5	1	1	2	3	5	8	9
50-64	10	3.3	4	1	1	3	4	6	8	8
65+	4	2.0	1	1	1	2	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.1		<1	<1	1	1	2	2	2
B. *Operated*	636	1.8	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	25	1.3	1	<1	<1	1	1	2	3	5
B. *Operated*	655	2.1	2	<1	1	2	2	4	5	8
1. SINGLE DX	643	1.8	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	680	2.0	2	<1	1	2	2	4	5	8
A. NOT OPERATED	32	1.3	1	<1	<1	1	1	2	3	5
B. OPERATED	1291	1.9	2	<1	1	2	2	3	4	7
TOTAL 0-19 YRS	1141	1.8	1	<1	<1	1	2	3	4	6
20-34	123	2.4	3	1	1	2	3	4	6	9
35-49	41	2.0	3	<1	1	2	2	4	6	9
50-64	13	2.8	4	<1	1	2	4	6	8	8
65+	5	2.0	1	1	1	2	2	3	3	3
GRAND TOTAL	**1323**	**1.9**	**2**	**<1**	**1**	**2**	**2**	**3**	**4**	**7**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	2.6	5	<1	1	2	3	4	7	11
20-34	9	1.8	2	<1	<1	1	2	4	5	5
35-49	4	2.8	2	1	1	3	4	4	4	4
50-64	3	4.7	21	2	2	2	8	10	10	10
65+	2	5.0	8	3	3	5	7	7	7	7
B. *Operated*										
0-19 YRS	733	3.9	9	1	1	3	6	8	10	12
20-34	154	4.1	8	1	1	4	6	8	9	13
35-49	53	4.6	14	1	1	4	6	9	11	22
50-64	22	6.4	18	<1	1	7	10	12	13	14
65+	9	5.8	26	1	1	5	8	14	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	3.1	16	<1	<1	2	4	6	7	28
20-34	27	3.7	6	1	1	3	5	7	9	11
35-49	39	4.3	11	1	1	3	5	9	11	15
50-64	23	5.0	7	2	2	5	6	9	10	11
65+	22	5.1	14	1	1	5	6	9	14	18
B. *Operated*										
0-19 YRS	570	5.1	20	1	1	4	7	10	14	23
20-34	255	5.3	16	1	2	5	6	8	13	22
35-49	151	6.2	33	1	2	5	8	11	14	26
50-64	100	7.8	36	1	2	7	11	15	18	31
65+	47	7.9	32	2	2	6	12	15	18	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	2.7	5	<1	<1	2	3	5	8	11
B. *Operated*	971	4.1	10	1	1	3	6	8	10	13
2. MULTIPLE DX										
A. *Not Operated*	171	4.0	12	1	1	3	5	8	9	17
B. *Operated*	1123	5.7	23	1	1	5	7	11	15	24
1. SINGLE DX	1013	4.0	10	1	1	3	6	8	10	13
2. MULTIPLE DX	1294	5.5	22	1	1	4	7	11	14	23
A. NOT OPERATED	213	3.7	11	<1	1	3	5	7	9	16
B. OPERATED	2094	4.9	18	1	1	4	7	10	12	21
TOTAL 0-19 YRS	1387	4.4	14	1	1	3	6	9	11	18
20-34	445	4.8	13	1	1	4	6	8	10	18
35-49	247	5.5	26	1	1	5	7	10	12	22
50-64	148	7.1	29	1	1	6	10	14	16	23
65+	80	6.8	27	1	2	5	9	14	17	26
GRAND TOTAL	**2307**	**4.8**	**17**	**1**	**1**	**4**	**6**	**9**	**12**	**20**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.8	1	<1	<1	1	2	3	4	4
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	548	3.2	4	1	1	3	4	5	7	12
20-34	21	4.1	7	1	1	3	6	8	9	10
35-49	7	4.3	5	2	2	4	6	7	7	7
50-64	8	3.9	3	2	2	3	4	7	8	8
65+	9	3.0	3	1	1	3	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	1.3		<1	<1	1	1	2	3	4
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	378	3.7	10	1	1	3	4	6	8	15
20-34	88	3.9	9	1	2	3	5	7	9	19
35-49	59	3.4	3	1	2	3	4	6	7	9
50-64	72	3.6	3	1	1	3	4	6	7	9
65+	44	4.1	5	1	1	4	6	7	8	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	1.8	1	<1	<1	1	2	3	4	4
B. *Operated*	593	3.2	5	1	1	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	31	1.3		<1	<1	1	1	2	3	4
B. *Operated*	641	3.7	8	1	1	3	4	6	8	14
1. SINGLE DX	603	3.2	5	1	1	3	4	6	7	12
2. MULTIPLE DX	672	3.6	8	1	1	3	4	6	7	14
A. NOT OPERATED	41	1.4	1	<1	<1	1	1	3	3	4
B. OPERATED	1234	3.5	6	1	1	3	4	6	7	12
TOTAL 0-19 YRS	965	3.3	7	1	1	3	4	6	7	13
20-34	109	3.9	8	1	1	3	5	7	9	16
35-49	67	3.4	3	1	2	3	4	6	7	9
50-64	80	3.6	3	1	1	3	4	6	7	9
65+	54	3.9	5	1	1	4	5	7	8	11
GRAND TOTAL	**1275**	**3.4**	**6**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	158	3.6	25	<1	<1	1	4	7	21	21
20-34	37	4.9	30	1	1	3	5	14	20	21
35-49	28	6.4	27	1	2	6	8	11	13	28
50-64	14	5.1	7	1	3	5	5	8	12	13
65+	11	3.6	10	<1	<1	4	4	8	12	12
B. *Operated*										
0-19 YRS	1475	4.0	15	1	1	3	5	8	11	20
20-34	383	4.1	13	1	1	3	6	9	11	17
35-49	202	4.2	17	1	1	2	5	10	12	16
50-64	117	4.8	17	1	1	3	7	10	12	19
65+	34	6.1	99	1	1	3	6	11	18	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	324	4.6	31	<1	<1	3	5	10	14	33
20-34	86	5.7	37	1	1	4	8	10	13	38
35-49	81	7.3	51	1	2	6	9	11	23	39
50-64	89	6.4	18	1	2	5	8	12	14	21
65+	70	7.4	32	1	2	6	11	14	19	27
B. *Operated*										
0-19 YRS	1011	5.9	52	1	1	4	7	12	17	35
20-34	301	6.4	42	1	1	4	9	13	19	32
35-49	278	7.0	55	1	1	5	9	13	19	45
50-64	232	7.9	73	1	2	5	10	16	23	49
65+	121	9.1	53	2	2	8	12	20	27	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	248	4.2	25	<1	<1	2	5	8	20	21
B. *Operated*	2211	4.1	16	1	1	3	5	9	11	19
2. MULTIPLE DX										
A. *Not Operated*	650	5.6	34	<1	1	4	7	11	14	33
B. *Operated*	1943	6.6	54	1	1	4	8	14	19	39
1. SINGLE DX	2459	4.1	17	1	1	3	5	9	12	21
2. MULTIPLE DX	2593	6.4	49	1	1	4	8	13	18	38
A. NOT OPERATED	898	5.2	32	<1	1	4	7	11	16	28
B. OPERATED	4154	5.3	35	1	1	3	7	11	15	31
TOTAL 0-19 YRS	2968	4.7	31	1	1	3	6	9	14	28
20-34	807	5.2	28	1	1	3	7	11	14	26
35-49	589	6.1	42	1	1	4	8	11	15	39
50-64	452	6.7	47	1	1	5	9	14	19	33
65+	236	7.9	53	1	2	6	11	16	21	39
GRAND TOTAL	**5052**	**5.3**	**35**	**1**	**1**	**3**	**7**	**11**	**15**	**30**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2448	3.1	13	1	1	2	3	5	8	19
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	45	3.7	13	<1	1	3	5	8	11	18
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2070	8.4	135	1	2	4	9	21	33	76
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	363	22.1	505	3	4	14	30	70	90	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2448	3.1	13	1	1	2	3	5	8	19
B. *Operated*	45	3.7	13	<1	1	3	5	8	11	18
2. MULTIPLE DX										
A. *Not Operated*	2070	8.4	135	1	2	4	9	21	33	76
B. *Operated*	363	22.1	505	3	4	14	30	70	90	99+
1. SINGLE DX	2493	3.1	13	1	1	2	3	5	8	19
2. MULTIPLE DX	2433	10.5	214	1	2	5	11	28	43	98
A. NOT OPERATED	4518	5.6	76	1	1	3	5	12	21	47
B. OPERATED	408	20.1	484	2	3	12	26	67	88	99+
TOTAL 0-19 YRS	4926	6.8	126	1	1	3	6	16	28	78
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**4926**	**6.8**	**126**	**1**	**1**	**3**	**6**	**16**	**28**	**78**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2086	2.5	4	1	1	2	3	5	6	10
20-34	887	3.1	6	1	1	3	4	6	7	12
35-49	446	3.1	5	1	1	3	4	6	8	11
50-64	247	3.7	7	1	1	3	5	7	8	12
65+	171	3.6	5	1	1	3	5	6	8	11
B. *Operated*										
0-19 YRS	20	3.3	7	1	1	3	4	6	9	12
20-34	31	4.7	26	1	1	3	4	12	20	21
35-49	14	4.9	7	1	2	4	5	9	10	10
50-64	16	4.1	7	1	1	4	5	7	10	11
65+	12	4.3	6	2	2	4	6	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4277	3.1	6	1	1	2	4	5	7	13
20-34	1434	4.6	19	1	1	3	5	9	11	24
35-49	1419	5.0	19	1	1	4	6	9	12	23
50-64	1521	5.5	20	1	2	4	7	10	13	22
65+	2321	6.4	25	2	2	5	8	12	15	25
B. *Operated*										
0-19 YRS	109	8.2	138	1	2	4	8	15	42	80
20-34	127	8.9	71	1	2	6	11	20	29	39
35-49	154	9.2	93	1	2	7	11	17	26	55
50-64	171	9.8	87	2	2	8	12	20	26	38
65+	249	10.4	74	2	3	8	13	20	24	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3837	2.9	5	1	1	2	3	5	7	11
B. *Operated*	93	4.3	13	1	1	4	5	9	11	21
2. MULTIPLE DX										
A. *Not Operated*	10972	4.6	17	1	1	3	6	9	12	21
B. *Operated*	810	9.5	89	2	2	7	12	20	26	58
1. SINGLE DX	3930	2.9	5	1	1	2	4	5	7	11
2. MULTIPLE DX	11782	4.9	24	1	1	4	6	10	13	24
A. NOT OPERATED	14809	4.1	14	1	1	3	5	8	11	19
B. OPERATED	903	9.0	83	1	2	6	11	18	25	57
TOTAL 0-19 YRS	6492	3.0	8	1	1	2	4	5	7	13
20-34	2479	4.3	18	1	1	3	5	8	11	24
35-49	2033	4.9	24	1	1	4	6	9	12	24
50-64	1955	5.7	26	1	2	4	7	11	14	26
65+	2753	6.6	30	2	2	5	8	12	16	26
GRAND TOTAL	**15712**	**4.4**	**20**	**1**	**1**	**3**	**5**	**9**	**12**	**22**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	652	2.9	3	1	1	3	4	5	6	8
20-34	86	4.2	9	1	2	3	5	8	13	15
35-49	60	3.9	7	1	2	3	5	6	9	15
50-64	56	4.3	6	1	2	4	6	8	9	11
65+	41	5.1	11	2	2	4	6	9	12	17
B. *Operated*										
0-19 YRS	12	4.5	6	2	2	4	6	8	11	11
20-34	17	7.5	17	2	3	7	10	14	15	16
35-49	8	8.3	24	3	3	8	11	15	17	17
50-64	11	7.3	25	1	2	7	11	15	17	17
65+	4	19.3	65	8	8	21	25	26	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1976	3.3	5	1	1	3	4	6	7	12
20-34	387	4.5	9	1	2	4	6	9	10	14
35-49	355	5.5	21	2	2	4	7	9	14	29
50-64	563	5.9	17	2	2	5	7	10	13	18
65+	1018	6.7	23	2	2	6	8	12	16	26
B. *Operated*										
0-19 YRS	63	8.9	204	1	2	5	9	15	33	83
20-34	83	10.8	71	2	2	9	13	23	28	40
35-49	78	10.7	90	3	3	9	12	19	29	55
50-64	149	12.5	73	3	4	11	16	25	28	44
65+	203	14.0	99	4	4	11	19	26	31	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	895	3.3	5	1	1	3	4	6	7	12
B. *Operated*	52	7.8	32	2	2	6	10	16	19	26
2. MULTIPLE DX										
A. *Not Operated*	4299	4.8	15	1	2	4	6	9	12	20
B. *Operated*	576	12.1	101	2	3	9	15	25	29	55
1. SINGLE DX	947	3.5	7	1	1	3	4	6	8	14
2. MULTIPLE DX	4875	5.6	31	1	2	4	7	11	15	28
A. NOT OPERATED	5194	4.5	13	1	2	4	5	8	11	18
B. OPERATED	628	11.8	96	2	3	9	15	24	28	54
TOTAL 0-19 YRS	2703	3.4	10	1	1	3	4	6	7	12
20-34	573	5.5	23	1	2	4	6	11	14	27
35-49	501	6.2	34	2	2	5	7	11	16	35
50-64	779	7.1	34	2	3	5	9	13	17	29
65+	1266	7.9	43	2	3	6	9	15	22	33
GRAND TOTAL	**5822**	**5.3**	**27**	**1**	**2**	**4**	**6**	**10**	**14**	**26**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	204	2.5	2	1	1	2	3	4	5	6
20-34	451	3.0	4	1	1	2	4	6	7	11
35-49	254	3.4	11	1	1	3	4	6	8	17
50-64	93	3.9	10	1	2	3	4	7	10	20
65+	23	3.6	5	1	1	3	5	7	8	8
B. *Operated*										
0-19 YRS	11	2.9	5	1	1	2	4	6	8	8
20-34	61	3.2	3	1	1	3	4	5	7	9
35-49	55	3.7	10	1	1	2	4	8	11	15
50-64	35	2.9	4	1	1	2	3	6	8	10
65+	13	3.7	18	<1	<1	2	4	11	14	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	369	3.1	4	1	1	3	4	5	7	10
20-34	955	4.3	10	1	1	4	6	8	10	17
35-49	770	4.9	13	1	2	4	6	9	12	17
50-64	450	4.8	12	1	2	4	6	9	11	18
65+	366	4.8	14	1	2	4	6	8	12	21
B. *Operated*										
0-19 YRS	13	4.9	8	1	2	5	6	8	11	12
20-34	129	6.0	37	1	1	4	8	12	18	32
35-49	138	6.0	22	1	2	5	8	12	16	21
50-64	95	6.8	37	1	1	5	9	14	16	35
65+	79	7.2	21	1	2	6	10	14	16	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1025	3.1	6	1	1	3	4	5	7	12
B. *Operated*	175	3.3	7	1	1	2	4	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	2910	4.5	11	1	1	4	6	8	10	17
B. *Operated*	454	6.4	29	1	1	5	8	13	16	26
1. SINGLE DX	1200	3.1	6	1	1	3	4	5	7	13
2. MULTIPLE DX	3364	4.7	14	1	1	4	6	9	12	19
A. NOT OPERATED	3935	4.1	10	1	1	3	5	8	10	17
B. OPERATED	629	5.5	25	1	1	4	7	11	15	23
TOTAL 0-19 YRS	597	2.9	4	1	1	2	4	5	6	10
20-34	1596	4.0	11	1	1	3	5	8	9	17
35-49	1217	4.7	14	1	1	4	6	9	12	18
50-64	673	4.9	16	1	2	4	6	9	13	21
65+	481	5.1	16	1	1	4	6	10	14	21
GRAND TOTAL	**4564**	**4.3**	**12**	**1**	**1**	**3**	**5**	**8**	**11**	**18**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	2.5	4	<1	1	2	4	5	6	9
20-34	58	2.9	4	<1	1	2	4	6	7	11
35-49	64	3.0	2	1	1	3	4	5	5	7
50-64	96	3.4	6	1	1	3	4	7	9	11
65+	125	3.0	4	1	1	2	4	6	7	10
B. *Operated*										
0-19 YRS	25	2.9	5	1	1	2	4	6	7	8
20-34	53	3.5	3	1	2	3	4	6	7	9
35-49	76	4.1	5	1	1	4	5	7	8	12
50-64	122	4.1	5	1	1	4	6	7	8	9
65+	113	3.5	4	1	1	3	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	2.8	11	<1	1	2	3	5	7	18
20-34	61	3.3	4	<1	1	3	4	6	8	10
35-49	173	3.7	6	1	1	3	5	6	8	13
50-64	346	4.6	40	1	1	4	5	8	10	19
65+	674	3.8	7	1	1	3	5	7	8	16
B. *Operated*										
0-19 YRS	22	4.2	13	1	1	3	6	11	12	12
20-34	63	4.5	6	1	2	4	6	8	9	11
35-49	111	5.2	12	1	1	4	7	10	12	16
50-64	312	5.5	13	1	2	5	7	10	12	19
65+	514	5.8	26	1	2	4	7	11	14	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	371	3.0	4	1	1	3	4	6	7	11
B. *Operated*	389	3.8	5	1	1	4	5	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	1311	3.9	16	1	1	3	5	7	9	16
B. *Operated*	1022	5.5	19	1	2	5	7	10	13	21
1. SINGLE DX	760	3.4	5	1	1	3	5	6	7	10
2. MULTIPLE DX	2333	4.6	18	1	1	4	6	9	11	19
A. NOT OPERATED	1682	3.7	13	1	1	3	5	6	8	15
B. OPERATED	1411	5.0	16	1	1	4	6	9	12	19
TOTAL 0-19 YRS	132	3.0	9	1	1	2	4	6	9	18
20-34	235	3.6	5	1	1	3	5	7	8	10
35-49	424	4.1	7	1	1	3	5	7	9	14
50-64	876	4.7	22	1	1	4	6	8	11	18
65+	1426	4.4	14	1	1	4	5	8	11	19
GRAND TOTAL	**3093**	**4.3**	**15**	**1**	**1**	**4**	**5**	**8**	**10**	**18**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	2.8	4	1	1	2	3	6	8	9
20-34	39	2.5	3	<1	<1	2	4	5	6	7
35-49	24	2.7	6	<1	1	2	4	6	9	10
50-64	20	3.8	23	1	1	2	5	7	15	22
65+	23	2.8	4	<1	1	2	4	5	7	9
B. *Operated*										
0-19 YRS	108	2.2	4	<1	<1	1	2	5	7	11
20-34	119	2.4	4	<1	1	2	3	5	7	10
35-49	70	2.5	3	1	1	2	3	5	6	9
50-64	52	2.2	6	1	1	1	2	4	6	15
65+	26	5.8	163	1	1	2	3	13	28	65
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	86	3.8	10	1	1	3	5	8	10	18
20-34	99	3.6	8	1	1	3	5	7	10	16
35-49	135	4.3	16	1	1	4	5	7	10	26
50-64	198	5.7	37	1	1	4	7	12	17	35
65+	521	7.5	42	1	2	6	9	15	20	29
B. *Operated*										
0-19 YRS	72	5.1	39	1	1	3	6	12	19	32
20-34	126	5.1	18	1	1	4	7	10	13	21
35-49	107	6.9	104	1	1	3	7	19	23	63
50-64	164	8.5	92	1	1	5	11	23	30	38
65+	239	10.4	96	2	2	8	14	22	30	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	147	2.8	7	<1	1	2	4	6	7	10
B. *Operated*	375	2.6	15	<1	1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	1039	6.1	34	1	1	4	8	13	17	28
B. *Operated*	708	7.9	81	1	1	5	11	19	26	53
1. SINGLE DX	522	2.6	13	<1	1	2	3	5	7	13
2. MULTIPLE DX	1747	6.8	54	1	1	4	9	15	21	36
A. NOT OPERATED	1186	5.7	32	1	1	4	7	12	16	27
B. OPERATED	1083	6.1	65	1	1	3	8	15	22	41
TOTAL 0-19 YRS	307	3.4	15	<1	1	2	4	8	10	21
20-34	383	3.6	11	1	1	2	5	8	10	18
35-49	336	4.6	43	1	1	3	5	8	14	30
50-64	434	6.3	57	1	1	4	7	15	23	37
65+	809	8.1	63	1	2	6	11	17	22	48
GRAND TOTAL	**2269**	**5.9**	**47**	**1**	**1**	**3**	**7**	**13**	**19**	**34**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	2	9.5	145	1	1	9	18	18	18	18
35-49	2	6.5	41	2	2	6	11	11	11	11
50-64	7	5.6	25	1	1	5	6	14	16	16
65+	8	6.8	25	<1	1	6	10	14	15	15
B. *Operated*										
0-19 YRS	16	4.6	12	<1	<1	4	6	8	12	14
20-34	36	7.1	53	1	1	5	8	19	24	30
35-49	34	8.9	88	1	1	5	13	22	25	42
50-64	45	11.0	112	1	1	8	15	27	34	45
65+	85	12.8	106	2	3	11	16	24	32	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.3	14	1	1	7	8	8	8	8
20-34	14	5.4	7	1	3	5	7	9	10	11
35-49	27	8.7	98	2	3	7	8	11	21	56
50-64	50	9.4	46	3	4	7	10	19	21	33
65+	268	8.8	45	2	3	7	10	16	23	36
B. *Operated*										
0-19 YRS	19	9.9	73	1	1	8	19	23	24	24
20-34	89	11.1	111	1	2	9	15	22	33	58
35-49	180	15.8	146	2	4	13	21	31	38	66
50-64	554	18.3	201	3	5	15	23	36	51	68
65+	1744	17.6	149	4	6	15	22	34	42	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	6.9	30	<1	1	5	11	15	17	18
B. *Operated*	216	10.3	94	1	1	7	14	23	30	44
2. MULTIPLE DX										
A. *Not Operated*	362	8.7	47	2	3	7	10	16	21	36
B. *Operated*	2586	17.4	160	3	5	14	22	34	43	66
1. SINGLE DX	236	10.0	89	1	1	7	14	22	30	43
2. MULTIPLE DX	2948	16.3	154	3	5	13	21	33	41	64
A. NOT OPERATED	382	8.6	47	2	3	7	10	16	21	36
B. OPERATED	2802	16.8	159	3	5	14	21	33	42	65
TOTAL 0-19 YRS	39	7.5	48	<1	1	5	10	21	23	24
20-34	141	9.5	89	1	1	7	13	20	25	58
35-49	243	13.9	140	1	3	10	20	29	37	57
50-64	656	17.0	191	3	4	13	22	34	46	67
65+	2105	16.3	143	3	5	13	21	32	40	63
GRAND TOTAL	**3184**	**15.8**	**152**	**3**	**4**	**13**	**20**	**32**	**40**	**63**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	106	2.5	3	<1	1	2	3	4	6	9
20-34	964	2.4	3	1	1	2	3	4	5	8
35-49	2461	2.6	3	1	1	2	3	5	6	9
50-64	1658	2.7	3	1	1	2	3	5	6	8
65+	514	3.0	4	1	1	2	4	5	7	10
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	113	2.7	12	1	1	2	3	5	6	19
35-49	735	2.3	3	1	1	2	2	4	6	10
50-64	827	2.4	4	1	1	2	2	5	6	10
65+	198	2.3	2	1	1	2	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	223	3.1	4	1	1	3	4	6	7	9
20-34	1953	3.3	5	1	1	3	4	6	7	10
35-49	6457	3.4	5	1	1	3	4	6	8	11
50-64	7448	3.6	6	1	1	3	5	6	8	12
65+	5595	4.1	9	1	2	3	5	7	9	15
B. *Operated*										
0-19 YRS	10	4.3	5	1	1	5	6	7	7	7
20-34	218	4.5	16	1	1	3	6	9	12	23
35-49	1528	3.9	11	1	1	3	5	8	10	16
50-64	2432	3.9	12	1	1	2	5	8	10	17
65+	1045	5.1	20	1	1	4	7	10	14	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5703	2.6	3	1	1	2	3	5	6	8
B. *Operated*	1874	2.4	4	1	1	2	2	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	21676	3.7	7	1	1	3	5	6	8	13
B. *Operated*	5233	4.2	14	1	1	3	6	8	11	18
1. SINGLE DX	7577	2.6	3	1	1	2	3	5	6	9
2. MULTIPLE DX	26909	3.8	8	1	1	3	5	7	9	14
A. NOT OPERATED	27379	3.4	6	1	1	3	4	6	8	12
B. OPERATED	7107	3.7	12	1	1	2	5	8	10	17
TOTAL 0-19 YRS	340	2.9	3	1	1	2	4	6	7	9
20-34	3248	3.1	6	1	1	2	4	6	7	11
35-49	11181	3.2	6	1	1	3	4	6	7	12
50-64	12365	3.5	7	1	1	3	4	6	8	13
65+	7352	4.1	11	1	2	3	5	8	10	16
GRAND TOTAL	**34486**	**3.5**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**13**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	603	2.8	4	1	1	2	4	5	6	8
20-34	53	2.8	43	<1	1	2	3	4	4	48
35-49	71	2.5	6	<1	1	2	3	5	6	16
50-64	62	3.5	11	1	1	2	5	8	11	16
65+	65	4.5	16	1	1	3	5	8	14	20
B. *Operated*										
0-19 YRS	35	3.0	11	<1	<1	2	4	7	9	17
20-34	32	4.2	11	1	1	3	6	8	11	16
35-49	61	4.4	12	1	1	3	6	9	12	16
50-64	76	3.3	8	1	1	2	4	6	8	16
65+	34	3.5	8	1	1	2	5	8	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1271	4.0	13	1	1	3	5	8	11	19
20-34	238	4.1	16	1	1	3	5	8	10	16
35-49	372	4.6	13	1	1	4	6	8	11	19
50-64	965	5.9	22	1	2	5	7	11	15	24
65+	1658	6.2	21	1	2	5	8	11	14	23
B. *Operated*										
0-19 YRS	103	6.0	31	1	1	5	9	14	18	62
20-34	81	7.0	83	1	1	4	7	17	28	89
35-49	211	5.6	24	1	1	4	7	11	15	26
50-64	499	6.8	59	1	2	5	8	13	19	34
65+	520	7.2	35	1	2	6	9	15	19	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	854	2.9	8	1	1	2	4	5	7	14
B. *Operated*	238	3.7	10	1	1	3	5	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	4504	5.3	19	1	1	4	7	10	13	22
B. *Operated*	1414	6.7	45	1	2	5	8	14	19	32
1. SINGLE DX	1092	3.1	8	1	1	2	4	6	8	14
2. MULTIPLE DX	5918	5.6	26	1	1	4	7	11	14	26
A. NOT OPERATED	5358	4.9	18	1	1	4	6	10	13	21
B. OPERATED	1652	6.3	41	1	1	5	8	13	18	30
TOTAL 0-19 YRS	2012	3.7	12	1	1	3	5	7	10	18
20-34	404	4.5	34	1	1	3	5	9	12	35
35-49	715	4.7	16	1	1	4	6	9	12	21
50-64	1602	6.0	33	1	1	5	8	12	15	28
65+	2277	6.3	25	1	2	5	8	12	16	27
GRAND TOTAL	**7010**	**5.2**	**24**	**1**	**1**	**4**	**7**	**10**	**14**	**25**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	83	2.3	3	1	1	2	3	4	5	9
20-34	281	1.8	1	<1	<1	1	2	3	4	6
35-49	356	1.9	2	<1	1	1	2	3	4	7
50-64	178	2.0	2	1	1	2	2	4	5	8
65+	90	3.0	4	1	1	2	4	6	7	11
B. *Operated*										
0-19 YRS	44	2.5	4	<1	<1	2	3	4	8	10
20-34	62	3.8	5	1	1	3	5	7	8	11
35-49	75	4.2	6	1	1	4	6	8	9	11
50-64	60	5.1	24	1	1	5	7	9	10	34
65+	61	5.2	13	1	2	4	6	10	11	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	123	3.0	7	1	1	2	4	5	7	14
20-34	348	2.7	4	1	1	2	3	5	7	11
35-49	412	2.9	6	1	1	2	3	5	7	11
50-64	446	3.4	8	1	1	3	4	7	9	13
65+	961	5.1	24	1	2	4	6	10	13	20
B. *Operated*										
0-19 YRS	104	3.6	10	<1	1	3	5	8	10	16
20-34	163	4.9	12	1	1	4	6	9	12	17
35-49	255	5.2	10	1	2	5	7	9	12	16
50-64	395	6.2	16	1	2	5	8	11	14	21
65+	1002	8.4	36	2	3	7	11	16	20	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	988	2.0	2	<1	1	2	2	4	5	7
B. *Operated*	302	4.3	11	1	1	4	6	8	10	12
2. MULTIPLE DX										
A. *Not Operated*	2290	3.9	15	1	1	3	5	8	10	17
B. *Operated*	1919	7.0	28	1	2	6	9	14	17	27
1. SINGLE DX	1290	2.5	5	<1	1	2	3	5	7	11
2. MULTIPLE DX	4209	5.3	23	1	1	4	7	11	14	23
A. NOT OPERATED	3278	3.3	12	1	1	2	4	7	9	15
B. OPERATED	2221	6.6	26	1	2	5	8	13	16	26
TOTAL 0-19 YRS	354	3.0	7	<1	1	2	4	6	8	12
20-34	854	2.9	6	<1	1	2	4	6	8	12
35-49	1098	3.2	7	1	1	2	4	6	8	14
50-64	1079	4.3	14	1	1	3	6	9	11	19
65+	2114	6.6	32	1	2	5	8	13	17	27
GRAND TOTAL	**5499**	**4.7**	**20**	**1**	**1**	**3**	**6**	**10**	**13**	**21**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2082	2.0	2	<1	1	2	3	4	5	7
20-34	2076	2.4	3	<1	1	2	3	5	6	9
35-49	968	2.9	4	1	1	2	4	6	7	10
50-64	515	2.9	4	1	1	2	4	5	7	9
65+	267	3.3	7	1	1	3	4	6	9	13
B. *Operated*										
0-19 YRS	208	3.5	3	1	2	3	4	5	7	11
20-34	317	4.2	9	1	1	4	5	7	10	13
35-49	98	4.9	13	1	1	4	6	9	12	18
50-64	57	5.5	21	1	1	5	7	11	14	24
65+	26	4.8	7	1	2	4	6	8	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2049	2.5	5	1	1	2	3	5	6	9
20-34	2842	3.1	6	1	1	2	4	6	8	12
35-49	1959	4.1	10	1	1	3	5	8	9	16
50-64	1854	4.4	11	1	1	4	6	8	10	16
65+	2548	4.9	14	1	2	4	6	9	11	17
B. *Operated*										
0-19 YRS	260	4.7	9	1	2	4	6	8	10	15
20-34	662	5.5	18	1	1	4	7	11	14	21
35-49	496	6.9	29	1	2	6	8	14	17	28
50-64	396	7.6	26	2	3	6	10	15	17	24
65+	468	8.4	40	2	2	7	11	16	21	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5908	2.4	3	<1	1	2	3	5	6	9
B. *Operated*	706	4.2	9	1	1	3	5	7	10	14
2. MULTIPLE DX										
A. *Not Operated*	11252	3.8	10	1	1	3	5	7	9	15
B. *Operated*	2282	6.7	27	1	2	5	8	13	17	26
1. SINGLE DX	6614	2.6	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	13534	4.3	14	1	1	3	5	8	11	19
A. NOT OPERATED	17160	3.3	8	1	1	3	4	6	8	13
B. OPERATED	2988	6.1	24	1	2	5	8	12	16	24
TOTAL 0-19 YRS	4599	2.5	4	<1	1	2	3	5	6	9
20-34	5897	3.2	7	1	1	2	4	6	8	14
35-49	3521	4.2	13	1	1	3	5	8	10	19
50-64	2822	4.6	14	1	1	4	6	9	11	19
65+	3309	5.3	19	1	2	4	7	10	13	22
GRAND TOTAL	**20148**	**3.7**	**11**	**1**	**1**	**3**	**5**	**7**	**9**	**16**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	230	2.5	4	1	1	2	3	5	6	9
20-34	83	2.1	2	<1	1	1	3	4	6	7
35-49	57	3.3	6	1	1	3	4	6	9	12
50-64	56	2.6	2	<1	1	2	3	5	6	7
65+	53	3.9	9	<1	1	4	5	9	10	11
B. *Operated*										
0-19 YRS	24	3.7	8	<1	1	5	6	7	9	11
20-34	36	3.3	3	<1	1	3	5	6	6	6
35-49	36	4.5	20	1	1	4	6	7	7	28
50-64	34	3.6	6	1	1	3	5	6	7	11
65+	27	4.3	9	1	1	4	6	9	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	880	2.9	6	1	1	2	3	5	7	12
20-34	384	3.7	14	1	1	3	5	8	11	17
35-49	444	5.0	17	1	1	4	6	10	14	20
50-64	697	5.5	24	1	1	4	7	11	14	25
65+	1344	5.8	19	1	2	5	8	12	14	22
B. *Operated*										
0-19 YRS	142	3.5	17	1	1	1	5	10	13	19
20-34	257	4.7	24	1	1	4	6	10	15	25
35-49	219	5.9	42	1	1	5	7	13	18	29
50-64	312	8.1	62	1	1	6	10	17	23	38
65+	481	9.5	70	1	1	8	13	19	27	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	479	2.7	5	1	1	2	4	5	7	11
B. *Operated*	157	3.9	9	1	1	3	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	3749	4.8	18	1	1	4	6	10	13	20
B. *Operated*	1411	7.1	55	1	1	5	10	16	22	36
1. SINGLE DX	636	3.0	6	1	1	2	4	6	7	11
2. MULTIPLE DX	5160	5.4	29	1	1	4	7	11	15	27
A. NOT OPERATED	4228	4.5	17	1	1	3	6	9	12	20
B. OPERATED	1568	6.8	51	1	1	5	9	15	21	35
TOTAL 0-19 YRS	1276	2.9	7	1	1	2	4	5	7	14
20-34	760	3.9	16	1	1	3	5	8	11	18
35-49	756	5.1	24	1	1	4	7	11	15	26
50-64	1099	6.0	35	1	1	4	8	12	16	28
65+	1905	6.7	34	1	1	5	9	14	17	30
GRAND TOTAL	**5796**	**5.1**	**27**	**1**	**1**	**4**	**6**	**11**	**15**	**26**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2093	4.2	40	1	1	3	4	7	12	41
20-34	1880	5.1	42	<1	1	3	6	10	15	32
35-49	1467	5.6	43	1	1	4	6	12	18	33
50-64	1573	6.4	48	1	1	4	8	13	20	35
65+	2198	8.2	67	1	2	6	10	18	25	42
B. *Operated*										
0-19 YRS	188	5.2	107	<1	<1	2	4	10	22	79
20-34	381	4.7	45	<1	1	3	5	10	15	34
35-49	376	6.6	100	1	1	3	7	13	30	58
50-64	510	7.5	98	1	1	4	9	18	26	55
65+	583	10.1	120	1	1	7	14	22	31	62
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3323	4.5	26	1	1	3	5	9	12	25
20-34	2030	3.9	13	1	1	3	5	7	9	16
35-49	2808	4.5	16	1	1	4	6	8	11	19
50-64	5802	5.9	28	1	2	4	7	12	16	28
65+	13836	6.5	28	2	2	5	8	12	16	26
B. *Operated*										
0-19 YRS	278	9.1	183	1	1	4	10	21	49	99+
20-34	419	5.3	39	1	1	3	6	12	17	33
35-49	657	7.1	101	1	1	4	8	15	23	70
50-64	1399	9.7	142	1	1	6	11	23	35	77
65+	2497	11.1	133	1	2	8	14	24	34	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9211	5.9	51	1	1	4	7	13	19	36
B. *Operated*	2038	7.4	99	1	1	4	9	17	27	57
2. MULTIPLE DX										
A. *Not Operated*	27799	5.7	26	1	2	4	7	11	15	25
B. *Operated*	5250	9.6	130	1	1	6	12	21	32	71
1. SINGLE DX	11249	6.2	60	1	1	4	7	13	21	40
2. MULTIPLE DX	33049	6.4	45	1	2	5	8	13	17	35
A. NOT OPERATED	37010	5.8	33	1	1	4	7	11	16	30
B. OPERATED	7288	9.0	122	1	1	5	11	21	31	64
TOTAL 0-19 YRS	5882	4.7	42	1	1	3	5	9	14	39
20-34	4710	4.6	30	1	1	3	5	9	13	31
35-49	5308	5.3	41	1	1	4	6	10	15	33
50-64	9284	6.7	54	1	1	5	8	14	20	39
65+	19114	7.4	52	1	2	5	9	15	20	37
GRAND TOTAL	**44298**	**6.3**	**49**	**1**	**1**	**4**	**8**	**13**	**18**	**36**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	523	1.8	2	1	1	1	2	3	4	7
20-34	48	4.4	18	1	1	3	6	10	14	19
35-49	17	3.2	7	<1	<1	2	4	8	9	9
50-64	11	6.3	46	1	1	3	8	18	23	23
65+	9	2.0	1	1	1	2	2	3	3	3
B. *Operated*										
0-19 YRS	88	4.8	11	1	2	4	6	8	11	19
20-34	41	5.5	11	2	3	4	8	11	15	99+
35-49	11	7.3	72	1	1	5	7	21	29	30
50-64	6	12.0	127	1	1	8	24	28	28	28
65+	2	21.5	61	16	16	21	27	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	446	3.3	17	1	1	2	4	7	10	20
20-34	120	6.5	82	1	1	4	7	14	27	74
35-49	66	5.1	29	1	1	3	7	13	18	88
50-64	42	7.8	69	1	2	5	8	18	28	40
65+	54	7.4	41	1	1	6	11	13	17	36
B. *Operated*										
0-19 YRS	152	9.6	177	1	1	5	10	25	44	99
20-34	167	12.0	255	1	2	8	14	32	86	99+
35-49	62	13.0	214	1	2	9	14	28	56	97
50-64	46	15.6	188	1	2	12	24	39	47	99+
65+	42	16.3	287	1	2	12	21	42	59	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	608	2.2	5	1	1	1	2	4	6	13
B. *Operated*	148	5.7	25	1	2	4	7	11	16	31
2. MULTIPLE DX										
A. *Not Operated*	728	4.6	36	1	1	3	5	10	15	35
B. *Operated*	469	12.1	224	1	2	8	14	35	57	99+
1. SINGLE DX	756	2.9	11	1	1	2	3	6	8	19
2. MULTIPLE DX	1197	7.5	123	1	1	4	9	17	32	99
A. NOT OPERATED	1336	3.5	24	1	1	2	4	7	11	28
B. OPERATED	617	10.6	184	1	2	6	13	26	45	99+
TOTAL 0-19 YRS	1209	3.6	36	1	1	2	4	7	11	39
20-34	376	8.6	152	1	1	5	10	19	43	99+
35-49	156	8.2	118	1	1	5	10	18	29	98
50-64	105	11.3	135	1	2	7	16	29	39	78
65+	107	10.7	159	1	1	7	13	24	37	63
GRAND TOTAL	**1953**	**5.7**	**85**	**1**	**1**	**3**	**6**	**13**	**22**	**75**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	234	2.6	6	1	1	2	3	5	8	13
20-34	59	4.1	41	1	1	2	4	7	12	43
35-49	24	3.2	9	<1	<1	2	4	8	11	12
50-64	8	3.4	5	1	1	3	4	7	8	8
65+	13	5.0	16	2	2	4	5	12	15	16
B. *Operated*										
0-19 YRS	20	6.1	20	<1	1	5	8	14	15	16
20-34	20	5.6	11	2	2	6	8	9	11	12
35-49	6	8.3	56	<1	<1	7	17	17	17	17
50-64	2	10.0	32	6	6	10	14	14	14	14
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	257	4.3	18	1	1	3	5	9	11	25
20-34	199	5.3	28	1	1	4	7	11	13	30
35-49	65	5.9	19	1	1	5	8	11	13	22
50-64	62	9.0	88	1	2	6	12	18	23	59
65+	76	8.0	47	1	1	6	11	15	19	40
B. *Operated*										
0-19 YRS	102	13.2	288	1	2	8	15	40	56	99+
20-34	164	15.3	344	1	2	8	20	41	61	96
35-49	74	13.2	240	1	2	8	15	37	44	76
50-64	40	20.2	373	2	3	15	26	46	64	91
65+	35	18.3	188	4	5	13	31	40	48	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	338	3.0	13	1	1	2	3	6	9	15
B. *Operated*	49	6.2	20	1	1	6	8	13	16	17
2. MULTIPLE DX										
A. *Not Operated*	659	5.6	33	1	1	4	7	12	15	26
B. *Operated*	415	15.1	304	1	2	9	20	39	58	97
1. SINGLE DX	387	3.4	15	1	1	2	4	8	10	17
2. MULTIPLE DX	1074	9.3	159	1	1	5	11	22	36	79
A. NOT OPERATED	997	4.7	28	1	1	3	6	11	13	26
B. OPERATED	464	14.2	281	1	2	8	18	38	53	96
TOTAL 0-19 YRS	613	5.2	72	1	1	3	5	11	17	49
20-34	442	8.9	170	1	1	5	9	21	34	80
35-49	169	8.8	131	1	1	5	11	18	31	68
50-64	112	12.6	214	2	2	8	16	26	39	77
65+	125	10.5	106	1	2	7	13	28	37	61
GRAND TOTAL	**1461**	**7.7**	**128**	**1**	**1**	**4**	**9**	**17**	**28**	**70**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	1.9	4	<1	<1	1	2	4	5	13
20-34	63	1.5	1	<1	<1	1	2	3	3	4
35-49	22	2.1	2	<1	<1	2	2	5	6	6
50-64	11	2.3	6	<1	<1	1	3	6	9	9
65+	6	1.8	1	1	1	2	2	3	3	3
B. *Operated*										
0-19 YRS	584	2.0	2	<1	<1	1	2	4	5	7
20-34	919	2.4	3	1	1	2	3	5	6	9
35-49	234	2.6	4	1	1	2	3	5	7	11
50-64	83	2.9	7	1	1	2	3	6	8	16
65+	28	3.0	6	1	1	2	4	7	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	157	2.4	12	<1	<1	2	2	4	5	15
20-34	253	2.8	17	<1	<1	2	3	5	7	14
35-49	118	2.9	5	<1	1	2	4	5	7	11
50-64	62	4.3	14	1	1	3	6	11	12	15
65+	160	4.6	14	1	1	3	6	11	13	16
B. *Operated*										
0-19 YRS	926	3.3	11	1	1	2	4	7	8	18
20-34	1737	4.0	16	1	1	3	5	8	11	20
35-49	683	4.9	30	1	1	3	6	10	13	25
50-64	272	6.2	36	1	1	4	8	13	18	30
65+	219	7.1	60	1	1	5	9	15	20	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	152	1.8	2	<1	<1	1	2	3	4	9
B. *Operated*	1848	2.3	3	<1	1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	750	3.2	14	<1	1	2	4	6	10	15
B. *Operated*	3837	4.3	22	1	1	3	5	9	12	23
1. SINGLE DX	2000	2.3	3	<1	1	2	3	4	6	9
2. MULTIPLE DX	4587	4.2	21	1	1	3	5	8	11	22
A. NOT OPERATED	902	3.0	12	<1	<1	2	4	6	9	15
B. OPERATED	5685	3.7	17	1	1	2	4	7	10	20
TOTAL 0-19 YRS	1717	2.7	8	<1	1	2	3	5	7	14
20-34	2972	3.4	13	1	1	2	4	7	9	17
35-49	1057	4.1	22	1	1	3	5	9	11	21
50-64	428	5.2	29	1	1	3	7	11	15	25
65+	413	5.8	39	1	1	4	7	12	16	29
GRAND TOTAL	**6587**	**3.6**	**16**	**1**	**1**	**2**	**4**	**7**	**10**	**20**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	252	3.8	7	1	1	3	5	7	9	12
20-34	427	4.3	10	1	1	4	6	8	10	15
35-49	258	4.8	14	1	2	4	6	9	10	13
50-64	234	5.6	13	1	2	5	7	11	13	16
65+	286	6.9	19	2	2	6	9	12	15	20
B. *Operated*										
0-19 YRS	39	9.9	48	2	3	8	12	22	24	31
20-34	93	9.7	38	2	2	9	13	18	22	30
35-49	47	9.6	36	2	2	8	13	19	21	24
50-64	26	9.9	62	2	2	7	13	23	25	30
65+	16	10.6	45	3	4	8	14	17	25	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	222	4.4	8	1	1	4	6	8	10	14
20-34	555	5.7	36	1	2	4	7	11	13	32
35-49	420	6.1	23	1	2	5	8	11	14	24
50-64	622	7.8	31	2	3	7	10	14	17	27
65+	3000	8.5	25	3	3	7	11	15	18	26
B. *Operated*										
0-19 YRS	104	11.6	113	2	3	9	14	24	33	59
20-34	255	12.0	120	2	3	8	15	27	35	70
35-49	133	12.5	85	2	3	11	18	23	30	51
50-64	169	15.0	123	3	5	12	20	29	38	55
65+	332	15.4	155	4	5	12	17	28	40	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1457	5.0	14	1	1	4	7	9	11	17
B. *Operated*	221	9.8	42	2	2	8	13	19	23	30
2. MULTIPLE DX										
A. *Not Operated*	4819	7.7	28	2	3	7	10	14	17	26
B. *Operated*	993	13.7	129	3	4	11	17	27	36	65
1. SINGLE DX	1678	5.7	20	1	2	5	7	11	14	22
2. MULTIPLE DX	5812	8.7	50	2	3	7	11	16	21	37
A. NOT OPERATED	6276	7.1	26	2	2	6	9	13	16	24
B. OPERATED	1214	13.0	115	2	4	10	16	25	33	62
TOTAL 0-19 YRS	617	5.7	37	1	1	4	7	12	15	32
20-34	1330	6.7	52	1	2	5	8	13	19	38
35-49	858	6.9	37	1	2	5	8	13	18	30
50-64	1051	8.5	51	2	2	7	10	16	22	38
65+	3634	9.0	41	3	3	8	11	16	19	32
GRAND TOTAL	**7490**	**8.0**	**45**	**2**	**2**	**7**	**10**	**15**	**19**	**34**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	5.9	18	1	1	7	9	11	11	11
20-34	10	11.3	148	1	2	6	12	32	41	41
35-49	8	6.1	19	1	1	5	9	12	13	13
50-64	1	1.0		1	1	1	1	1	1	1
65+	3	19.3	385	8	8	8	34	42	42	42
B. *Operated*										
0-19 YRS	11	19.5	209	7	8	15	23	40	57	59
20-34	23	15.7	64	4	4	16	21	26	31	32
35-49	8	14.6	47	3	5	14	21	22	22	22
50-64	3	14.3	17	11	11	13	17	19	19	19
65+	3	17.3	6	15	15	17	19	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	11.2	287	1	1	3	17	41	41	41
20-34	21	18.6	652	1	1	10	23	55	86	96
35-49	12	13.3	177	1	2	7	30	48	90	99+
50-64	16	12.7	297	1	1	5	17	32	57	67
65+	29	13.1	91	4	5	9	18	28	34	42
B. *Operated*										
0-19 YRS	33	31.4	389	8	10	28	52	71	93	99+
20-34	73	28.5	329	6	9	27	37	70	99+	99+
35-49	39	29.2	338	8	10	25	39	55	68	80
50-64	15	31.7	427	5	10	31	38	49	80	90
65+	22	26.3	445	3	7	21	38	55	74	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	8.9	101	1	1	7	11	18	41	42
B. *Operated*	48	16.4	86	4	5	15	20	25	30	59
2. MULTIPLE DX										
A. *Not Operated*	83	14.3	289	1	1	8	20	34	49	99
B. *Operated*	182	29.2	358	7	9	26	39	65	83	99+
1. SINGLE DX	78	13.5	104	1	3	12	17	25	31	54
2. MULTIPLE DX	265	24.5	383	2	4	21	36	55	80	99+
A. NOT OPERATED	113	12.9	244	1	1	8	16	33	42	97
B. OPERATED	230	26.5	327	5	9	23	36	56	78	99+
TOTAL 0-19 YRS	57	23.8	380	1	4	18	35	60	73	99+
20-34	127	23.2	355	2	4	20	34	51	94	99+
35-49	67	21.9	313	3	3	17	34	46	61	96
50-64	35	20.7	407	1	2	16	32	45	62	90
65+	57	18.7	266	4	6	13	24	41	48	82
GRAND TOTAL	**343**	**22.0**	**340**	**2**	**4**	**17**	**33**	**51**	**72**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	2.1	2	1	1	2	2	4	6	7
20-34	74	2.1	1	1	1	2	3	4	5	6
35-49	96	2.6	3	<1	<1	2	4	5	6	9
50-64	94	4.0	41	1	1	3	5	6	8	40
65+	83	4.1	8	1	1	3	6	7	10	14
B. *Operated*										
0-19 YRS										
20-34	6	3.5	3	2	2	3	5	6	6	6
35-49	6	6.7	23	2	2	5	9	14	15	15
50-64	2	15.0	242	4	4	15	26	26	26	26
65+	3	14.7	120	2	2	21	21	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	106	3.6	9	1	1	3	5	7	10	16
20-34	400	3.6	9	1	1	3	5	7	9	15
35-49	516	4.7	14	1	1	4	6	9	11	20
50-64	710	5.5	17	1	2	4	7	10	12	21
65+	1653	6.8	23	2	2	6	9	12	15	25
B. *Operated*										
0-19 YRS	32	6.6	20	1	2	5	8	14	15	20
20-34	147	7.3	38	1	2	5	9	15	20	27
35-49	135	10.8	101	2	2	9	13	20	26	52
50-64	170	10.4	104	2	2	8	13	22	25	63
65+	213	13.0	156	2	3	9	16	28	36	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	380	3.1	14	1	1	2	4	6	7	13
B. *Operated*	17	7.9	61	2	2	5	10	21	24	26
2. MULTIPLE DX										
A. *Not Operated*	3385	5.7	20	1	2	5	7	11	13	23
B. *Operated*	697	10.4	106	2	2	8	13	21	28	64
1. SINGLE DX	397	3.3	17	1	1	2	4	6	8	18
2. MULTIPLE DX	4082	6.5	38	1	2	5	8	12	17	31
A. NOT OPERATED	3765	5.5	20	1	1	4	7	10	13	23
B. OPERATED	714	10.4	105	2	2	7	13	21	28	63
TOTAL 0-19 YRS	171	3.9	12	1	1	3	5	8	10	18
20-34	627	4.3	18	1	1	3	5	8	13	22
35-49	753	5.6	35	1	1	4	6	11	15	28
50-64	976	6.2	39	1	2	5	8	12	16	28
65+	1952	7.4	41	2	2	6	9	13	18	33
GRAND TOTAL	**4479**	**6.2**	**37**	**1**	**2**	**5**	**8**	**12**	**16**	**30**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	113	5.0	24	1	2	4	6	9	11	31
20-34	103	6.8	45	1	2	5	8	13	20	39
35-49	44	7.9	54	1	2	6	9	17	29	33
50-64	77	7.2	35	2	2	6	9	12	17	36
65+	301	8.4	62	2	3	7	10	14	17	41
B. *Operated*										
0-19 YRS	5	7.0	14	3	3	7	10	12	12	12
20-34	17	14.0	69	5	5	13	17	28	33	34
35-49	6	21.3	191	7	7	17	35	40	41	41
50-64	6	20.3	150	10	10	16	26	40	42	42
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	197	8.0	72	2	2	6	9	14	22	55
20-34	277	9.6	77	2	3	7	12	18	27	45
35-49	152	10.1	66	2	3	8	12	19	24	45
50-64	252	11.5	84	3	4	9	15	22	32	44
65+	1924	10.3	39	3	4	9	13	17	22	34
B. *Operated*										
0-19 YRS	106	14.9	202	3	4	10	17	30	45	76
20-34	202	20.0	283	4	6	15	24	43	54	80
35-49	111	24.4	299	6	7	16	38	51	55	67
50-64	84	27.4	407	4	5	25	38	57	63	86
65+	253	20.1	230	5	7	16	24	43	51	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	638	7.3	50	2	2	6	9	13	17	34
B. *Operated*	34	15.4	109	4	5	12	20	34	40	42
2. MULTIPLE DX										
A. *Not Operated*	2802	10.2	51	3	4	9	13	18	23	39
B. *Operated*	756	20.8	281	4	6	15	27	47	56	78
1. SINGLE DX	672	7.8	56	2	2	6	10	14	19	39
2. MULTIPLE DX	3558	12.4	118	3	4	9	15	24	35	57
A. NOT OPERATED	3440	9.7	52	2	3	8	12	17	22	38
B. OPERATED	790	20.6	274	4	6	15	27	47	55	78
TOTAL 0-19 YRS	421	8.9	104	2	2	6	10	18	28	57
20-34	599	12.7	168	2	3	8	15	28	43	70
35-49	313	15.1	199	2	3	10	18	39	50	59
50-64	419	14.0	188	2	3	9	17	33	44	63
65+	2478	11.1	71	3	4	9	13	19	25	48
GRAND TOTAL	**4230**	**11.7**	**111**	**3**	**3**	**9**	**14**	**22**	**33**	**57**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	209	2.7	18	<1	1	1	2	4	12	22
20-34	34	2.9	10	<1	1	2	3	4	8	18
35-49	39	2.4	3	<1	1	2	3	5	6	8
50-64	73	3.3	12	1	1	2	4	5	8	22
65+	249	3.8	8	1	1	3	5	7	10	15
B. *Operated*										
0-19 YRS	1447	3.6	22	1	1	2	3	8	15	24
20-34	177	3.7	14	1	1	3	5	6	10	22
35-49	128	3.9	20	1	1	3	4	7	10	28
50-64	200	4.2	13	1	1	4	5	7	10	21
65+	268	5.1	11	1	1	4	7	10	12	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94	3.8	20	1	1	2	4	8	13	24
20-34	71	4.2	18	1	1	3	6	8	9	26
35-49	75	4.7	15	1	1	3	6	10	13	19
50-64	175	5.4	36	1	1	4	6	13	17	31
65+	1120	6.3	39	1	2	5	8	12	15	22
B. *Operated*										
0-19 YRS	409	6.0	53	1	1	3	7	17	21	31
20-34	237	8.3	92	1	2	5	9	21	31	47
35-49	167	7.4	75	1	2	5	8	14	23	52
50-64	311	8.3	67	1	2	6	11	18	23	49
65+	922	8.7	53	2	2	7	11	17	23	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	604	3.2	12	<1	1	2	4	6	10	19
B. *Operated*	2220	3.9	20	1	1	2	4	8	14	23
2. MULTIPLE DX										
A. *Not Operated*	1535	5.9	36	1	1	5	7	11	15	24
B. *Operated*	2046	7.9	62	1	2	5	10	17	23	42
1. SINGLE DX	2824	3.7	18	1	1	2	4	8	13	23
2. MULTIPLE DX	3581	7.0	52	1	2	5	9	14	20	35
A. NOT OPERATED	2139	5.1	30	1	1	4	7	11	14	22
B. OPERATED	4266	5.8	44	1	1	4	7	13	19	33
TOTAL 0-19 YRS	2159	4.0	28	1	1	2	4	10	16	25
20-34	519	5.8	55	1	1	4	6	12	21	39
35-49	409	5.3	43	1	1	3	6	10	14	38
50-64	759	6.1	44	1	1	4	7	13	18	35
65+	2559	6.8	40	1	2	5	8	13	17	30
GRAND TOTAL	**6405**	**5.6**	**40**	**1**	**1**	**4**	**7**	**12**	**17**	**31**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	118	1.6	4	<1	1	1	2	3	4	11
20-34	37	1.8	1	<1	1	1	2	3	4	5
35-49	18	2.2	2	<1	<1	2	3	4	5	5
50-64	21	2.6	4	<1	1	2	4	5	7	8
65+	32	2.5	5	<1	1	2	3	5	9	10
B. *Operated*										
0-19 YRS	2924	1.5	1	<1	1	1	2	3	4	6
20-34	693	2.6	5	1	1	2	3	5	6	10
35-49	498	2.4	3	1	1	2	3	4	5	10
50-64	657	2.4	3	1	1	2	3	4	6	9
65+	611	2.5	3	1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94	2.1	3	1	1	2	2	4	6	9
20-34	84	3.4	48	<1	<1	2	4	6	6	45
35-49	67	4.0	19	<1	1	3	5	8	10	22
50-64	82	4.5	17	<1	1	3	6	10	13	20
65+	243	5.4	29	1	1	4	7	11	14	28
B. *Operated*										
0-19 YRS	608	3.2	12	1	1	2	4	7	10	18
20-34	581	5.7	39	1	1	4	7	12	16	34
35-49	430	6.1	67	1	1	4	6	12	22	38
50-64	560	5.1	33	1	1	4	6	10	13	32
65+	1161	5.7	31	1	1	4	7	12	16	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	226	1.9	4	<1	1	1	2	4	5	9
B. *Operated*	5383	2.0	3	<1	1	1	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	570	4.3	26	1	1	3	5	9	11	26
B. *Operated*	3340	5.2	35	1	1	4	6	10	15	31
1. SINGLE DX	5609	2.0	3	<1	1	1	2	4	5	8
2. MULTIPLE DX	3910	5.0	34	1	1	3	6	10	15	29
A. NOT OPERATED	796	3.6	21	<1	1	2	4	8	10	22
B. OPERATED	8723	3.2	17	1	1	2	4	7	10	21
TOTAL 0-19 YRS	3744	1.8	3	<1	1	1	2	3	5	10
20-34	1395	3.9	24	1	1	3	4	8	11	26
35-49	1013	4.1	34	1	1	2	4	8	11	28
50-64	1320	3.7	18	1	1	3	4	7	10	20
65+	2047	4.6	24	1	1	3	6	10	13	26
GRAND TOTAL	**9519**	**3.2**	**18**	**1**	**1**	**2**	**4**	**7**	**10**	**21**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	2.0	1	<1	1	2	2	4	4	5
20-34	27	2.3	2	<1	<1	2	3	5	5	6
35-49	10	1.9	2	1	1	2	2	4	6	6
50-64	8	3.4	23	<1	<1	2	3	11	15	15
65+	7	3.6	4	1	1	4	4	6	7	7
B. *Operated*										
0-19 YRS	429	1.5	1	<1	<1	1	2	3	3	6
20-34	527	1.9	2	<1	<1	1	2	4	5	8
35-49	237	1.9	3	<1	1	1	2	4	5	8
50-64	133	1.7	1	<1	1	1	2	3	4	5
65+	47	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	2.8	9	<1	1	2	3	5	6	20
20-34	68	2.7	3	1	1	2	4	5	5	9
35-49	36	3.3	10	1	1	2	4	5	12	15
50-64	35	4.6	16	1	1	3	6	9	12	20
65+	64	6.7	97	1	2	5	7	11	15	69
B. *Operated*										
0-19 YRS	275	3.2	16	1	1	2	4	6	9	24
20-34	568	3.3	17	1	1	2	4	7	8	17
35-49	317	3.3	17	1	1	2	4	7	10	19
50-64	215	3.3	10	1	1	2	4	7	8	19
65+	184	4.5	15	1	1	3	6	9	13	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	2.4	4	<1	1	2	3	4	6	13
B. *Operated*	1373	1.8	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	251	4.1	33	1	1	3	5	7	12	20
B. *Operated*	1559	3.4	16	1	1	2	4	7	9	20
1. SINGLE DX	1450	1.8	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX	1810	3.5	18	1	1	2	4	7	9	20
A. NOT OPERATED	328	3.7	27	1	1	3	4	7	11	20
B. OPERATED	2932	2.7	10	<1	1	2	3	5	8	15
TOTAL 0-19 YRS	777	2.2	7	<1	<1	1	2	4	6	14
20-34	1190	2.6	10	<1	1	2	3	5	7	14
35-49	600	2.7	11	<1	1	2	3	5	8	16
50-64	391	2.9	8	1	1	2	3	6	8	17
65+	302	4.6	32	1	1	3	6	9	12	20
GRAND TOTAL	**3260**	**2.8**	**12**	**<1**	**1**	**2**	**3**	**5**	**8**	**15**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	11.9	160	1	1	7	19	26	41	56
20-34	9	12.0	292	<1	1	4	15	42	43	43
35-49	11	6.7	97	1	2	3	6	19	35	36
50-64	21	8.1	82	1	2	6	8	17	30	42
65+	163	6.7	27	1	2	6	9	13	15	28
B. *Operated*										
0-19 YRS	146	9.7	57	2	2	7	12	21	27	32
20-34	66	9.6	38	4	4	8	11	16	26	90
35-49	106	9.2	28	3	4	8	11	15	19	33
50-64	442	10.5	21	5	6	10	12	15	18	26
65+	2517	12.2	21	6	7	12	14	17	19	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	19.2	213	1	2	21	30	37	40	57
20-34	16	7.8	65	1	2	5	9	16	29	34
35-49	26	13.5	370	1	2	5	17	39	59	83
50-64	97	11.3	163	1	2	7	13	27	39	68
65+	979	9.6	58	2	3	8	12	18	23	39
B. *Operated*										
0-19 YRS	109	15.2	189	4	5	10	19	29	54	67
20-34	188	16.6	200	5	6	12	18	35	47	73
35-49	257	16.2	180	5	7	12	19	28	39	89
50-64	1131	14.7	80	6	7	12	17	24	30	57
65+	13255	14.7	50	7	8	13	17	22	27	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	257	8.1	74	1	1	6	10	17	25	43
B. *Operated*	3277	11.7	24	5	6	11	14	17	19	29
2. MULTIPLE DX										
A. *Not Operated*	1148	10.1	80	1	2	8	13	20	26	50
B. *Operated*	14940	14.7	57	7	8	13	17	23	28	46
1. SINGLE DX	3534	11.4	28	4	6	11	14	17	20	31
2. MULTIPLE DX	16088	14.4	60	6	7	13	17	22	28	46
A. NOT OPERATED	1405	9.7	79	1	2	7	12	20	26	45
B. OPERATED	18217	14.2	53	6	8	13	16	22	27	43
TOTAL 0-19 YRS	338	12.7	138	2	2	9	17	27	35	59
20-34	279	14.3	167	3	4	11	16	34	44	74
35-49	400	13.9	159	3	5	10	17	25	35	82
50-64	1691	13.3	73	5	6	11	15	22	28	53
65+	16914	13.9	48	6	7	13	16	21	26	39
GRAND TOTAL	**19622**	**13.9**	**56**	**5**	**7**	**13**	**16**	**22**	**27**	**43**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	499	16.5	137	1	1	18	24	30	37	50
20-34	20	15.6	301	1	1	8	30	44	47	49
35-49	13	9.7	66	<1	1	7	13	20	28	30
50-64	21	10.6	116	2	2	7	13	20	34	50
65+	47	8.3	72	1	2	6	10	17	19	54
B. *Operated*										
0-19 YRS	617	13.2	144	1	2	9	22	30	35	51
20-34	184	11.4	130	1	3	9	12	20	27	72
35-49	64	10.4	99	1	2	8	13	22	30	49
50-64	60	12.9	79	2	3	12	16	19	28	49
65+	160	14.4	112	5	6	12	17	24	31	65
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	243	16.9	152	1	2	18	25	34	38	48
20-34	34	15.2	334	1	2	8	15	47	54	60
35-49	32	15.5	330	1	1	8	17	45	53	81
50-64	55	21.1	523	2	3	11	27	64	70	90
65+	364	14.6	245	2	3	9	16	38	51	74
B. *Operated*										
0-19 YRS	571	18.3	190	2	4	15	25	36	46	65
20-34	488	18.7	243	3	6	14	22	42	59	82
35-49	200	21.2	273	4	6	16	27	47	61	93
50-64	229	20.5	250	4	7	16	26	44	62	99+
65+	874	18.7	169	6	7	15	22	34	45	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	600	15.5	141	1	1	16	23	30	37	50
B. *Operated*	1085	12.9	131	1	2	10	18	27	34	53
2. MULTIPLE DX										
A. *Not Operated*	728	15.9	244	2	2	11	22	38	48	73
B. *Operated*	2362	19.0	206	4	6	15	24	39	51	81
1. SINGLE DX	1685	13.8	136	1	2	11	20	28	35	51
2. MULTIPLE DX	3090	18.3	217	3	4	14	23	38	50	78
A. NOT OPERATED	1328	15.7	197	1	2	12	23	33	44	67
B. OPERATED	3447	17.1	191	2	4	14	22	34	46	75
TOTAL 0-19 YRS	1930	16.0	161	1	2	14	24	32	39	55
20-34	726	16.6	230	2	4	12	20	37	54	81
35-49	309	17.9	254	2	4	14	22	43	55	83
50-64	365	18.8	266	3	5	14	23	44	60	99
65+	1445	16.8	185	3	5	13	20	34	45	75
GRAND TOTAL	**4775**	**16.7**	**193**	**2**	**3**	**13**	**22**	**34**	**45**	**74**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated-*										
0-19 YRS	375	2.1	2	1	1	2	3	4	5	7
20-34	130	3.0	4	<1	1	3	4	6	8	28
35-49	113	3.6	9	1	1	3	5	6	9	16
50-64	102	5.3	47	1	2	4	6	8	15	43
65+	100	6.1	46	1	2	5	7	9	10	46
B. *Operated*										
0-19 YRS	982	3.5	10	1	1	3	4	7	9	16
20-34	690	5.5	18	1	2	4	7	10	14	20
35-49	474	5.5	19	1	2	5	7	10	13	19
50-64	329	6.8	25	1	2	6	9	12	16	26
65+	196	7.5	26	2	3	6	9	14	20	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	131	4.0	24	1	1	3	5	7	12	29
20-34	134	4.0	14	1	1	3	5	7	10	20
35-49	112	5.1	21	1	1	4	6	11	14	24
50-64	172	6.1	25	1	2	5	8	12	15	26
65+	401	7.9	39	2	3	6	10	15	20	30
B. *Operated*										
0-19 YRS	543	8.2	104	1	2	5	9	17	27	56
20-34	763	10.3	99	2	2	7	13	21	32	53
35-49	506	11.0	123	2	3	8	13	21	32	72
50-64	483	12.2	123	2	4	9	14	25	35	62
65+	489	12.4	98	3	4	10	15	24	32	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	820	3.4	16	1	1	2	4	6	8	16
B. *Operated*	2671	5.1	18	1	1	4	6	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	950	6.2	31	1	1	5	8	13	16	29
B. *Operated*	2784	10.7	110	2	3	8	13	22	32	58
1. SINGLE DX	3491	4.7	18	1	1	4	6	9	12	21
2. MULTIPLE DX	3734	9.5	94	1	2	7	12	19	29	53
A. NOT OPERATED	1770	4.9	26	1	1	4	6	10	14	27
B. OPERATED	5455	7.9	73	1	2	5	10	16	23	46
TOTAL 0-19 YRS	2031	4.6	40	1	1	3	5	9	13	31
20-34	1717	7.3	60	1	2	5	9	15	21	45
35-49	1205	7.6	70	1	2	5	9	15	20	47
50-64	1086	8.9	79	2	2	6	11	17	26	44
65+	1186	9.5	68	2	3	7	12	19	24	47
GRAND TOTAL	**7225**	**7.2**	**63**	**1**	**1**	**5**	**9**	**15**	**21**	**43**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	207	2.3	3	<1	1	2	3	5	6	8
20-34	177	2.7	4	<1	1	2	4	5	7	9
35-49	146	3.3	8	<1	1	3	4	6	7	19
50-64	140	3.4	6	1	1	3	4	6	7	14
65+	122	3.9	7	1	1	3	6	8	9	12
B. *Operated*										
0-19 YRS	1233	2.9	4	1	1	3	4	5	6	10
20-34	1891	4.0	9	1	1	3	5	7	8	13
35-49	1442	4.4	8	1	2	4	5	7	9	14
50-64	1225	4.9	9	1	2	4	6	8	10	14
65+	619	6.1	10	2	3	6	8	10	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	122	3.7	32	<1	<1	2	4	7	8	40
20-34	208	3.9	19	<1	1	3	5	7	11	21
35-49	171	4.6	14	1	1	4	5	9	12	20
50-64	261	4.9	13	1	1	4	6	10	12	17
65+	578	6.3	27	2	2	5	8	11	14	29
B. *Operated*										
0-19 YRS	607	5.5	45	1	1	4	6	10	15	35
20-34	1424	6.1	47	1	2	4	7	11	16	33
35-49	1128	6.6	46	2	2	5	8	12	17	35
50-64	1237	7.2	36	2	3	6	8	13	17	30
65+	1338	8.8	37	3	3	7	11	15	20	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	792	3.0	5	1	1	2	4	6	7	11
B. *Operated*	6410	4.2	9	1	1	4	5	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	1340	5.2	23	1	1	4	7	10	13	24
B. *Operated*	5734	7.0	43	2	2	5	8	13	17	33
1. SINGLE DX	7202	4.1	8	1	1	4	5	7	9	14
2. MULTIPLE DX	7074	6.6	40	1	2	5	8	12	17	32
A. NOT OPERATED	2132	4.4	18	1	1	3	5	9	11	21
B. OPERATED	12144	5.5	27	1	2	4	7	10	13	25
TOTAL 0-19 YRS	2169	3.6	18	1	1	3	4	6	9	20
20-34	3700	4.7	25	1	1	4	5	8	11	23
35-49	2887	5.2	25	1	2	4	6	9	12	25
50-64	2863	5.8	22	1	2	5	7	10	13	24
65+	2657	7.4	29	2	3	6	9	13	17	29
GRAND TOTAL	**14276**	**5.4**	**26**	**1**	**2**	**4**	**6**	**10**	**13**	**24**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	1.8	2	<1	<1	1	2	3	6	8
20-34	33	2.2	2	<1	1	2	3	4	4	7
35-49	18	2.3	6	<1	1	1	3	5	9	11
50-64	8	2.9	6	1	1	2	4	7	8	8
65+	8	3.5	10	<1	<1	2	5	9	10	10
B. *Operated*										
0-19 YRS	92	1.9	2	1	1	2	2	3	5	9
20-34	55	2.3	2	1	1	2	3	4	6	8
35-49	22	2.5	2	1	1	2	3	5	6	6
50-64	7	2.1	2	1	1	2	3	4	4	4
65+	3	4.0	4	2	2	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	132	2.5	7	1	1	2	3	5	6	12
20-34	173	3.1	6	1	1	2	4	6	8	13
35-49	102	3.7	7	1	1	3	5	8	9	13
50-64	85	4.6	16	1	1	3	6	9	12	22
65+	161	6.3	46	1	2	5	8	12	15	19
B. *Operated*										
0-19 YRS	53	3.8	23	1	1	2	5	7	11	31
20-34	103	5.0	21	1	1	4	6	10	14	26
35-49	49	7.7	86	1	1	5	10	15	26	49
50-64	34	7.1	17	2	3	6	10	13	15	19
65+	41	9.8	103	1	2	7	12	18	29	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	104	2.2	4	<1	<1	1	3	4	7	10
B. *Operated*	179	2.2	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	653	4.1	20	1	1	3	5	8	11	17
B. *Operated*	280	6.2	47	1	1	4	7	13	16	40
1. SINGLE DX	283	2.2	3	<1	1	2	3	4	6	9
2. MULTIPLE DX	933	4.7	29	1	1	3	6	10	13	25
A. NOT OPERATED	757	3.8	18	1	1	3	5	8	10	17
B. OPERATED	459	4.6	34	1	1	3	6	10	14	32
TOTAL 0-19 YRS	314	2.5	8	1	1	2	3	5	6	12
20-34	364	3.4	10	1	1	2	4	7	9	15
35-49	191	4.5	30	1	1	3	6	9	12	34
50-64	134	5.0	17	1	1	4	6	10	13	20
65+	213	6.8	57	1	2	5	9	13	16	44
GRAND TOTAL	**1216**	**4.1**	**24**	**1**	**1**	**3**	**5**	**9**	**12**	**21**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.7	11	1	1	2	6	9	10	10
20-34	4	6.8	91	1	1	2	12	21	21	21
35-49	4	5.3	8	2	2	5	7	9	9	9
50-64	2	5.5	25	2	2	5	9	9	9	9
65+	4	5.5	7	3	3	5	7	9	9	9
B. *Operated*										
0-19 YRS	7	6.7	41	1	1	5	8	18	20	20
20-34	12	8.6	52	1	2	6	14	20	22	22
35-49	4	16.8	320	3	3	10	27	43	43	43
50-64	4	11.3	14	7	7	11	14	16	16	16
65+	5	9.6	51	2	2	7	16	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	5.8	33	1	1	4	7	16	19	20
20-34	10	5.7	13	2	2	4	10	11	12	12
35-49	8	8.6	28	<1	1	9	13	15	16	16
50-64	7	11.3	124	1	2	8	12	31	35	35
65+	12	7.5	10	3	3	8	10	12	12	12
B. *Operated*										
0-19 YRS	11	14.3	189	1	1	8	19	36	46	47
20-34	17	27.6	490	4	7	25	45	54	74	85
35-49	15	28.3	495	4	8	25	39	81	95	99+
50-64	7	31.3	762	2	4	19	52	74	78	78
65+	7	21.0	87	9	9	23	28	31	32	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	5.0	21	1	1	3	7	9	14	21
B. *Operated*	32	9.7	75	1	2	7	14	19	22	43
2. MULTIPLE DX										
A. *Not Operated*	50	7.4	36	1	2	6	10	13	16	35
B. *Operated*	57	24.9	423	2	5	18	32	56	80	99
1. SINGLE DX	55	7.7	57	1	1	6	10	19	21	42
2. MULTIPLE DX	107	16.7	316	1	2	10	22	45	58	91
A. NOT OPERATED	73	6.6	32	1	1	5	9	12	16	32
B. OPERATED	89	19.4	349	2	3	14	28	46	69	94
TOTAL 0-19 YRS	40	7.8	84	1	1	5	9	19	24	47
20-34	43	15.3	313	1	2	9	20	45	52	85
35-49	31	18.7	368	2	3	12	29	52	81	99+
50-64	20	17.7	391	1	2	10	18	47	67	78
65+	28	11.0	68	3	3	9	14	26	29	32
GRAND TOTAL	**162**	**13.6**	**246**	**1**	**2**	**9**	**17**	**32**	**48**	**85**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	1.1		<1	<1	1	1	2	2	2
20-34	9	1.7	1	<1	<1	1	2	3	3	3
35-49	3	1.0		1	1	1	1	1	1	1
50-64	3	2.0	3	<1	<1	1	3	4	4	4
65+	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
0-19 YRS	130	2.1	1	1	1	2	3	3	4	7
20-34	522	2.3	2	1	1	2	3	4	5	7
35-49	165	2.5	2	1	1	2	3	4	5	7
50-64	56	2.2	2	<1	1	2	3	5	5	7
65+	49	1.8	2	<1	<1	1	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	3.3	7	<1	<1	2	5	8	8	8
20-34	31	2.3	3	<1	1	2	4	5	6	6
35-49	17	3.7	10	<1	1	3	5	9	10	10
50-64	17	5.9	36	<1	<1	4	7	18	20	20
65+	39	4.4	13	1	1	4	6	8	13	17
B. *Operated*										
0-19 YRS	32	4.3	19	1	1	3	5	7	18	19
20-34	130	3.9	11	1	1	3	5	8	10	19
35-49	56	4.1	10	1	1	3	6	8	11	14
50-64	64	3.9	23	<1	1	2	4	10	14	24
65+	139	4.4	19	1	1	3	6	10	14	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	1.5	1	<1	<1	1	2	3	4	5
B. *Operated*	922	2.3	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	117	3.8	14	<1	1	3	5	8	12	19
B. *Operated*	421	4.1	16	1	1	3	5	9	12	21
1. SINGLE DX	950	2.2	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	538	4.1	15	1	1	3	5	9	12	20
A. NOT OPERATED	145	3.4	12	<1	<1	2	4	7	9	19
B. OPERATED	1343	2.8	7	1	1	2	3	5	7	14
TOTAL 0-19 YRS	186	2.5	5	<1	1	2	3	4	6	15
20-34	692	2.6	4	1	1	2	3	4	6	10
35-49	241	3.0	5	1	1	2	4	6	7	12
50-64	140	3.4	17	<1	1	2	4	7	12	21
65+	229	3.8	15	<1	1	2	5	8	13	19
GRAND TOTAL	**1488**	**2.9**	**7**	**<1**	**1**	**2**	**3**	**6**	**8**	**15**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	1.6	1	<1	<1	1	2	2	4	5
20-34	18	2.9	4	<1	<1	2	4	6	7	7
35-49	11	3.1	10	<1	<1	2	3	9	11	11
50-64	9	3.4	7	<1	<1	3	4	8	9	9
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	462	2.3	3	<1	1	2	3	4	5	9
20-34	792	2.4	4	<1	1	2	3	5	6	10
35-49	408	2.4	3	<1	1	2	3	4	6	8
50-64	192	2.6	4	<1	1	2	3	5	7	10
65+	48	3.6	9	1	1	3	4	9	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	2.1	2	<1	<1	2	3	4	6	6
20-34	25	2.7	6	<1	<1	2	3	6	8	10
35-49	18	2.4	3	<1	<1	2	4	5	5	5
50-64	22	4.8	18	<1	1	4	6	12	15	16
65+	22	5.6	19	<1	1	5	10	12	14	15
B. *Operated*										
0-19 YRS	389	2.8	6	<1	1	2	3	5	8	14
20-34	746	3.5	34	<1	1	2	4	6	9	25
35-49	573	3.1	9	<1	1	2	4	6	9	17
50-64	523	3.2	11	1	1	2	4	6	8	17
65+	233	4.0	15	1	1	3	5	8	11	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	2.6	5	<1	<1	2	3	6	7	11
B. *Operated*	1902	2.4	4	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	100	3.7	12	<1	<1	2	5	9	11	15
B. *Operated*	2464	3.3	17	<1	1	2	4	6	9	16
1. SINGLE DX	1959	2.4	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	2564	3.3	17	<1	1	2	4	6	9	16
A. NOT OPERATED	157	3.3	10	<1	<1	2	4	7	11	15
B. OPERATED	4366	2.9	11	<1	1	2	4	6	8	14
TOTAL 0-19 YRS	882	2.5	5	<1	1	2	3	5	6	10
20-34	1581	2.9	18	<1	1	2	4	5	7	13
35-49	1010	2.8	7	<1	1	2	4	5	7	13
50-64	746	3.1	9	1	1	2	4	6	8	14
65+	304	4.0	14	1	1	3	5	9	11	16
GRAND TOTAL	**4523**	**2.9**	**11**	**<1**	**1**	**2**	**4**	**6**	**8**	**14**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	4.4	48	<1	1	2	4	8	15	41
20-34	46	3.4	7	<1	1	3	5	8	9	12
35-49	25	5.5	21	1	1	4	7	11	16	19
50-64	5	5.6	13	1	1	5	7	11	11	11
65+	8	4.9	11	1	1	4	6	10	12	12
B. *Operated*										
0-19 YRS	219	2.5	8	<1	1	1	3	5	9	15
20-34	266	3.8	17	<1	1	2	5	9	13	19
35-49	132	3.5	12	<1	1	2	4	8	10	17
50-64	78	3.9	18	1	1	3	5	8	13	22
65+	43	4.3	14	1	1	3	7	11	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	3.3	8	<1	1	3	5	7	10	11
20-34	50	5.3	23	1	1	4	8	11	14	26
35-49	33	5.7	24	1	1	4	8	13	18	19
50-64	38	7.8	63	1	1	4	10	21	25	38
65+	66	5.7	17	1	2	5	7	11	13	21
B. *Operated*										
0-19 YRS	149	6.2	72	1	1	3	8	15	18	42
20-34	280	7.6	76	1	1	5	9	16	25	44
35-49	168	8.5	75	1	1	6	12	18	25	41
50-64	166	8.0	80	1	1	4	11	20	28	91
65+	130	9.0	105	1	1	5	11	21	28	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	125	4.3	24	1	1	3	5	9	11	26
B. *Operated*	738	3.4	14	<1	1	2	4	8	12	18
2. MULTIPLE DX										
A. *Not Operated*	210	5.7	28	1	1	4	8	11	14	25
B. *Operated*	893	7.8	80	1	1	5	10	18	25	47
1. SINGLE DX	863	3.5	15	<1	1	2	4	8	12	19
2. MULTIPLE DX	1103	7.4	71	1	1	5	9	17	24	43
A. NOT OPERATED	335	5.2	27	1	1	4	7	11	14	25
B. OPERATED	1631	5.8	55	1	1	3	7	14	19	41
TOTAL 0-19 YRS	432	4.0	36	<1	1	2	4	9	14	25
20-34	642	5.5	46	1	1	3	7	12	17	38
35-49	358	6.2	48	1	1	3	8	16	19	37
50-64	287	6.8	63	1	1	4	9	18	24	47
65+	247	7.2	66	1	1	5	9	17	21	42
GRAND TOTAL	**1966**	**5.7**	**50**	**1**	**1**	**3**	**7**	**13**	**19**	**39**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	2.1	2	<1	<1	2	3	4	5	6
20-34	45	2.3	2	<1	1	2	3	5	6	7
35-49	37	3.0	3	1	1	3	4	5	7	8
50-64	22	3.4	6	<1	1	3	4	6	9	11
65+	17	3.2	2	1	1	3	4	5	5	5
B. *Operated*										
0-19 YRS	322	2.8	3	<1	1	3	4	5	6	8
20-34	419	3.2	3	1	1	3	4	6	6	8
35-49	160	3.3	5	1	1	3	4	6	7	11
50-64	42	3.6	4	1	2	3	4	6	8	12
65+	25	5.1	15	1	1	4	6	12	13	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	2.7	5	<1	<1	2	3	6	8	9
20-34	62	3.6	10	<1	<1	3	5	7	9	17
35-49	56	4.1	12	1	1	3	5	7	10	22
50-64	80	4.3	10	1	1	3	6	8	11	14
65+	170	5.4	14	1	2	5	7	10	14	18
B. *Operated*										
0-19 YRS	460	3.7	5	1	1	3	5	6	8	11
20-34	747	4.0	7	1	1	4	5	7	9	13
35-49	272	4.4	10	1	1	4	6	8	10	18
50-64	114	5.4	14	1	2	5	6	10	14	20
65+	92	8.5	28	3	3	8	10	13	19	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	160	2.7	3	<1	1	2	4	5	6	8
B. *Operated*	968	3.2	4	1	1	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	402	4.5	12	1	1	4	6	8	12	17
B. *Operated*	1685	4.3	10	1	1	4	5	8	10	16
1. SINGLE DX	1128	3.1	4	1	1	3	4	5	6	10
2. MULTIPLE DX	2087	4.3	10	1	1	4	5	8	10	16
A. NOT OPERATED	562	4.0	10	<1	1	3	5	8	10	15
B. OPERATED	2653	3.9	8	1	1	3	5	7	9	14
TOTAL 0-19 YRS	855	3.2	4	1	1	3	4	6	7	10
20-34	1273	3.6	6	1	1	3	5	6	8	12
35-49	525	4.0	8	1	1	3	5	7	9	15
50-64	258	4.6	11	1	1	4	6	8	12	15
65+	304	6.2	20	1	2	5	8	12	14	24
GRAND TOTAL	**3215**	**3.9**	**8**	**1**	**1**	**3**	**5**	**7**	**9**	**14**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	83	4.2	8	1	2	3	5	7	9	16
20-34	1125	5.2	9	1	2	5	7	9	11	15
35-49	1086	5.5	10	2	2	5	7	9	11	15
50-64	408	5.9	15	2	2	5	7	10	12	16
65+	87	5.4	10	2	2	5	6	9	12	17
B. *Operated*										
0-19 YRS	6	8.7	42	1	1	9	13	17	18	18
20-34	168	5.4	26	1	1	3	9	13	17	21
35-49	127	5.3	18	1	1	5	8	11	13	19
50-64	44	5.6	23	1	1	4	7	14	16	18
65+	2	10.5	181	1	1	10	20	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	111	4.6	9	1	1	4	6	8	11	16
20-34	1315	6.2	15	2	2	5	8	11	14	19
35-49	1767	6.9	18	2	3	6	8	12	15	23
50-64	1209	7.0	21	2	3	6	8	12	15	24
65+	954	6.8	16	2	3	6	8	12	14	21
B. *Operated*										
0-19 YRS	8	11.8	51	3	4	11	15	22	25	25
20-34	195	9.5	53	1	3	9	12	16	21	38
35-49	293	9.1	31	2	2	8	12	16	19	29
50-64	136	9.5	61	2	3	8	12	16	18	44
65+	66	10.3	37	4	4	8	14	20	23	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2789	5.4	10	2	2	5	7	9	11	16
B. *Operated*	347	5.5	23	1	1	4	8	13	16	20
2. MULTIPLE DX										
A. *Not Operated*	5356	6.7	18	2	3	6	8	12	15	22
B. *Operated*	698	9.4	44	2	3	9	12	16	20	31
1. SINGLE DX	3136	5.4	12	1	2	5	7	10	11	17
2. MULTIPLE DX	6054	7.0	22	2	3	6	9	12	15	23
A. NOT OPERATED	8145	6.2	16	2	2	5	8	11	13	20
B. OPERATED	1045	8.1	40	1	1	7	11	15	19	27
TOTAL 0-19 YRS	208	4.8	13	1	1	4	6	9	13	18
20-34	2803	6.0	17	1	2	5	8	11	14	19
35-49	3273	6.6	18	2	2	6	8	11	14	22
50-64	1797	6.9	23	2	3	6	9	12	15	24
65+	1109	6.9	18	2	3	6	9	12	15	22
GRAND TOTAL	**9190**	**6.4**	**19**	**2**	**2**	**6**	**8**	**11**	**14**	**21**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	223	2.7	6	<1	1	2	3	6	8	15
20-34	810	4.4	9	1	1	4	6	8	10	14
35-49	592	4.9	11	1	2	4	6	9	11	16
50-64	196	4.7	9	1	1	4	6	9	11	14
65+	59	4.4	8	1	1	4	6	9	11	13
B. *Operated*										
0-19 YRS	9	3.3	15	1	1	1	6	10	11	11
20-34	172	4.0	11	1	1	3	5	9	11	15
35-49	162	5.0	20	1	1	4	7	10	14	22
50-64	26	4.2	19	1	1	3	5	7	12	22
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	357	3.4	9	1	1	3	4	7	8	15
20-34	2185	5.5	13	1	2	5	7	10	12	18
35-49	1967	6.0	14	1	2	5	8	11	13	19
50-64	1030	6.1	15	2	2	5	8	11	13	19
65+	718	6.3	18	2	2	5	8	11	14	19
B. *Operated*										
0-19 YRS	28	4.0	12	<1	<1	3	5	10	12	14
20-34	347	6.6	28	1	2	5	9	12	18	24
35-49	333	8.3	48	1	2	7	11	17	21	38
50-64	136	7.9	39	1	2	7	10	15	16	40
65+	55	9.7	51	2	2	8	13	20	25	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1880	4.4	9	1	1	4	6	8	10	15
B. *Operated*	370	4.4	15	1	1	3	6	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	6257	5.7	14	1	2	5	7	10	13	18
B. *Operated*	899	7.5	39	1	2	6	10	15	19	32
1. SINGLE DX	2250	4.4	10	1	1	4	6	9	11	15
2. MULTIPLE DX	7156	6.0	18	1	2	5	8	11	14	21
A. NOT OPERATED	8137	5.4	13	1	2	5	7	10	12	18
B. OPERATED	1269	6.6	34	1	1	5	9	13	17	29
TOTAL 0-19 YRS	617	3.2	8	1	1	2	4	6	8	15
20-34	3514	5.3	14	1	2	5	7	10	12	18
35-49	3054	6.0	18	1	2	5	8	11	14	21
50-64	1388	6.0	17	1	2	5	8	11	13	20
65+	833	6.4	20	2	2	5	8	12	14	21
GRAND TOTAL	**9405**	**5.6**	**16**	**1**	**2**	**5**	**7**	**10**	**13**	**20**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	85	2.2	3	1	1	2	3	4	5	9
20-34	125	2.8	10	1	1	2	3	5	7	15
35-49	76	3.0	7	<1	1	2	3	7	9	13
50-64	52	3.3	6	1	1	3	4	7	7	12
65+	32	3.9	7	<1	1	3	5	7	10	13
B. *Operated*										
0-19 YRS	142	1.9	2	<1	1	2	2	4	5	6
20-34	481	2.3	2	1	1	2	3	4	5	6
35-49	550	2.7	2	1	1	2	3	5	5	7
50-64	606	3.5	3	1	1	3	4	6	7	9
65+	189	4.4	5	2	2	4	6	7	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92	2.6	7	<1	1	2	3	5	7	16
20-34	175	3.7	10	1	1	3	5	7	9	16
35-49	194	3.9	10	1	1	3	5	7	10	17
50-64	204	4.6	14	1	1	4	6	9	12	18
65+	333	5.1	10	1	2	5	7	9	11	16
B. *Operated*										
0-19 YRS	96	3.1	16	1	1	2	3	6	8	27
20-34	178	3.1	4	1	1	3	4	6	8	9
35-49	302	4.0	12	1	1	3	5	7	9	17
50-64	512	4.7	11	1	2	4	5	8	10	20
65+	313	5.6	14	2	2	5	7	9	12	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	370	2.9	7	1	1	2	4	6	7	12
B. *Operated*	1968	3.0	3	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	998	4.3	11	1	1	3	5	8	11	17
B. *Operated*	1401	4.4	12	1	1	4	5	8	10	19
1. SINGLE DX	2338	3.0	4	1	1	3	4	5	6	9
2. MULTIPLE DX	2399	4.4	12	1	1	4	5	8	10	18
A. NOT OPERATED	1368	3.9	10	1	1	3	5	8	10	16
B. OPERATED	3369	3.6	7	1	1	3	4	6	8	13
TOTAL 0-19 YRS	415	2.4	6	<1	1	2	3	4	6	11
20-34	959	2.8	5	1	1	2	3	5	6	10
35-49	1122	3.3	7	1	1	3	4	6	8	13
50-64	1374	4.1	8	1	2	4	5	7	9	17
65+	867	5.1	10	2	2	4	6	9	11	16
GRAND TOTAL	**4737**	**3.7**	**8**	**1**	**1**	**3**	**5**	**7**	**9**	**14**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2468	1.4	1	<1	1	1	2	2	3	5
20-34	618	2.0	2	<1	<1	1	2	4	5	8
35-49	235	2.3	3	<1	1	2	3	5	6	8
50-64	108	2.3	2	1	1	2	3	5	5	7
65+	58	2.4	3	1	1	2	3	5	6	9
B. *Operated*										
0-19 YRS	10	1.5	1	<1	<1	1	2	3	4	4
20-34	7	1.7	1	<1	<1	1	2	4	4	4
35-49	4	2.0	2	1	1	2	3	4	4	4
50-64	2	4.5	25	<1	<1	4	8	8	8	8
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3393	2.0	3	1	1	1	2	4	5	9
20-34	2675	3.0	6	<1	1	2	4	6	8	13
35-49	1224	3.8	13	1	1	3	5	8	10	17
50-64	727	3.9	10	1	1	3	5	8	10	15
65+	980	4.7	16	1	1	4	6	9	13	20
B. *Operated*										
0-19 YRS	660	3.0	15	1	1	2	3	6	9	20
20-34	791	3.9	32	<1	1	2	4	8	12	32
35-49	314	4.1	22	1	1	2	5	9	11	18
50-64	218	5.5	69	1	1	3	6	12	18	36
65+	311	5.7	42	1	1	4	7	12	16	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3487	1.6	1	<1	1	1	2	3	4	7
B. *Operated*	24	1.9	3	<1	<1	1	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	8999	3.0	8	1	1	2	4	6	8	14
B. *Operated*	2294	4.0	31	1	1	2	5	9	13	29
1. SINGLE DX	3511	1.6	1	<1	1	1	2	3	4	7
2. MULTIPLE DX	11293	3.2	13	1	1	2	4	7	9	16
A. NOT OPERATED	12486	2.6	7	<1	1	2	3	6	7	13
B. OPERATED	2318	4.0	31	1	1	2	5	9	13	29
TOTAL 0-19 YRS	6531	1.9	4	<1	1	1	2	3	5	10
20-34	4091	3.0	11	<1	1	2	4	6	8	15
35-49	1777	3.7	13	1	1	3	5	8	9	16
50-64	1055	4.1	22	1	1	3	5	8	11	19
65+	1350	4.8	22	1	1	4	6	10	13	21
GRAND TOTAL	**14804**	**2.8**	**11**	**1**	**1**	**2**	**3**	**6**	**8**	**15**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1224	1.7	7	<1	<1	1	2	3	4	8
20-34	290	2.7	9	<1	<1	2	3	6	8	19
35-49	94	2.8	8	<1	1	2	3	6	9	16
50-64	54	3.3	15	1	1	2	3	7	10	23
65+	45	5.9	156	<1	1	2	4	9	29	73
B. *Operated*										
0-19 YRS	42	6.9	51	1	1	6	7	13	22	37
20-34	38	8.4	45	1	1	7	11	25	64	99+
35-49	27	11.3	110	2	3	9	13	25	35	49
50-64	27	8.7	41	2	4	7	10	16	22	33
65+	44	14.3	148	4	6	11	15	31	43	61
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1920	2.8	25	<1	1	1	3	5	8	25
20-34	1170	4.2	44	<1	1	2	5	8	13	47
35-49	579	4.7	40	<1	1	3	5	9	14	31
50-64	376	5.7	47	1	1	4	7	12	18	31
65+	790	6.7	45	1	2	5	8	14	18	34
B. *Operated*										
0-19 YRS	472	10.3	253	1	1	4	12	32	55	99
20-34	653	12.1	296	<1	1	5	16	38	66	99+
35-49	258	13.7	310	<1	1	6	17	41	56	97
50-64	223	14.4	269	1	1	8	19	41	54	73
65+	476	14.3	223	1	2	10	19	33	44	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1707	2.1	12	<1	1	1	2	4	6	14
B. *Operated*	178	10.0	87	1	2	7	12	20	33	88
2. MULTIPLE DX										
A. *Not Operated*	4835	4.2	38	<1	1	2	5	9	14	32
B. *Operated*	2082	12.6	270	1	1	6	16	36	55	99+
1. SINGLE DX	1885	2.8	24	<1	1	1	2	6	10	27
2. MULTIPLE DX	6917	6.8	123	1	1	3	7	17	29	72
A. NOT OPERATED	6542	3.7	32	<1	1	2	4	8	12	28
B. OPERATED	2260	12.4	256	1	1	6	16	36	54	99+
TOTAL 0-19 YRS	3658	3.4	56	<1	1	1	3	6	12	46
20-34	2151	6.5	130	<1	1	3	6	16	32	99+
35-49	958	7.1	129	<1	1	3	7	16	31	67
50-64	680	8.5	135	1	1	5	9	21	33	63
65+	1355	9.6	128	1	2	6	11	22	32	67
GRAND TOTAL	**8802**	**5.9**	**105**	**<1**	**1**	**2**	**6**	**14**	**26**	**67**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	2.2	3	1	1	2	2	4	7	9
20-34	72	2.8	5	1	1	2	3	6	8	11
35-49	20	3.9	8	<1	1	3	4	8	11	11
50-64	7	2.4	3	1	1	2	4	5	5	5
65+	9	3.6	1	2	2	4	4	5	5	5
B. *Operated*										
0-19 YRS	47	4.7	7	1	2	4	6	8	10	13
20-34	119	5.5	8	2	2	5	7	9	11	15
35-49	24	6.7	11	2	3	7	9	11	13	14
50-64	9	5.6	9	3	3	5	6	10	13	13
65+	7	7.0	34	2	2	5	9	17	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	124	4.5	25	1	1	3	5	9	13	28
20-34	227	4.3	9	1	1	3	6	9	10	15
35-49	145	4.8	11	1	1	4	6	8	11	15
50-64	149	5.6	19	1	1	4	8	12	14	22
65+	172	7.2	29	1	2	6	9	14	17	29
B. *Operated*										
0-19 YRS	145	9.3	66	2	3	7	10	18	26	69
20-34	471	8.6	68	2	3	7	10	16	21	41
35-49	253	10.5	102	2	3	8	12	22	32	47
50-64	144	10.5	92	2	3	7	13	22	26	45
65+	164	13.0	163	3	3	10	15	22	36	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	137	2.9	5	1	1	2	4	6	8	11
B. *Operated*	206	5.5	9	2	2	5	7	10	11	15
2. MULTIPLE DX										
A. *Not Operated*	817	5.3	19	1	1	4	7	11	14	24
B. *Operated*	1177	10.0	93	2	3	7	12	19	27	59
1. SINGLE DX	343	4.4	9	1	1	4	6	9	10	14
2. MULTIPLE DX	1994	8.0	68	1	2	6	10	16	22	42
A. NOT OPERATED	954	4.9	18	1	1	4	6	10	13	23
B. OPERATED	1383	9.3	83	2	3	7	11	18	24	51
TOTAL 0-19 YRS	345	6.4	44	1	2	4	8	13	20	32
20-34	889	6.6	45	1	2	5	8	12	16	35
35-49	442	8.1	70	1	2	6	9	17	23	45
50-64	309	7.8	59	1	2	5	10	17	22	36
65+	352	9.8	100	2	2	7	12	19	25	59
GRAND TOTAL	**2337**	**7.5**	**61**	**1**	**2**	**5**	**9**	**14**	**20**	**40**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	285	3.2	8	1	1	2	4	7	9	13
20-34	161	2.9	5	1	1	2	4	6	8	11
35-49	34	2.8	3	1	1	3	3	5	7	8
50-64	18	3.2	8	<1	1	2	4	9	10	10
65+	8	4.1	17	1	1	3	4	11	14	14
B. *Operated*										
0-19 YRS	125	7.0	20	2	4	6	8	11	14	26
20-34	133	5.8	6	1	3	6	7	9	9	14
35-49	40	6.9	6	3	4	7	8	10	11	14
50-64	12	4.4	8	<1	1	5	6	8	9	9
65+	9	7.1	6	3	3	7	9	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	436	3.8	16	1	1	3	5	8	12	20
20-34	406	3.9	11	1	1	3	5	8	10	15
35-49	145	3.8	10	1	1	3	5	7	10	16
50-64	82	4.4	9	1	1	4	6	9	11	13
65+	115	5.5	14	1	2	5	7	10	12	18
B. *Operated*										
0-19 YRS	471	11.0	94	3	4	8	12	23	32	49
20-34	888	11.8	125	3	4	8	13	24	34	69
35-49	348	12.5	132	3	5	9	14	22	36	75
50-64	174	14.4	153	3	5	10	17	30	38	67
65+	134	14.9	109	3	3	12	19	32	36	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	506	3.1	7	1	1	2	4	7	9	12
B. *Operated*	319	6.4	12	1	3	6	7	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	1184	4.0	13	1	1	3	5	8	11	16
B. *Operated*	2015	12.2	121	3	4	9	14	25	35	62
1. SINGLE DX	825	4.4	11	1	1	4	6	8	10	14
2. MULTIPLE DX	3199	9.2	97	1	2	7	11	19	29	54
A. NOT OPERATED	1690	3.8	11	1	1	3	5	8	10	16
B. OPERATED	2334	11.4	110	3	4	8	12	22	32	59
TOTAL 0-19 YRS	1317	6.6	55	1	1	5	8	13	20	40
20-34	1588	8.4	89	1	1	6	10	16	27	56
35-49	567	9.3	101	1	2	7	11	18	25	54
50-64	286	10.4	121	1	2	7	12	24	32	60
65+	266	10.3	84	1	2	8	14	21	32	42
GRAND TOTAL	**4024**	**8.2**	**83**	**1**	**1**	**6**	**10**	**17**	**25**	**50**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	1.8	2	<1	<1	2	2	3	5	6
20-34	16	1.6	1	<1	<1	1	2	3	3	3
35-49	6	3.7	1	2	2	4	4	5	5	5
50-64	2	3.0	2	2	2	3	4	4	4	4
65+	2	2.5	5	<1	<1	2	4	4	4	4
B. *Operated*										
0-19 YRS	239	2.4	4	1	1	2	3	5	6	8
20-34	125	2.6	3	<1	1	2	4	5	6	9
35-49	70	2.8	5	<1	1	2	3	6	8	11
50-64	30	3.1	4	1	1	3	4	5	6	10
65+	13	3.0	5	1	1	2	4	6	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	3.4	7	<1	1	3	5	8	8	8
20-34	27	3.1	3	<1	1	3	5	6	6	7
35-49	8	4.0	11	<1	<1	3	6	9	10	10
50-64	6	2.3	3	1	1	2	4	5	5	5
65+	9	4.7	8	1	1	5	6	9	10	10
B. *Operated*										
0-19 YRS	276	3.2	5	1	1	3	5	6	7	11
20-34	326	3.4	7	<1	1	3	4	7	9	13
35-49	151	3.8	11	1	1	3	5	7	10	16
50-64	69	4.4	20	1	1	3	6	7	10	28
65+	73	4.7	20	1	1	4	6	10	13	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	2.1	2	<1	<1	2	3	4	5	6
B. *Operated*	477	2.6	4	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	78	3.4	6	<1	1	3	5	7	8	10
B. *Operated*	895	3.6	9	1	1	3	5	7	9	15
1. SINGLE DX	516	2.5	4	<1	1	2	3	5	6	9
2. MULTIPLE DX	973	3.6	9	1	1	3	5	7	9	15
A. NOT OPERATED	117	3.0	5	<1	1	2	4	6	8	10
B. OPERATED	1372	3.2	8	1	1	2	4	6	8	13
TOTAL 0-19 YRS	556	2.8	5	1	1	2	4	6	7	10
20-34	494	3.1	6	<1	1	2	4	6	8	12
35-49	235	3.5	9	<1	1	3	5	7	9	15
50-64	107	3.9	15	1	1	3	5	7	9	24
65+	97	4.4	17	1	1	3	5	9	12	24
GRAND TOTAL	**1489**	**3.2**	**7**	**<1**	**1**	**2**	**4**	**6**	**8**	**13**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	106	2.0	2	<1	1	1	3	4	5	8
20-34	95	2.1	3	<1	1	1	3	4	5	9
35-49	18	2.1	2	<1	<1	2	3	4	5	5
50-64	10	2.1	3	<1	<1	1	3	5	6	6
65+	7	2.3	3	1	1	2	4	5	5	5
B. *Operated*										
0-19 YRS	432	1.7	2	<1	1	1	2	3	4	8
20-34	230	2.3	5	<1	<1	2	2	4	7	12
35-49	83	1.9	2	<1	<1	1	2	4	5	7
50-64	22	2.0	1	<1	<1	2	3	4	4	5
65+	18	2.2	3	<1	<1	1	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	240	2.3	3	<1	1	2	3	4	5	11
20-34	352	2.8	9	<1	1	2	3	6	7	17
35-49	148	3.1	6	<1	1	2	4	6	7	12
50-64	82	4.1	27	<1	1	2	5	10	17	29
65+	202	4.1	10	1	1	3	6	9	10	15
B. *Operated*										
0-19 YRS	852	2.6	9	<1	1	2	3	5	7	13
20-34	1016	3.6	26	<1	1	2	4	7	11	25
35-49	427	4.2	46	1	1	2	4	7	13	32
50-64	266	3.9	28	<1	1	2	5	8	10	26
65+	387	4.4	16	1	1	3	6	9	11	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	236	2.0	2	<1	1	1	3	4	5	7
B. *Operated*	785	1.9	3	<1	1	1	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	1024	3.1	9	<1	1	2	4	6	9	17
B. *Operated*	2948	3.5	23	<1	1	2	4	7	10	22
1. SINGLE DX	1021	1.9	3	<1	1	1	2	4	5	9
2. MULTIPLE DX	3972	3.4	20	<1	1	2	4	7	10	20
A. NOT OPERATED	1260	2.9	8	<1	1	2	4	6	8	13
B. OPERATED	3733	3.2	19	<1	1	2	4	6	9	19
TOTAL 0-19 YRS	1630	2.3	6	<1	1	1	3	4	6	11
20-34	1693	3.2	19	<1	1	2	3	6	9	19
35-49	676	3.6	31	<1	1	2	4	7	10	26
50-64	380	3.8	26	<1	1	2	5	8	11	25
65+	614	4.2	13	1	1	3	5	9	10	20
GRAND TOTAL	**4993**	**3.1**	**17**	**<1**	**1**	**2**	**4**	**6**	**9**	**18**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	145	1.8	2	<1	<1	1	2	3	4	9
20-34	321	2.1	3	<1	<1	1	2	4	5	10
35-49	66	1.8	1	<1	1	1	2	3	4	7
50-64	17	2.5	5	<1	<1	2	3	7	8	8
65+	8	1.9	1	<1	<1	2	3	4	4	4
B. *Operated*										
0-19 YRS	193	2.3	3	<1	<1	1	3	5	7	8
20-34	237	3.4	12	<1	1	2	5	6	8	12
35-49	68	3.8	14	<1	1	3	5	8	10	22
50-64	16	2.4	3	<1	<1	2	3	5	6	6
65+	6	2.2	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	105	2.8	13	<1	1	2	3	5	6	26
20-34	281	2.9	7	<1	1	2	3	7	8	13
35-49	110	3.6	11	<1	1	2	5	8	10	17
50-64	51	4.3	43	1	1	2	4	9	14	40
65+	33	4.3	16	<1	1	3	5	12	15	16
B. *Operated*										
0-19 YRS	253	5.5	44	1	1	4	7	11	17	24
20-34	585	6.3	54	1	1	5	8	12	16	42
35-49	164	6.5	44	1	1	5	8	12	20	33
50-64	59	10.8	262	1	1	5	10	28	49	84
65+	45	7.3	65	1	1	5	8	21	23	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	557	2.0	3	<1	<1	1	2	3	5	9
B. *Operated*	520	3.0	9	<1	1	2	4	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	580	3.2	13	<1	1	2	4	6	9	16
B. *Operated*	1106	6.5	63	1	1	5	8	12	18	46
1. SINGLE DX	1077	2.5	6	<1	1	2	3	5	7	11
2. MULTIPLE DX	1686	5.3	48	1	1	4	7	11	15	35
A. NOT OPERATED	1137	2.6	8	<1	1	2	3	5	8	14
B. OPERATED	1626	5.4	48	<1	1	4	7	10	15	36
TOTAL 0-19 YRS	696	3.5	22	<1	1	2	4	7	11	21
20-34	1424	4.2	30	<1	1	3	5	9	11	23
35-49	408	4.5	26	<1	1	3	6	9	13	25
50-64	143	6.5	136	1	1	3	7	12	28	68
65+	92	5.4	41	1	1	3	6	13	20	35
GRAND TOTAL	**2763**	**4.2**	**33**	**<1**	**1**	**2**	**5**	**9**	**12**	**25**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	127	2.5	2	1	1	2	3	4	5	7
20-34	219	2.4	3	<1	<1	2	3	4	5	9
35-49	71	2.9	4	<1	<1	3	4	6	7	9
50-64	26	2.6	4	<1	<1	2	3	5	8	10
65+	8	2.8	5	1	1	2	4	6	7	7
B. *Operated*										
0-19 YRS	862	2.1	5	<1	1	1	2	4	6	12
20-34	1381	2.1	3	<1	1	1	2	4	6	9
35-49	626	2.2	6	<1	1	1	2	5	6	12
50-64	315	2.2	6	<1	1	1	2	4	6	13
65+	110	2.1	4	1	1	1	2	4	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	160	4.2	24	1	1	3	5	8	12	31
20-34	278	3.3	8	1	1	3	4	7	8	13
35-49	90	3.8	14	<1	1	3	4	8	10	22
50-64	67	3.9	14	1	1	3	4	6	9	24
65+	65	4.7	15	1	1	3	6	11	13	19
B. *Operated*										
0-19 YRS	828	3.0	15	<1	1	2	3	6	9	21
20-34	1575	3.2	17	<1	1	2	4	6	10	21
35-49	663	3.3	17	1	1	2	4	7	10	21
50-64	410	3.8	23	1	1	2	4	8	13	27
65+	257	3.7	15	1	1	2	4	8	11	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	451	2.5	3	<1	1	2	3	4	6	9
B. *Operated*	3294	2.1	5	<1	1	1	2	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	660	3.8	14	1	1	3	4	7	10	22
B. *Operated*	3733	3.3	17	1	1	2	4	7	10	22
1. SINGLE DX	3745	2.2	4	<1	1	1	2	4	6	10
2. MULTIPLE DX	4393	3.4	17	1	1	2	4	7	10	22
A. NOT OPERATED	1111	3.3	10	<1	1	2	4	6	8	17
B. OPERATED	7027	2.7	12	<1	1	2	3	5	8	17
TOTAL 0-19 YRS	1977	2.6	11	<1	1	2	3	5	8	17
20-34	3453	2.7	10	<1	1	2	3	5	8	16
35-49	1450	2.8	12	<1	1	2	3	6	8	18
50-64	818	3.2	16	1	1	2	3	6	9	23
65+	440	3.4	13	1	1	2	4	8	11	19
GRAND TOTAL	**8138**	**2.8**	**11**	**<1**	**1**	**2**	**3**	**6**	**8**	**17**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	185	2.6	3	<1	1	2	4	5	6	9
20-34	195	2.8	5	<1	1	2	4	5	7	13
35-49	50	3.0	3	1	1	3	4	6	6	9
50-64	29	3.7	8	<1	1	3	6	8	10	10
65+	13	8.2	163	1	2	4	6	22	44	49
B. *Operated*										
0-19 YRS	624	3.5	13	<1	1	2	4	8	10	18
20-34	485	3.9	20	<1	1	2	4	9	11	25
35-49	188	3.8	11	1	1	3	5	8	10	18
50-64	109	4.9	22	1	1	3	6	11	15	24
65+	33	6.0	42	1	1	3	8	15	23	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	141	4.0	8	1	1	3	5	8	10	14
20-34	157	4.2	11	1	1	3	5	8	9	15
35-49	76	3.5	5	1	1	3	5	6	7	12
50-64	67	6.0	34	1	1	4	7	11	19	30
65+	67	7.7	28	1	2	7	11	14	18	26
B. *Operated*										
0-19 YRS	389	5.4	38	1	1	4	6	12	17	34
20-34	488	6.8	78	1	1	4	7	15	23	56
35-49	217	7.6	95	1	1	5	9	17	21	64
50-64	124	8.5	119	1	1	6	9	21	28	60
65+	129	9.7	142	1	2	6	11	24	38	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	472	2.9	9	<1	1	2	4	5	7	12
B. *Operated*	1439	3.8	16	1	1	3	5	8	11	21
2. MULTIPLE DX										
A. *Not Operated*	508	4.7	16	1	1	4	6	9	12	23
B. *Operated*	1347	7.0	81	1	1	4	8	15	22	54
1. SINGLE DX	1911	3.6	15	<1	1	2	4	8	10	21
2. MULTIPLE DX	1855	6.3	64	1	1	4	7	13	20	47
A. NOT OPERATED	980	3.9	14	1	1	3	5	8	10	18
B. OPERATED	2786	5.3	50	1	1	3	6	11	17	38
TOTAL 0-19 YRS	1339	4.0	19	1	1	3	5	8	11	21
20-34	1325	4.8	41	1	1	3	5	10	15	36
35-49	531	5.2	48	1	1	3	6	10	15	32
50-64	329	6.3	62	1	1	4	7	14	21	37
65+	242	8.5	99	1	1	6	10	18	26	62
GRAND TOTAL	**3766**	**5.0**	**41**	**1**	**1**	**3**	**6**	**10**	**15**	**34**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	4	2.0	4	1	1	1	3	5	5	5
35-49	3	4.7	1	4	4	4	6	6	6	6
50-64										
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	19	3.3	9	1	1	2	6	8	9	9
20-34	38	4.4	17	<1	1	3	6	11	13	18
35-49	13	3.0	6	<1	<1	1	5	7	7	7
50-64	8	5.6	33	1	1	3	10	15	16	16
65+	5	3.8	10	1	1	3	5	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.2	9	2	2	3	6	9	9	9
20-34	16	2.4	3	<1	1	2	3	6	6	6
35-49	6	6.5	45	<1	<1	5	7	18	19	19
50-64	6	3.7	12	1	1	2	5	9	10	10
65+	6	10.0	52	2	2	8	16	20	21	21
B. *Operated*										
0-19 YRS	73	5.9	57	1	1	3	8	12	19	42
20-34	184	8.5	127	1	1	5	10	22	35	62
35-49	60	8.0	108	1	1	4	8	21	32	50
50-64	35	8.3	78	1	1	4	13	19	31	35
65+	27	10.9	152	1	2	6	14	33	38	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	3.1	5	1	1	3	5	6	6	6
B. *Operated*	83	4.0	14	1	1	2	6	9	12	17
2. MULTIPLE DX										
A. *Not Operated*	39	4.6	24	<1	1	3	6	10	18	21
B. *Operated*	379	8.1	108	1	1	4	10	20	34	52
1. SINGLE DX	93	3.9	13	1	1	2	6	8	12	17
2. MULTIPLE DX	418	7.7	101	1	1	4	9	19	33	51
A. NOT OPERATED	49	4.3	20	1	1	3	6	9	16	21
B. OPERATED	462	7.3	94	1	1	4	9	17	30	51
TOTAL 0-19 YRS	99	5.3	45	1	1	3	7	11	16	42
20-34	242	7.3	104	1	1	4	8	17	32	57
35-49	82	7.0	86	1	1	4	7	19	25	49
50-64	49	7.3	64	1	1	4	11	16	24	35
65+	39	9.7	118	1	2	6	12	23	36	49
GRAND TOTAL	**511**	**7.0**	**87**	**1**	**1**	**4**	**8**	**16**	**26**	**50**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	5.3	43	1	1	2	9	15	15	15
20-34	12	6.8	39	1	2	5	8	17	22	23
35-49	6	5.2	4	4	4	5	5	9	9	9
50-64	6	5.7	26	2	2	3	10	14	14	14
65+	4	3.3	1	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	89	4.1	27	1	1	2	5	9	12	33
20-34	144	3.3	7	1	1	2	4	7	10	11
35-49	80	4.2	12	1	1	3	6	8	11	19
50-64	45	5.0	27	1	2	3	6	9	12	31
65+	6	3.2	4	1	1	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	4.4	15	<1	1	3	7	10	11	16
20-34	53	9.1	98	1	2	5	12	20	34	45
35-49	34	5.0	13	1	2	4	7	10	11	16
50-64	26	6.8	42	1	1	5	9	16	21	29
65+	27	9.2	70	2	3	5	11	24	29	32
B. *Operated*										
0-19 YRS	66	3.1	6	<1	1	2	4	7	9	11
20-34	161	5.1	35	1	1	4	6	10	12	45
35-49	109	4.9	27	1	1	3	5	10	16	28
50-64	71	6.5	54	1	1	4	6	16	23	39
65+	40	8.9	108	1	1	4	11	22	27	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	5.6	24	1	2	4	6	14	15	23
B. *Operated*	364	3.9	16	1	1	3	5	8	10	21
2. MULTIPLE DX										
A. *Not Operated*	166	7.2	57	1	1	4	9	16	25	38
B. *Operated*	447	5.3	40	1	1	3	6	11	17	40
1. SINGLE DX	396	4.0	16	1	1	3	5	9	10	22
2. MULTIPLE DX	613	5.8	45	1	1	4	7	12	19	39
A. NOT OPERATED	198	6.9	52	1	1	4	9	15	23	37
B. OPERATED	811	4.7	30	1	1	3	5	10	12	32
TOTAL 0-19 YRS	185	3.8	18	1	1	2	4	9	10	22
20-34	370	5.0	36	1	1	3	6	10	14	40
35-49	229	4.7	19	1	1	3	6	10	12	21
50-64	148	6.1	42	1	1	4	7	13	20	33
65+	77	8.2	84	1	2	4	10	22	28	48
GRAND TOTAL	**1009**	**5.1**	**35**	**1**	**1**	**3**	**6**	**11**	**15**	**34**

375: Contusion of eye and adnexa (921)

				PERCENTILES						
TYPE OF PATIENT (1)	**TOTAL PATIENTS (2)**	**AVG. STAY (3)**	**VARIANCE (4)**	**5TH (5)**	**10TH (6)**	**50TH (7)**	**75TH (8)**	**90TH (9)**	**95TH (10)**	**99TH (11)**
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	308	3.6	4	1	1	3	5	6	7	11
20-34	132	3.2	3	1	1	3	5	5	6	8
35-49	26	3.5	7	<1	1	3	4	7	9	11
50-64	11	3.5	3	1	1	4	5	6	6	6
65+	3	4.3	17	<1	<1	3	7	9	9	9
B. *Operated*										
0-19 YRS	9	5.6	20	1	1	5	9	12	13	13
20-34	6	5.3	13	1	1	5	6	11	12	12
35-49	4	3.5	2	2	2	3	4	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	195	3.4	5	1	1	3	5	6	7	11
20-34	154	3.0	4	<1	1	2	4	6	7	10
35-49	67	4.3	14	<1	1	4	5	7	11	22
50-64	28	3.7	5	<1	1	3	5	7	8	10
65+	32	4.9	12	1	1	4	6	10	12	16
B. *Operated*										
0-19 YRS	42	3.8	9	1	1	3	5	9	11	13
20-34	44	3.8	10	1	1	3	5	7	10	17
35-49	16	3.6	6	<1	1	3	5	8	9	9
50-64	5	2.6	4	<1	<1	2	4	6	6	6
65+	15	6.5	60	1	1	3	9	19	26	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	480	3.5	4	1	1	3	5	6	6	11
B. *Operated*	19	5.1	13	1	1	4	7	11	13	13
2. MULTIPLE DX										
A. *Not Operated*	476	3.5	7	<1	1	3	5	6	8	13
B. *Operated*	122	4.1	15	1	1	3	5	9	10	22
1. SINGLE DX	499	3.6	4	1	1	3	5	6	7	11
2. MULTIPLE DX	598	3.7	9	1	1	3	5	7	9	15
A. NOT OPERATED	956	3.5	5	1	1	3	5	6	7	11
B. OPERATED	141	4.2	15	1	1	3	5	9	11	20
TOTAL 0-19 YRS	554	3.6	5	1	1	3	5	6	8	11
20-34	336	3.2	5	<1	1	3	5	6	7	11
35-49	113	4.0	11	<1	1	4	5	7	10	19
50-64	44	3.5	4	<1	1	3	5	6	7	10
65+	50	5.4	26	1	1	4	7	10	16	28
GRAND TOTAL	**1097**	**3.6**	**7**	**1**	**1**	**3**	**5**	**6**	**8**	**12**

376: Other superficial injuries (910-920; 922-924)

				PERCENTILES						
TYPE OF PATIENT (1)	**TOTAL PATIENTS (2)**	**AVG. STAY (3)**	**VARIANCE (4)**	**5TH (5)**	**10TH (6)**	**50TH (7)**	**75TH (8)**	**90TH (9)**	**95TH (10)**	**99TH (11)**
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	742	1.8	2	<1	1	1	2	3	4	6
20-34	557	2.4	3	<1	1	2	3	5	6	9
35-49	280	2.5	5	1	1	2	3	5	6	12
50-64	146	2.9	7	<1	1	2	4	6	9	14
65+	151	3.6	9	1	1	3	5	7	10	15
B. *Operated*										
0-19 YRS	123	2.6	8	<1	<1	2	3	5	7	16
20-34	88	3.2	8	<1	<1	2	4	7	8	17
35-49	55	2.9	5	<1	1	2	4	6	7	14
50-64	40	4.5	11	<1	1	3	5	10	11	14
65+	26	5.3	12	1	2	4	8	10	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1490	2.2	3	<1	1	2	3	4	5	8
20-34	1764	2.9	10	<1	1	2	4	6	8	13
35-49	980	3.8	11	1	1	3	5	8	10	17
50-64	894	4.5	15	1	1	3	6	9	12	18
65+	2271	5.5	17	1	2	4	7	10	14	21
B. *Operated*										
0-19 YRS	198	3.8	26	1	1	2	4	7	10	31
20-34	332	4.0	17	<1	1	2	5	9	11	19
35-49	170	5.7	27	1	1	4	7	12	16	24
50-64	162	6.7	35	1	2	5	9	16	19	27
65+	309	9.7	69	2	2	7	13	21	24	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1876	2.3	4	<1	1	2	3	5	6	10
B. *Operated*	332	3.2	9	<1	<1	2	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	7399	3.9	13	1	1	3	5	8	10	17
B. *Operated*	1171	6.1	42	1	1	4	8	14	19	32
1. SINGLE DX	2208	2.4	5	<1	1	2	3	5	6	11
2. MULTIPLE DX	8570	4.2	18	1	1	3	5	9	12	21
A. NOT OPERATED	9275	3.5	12	1	1	2	5	8	10	17
B. OPERATED	1503	5.4	36	<1	1	3	7	12	17	30
TOTAL 0-19 YRS	2553	2.2	5	<1	1	2	3	4	5	9
20-34	2741	2.9	10	<1	1	2	4	6	8	13
35-49	1485	3.7	12	1	1	3	5	8	10	18
50-64	1242	4.6	18	1	1	3	6	9	13	21
65+	2757	5.9	25	1	2	5	8	11	15	25
GRAND TOTAL	**10778**	**3.8**	**16**	**<1**	**1**	**3**	**5**	**8**	**11**	**19**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	74	1.9	1	1	1	2	2	3	4	7
20-34	76	2.3	3	<1	1	2	3	4	6	9
35-49	17	2.7	5	<1	1	2	4	4	8	10
50-64	13	1.7	1	1	1	1	2	3	5	5
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	26	3.9	40	<1	1	2	4	5	12	34
20-34	82	5.1	59	<1	1	2	5	11	21	43
35-49	47	5.6	83	<1	1	2	4	10	34	42
50-64	27	3.6	20	<1	<1	2	5	9	13	21
65+	5	1.6	1	1	1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	3.1	8	1	1	2	4	6	9	16
20-34	69	2.9	4	<1	1	2	4	6	6	9
35-49	31	3.7	15	<1	<1	2	4	9	14	17
50-64	15	4.7	9	1	1	4	7	9	10	10
65+	11	4.8	14	1	1	4	6	10	14	14
B. *Operated*										
0-19 YRS	66	6.2	53	1	1	4	7	12	25	37
20-34	206	6.7	102	1	1	3	8	15	25	56
35-49	114	7.9	99	1	1	4	9	21	29	51
50-64	87	8.2	132	1	1	3	10	18	30	61
65+	24	8.2	76	<1	2	6	9	18	26	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	181	2.1	2	1	1	2	3	4	5	9
B. *Operated*	187	4.8	55	<1	1	2	5	9	19	40
2. MULTIPLE DX										
A. *Not Operated*	183	3.3	8	<1	1	2	4	7	9	15
B. *Operated*	497	7.3	99	1	1	4	8	18	26	54
1. SINGLE DX	368	3.5	31	<1	1	2	3	7	10	34
2. MULTIPLE DX	680	6.2	77	1	1	3	7	14	24	50
A. NOT OPERATED	364	2.7	6	1	1	2	3	6	7	13
B. OPERATED	684	6.6	88	1	1	3	7	16	26	50
TOTAL 0-19 YRS	223	3.7	26	1	1	2	4	7	10	30
20-34	433	5.1	64	1	1	2	5	10	18	48
35-49	209	6.3	79	<1	1	3	7	17	26	45
50-64	142	6.4	91	1	1	3	7	14	25	60
65+	41	6.3	53	<1	1	4	8	15	18	41
GRAND TOTAL	**1048**	**5.2**	**63**	**1**	**1**	**3**	**5**	**11**	**19**	**42**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	3	1.3		1	1	1	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	3	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	6	2.0	1	1	1	2	2	4	4	4
35-49	4	1.8	2	1	1	1	3	4	4	4
50-64	2	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0		2	2	2	2	2	2	2
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	5	3.8	7	1	1	3	6	7	7	7
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	5.0		5	5	5	5	5	5	5
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.2		1	1	1	2	2	2	2
B. *Operated*	15	1.6	1	<1	<1	1	2	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	6	2.2	2	<1	<1	2	2	5	5	5
B. *Operated*	9	3.0	6	1	1	2	5	7	7	7
1. SINGLE DX	20	1.5	1	<1	<1	1	2	3	4	4
2. MULTIPLE DX	15	2.7	4	<1	1	2	4	6	7	7
A. NOT OPERATED	11	1.7	1	<1	<1	1	2	3	5	5
B. OPERATED	24	2.1	3	<1	<1	1	3	5	6	7
TOTAL 0-19 YRS	10	1.3		<1	<1	1	2	2	2	2
20-34	16	2.6	4	1	1	2	3	6	7	7
35-49	6	1.5	2	<1	<1	1	1	4	4	4
50-64	3	2.3	5	1	1	1	4	5	5	5
65+										
GRAND TOTAL	**35**	**2.0**	**3**	**<1**	**<1**	**1**	**2**	**5**	**6**	**7**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	657	1.3	1	<1	<1	1	1	2	3	5
20-34	106	1.6	2	<1	<1	1	2	3	4	8
35-49	91	1.4	1	<1	<1	1	1	2	3	9
50-64	81	1.4	1	<1	<1	1	1	2	3	7
65+	80	1.5	1	<1	1	1	2	3	3	5
B. *Operated*										
0-19 YRS	208	1.7	2	<1	<1	1	2	3	5	7
20-34	24	3.1	11	<1	1	2	4	9	11	11
35-49	20	3.1	5	<1	1	3	4	6	8	9
50-64	25	2.6	6	<1	<1	2	3	7	8	10
65+	16	2.8	8	<1	1	2	3	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	258	2.2	4	<1	<1	2	3	4	6	10
20-34	74	2.4	3	<1	<1	2	3	5	6	9
35-49	97	2.9	9	<1	1	2	3	7	10	14
50-64	133	3.0	7	<1	1	2	4	7	8	13
65+	322	3.5	10	1	1	2	4	7	10	16
B. *Operated*										
0-19 YRS	80	4.1	24	1	1	2	5	8	12	28
20-34	47	7.6	193	<1	1	4	10	14	19	93
35-49	54	6.9	70	1	1	4	7	23	30	33
50-64	98	6.1	74	1	1	3	7	13	22	50
65+	203	6.2	47	1	1	4	8	16	19	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1015	1.4	1	<1	<1	1	1	2	3	6
B. *Operated*	293	2.0	3	<1	<1	1	2	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	884	2.9	7	<1	1	2	4	6	8	13
B. *Operated*	482	6.0	66	1	1	3	7	14	20	36
1. SINGLE DX	1308	1.5	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX	1366	4.0	30	<1	1	2	4	8	13	28
A. NOT OPERATED	1899	2.1	4	<1	<1	1	2	4	6	11
B. OPERATED	775	4.5	46	<1	1	2	5	10	16	32
TOTAL 0-19 YRS	1203	1.8	4	<1	<1	1	2	3	5	9
20-34	251	3.1	43	<1	<1	1	3	7	10	18
35-49	262	3.2	22	<1	1	1	3	7	12	30
50-64	337	3.5	28	<1	1	2	4	8	10	26
65+	621	4.1	23	1	1	2	5	9	14	26
GRAND TOTAL	**2674**	**2.8**	**18**	**<1**	**<1**	**1**	**3**	**6**	**9**	**20**

380: Third degree burns (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	6.6	44	1	1	5	9	14	21	34
20-34	19	3.5	10	1	1	3	4	9	12	12
35-49	15	5.1	39	<1	1	2	7	16	20	21
50-64	5	4.4	24	1	1	2	6	13	13	13
65+	2	13.5	41	9	9	13	18	18	18	18
B. *Operated*										
0-19 YRS	86	7.7	99	1	1	5	9	17	20	63
20-34	78	7.4	99	1	1	5	9	13	17	66
35-49	46	9.0	65	1	1	6	13	19	28	36
50-64	28	10.9	106	1	1	7	17	28	34	39
65+	7	11.4	82	2	3	9	15	27	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	103	6.3	44	1	1	5	8	13	16	41
20-34	75	6.3	23	1	1	5	10	13	15	22
35-49	53	8.7	62	1	2	7	11	16	24	40
50-64	30	9.1	44	2	2	9	14	18	24	25
65+	37	11.0	59	2	2	10	17	23	25	26
B. *Operated*										
0-19 YRS	213	17.5	200	2	3	14	25	34	45	69
20-34	213	14.7	195	2	3	10	21	34	48	88
35-49	127	16.5	221	2	4	12	19	36	51	72
50-64	140	17.0	192	2	3	13	23	38	48	99+
65+	133	21.8	283	3	7	18	27	44	58	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	5.7	36	1	1	4	8	13	18	29
B. *Operated*	245	8.3	93	1	1	6	10	17	22	41
2. MULTIPLE DX										
A. *Not Operated*	298	7.6	46	1	2	6	10	16	21	35
B. *Operated*	826	17.2	218	2	3	13	23	36	49	78
1. SINGLE DX	333	7.6	79	1	1	5	10	17	21	37
2. MULTIPLE DX	1124	14.7	191	2	2	11	20	33	45	72
A. NOT OPERATED	386	7.2	44	1	1	5	10	15	20	34
B. OPERATED	1071	15.2	203	1	2	11	20	33	46	76
TOTAL 0-19 YRS	449	11.9	156	1	1	8	16	28	35	63
20-34	385	11.1	150	1	2	8	13	26	36	75
35-49	241	12.6	161	1	2	9	16	30	38	69
50-64	203	14.7	166	2	2	11	21	33	45	82
65+	179	19.1	247	2	4	15	24	37	51	84
GRAND TOTAL	**1457**	**13.1**	**174**	**1**	**2**	**9**	**17**	**30**	**39**	**71**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	362	3.6	13	1	1	2	4	8	11	19
20-34	200	3.6	13	<1	1	2	5	8	11	18
35-49	105	4.1	18	1	1	3	5	10	13	21
50-64	37	4.4	12	1	1	4	6	10	11	14
65+	10	10.6	206	1	1	5	14	35	46	46
B. *Operated*										
0-19 YRS	63	8.3	72	1	2	5	12	24	26	35
20-34	60	7.8	76	<1	1	6	10	14	24	45
35-49	30	7.7	43	1	1	6	12	17	19	27
50-64	15	9.7	92	1	2	5	14	22	32	35
65+	4	11.5	86	3	3	10	19	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	894	4.9	20	1	1	4	7	10	14	22
20-34	550	4.5	19	<1	1	3	6	10	13	22
35-49	337	5.1	25	1	1	3	7	11	15	25
50-64	184	6.2	36	1	1	4	9	15	18	25
65+	148	7.2	32	1	1	6	9	15	18	27
B. *Operated*										
0-19 YRS	267	8.5	53	1	2	6	11	20	24	34
20-34	175	8.3	61	1	2	6	11	17	22	41
35-49	100	14.4	213	1	2	9	20	33	41	71
50-64	70	13.8	169	1	1	11	18	37	42	91
65+	59	15.6	167	3	4	12	21	33	43	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	714	3.8	16	1	1	2	5	9	12	19
B. *Operated*	172	8.2	69	1	1	6	11	19	26	41
2. MULTIPLE DX										
A. *Not Operated*	2113	5.1	23	1	1	4	7	11	15	23
B. *Operated*	671	10.5	109	1	2	8	13	24	31	56
1. SINGLE DX	886	4.7	30	1	1	3	6	11	14	27
2. MULTIPLE DX	2784	6.4	49	1	1	4	8	14	19	36
A. NOT OPERATED	2827	4.8	22	1	1	3	7	11	14	22
B. OPERATED	843	10.0	102	1	2	7	13	23	30	50
TOTAL 0-19 YRS	1586	5.4	28	1	1	4	7	11	16	27
20-34	985	5.2	31	<1	1	3	7	12	15	28
35-49	572	6.7	70	1	1	4	8	14	24	39
50-64	306	7.9	77	1	1	5	10	18	25	48
65+	221	9.7	89	1	1	7	13	20	28	48
GRAND TOTAL	**3670**	**6.0**	**45**	**1**	**1**	**4**	**8**	**13**	**18**	**34**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	3.5	19	<1	1	2	4	9	16	19
20-34	48	5.9	134	<1	1	3	5	11	20	78
35-49	20	3.4	9	<1	<1	2	4	8	10	11
50-64	14	3.9	10	1	1	3	5	8	12	13
65+	2	4.0	18	1	1	4	7	7	7	7
B. *Operated*										
0-19 YRS	42	3.0	6	<1	<1	2	4	7	8	10
20-34	113	2.4	6	<1	1	2	3	5	6	13
35-49	39	4.0	43	<1	1	2	3	8	21	32
50-64	16	3.3	9	<1	<1	2	5	9	9	9
65+	8	3.8	11	1	1	2	6	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	4.7	26	<1	1	3	6	9	17	28
20-34	107	6.0	61	1	1	3	6	14	21	41
35-49	49	6.7	52	<1	1	5	9	12	20	40
50-64	42	8.7	153	1	2	5	9	15	25	78
65+	51	8.3	68	1	2	7	9	14	26	48
B. *Operated*										
0-19 YRS	125	4.2	79	<1	1	2	3	6	18	52
20-34	263	5.3	97	<1	1	2	5	13	23	61
35-49	82	6.1	100	1	1	2	6	15	34	86
50-64	48	13.6	297	1	1	5	20	34	49	72
65+	29	10.2	155	1	1	4	19	43	97	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	134	4.4	58	<1	1	2	5	9	15	30
B. *Operated*	218	2.9	13	<1	1	2	3	6	9	22
2. MULTIPLE DX										
A. *Not Operated*	309	6.6	67	1	1	4	8	14	21	43
B. *Operated*	547	6.1	120	<1	1	2	5	18	33	71
1. SINGLE DX	352	3.5	30	<1	1	2	4	7	10	21
2. MULTIPLE DX	856	6.3	101	1	1	3	6	16	28	68
A. NOT OPERATED	443	5.9	65	<1	1	4	7	13	19	41
B. OPERATED	765	5.2	92	<1	1	2	4	12	27	67
TOTAL 0-19 YRS	277	4.0	46	<1	1	2	4	8	15	36
20-34	531	4.9	75	<1	1	2	5	11	20	48
35-49	190	5.5	67	<1	1	3	6	11	28	52
50-64	120	9.4	188	1	1	4	9	25	34	74
65+	90	8.4	91	1	1	6	10	25	38	99+
GRAND TOTAL	**1208**	**5.5**	**82**	**<1**	**1**	**2**	**5**	**13**	**22**	**56**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	348	2.1	4	<1	1	1	2	4	5	9
20-34	337	2.8	5	<1	1	2	4	6	7	10
35-49	152	3.3	6	<1	1	2	5	7	8	14
50-64	64	3.5	14	<1	1	2	5	7	8	22
65+	39	4.4	63	<1	1	3	5	7	9	51
B. *Operated*										
0-19 YRS	77	4.3	37	1	1	3	6	8	10	41
20-34	88	4.7	22	1	1	3	5	12	16	20
35-49	55	5.2	23	1	1	4	6	13	16	19
50-64	31	6.2	46	1	1	4	7	16	20	31
65+	6	7.8	89	2	2	3	13	24	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	500	2.9	8	<1	1	2	3	6	8	15
20-34	689	3.6	17	1	1	3	4	7	9	15
35-49	410	4.7	18	1	1	4	6	9	11	19
50-64	261	5.0	19	1	1	4	7	10	13	24
65+	436	6.0	19	1	2	5	8	12	14	23
B. *Operated*										
0-19 YRS	155	7.2	85	1	1	4	9	16	25	44
20-34	272	7.4	85	1	1	5	9	15	23	46
35-49	164	9.0	157	1	1	5	11	22	35	98
50-64	108	8.5	94	1	2	5	10	19	25	56
65+	119	14.2	205	2	3	10	17	32	42	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	940	2.7	8	<1	1	2	3	6	7	13
B. *Operated*	257	4.9	31	1	1	3	6	12	16	25
2. MULTIPLE DX										
A. *Not Operated*	2296	4.3	17	1	1	3	5	9	11	18
B. *Operated*	818	8.8	123	1	1	5	10	19	30	66
1. SINGLE DX	1197	3.2	14	<1	1	2	4	7	9	18
2. MULTIPLE DX	3114	5.5	49	1	1	4	6	11	15	37
A. NOT OPERATED	3236	3.8	15	1	1	3	5	8	10	18
B. OPERATED	1075	7.9	104	1	1	5	10	17	26	61
TOTAL 0-19 YRS	1080	3.4	23	1	1	2	4	7	10	25
20-34	1386	4.2	31	1	1	3	5	9	12	25
35-49	781	5.4	49	1	1	4	6	11	15	42
50-64	464	5.7	40	1	1	4	7	12	18	31
65+	600	7.5	70	1	2	5	9	15	20	45
GRAND TOTAL	**4311**	**4.8**	**40**	**1**	**1**	**3**	**6**	**10**	**14**	**33**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2328	1.6	2	<1	<1	1	2	3	4	6
20-34	902	1.8	3	<1	<1	1	2	3	4	8
35-49	338	2.0	2	<1	<1	1	3	4	4	9
50-64	96	2.4	5	<1	1	2	3	4	8	11
65+	58	2.6	4	<1	1	2	3	6	7	9
B. *Operated*										
0-19 YRS	5	3.8	1	2	2	4	4	5	5	5
20-34	3	8.7	65	4	4	4	15	18	18	18
35-49	3	7.0	37	3	3	4	11	14	14	14
50-64	1	12.0		12	12	12	12	12	12	12
65+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3392	3.4	35	<1	1	2	3	6	10	31
20-34	4189	3.5	26	<1	1	2	4	7	11	25
35-49	2250	4.2	30	<1	1	2	5	9	14	30
50-64	1060	5.2	36	1	1	3	6	11	16	32
65+	1423	6.1	30	1	2	5	8	12	16	26
B. *Operated*										
0-19 YRS	26	6.8	53	1	1	4	10	14	19	35
20-34	124	9.7	145	1	1	6	11	25	43	77
35-49	87	9.6	60	2	3	8	13	18	23	84
50-64	93	12.3	141	1	3	8	15	29	38	85
65+	142	11.9	90	2	3	10	16	22	27	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3722	1.7	2	<1	<1	1	2	3	4	8
B. *Operated*	14	5.8	26	1	2	4	5	14	17	18
2. MULTIPLE DX										
A. *Not Operated*	12314	4.0	31	<1	1	2	4	9	13	28
B. *Operated*	472	10.7	108	1	2	8	14	24	33	68
1. SINGLE DX	3736	1.8	3	<1	<1	1	2	3	4	8
2. MULTIPLE DX	12786	4.3	36	<1	1	2	5	9	14	30
A. NOT OPERATED	16036	3.5	25	<1	1	2	4	7	11	25
B. OPERATED	486	10.5	107	1	2	7	14	23	33	68
TOTAL 0-19 YRS	5751	2.7	23	<1	1	2	3	5	7	25
20-34	5218	3.3	26	<1	1	2	4	6	11	25
35-49	2678	4.1	29	<1	1	2	4	9	14	29
50-64	1250	5.5	45	1	1	3	6	12	19	36
65+	1625	6.5	37	1	2	5	8	13	17	29
GRAND TOTAL	**16522**	**3.7**	**29**	**<1**	**1**	**2**	**4**	**8**	**12**	**27**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1029	1.7	2	<1	<1	1	2	3	5	7
20-34	395	1.6	2	<1	1	1	2	3	4	6
35-49	228	1.7	2	<1	<1	1	2	3	4	8
50-64	119	1.7	2	<1	1	1	2	3	4	9
65+	53	1.7	1	<1	<1	1	2	4	4	6
B. *Operated*										
0-19 YRS	9	2.7	6	<1	<1	2	3	7	8	8
20-34	6	2.7	4	1	1	2	4	6	6	6
35-49	2	4.5	25	1	1	4	8	8	8	8
50-64	2	5.0	18	2	2	5	8	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	658	2.8	11	<1	1	2	3	6	8	14
20-34	586	3.0	34	<1	1	2	3	5	8	21
35-49	410	3.4	21	<1	1	2	4	7	11	27
50-64	299	3.3	12	1	1	2	4	6	10	20
65+	271	4.0	21	1	1	2	5	9	13	25
B. *Operated*										
0-19 YRS	24	9.5	174	<1	1	6	9	19	45	58
20-34	49	8.3	174	1	1	4	9	17	34	68
35-49	24	10.3	119	1	2	7	12	25	39	45
50-64	22	10.7	119	1	2	7	15	20	33	51
65+	20	14.9	299	2	2	9	20	36	55	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1824	1.7	2	<1	<1	1	2	3	5	7
B. *Operated*	19	3.1	7	<1	1	2	5	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	2224	3.2	20	<1	1	2	4	6	9	21
B. *Operated*	139	10.2	173	1	1	6	11	22	39	69
1. SINGLE DX	1843	1.7	2	<1	<1	1	2	3	5	7
2. MULTIPLE DX	2363	3.6	32	<1	1	2	4	7	11	25
A. NOT OPERATED	4048	2.5	13	<1	1	1	3	5	7	18
B. OPERATED	158	9.3	158	1	1	5	10	20	37	67
TOTAL 0-19 YRS	1720	2.2	9	<1	1	1	2	5	6	12
20-34	1036	2.7	30	<1	1	1	3	5	7	21
35-49	664	3.0	20	<1	1	2	3	6	10	26
50-64	442	3.2	18	1	1	2	4	6	10	21
65+	344	4.3	41	1	1	2	5	9	16	29
GRAND TOTAL	**4206**	**2.7**	**20**	**<1**	**1**	**1**	**3**	**5**	**8**	**21**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	483	2.1	3	<1	1	1	2	4	5	10
20-34	310	2.2	4	<1	1	2	3	4	6	12
35-49	221	2.5	6	1	1	2	3	5	6	15
50-64	146	2.6	9	<1	1	2	3	5	7	15
65+	105	2.8	5	1	1	2	3	6	8	11
B. *Operated*										
0-19 YRS	14	3.1	10	<1	<1	2	2	8	11	12
20-34	12	5.8	46	1	1	3	7	17	22	23
35-49	21	6.9	35	1	1	5	9	16	20	23
50-64	10	7.9	122	1	1	4	7	25	38	38
65+	5	5.4	19	1	1	6	8	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	692	3.4	15	1	1	2	4	7	9	22
20-34	626	3.3	8	1	1	2	4	7	9	14
35-49	622	3.7	21	1	1	3	5	7	9	17
50-64	803	4.7	21	1	1	3	6	9	12	25
65+	1672	5.7	20	1	2	5	7	11	14	23
B. *Operated*										
0-19 YRS	45	7.3	162	1	1	2	8	32	73	99+
20-34	102	5.9	85	1	1	2	8	16	22	48
35-49	101	9.5	195	1	1	5	11	24	44	69
50-64	123	10.6	147	1	1	6	13	27	35	59
65+	219	10.6	132	1	1	7	14	24	32	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1265	2.3	5	<1	1	2	3	4	6	12
B. *Operated*	62	5.9	44	1	1	4	7	14	19	36
2. MULTIPLE DX										
A. *Not Operated*	4415	4.5	19	1	1	3	6	9	12	22
B. *Operated*	590	9.3	142	1	1	5	12	23	35	72
1. SINGLE DX	1327	2.5	7	<1	1	2	3	5	7	14
2. MULTIPLE DX	5005	5.1	36	1	1	3	6	10	15	30
A. NOT OPERATED	5680	4.0	17	1	1	3	5	8	11	20
B. OPERATED	652	9.0	134	1	1	5	12	23	35	68
TOTAL 0-19 YRS	1234	3.0	16	1	1	2	3	6	8	23
20-34	1050	3.3	16	<1	1	2	4	7	9	19
35-49	965	4.1	40	1	1	2	5	8	11	29
50-64	1082	5.1	39	1	1	3	6	10	16	33
65+	2001	6.1	34	1	1	5	7	12	16	28
GRAND TOTAL	**6332**	**4.6**	**31**	**1**	**1**	**3**	**6**	**9**	**13**	**27**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	2.7	6	<1	1	2	3	5	8	13
20-34	52	3.5	7	1	1	3	5	7	9	13
35-49	47	4.1	8	1	1	4	6	7	10	15
50-64	71	5.5	65	1	1	4	6	10	13	55
65+	103	5.3	26	1	1	3	7	12	15	25
B. *Operated*										
0-19 YRS	344	4.0	11	1	1	3	5	8	11	17
20-34	465	4.5	23	1	1	3	6	10	13	20
35-49	465	5.9	30	1	1	4	9	13	16	25
50-64	715	7.7	51	1	1	6	11	16	20	33
65+	1116	7.1	38	1	1	5	11	15	18	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	249	5.0	28	1	1	3	7	11	14	27
20-34	265	6.1	41	1	1	4	8	12	14	42
35-49	261	5.7	25	<1	1	4	8	12	17	23
50-64	347	6.2	32	1	1	5	8	13	17	27
65+	824	6.8	42	1	1	5	9	13	18	29
B. *Operated*										
0-19 YRS	1076	7.6	75	1	2	5	9	19	26	47
20-34	1090	8.2	96	1	2	5	10	18	28	51
35-49	1546	8.2	77	1	2	5	11	18	24	51
50-64	2897	9.7	108	1	2	7	12	20	29	55
65+	5138	10.4	104	1	2	8	14	21	29	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	334	4.4	26	1	1	3	5	9	13	24
B. *Operated*	3105	6.3	36	1	1	4	9	14	17	28
2. MULTIPLE DX										
A. *Not Operated*	1946	6.2	36	1	1	5	8	13	17	28
B. *Operated*	11747	9.5	99	1	2	7	12	20	28	53
1. SINGLE DX	3439	6.2	35	1	1	4	9	13	17	27
2. MULTIPLE DX	13693	9.0	91	1	2	6	12	19	27	51
A. NOT OPERATED	2280	6.0	35	1	1	4	8	12	16	28
B. OPERATED	14852	8.8	87	1	2	6	12	19	26	50
TOTAL 0-19 YRS	1730	6.3	56	1	1	4	7	14	21	41
20-34	1872	6.9	70	1	1	4	9	14	22	46
35-49	2319	7.4	62	1	1	5	10	16	21	45
50-64	4030	8.9	92	1	2	6	11	18	25	52
65+	7181	9.4	88	1	2	7	12	19	26	49
GRAND TOTAL	**17132**	**8.4**	**81**	**1**	**1**	**6**	**11**	**18**	**25**	**48**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	236	1.4	1	<1	<1	1	2	2	3	4
20-34	253	2.0	2	<1	1	2	3	4	5	6
35-49	159	2.6	3	1	1	2	4	4	5	10
50-64	144	3.0	6	1	1	2	4	6	7	25
65+	225	3.2	4	1	1	3	4	5	6	14
B. *Operated*										
0-19 YRS	250	1.7	2	<1	1	1	2	3	4	7
20-34	265	2.2	3	<1	1	2	3	4	5	10
35-49	164	2.9	8	1	1	2	4	6	9	14
50-64	116	3.4	7	1	1	3	5	6	9	16
65+	107	4.0	8	1	1	3	6	8	11	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	2.1	3	1	1	2	3	4	6	10
20-34	161	2.9	5	1	1	2	4	6	7	12
35-49	135	3.6	9	1	1	3	4	6	11	15
50-64	229	3.8	8	1	1	3	5	7	9	14
65+	572	4.2	10	1	1	3	5	8	10	16
B. *Operated*										
0-19 YRS	128	1.7	2	1	1	1	2	3	4	8
20-34	289	3.2	19	1	1	2	4	6	10	27
35-49	263	4.0	21	1	1	2	5	9	14	24
50-64	324	5.5	57	1	1	3	7	11	16	41
65+	599	4.5	32	1	1	3	6	10	14	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1017	2.4	3	<1	1	2	3	5	5	9
B. *Operated*	902	2.6	6	<1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	1168	3.7	9	1	1	3	5	7	10	15
B. *Operated*	1603	4.2	31	1	1	2	5	9	14	27
1. SINGLE DX	1919	2.5	4	<1	1	2	3	5	6	11
2. MULTIPLE DX	2771	4.0	22	1	1	3	5	8	12	22
A. NOT OPERATED	2185	3.1	7	1	1	2	4	6	8	13
B. OPERATED	2505	3.6	23	1	1	2	4	8	11	22
TOTAL 0-19 YRS	685	1.6	2	<1	1	1	2	3	4	7
20-34	968	2.6	8	<1	1	2	3	5	7	14
35-49	721	3.4	12	1	1	2	4	7	11	18
50-64	813	4.3	28	1	1	3	5	8	12	24
65+	1503	4.2	18	1	1	3	5	8	11	20
GRAND TOTAL	**4690**	**3.4**	**15**	**1**	**1**	**2**	**4**	**7**	**10**	**19**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	80	4.9	11	1	2	4	6	10	11	17
20-34	210	5.1	19	2	2	4	6	9	11	25
35-49	167	5.6	14	2	2	5	7	10	12	22
50-64	133	6.7	64	2	2	5	8	10	15	34
65+	87	6.5	17	2	2	5	9	13	15	21
B. *Operated*										
0-19 YRS	68	7.6	49	2	2	6	9	15	20	43
20-34	127	6.1	22	1	1	5	8	11	16	23
35-49	118	6.5	21	1	2	6	9	13	14	24
50-64	96	9.3	66	2	2	7	11	20	26	43
65+	88	9.2	41	2	2	8	13	18	22	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	119	5.4	12	2	2	4	6	11	13	18
20-34	259	6.2	17	2	2	5	8	12	15	22
35-49	284	7.0	28	2	3	6	8	12	15	34
50-64	353	7.9	27	2	3	7	10	15	18	22
65+	491	9.1	50	3	3	7	11	16	22	35
B. *Operated*										
0-19 YRS	116	10.0	65	2	3	8	13	20	22	42
20-34	272	11.0	92	2	3	8	14	26	33	88
35-49	289	12.6	114	3	3	9	17	27	35	52
50-64	473	15.3	199	2	3	11	19	33	47	74
65+	499	15.9	182	3	4	12	21	33	48	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	677	5.7	25	2	2	4	7	10	13	22
B. *Operated*	497	7.6	39	1	2	6	10	15	19	30
2. MULTIPLE DX										
A. *Not Operated*	1506	7.6	33	2	3	6	10	14	18	29
B. *Operated*	1649	13.9	156	2	3	10	18	29	40	68
1. SINGLE DX	1174	6.5	32	2	2	5	8	13	16	26
2. MULTIPLE DX	3155	10.9	107	2	3	8	13	22	31	59
A. NOT OPERATED	2183	7.0	32	2	2	6	9	13	17	27
B. OPERATED	2146	12.5	136	2	3	9	16	26	36	65
TOTAL 0-19 YRS	383	7.1	39	2	2	5	9	14	19	31
20-34	868	7.4	48	2	2	5	9	15	22	43
35-49	858	8.5	62	2	3	6	10	18	24	43
50-64	1055	11.2	126	2	3	8	13	22	33	64
65+	1165	11.8	116	2	3	9	14	24	32	65
GRAND TOTAL	**4329**	**9.7**	**91**	**2**	**3**	**7**	**12**	**20**	**27**	**54**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81	2.6	8	1	1	1	3	6	8	16
20-34	184	3.2	8	1	1	2	4	7	9	15
35-49	150	4.5	17	1	1	3	6	9	13	19
50-64	120	4.4	13	1	1	3	6	9	12	16
65+	102	5.3	23	1	1	4	7	10	14	25
B. *Operated*										
0-19 YRS	98	3.9	21	1	1	2	5	9	12	27
20-34	190	4.9	17	1	1	4	6	11	13	19
35-49	190	5.4	23	1	1	4	7	10	12	27
50-64	177	6.2	37	1	1	4	8	14	19	29
65+	167	5.8	22	1	1	5	8	12	16	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	207	2.8	10	1	1	2	3	6	8	17
20-34	419	3.7	14	1	1	2	5	8	11	18
35-49	408	4.9	20	1	1	4	7	11	13	23
50-64	519	5.9	31	1	1	4	8	12	15	27
65+	835	5.9	38	1	1	4	8	11	15	33
B. *Operated*										
0-19 YRS	335	3.7	39	1	1	1	4	8	14	31
20-34	745	4.8	51	1	1	2	6	11	16	36
35-49	906	7.2	93	1	1	4	9	16	24	46
50-64	1023	8.6	106	1	1	5	11	20	31	59
65+	1691	8.8	108	1	1	6	12	20	29	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	637	4.0	14	1	1	3	5	9	11	18
B. *Operated*	822	5.4	25	1	1	4	7	11	15	26
2. MULTIPLE DX										
A. *Not Operated*	2388	5.1	28	1	1	4	7	11	14	27
B. *Operated*	4700	7.4	94	1	1	4	10	18	26	49
1. SINGLE DX	1459	4.8	20	1	1	3	6	10	13	23
2. MULTIPLE DX	7088	6.7	73	1	1	4	9	15	22	44
A. NOT OPERATED	3025	4.9	25	1	1	3	6	10	13	25
B. OPERATED	5522	7.1	84	1	1	4	9	17	24	46
TOTAL 0-19 YRS	721	3.3	25	1	1	1	4	7	11	26
20-34	1538	4.3	32	1	1	2	5	10	14	29
35-49	1654	6.2	61	1	1	4	8	13	20	37
50-64	1839	7.3	74	1	1	5	9	16	24	47
65+	2795	7.7	81	1	1	5	10	17	24	46
GRAND TOTAL	**8547**	**6.3**	**64**	**1**	**1**	**4**	**8**	**14**	**21**	**41**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	2.3	9	<1	1	2	3	4	5	20
20-34	18	3.6	6	1	1	2	5	8	9	9
35-49	10	3.8	3	1	1	4	5	6	6	6
50-64	5	3.2	9	1	1	1	6	7	7	7
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	6.0		6	6	6	6	6	6	6
50-64	1	28.0		28	28	28	28	28	28	28
65+	2	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	2.7	6	<1	1	2	3	5	7	15
20-34	38	4.6	22	1	1	3	6	9	12	26
35-49	35	4.3	8	1	2	4	6	8	10	12
50-64	56	3.8	7	1	1	3	5	7	9	12
65+	100	4.1	15	1	1	3	6	9	10	21
B. *Operated*										
0-19 YRS	3	13.0	163	2	2	10	23	27	27	27
20-34	14	7.0	26	2	2	6	10	14	19	20
35-49	15	10.1	134	1	1	4	20	25	34	37
50-64	22	9.2	121	1	1	6	12	20	35	50
65+	33	7.1	29	1	2	5	9	16	19	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	2.8	7	1	1	2	3	6	7	17
B. *Operated*	6	8.3	96	3	3	5	7	26	28	28
2. MULTIPLE DX										
A. *Not Operated*	296	3.8	12	1	1	3	5	8	10	15
B. *Operated*	87	8.3	73	1	2	5	11	20	25	45
1. SINGLE DX	84	3.2	15	1	1	2	4	6	8	25
2. MULTIPLE DX	383	4.8	29	1	1	3	6	10	13	27
A. NOT OPERATED	374	3.6	11	1	1	3	5	7	9	16
B. OPERATED	93	8.3	73	1	2	5	10	20	25	44
TOTAL 0-19 YRS	115	2.9	13	1	1	2	3	5	8	22
20-34	71	4.8	19	1	1	3	7	10	12	25
35-49	61	5.7	43	1	1	4	6	10	24	36
50-64	84	5.4	48	1	1	4	6	12	15	42
65+	136	4.8	20	1	1	3	7	10	13	22
GRAND TOTAL	**467**	**4.6**	**27**	**1**	**1**	**3**	**6**	**9**	**12**	**27**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	1.3	1	<1	<1	1	1	3	3	3
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	8	1.9		1	1	2	2	3	3	3
20-34	1054	1.6	1	<1	<1	1	2	3	4	5
35-49	432	1.5	1	<1	<1	1	2	3	3	4
50-64										
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	29	1.0		<1	<1	1	1	1	1	1
35-49	10	1.1		<1	<1	1	1	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	9	2.7	3	1	1	2	4	5	5	5
20-34	1224	2.1	2	<1	1	2	3	4	5	7
35-49	554	2.1	2	<1	1	2	3	4	5	7
50-64	5	2.2	1	1	1	2	3	4	4	4
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.7	2	<1	<1	1	3	4	4	4
B. *Operated*	1495	1.6	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	39	1.0		<1	<1	1	1	1	1	2
B. *Operated*	1792	2.1	2	<1	1	2	3	4	5	7
1. SINGLE DX	1502	1.6	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX	1831	2.1	2	<1	<1	2	3	4	5	7
A. NOT OPERATED	46	1.1		<1	<1	1	1	1	2	4
B. OPERATED	3287	1.9	2	<1	<1	1	2	4	4	7
TOTAL 0-19 YRS	17	2.3	2	1	1	2	3	5	5	5
20-34	2313	1.9	2	<1	<1	1	2	4	4	7
35-49	997	1.8	2	<1	<1	1	2	4	5	7
50-64	5	2.2	1	1	1	2	3	4	4	4
65+	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**3333**	**1.9**	**2**	**<1**	**<1**	**1**	**2**	**4**	**4**	**7**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	1726	3.0	2	1	2	3	4	5	6	8
2500+	133640	2.8	1	1	2	3	3	4	5	6
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	1	5.0		5	5	5	5	5	5	5
2500+	51	3.6	8	2	2	3	4	5	7	21
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	46	66.1	314	33	49	71	89	99+	99+	99+
1000-1499	336	40.9	245	19	22	39	51	64	71	96
1500-1749	462	25.0	86	12	15	24	30	37	41	52
1750-2499	7156	7.2	38	2	2	5	9	16	20	29
2500+	89400	3.6	4	2	2	3	4	5	6	10
B. *Operated*										
1-999 G	109	76.8	199	58	62	88	99+	99+	99+	99+
1000-1499	342	54.2	319	24	34	54	68	82	91	99+
1500-1749	174	33.5	163	16	21	32	39	53	62	99+
1750-2499	582	19.0	212	3	5	16	24	34	48	87
2500+	1758	7.6	68	2	2	5	9	15	20	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	135366	2.8	1	1	2	3	3	4	5	6
B. *Operated*	52	3.6	8	2	2	3	4	5	7	21
2. MULTIPLE DX										
A. *Not Operated*	97400	4.1	17	2	2	3	5	6	8	22
B. *Operated*	2965	19.3	490	2	3	10	28	62	82	99+
1. SINGLE DX	135418	2.8	1	1	2	3	3	4	5	6
2. MULTIPLE DX	100365	4.6	38	2	2	3	5	6	10	35
A. NOT OPERATED	232766	3.4	8	1	2	3	4	5	6	13
B. OPERATED	3017	19.0	486	2	3	9	27	62	82	99+
TOTAL 1-999 G	155	73.6	255	51	58	84	99+	99+	99+	99+
1000-1499	678	47.6	326	20	26	46	59	74	85	99+
1500-1749	636	27.3	121	13	15	26	33	41	49	76
1750-2499	9465	7.2	54	2	2	5	9	16	21	34
2500+	224849	3.2	3	1	2	3	4	5	6	9
GRAND TOTAL	**235783**	**3.6**	**18**	**1**	**2**	**3**	**4**	**5**	**6**	**18**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749	2	12.5	41	8	8	12	17	17	17	17
1750-2499	265	4.6	4	2	3	4	5	7	7	12
2500+	1222	4.3	2	2	3	4	5	6	7	8
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	1	10.0		10	10	10	10	10	10	10
2500+	2	43.0	3042	4	4	43	82	82	82	82
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	11	64.8	304	28	41	68	79	84	87	87
1000-1499	88	37.6	161	21	25	37	47	56	65	90
1500-1749	132	27.0	140	12	15	25	33	42	48	70
1750-2499	1244	9.7	50	3	4	7	13	20	24	35
2500+	1278	5.2	8	3	3	5	6	7	9	16
B. *Operated*										
1-999 G	31	69.6	379	33	44	84	99+	99+	99+	99+
1000-1499	75	54.4	226	30	34	57	65	82	99+	99+
1500-1749	48	35.0	132	25	26	31	39	51	62	75
1750-2499	110	21.0	158	5	7	18	27	34	53	60
2500+	39	10.2	88	1	2	8	13	19	40	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1489	4.3	2	2	3	4	5	6	7	8
B. *Operated*	3	32.0	1884	4	4	10	64	82	82	82
2. MULTIPLE DX										
A. *Not Operated*	2753	9.5	100	3	3	6	10	21	30	50
B. *Operated*	303	35.1	549	5	8	31	57	82	99+	99+
1. SINGLE DX	1492	4.4	7	2	3	4	5	6	7	8
2. MULTIPLE DX	3056	12.1	202	3	3	6	14	30	47	85
A. NOT OPERATED	4242	7.7	72	2	3	5	7	16	24	47
B. OPERATED	306	35.0	556	5	8	31	57	82	99+	99+
TOTAL 1-999 G	42	68.4	356	31	46	81	90	99+	99+	99+
1000-1499	163	45.3	260	24	26	47	58	68	82	99+
1500-1749	182	29.0	151	13	16	27	35	43	51	72
1750-2499	1620	9.6	62	3	3	6	13	21	25	40
2500+	2541	4.9	9	2	3	5	6	7	8	14
GRAND TOTAL	**4548**	**9.6**	**151**	**3**	**3**	**5**	**8**	**23**	**36**	**75**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	23	2.9	1	1	2	3	3	4	5	6
2500+	324	2.3	1	1	1	2	3	3	4	7
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	5	30.0	233	7	7	37	41	43	43	43
1500-1749	7	23.9	60	14	15	22	31	33	34	34
1750-2499	62	8.1	37	2	2	7	12	16	20	26
2500+	221	3.7	7	1	2	3	4	6	8	15
B. *Operated*										
1-999 G	3	94.7	10	91	91	97	99+	99+	99+	99+
1000-1499	4	67.0	1028	22	22	74	86	98	98	98
1500-1749	2	27.5	421	13	13	27	42	42	42	42
1750-2499	2	26.5	13	24	24	26	29	29	29	29
2500+	15	7.2	35	2	2	5	11	18	19	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	347	2.4	1	1	1	2	3	3	4	7
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	295	5.5	39	1	2	3	6	13	18	36
B. *Operated*	26	29.5	1195	2	2	16	74	98	99+	99+
1. SINGLE DX	348	2.4	1	1	1	2	3	3	4	7
2. MULTIPLE DX	321	7.5	173	2	2	3	7	16	28	97
A. NOT OPERATED	642	3.8	21	1	1	3	3	7	12	27
B. OPERATED	27	28.5	1177	2	2	13	74	98	99+	99+
TOTAL 1-999 G	3	94.7	10	91	91	97	99+	99+	99+	99+
1000-1499	9	46.4	882	7	13	41	74	88	98	98
1500-1749	9	24.7	100	13	13	22	32	39	42	42
1750-2499	87	7.2	41	2	2	4	11	16	21	28
2500+	561	3.0	5	1	1	3	3	5	7	13
GRAND TOTAL	**669**	**4.8**	**90**	**1**	**1**	**3**	**4**	**9**	**16**	**74**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	3.2	22	<1	<1	1	2	10	16	18
20-34	5	1.8	1	1	1	1	3	3	3	3
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	5	2.6	1	1	1	3	3	4	4	4
65+	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*										
0-19 YRS	610	2.1	2	<1	<1	2	3	4	5	7
20-34	743	2.1	3	<1	1	2	3	4	5	9
35-49	345	2.4	3	<1	1	2	3	4	5	9
50-64	268	2.5	4	1	1	2	3	5	6	11
65+	150	3.5	18	1	1	3	4	6	8	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	8.4	628	<1	<1	1	1	28	79	88
20-34	9	1.4		<1	<1	1	2	2	2	2
35-49	6	1.7	1	<1	<1	1	3	3	3	3
50-64	10	2.2	4	<1	<1	1	3	5	7	7
65+	14	5.4	45	<1	1	3	4	19	20	20
B. *Operated*										
0-19 YRS	289	3.3	23	<1	1	2	3	6	9	18
20-34	218	3.4	12	1	1	2	4	7	11	18
35-49	163	4.0	22	1	1	3	5	7	10	29
50-64	175	4.1	15	1	1	3	5	8	11	24
65+	174	4.7	16	1	2	3	5	9	14	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	2.8	12	<1	1	2	3	5	10	18
B. *Operated*	2116	2.3	4	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	51	4.4	158	<1	<1	1	3	5	19	87
B. *Operated*	1019	3.8	18	1	1	3	4	7	11	23
1. SINGLE DX	2145	2.3	4	<1	1	2	3	4	5	10
2. MULTIPLE DX	1070	3.8	24	1	1	3	4	7	11	24
A. NOT OPERATED	80	3.8	105	<1	<1	1	3	5	15	68
B. OPERATED	3135	2.8	9	<1	1	2	3	5	7	14
TOTAL 0-19 YRS	926	2.6	17	<1	1	2	3	4	6	13
20-34	975	2.4	5	<1	1	2	3	4	5	12
35-49	516	2.9	10	<1	1	2	3	5	7	17
50-64	458	3.1	8	1	1	2	4	6	8	13
65+	340	4.2	18	1	1	3	5	8	12	21
GRAND TOTAL	**3215**	**2.8**	**11**	**<1**	**1**	**2**	**3**	**5**	**7**	**14**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	5.0	18	2	2	5	8	8	8	8
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	1.2		<1	1	1	1	2	2	3
20-34	33	2.4	2	1	1	2	3	5	6	8
35-49	87	2.4	7	1	1	2	2	3	5	18
50-64	211	1.6	1	1	1	1	2	2	3	6
65+	186	1.6	1	1	1	1	2	2	2	7
B. *Operated*										
0-19 YRS	4	5.0	14	1	1	4	7	10	10	10
20-34	67	2.7	8	<1	<1	1	3	6	8	14
35-49	81	3.0	8	<1	<1	2	4	6	10	13
50-64	66	4.7	21	<1	1	4	5	8	17	24
65+	78	3.4	14	<1	<1	3	4	7	10	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	1.0		1	1	1	1	1	1	1
B. *Operated*	4	3.3	10	<1	<1	2	5	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	542	1.8	2	1	1	2	2	2	3	7
B. *Operated*	296	3.5	13	<1	<1	2	4	7	10	21
1. SINGLE DX	23	1.4	2	<1	1	1	1	2	4	8
2. MULTIPLE DX	838	2.4	7	<1	1	2	2	5	7	14
A. NOT OPERATED	561	1.7	2	1	1	1	2	2	3	7
B. OPERATED	300	3.5	13	<1	<1	2	4	7	10	20
TOTAL 0-19 YRS	42	1.5	3	1	1	1	1	3	4	10
20-34	102	2.5	6	<1	<1	2	3	5	7	14
35-49	174	2.7	7	<1	<1	2	3	5	7	13
50-64	279	2.3	7	1	1	2	2	4	6	19
65+	264	2.1	6	<1	1	1	2	4	6	14
GRAND TOTAL	**861**	**2.3**	**6**	**<1**	**1**	**2**	**2**	**5**	**6**	**14**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	864	2.2	17	<1	<1	1	2	4	5	16
20-34	1274	2.2	21	<1	<1	1	2	4	6	17
35-49	466	2.1	16	<1	1	1	2	4	6	16
50-64	385	2.1	8	<1	1	1	2	4	5	15
65+	354	6.1	76	<1	1	2	8	18	27	99+
B. *Operated*										
0-19 YRS	342	3.1	10	<1	<1	2	4	7	9	13
20-34	1052	3.3	18	<1	<1	2	4	7	9	14
35-49	626	3.7	10	1	1	2	5	9	10	14
50-64	398	4.5	24	1	1	3	7	10	12	26
65+	265	6.0	24	1	1	5	9	12	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3403	3.9	48	1	1	2	4	7	10	40
20-34	2899	4.4	55	1	1	2	4	7	16	44
35-49	4943	3.9	39	1	1	2	5	6	10	33
50-64	13279	3.9	36	1	1	2	4	6	10	35
65+	14231	6.2	80	1	1	3	6	16	25	45
B. *Operated*										
0-19 YRS	1414	3.4	42	<1	1	1	3	8	12	33
20-34	1664	4.7	59	<1	1	3	5	9	14	45
35-49	1959	5.5	46	1	1	4	6	11	15	40
50-64	3091	6.2	61	1	1	4	8	12	19	45
65+	3391	8.2	109	1	1	5	10	18	30	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3343	2.6	25	<1	<1	1	2	5	8	29
B. *Operated*	2683	3.8	17	<1	<1	2	5	9	10	16
2. MULTIPLE DX										
A. *Not Operated*	38755	4.8	56	1	1	3	5	9	19	42
B. *Operated*	11519	6.1	72	1	1	3	7	13	20	50
1. SINGLE DX	6026	3.1	22	<1	<1	2	3	7	10	21
2. MULTIPLE DX	50274	5.1	60	1	1	3	5	10	19	44
A. NOT OPERATED	42098	4.6	54	1	1	2	5	8	18	42
B. OPERATED	14202	5.7	63	1	1	3	7	12	18	46
TOTAL 0-19 YRS	6023	3.5	40	<1	1	2	4	6	10	36
20-34	6889	3.9	45	<1	<1	2	4	7	11	35
35-49	7994	4.2	38	1	1	2	5	8	12	35
50-64	17153	4.3	40	1	1	2	5	8	12	36
65+	18241	6.6	85	1	1	3	6	17	26	48
GRAND TOTAL	**56300**	**4.9**	**56**	**1**	**1**	**3**	**5**	**10**	**18**	**43**

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 2, Diseases: Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease — *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis — *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs – *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital – *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number **Title**

73 Diabetes mellitus, uncontrolled
72 Diabetic acidosis
73 Diabetic cataract
72 Diabetic coma
73 Diabetic gangrene
73 Diabetic nephropathy
73 Diabetic neuropathy
73 Diabetic retinopathy
73 Diabetic ulcer
397 Dialysis, peritoneal
397 Dialysis, renal
204 Diaphragmatic hernia
208 Diarrhea, except infectious and functional
211 Diarrhea, functional
1 Diarrhea, infectious
6 Diphtheria
Disease
  199 Appendix, except acute appendicitis
  151 Arteriosclerotic cardiovascular
  168 Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
  13 Arthropod-borne
  79 Autoimmune
  6 Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
  218 Biliary ducts
  234 Bladder, except calculus and cystitis
  313 Bone, except osteomyelitis and osteoarthritis
  242 Breast, except fibrocystic
  241 Breast, fibrocystic
  221 Celiac
  Central nervous system
    7 Enteroviral
    113 Inflammatory, except enteroviral
    117 Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
  Cerebrovascular – *see Cerebrovascular accident*
  136 Chronic rheumatic heart
  296 Connective tissue, diffuse
  143 Coronary artery
  211 Crohn's
  75 Cushing's
  187 Dental
  209 Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer – *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer – *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve — *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes — *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease – *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma – *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain – *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
13	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever

R 3850-1.4U
11/86

LOS

LENGTH OF STAY

CPHA PUBLICATIONS

Length of Stay by Operation, North Central Region, 1985

A Companion Volume To Length of Stay by Diagnosis, North Central Region, 1985

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1986

LENGTH OF STAY

Copyright 1986 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1985
. . . by Diagnosis, United States, North Central Region, 1985
. . . by Diagnosis, United States, Northeastern Region, 1985
. . . by Diagnosis, United States, Southern Region, 1985
. . . by Diagnosis, United States, Western Region, 1985
. . . by Diagnosis, Canada, 1985

. . . by Operation, United States, 1985
. . . by Operation, United States, North Central Region, 1985
. . . by Operation, United States, Northeastern Region, 1985
. . . by Operation, United States, Southern Region, 1985
. . . by Operation, United States, Western Region, 1985
. . . by Operation, Canada, 1985

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1985
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1985

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1985 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1985 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1985 LENGTH OF STAY BOOKS

Peg Eby, Research Assistant, Research Services
Carol A. Prevost, Research Associate
Jeanine DeLay, Assistant Director
Edward J. Kobrinski, Director

CONTENTS

Preface iii
Discussion of the Data 1
    Source of the Data. 1
    Data Quality. 2
    Coverage 3
    Organization of Length of Stay Tables. 5
        Definition of Multiple Diagnosis Patients 5
        Definition of Operated Patients 6
    Explanation of Statistics. 6
    Defining the Extended Stay Case 7
Length of Stay Tables 15
    Summary of All Patients. 16
    Operation Groups 501-764 17
Appendix: *ICD-9-CM* Codes for Selected Operation Groups 83
Index to Length of Stay Tables 87

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.


Northeast
North Central
West
Pacific **
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S.

January-December 1985

	Short-Term Nonfederal Hospitals			Short-Term Nonfederal Hospital Beds		
	U.S. Total[2]	Number in Books	Percent in Books	U.S. Total[2]	Number in Books	Percent in Books
Hospital Category						
Bedsize						
6-24	332	44	13.3	6,138	880	14.3
25-49	1,161	226	19.5	42,908	8,735	20.3
50-99	1,283	383	29.9	92,066	27,587	30.0
100-199	1,221	393	32.2	172,860	56,242	32.5
200-299	703	232	33.0	170,564	57,368	33.6
300-399	415	142	34.2	141,454	48,545	34.3
400-499	265	90	34.0	117,253	39,787	33.9
500+	307	73	23.8	212,299	47,783	22.5
Total	5,687	1,583	27.8	955,542	286,927	30.0
Region and Census Division						
Northeast	814	342	42.0	205,568	67,158	32.7
New England	241	131	54.4	48,426	20,234	41.8
Middle Atlantic	573	211	36.8	157,142	46,924	29.9
North Central	1,673	515	30.8	267,603	105,699	39.5
East North Central	880	418	47.5	182,843	90,510	49.5
West North Central	793	97	12.2	84,760	15,189	17.9
South	2,139	366	17.1	338,647	61,836	18.3
South Atlantic	810	186	23.0	158,360	34,351	21.7
East South Central	496	89	17.9	71,653	13,196	18.4
West South Central	833	91	10.9	108,634	14,289	13.2
West	1,061	360	33.9	143,724	52,234	36.3
Mountain	370	153	41.4	40,264	19,940	49.5
Pacific	691	207	30.0	103,460	32,294	31.2
Total	5,687	1,583	27.8	955,542	286,927	30.0

The Pediatric book was compiled from the data of 1,569 hospitals. The Geriatric book was compiled from the data of 1,559 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1984 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Procedure information for all patient data included in this book was coded using *ICD-9-CM.*

In *List B* there are 250 groups that contain at least one UHDDS Class 1 procedure. Fourteen of the 264 *List B* groups consist solely of Class 2, 3, or 4 procedures. This book displays data only for those 250 groups with Class 1 procedures.

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] *ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

Operated patients are patients with an *ICD-9-CM* procedure code that fell into a UHDDS category containing at least one Class 1 procedure. Class 1 procedures are defined as those procedures that carry an operative or anesthetic risk, require highly trained personnel, or require special facilities or equipment. The following *ICD-9-CM List B* codes contain a mixture of Class 1 and 2-4 procedures: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764. All the other *ICD-9-CM List B* groups contain only Class 1 procedures or they contain only Class 2-4 procedures and are excluded from this book.

Explanation of Statistics

The *List B* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in the *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N-1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the correct day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, whether the patient had single or multiple diagnoses, and the patient's age.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and different lengths of stay) could be appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR] or other prostatectomy); primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung); and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the contemplated operation in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. Procedures can also be found in the Alphabetic Index at the back of the length of stay books.

c. If an operation is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 3 of *ICD-9-CM.*[3] That code can then be located in *List B* or in the heading of the length of stay table.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 57-year-old patient is admitted to a hospital for elective surgery, a transurethral resection. The admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 3, Procedures: Tabular List and Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in *Concurrent Review Screening.* Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pregnancy, undelivered			
pre-eclampsia, during pregnancy	3		261
Criteria for admission			
1. Diastolic BP > 110			
2. Not controlled by outpatient Rx			
3.			
4.			
premature labor, threatened	1		268
premature rupture of membranes	1		268
premature separation of placenta	1		265
Pre-infarction syndrome	1		142
Prepuce, redundant or phimosis	2		239
Proctitis	4		211
Prolonged labor, excludes uterine inertia	1		280
Prostatic hyperplasia	2		235
for: Cystoscopy			636
TUR			648
Other prostatectomy			649
Prostatitis			
acute	3		236
Criteria for admission			
1. Sepsis or fever > 102°, chills			
2. Abscess formation			

b. The Alphabetic Index at the back of the operation length of stay book also shows that TUR is included in operation group 648.



OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	**Transurethral approach**
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.



Procedure **INDEX TO PROCEDURES**

- **Procedure** — *continued*
  - diagnostic NEC — *continued*
    - pleura 34.28
    - posterior chamber, eye 14.19
    - prostate 60.18
    - pulmonary 33.29
    - rectum 48.29
    - renal 55.29
    - respiratory 33.29
    - retina 14.19
    - retroperitoneum 59.29
    - salivary gland or duct 26.19
    - sclera 12.29
    - scrotum 61.19
    - seminal vesicle 60.19
    - sigmoid 45.28
    - sinus, nasal 22.19
    - skin 86.19
    - skull 01.19
    - soft tissue 83.29
    - spermatic cord 63.09
    - sphincter of Oddi 51.19
    - spine, spinal (canal) (cord) (meninges) (structure) 03.39
    - spleen 41.39
    - stomach 44.19
    - subcutaneous tissue 86.19
    - sympathetic nerve 05.19
    - tarsus 09.19
    - tendon NEC 83.29
      - extraocular 15.09
    - testicle 62.19
    - thalamus 01.18
    - thoracic duct 40.19
    - thorax 34.28
    - thymus 07.19
    - thyroid gland 06.19
    - tongue 25.09
    - tonsils 28.19
    - tooth 24.19
    - trachea 31.49
    - tunica vaginalis 61.19
    - ureter 56.39
    - urethra 58.29
    - uterus and supporting structures 68.19
    - uvula 27.29
    - vagina 70.29
    - vas deferens 63.09
    - vesical 57.39
    - vessel (blood) (any site) 38.29
    - vitreous 14.19
    - vulva 71.19
  - fistulizing, sclera NEC 12.69
  - miscellaneous (nonoperative) NEC 99.99
  - respiratory (nonoperative) NEC 93.99
  - surgical — *see* Operation
- **Proctectasis** 96.22
- **Proctectomy** (partial) *(see also* Resection, rectum) 48.69
  - abdominoperineal 48.5
- **Proctectomy** (partial) — *continued*
  - complete (Miles) (Rankin) 48.5
  - pull-through 48.49
- **Proctoclysis** 96.37
- **Proctolysis** 48.99
- **Proctopexy** (Delorme) 48.76
  - abdominal (Ripstein) 48.75
- **Proctoplasty** 48.79
- **Proctorrhaphy** 48.71
- **Proctoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctosigmoidectomy** *(see also* Resection, rectum) 48.69
- **Proctosigmoidopexy** 48.76
- **Proctosigmoidoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctostomy** 48.1
- **Proctotomy** (decompression) (linear) 48.0
- **Production** — *see also* Formation
  - atrial septal defect 35.42
  - subcutaneous tunnel for esophageal anastomosis 42.86
    - with anastomosis — *see* Anastomosis, esophagus, antesternal
- **Prognathic recession** 76.64
- **Prophylaxis, dental** (scaling) (polishing) 96.54
- **Prostatectomy** **(complete) (partial) NEC** 60.69
  - loop 60.2
  - perineal 60.62
  - radical (any approach) 60.5
  - retropubic (punch) (transcapsular) 60.4
  - suprapubic (punch) (transvesical) 60.3
  - transcapsular NEC 60.69
    - retropubic 60.4
  - **transurethral 60.2**
  - transvesical punch (suprapubic) 60.3
- **Prostatocystotomy** 60.0
- **Prostatolithotomy** 60.0
- **Prostatotomy** (perineal) 60.0
- **Prostatovesiculectomy** 60.5
- **Protection** (of)
  - individual from his surroundings 99.84
  - surroundings from individual 99.84
- **Psychoanalysis** 94.31
- **Psychodrama** 94.43
- **Psychotherapy** NEC 94.39
  - biofeedback 94.39
  - exploratory verbal 94.37
  - group 94.44
    - for psychosexual dysfunctions 94.41
  - play 94.36
  - psychosexual dysfunctions 94.34
  - supportive verbal 94.38
- **Ptyalectasis** 26.91
- **Ptyalithotomy** 26.0
- **Ptyalolithotomy** 26.0

Step 2. Find the table for group 648 in the length of stay book.



648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top five lines of the table (1. Single Dx).



648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the sixth day after admission to be the day that this patient comes up for extended stay review.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

The patient was admitted on 3 November; therefore the sixth day will fall on 9 November. Prior to or on 9 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	115306	3.2	19	<1	1	2	4	6	8	21
20-34	261841	3.3	8	1	1	3	4	6	7	14
35-49	96525	4.4	17	1	1	3	6	9	11	20
50-64	77063	5.0	22	1	1	4	7	10	13	22
65+	60234	5.9	29	1	1	4	8	12	15	24
2. MULTIPLE DX										
0-19 YRS	125182	5.6	74	1	1	3	6	11	19	54
20-34	278347	5.2	33	1	2	4	6	9	13	31
35-49	208448	6.8	46	1	2	5	8	13	18	36
50-64	280895	8.1	62	1	2	6	10	16	22	41
65+	486647	9.5	67	2	2	7	12	18	24	42
TOT. SINGLE DX	610969	3.9	16	1	1	3	5	8	11	19
" MULTIPLE DX	1379519	7.6	60	1	2	5	9	15	21	40
TOTAL 0-19 YRS	240488	4.4	49	1	1	3	5	8	13	41
20-34	540188	4.3	22	1	1	3	5	7	10	24
35-49	304973	6.0	38	1	1	5	7	12	16	32
50-64	357958	7.4	55	1	2	5	9	15	20	38
65+	546881	9.1	64	2	2	7	12	18	23	41
GRAND TOTAL	**1990488**	**6.5**	**49**	**1**	**1**	**4**	**8**	**13**	**19**	**36**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	161	8.2	27	2	2	7	11	16	19	27
20-34	172	10.8	75	3	4	9	14	19	23	29
35-49	185	11.7	69	4	5	10	14	22	26	51
50-64	216	12.8	85	4	5	10	15	23	31	54
65+	184	13.7	92	5	6	10	16	28	31	54
2. MULTIPLE DX										
0-19 YRS	280	15.9	250	2	3	11	20	37	52	95
20-34	260	20.7	342	4	6	15	26	55	77	99+
35-49	325	19.9	304	4	6	14	24	44	76	99+
50-64	692	18.7	200	5	7	15	23	41	55	99+
65+	914	20.5	188	6	7	17	25	38	51	72
TOT. SINGLE DX	918	11.6	75	3	4	10	14	21	27	47
" MULTIPLE DX	2471	19.4	232	4	6	15	24	42	57	99+
TOTAL 0-19 YRS	441	13.1	183	2	2	9	15	28	44	93
20-34	432	16.7	259	3	5	12	20	40	62	99+
35-49	510	16.9	235	4	5	13	19	38	59	99+
50-64	908	17.3	179	5	6	13	22	37	51	99+
65+	1098	19.3	179	5	7	16	25	36	47	69
GRAND TOTAL	**3389**	**17.3**	**201**	**4**	**5**	**13**	**22**	**36**	**51**	**99**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	88	6.9	28	2	3	6	8	14	17	31
20-34	48	8.7	25	3	4	8	10	16	21	99+
35-49	51	12.2	70	3	5	10	16	21	33	42
50-64	64	12.2	164	4	5	8	13	20	38	73
65+	55	14.3	107	4	5	12	18	25	31	54
2. MULTIPLE DX										
0-19 YRS	151	16.9	292	3	4	11	21	42	62	99+
20-34	135	18.4	284	4	5	13	26	54	99+	99+
35-49	107	21.2	309	5	6	17	26	47	64	98
50-64	171	21.5	237	5	7	17	29	42	57	90
65+	249	21.8	210	7	9	18	28	42	53	85
TOT. SINGLE DX	306	10.5	85	3	3	8	13	20	27	59
" MULTIPLE DX	813	20.2	259	4	6	16	27	44	62	99+
TOTAL 0-19 YRS	239	13.2	218	3	3	8	14	32	47	90
20-34	183	15.9	234	3	5	11	21	44	95	99+
35-49	158	18.3	249	4	5	13	23	37	58	95
50-64	235	18.9	234	4	5	14	24	41	55	81
65+	304	20.5	200	6	8	16	27	40	51	82
GRAND TOTAL	**1119**	**17.5**	**230**	**4**	**5**	**13**	**23**	**40**	**57**	**99+**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	221	4.7	5	2	2	4	6	8	9	12
20-34	61	5.0	7	1	2	4	7	9	12	99+
35-49	22	7.6	55	1	2	5	8	19	28	30
50-64	15	7.2	21	3	4	6	8	8	19	23
65+	6	8.3	44	2	2	6	9	20	21	21
2. MULTIPLE DX										
0-19 YRS	173	9.0	142	2	3	6	9	16	42	98
20-34	121	11.1	164	3	3	8	13	22	36	89
35-49	63	9.1	39	2	3	8	12	17	22	32
50-64	34	9.9	71	3	3	8	12	23	32	37
65+	25	15.3	174	3	6	10	21	32	43	60
TOT. SINGLE DX	325	5.1	11	2	2	4	6	8	10	27
" MULTIPLE DX	416	10.1	131	2	3	7	11	21	34	88
TOTAL 0-19 YRS	394	6.6	70	2	2	5	7	10	15	65
20-34	182	9.0	120	2	3	6	10	19	28	99+
35-49	85	8.8	44	2	3	7	11	17	24	32
50-64	49	9.1	57	3	3	8	10	20	24	37
65+	31	14.0	155	2	5	9	20	29	38	60
GRAND TOTAL	**741**	**7.9**	**84**	**2**	**3**	**5**	**9**	**14**	**24**	**81**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	115	6.0	12	2	2	5	7	9	13	21
20-34	24	8.8	21	4	4	7	11	17	17	18
35-49	14	6.1	8	3	4	5	8	9	13	14
50-64	18	9.3	41	3	4	8	12	13	24	32
65+	44	11.9	47	5	6	10	13	23	28	35
2. MULTIPLE DX										
0-19 YRS	264	15.9	335	3	3	9	19	46	74	99+
20-34	79	18.3	297	3	4	13	28	53	95	99+
35-49	41	19.6	319	4	6	14	26	70	84	99+
50-64	102	19.6	290	4	5	14	26	45	70	99+
65+	227	21.5	171	6	7	18	29	39	49	68
TOT. SINGLE DX	215	7.8	28	2	3	6	9	14	18	32
" MULTIPLE DX	713	1[illegible].7	276	3	4	14	26	45	68	99+
TOTAL 0-19 YRS	379	1[illegible].9	258	2	3	7	14	34	58	99+
20-34	103	16.1	248	3	4	11	23	37	73	99+
35-49	55	16.2	274	4	4	10	22	44	74	99+
50-64	120	18.1	266	4	5	13	24	43	64	99+
65+	271	19.9	164	6	7	17	28	36	47	64
GRAND TOTAL	**928**	**16.2**	**239**	**3**	**4**	**10**	**22**	**38**	**56**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	214	5.0	15	1	2	4	6	9	12	24
20-34	56	8.0	50	1	2	6	10	16	25	30
35-49	32	8.2	28	1	2	8	11	15	17	25
50-64	21	7.0	22	2	2	6	11	15	16	16
65+	22	10.6	29	2	3	11	15	18	19	19
2. MULTIPLE DX										
0-19 YRS	812	8.5	111	1	2	5	9	20	29	56
20-34	167	15.5	236	2	3	9	18	40	50	81
35-49	108	16.7	195	2	4	12	23	38	44	88
50-64	146	17.5	211	3	4	14	23	37	50	65
65+	149	19.9	312	2	4	15	26	41	62	96
TOT. SINGLE DX	345	6.3	27	1	2	5	8	14	16	27
" MULTIPLE DX	1382	12.2	185	2	2	7	15	30	42	76
TOTAL 0-19 YRS	1026	7.8	94	1	2	5	8	17	26	54
20-34	223	13.6	200	2	2	8	16	34	45	79
35-49	140	14.8	170	2	3	11	19	35	43	81
50-64	167	16.2	200	2	3	12	21	35	49	64
65+	171	18.7	285	2	4	14	25	40	59	95
GRAND TOTAL	**1727**	**11.0**	**159**	**2**	**2**	**6**	**13**	**27**	**38**	**71**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	18	10.0	37	3	4	8	15	21	23	23
20-34	196	8.5	23	3	4	8	10	14	18	28
35-49	494	8.1	27	3	4	7	10	14	17	26
50-64	492	8.7	27	3	4	8	10	15	17	29
65+	303	10.0	26	4	5	9	12	16	19	32
2. MULTIPLE DX										
0-19 YRS	67	15.3	202	5	6	10	19	28	51	70
20-34	249	13.9	123	4	5	10	17	31	40	61
35-49	630	11.6	89	4	4	9	13	21	29	57
50-64	1071	13.3	124	4	5	10	15	24	32	68
65+	1235	15.3	96	5	7	12	19	27	35	54
TOT. SINGLE DX	1503	8.7	27	3	4	8	10	14	18	28
" MULTIPLE DX	3252	13.8	110	4	5	11	17	26	34	60
TOTAL 0-19 YRS	85	14.2	171	5	6	9	17	25	49	70
20-34	445	11.6	87	3	4	9	13	24	33	46
35-49	1124	10.1	65	3	4	8	12	17	24	49
50-64	1563	11.8	99	4	5	9	14	21	28	60
65+	1538	14.2	87	5	6	11	17	26	32	53
GRAND TOTAL	**4755**	**12.2**	**90**	**4**	**5**	**9**	**14**	**23**	**30**	**54**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	54	8.6	91	1	2	5	11	16	26	58
20-34	177	6.6	37	1	1	5	10	14	17	26
35-49	167	6.6	32	1	1	5	9	15	19	27
50-64	91	6.7	22	1	1	6	10	13	17	66
65+	43	8.4	97	1	1	5	10	17	32	49
2. MULTIPLE DX										
0-19 YRS	108	14.4	165	2	4	10	18	29	44	88
20-34	227	10.7	115	1	2	8	13	25	33	58
35-49	327	11.5	133	2	2	9	13	25	36	66
50-64	253	13.8	151	2	3	10	17	29	37	70
65+	197	16.0	114	3	4	13	22	30	37	61
TOT. SINGLE DX	532	7.0	44	1	1	5	10	15	18	35
" MULTIPLE DX	1112	12.9	137	2	3	10	16	28	37	67
TOTAL 0-19 YRS	162	12.5	148	2	3	9	16	25	36	77
20-34	404	8.9	85	1	2	6	12	18	29	50
35-49	494	9.9	105	1	2	7	12	20	29	64
50-64	344	11.9	127	1	3	9	15	24	34	70
65+	240	14.7	120	1	3	12	20	30	37	56
GRAND TOTAL	**1644**	**11.0**	**115**	**1**	**2**	**8**	**14**	**24**	**32**	**62**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	33	2.8	5	1	1	2	3	6	7	11
20-34	132	3.1	7	<1	1	2	3	7	9	14
35-49	229	3.6	9	1	1	2	5	8	10	14
50-64	231	3.2	15	1	1	2	3	7	10	17
65+	120	2.8	4	1	1	2	3	6	8	12
2. MULTIPLE DX										
0-19 YRS	37	4.3	15	1	1	3	6	13	15	99+
20-34	127	5.5	50	1	1	3	6	13	17	38
35-49	182	6.0	102	1	1	3	5	13	17	62
50-64	251	5.5	37	1	1	3	7	13	18	28
65+	204	7.1	105	1	1	4	8	15	25	58
TOT. SINGLE DX	745	3.2	10	1	1	2	4	7	9	14
" MULTIPLE DX	801	6.0	71	1	1	3	7	13	19	47
TOTAL 0-19 YRS	70	3.6	11	1	1	2	4	8	13	82
20-34	259	4.3	30	1	1	2	5	10	13	33
35-49	411	4.6	52	1	1	3	5	10	13	45
50-64	482	4.4	28	1	1	3	5	10	15	25
65+	324	5.5	72	1	1	3	6	11	18	39
GRAND TOTAL	**1546**	**4.7**	**44**	**1**	**1**	**3**	**5**	**10**	**14**	**34**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	102	2.7	9	<1	1	2	3	5	8	19
20-34	559	2.1	2	<1	1	2	2	4	5	9
35-49	729	2.2	3	<1	1	2	2	4	5	10
50-64	609	2.2	2	<1	1	2	3	4	5	9
65+	217	2.7	5	<1	1	2	3	6	9	11
2. MULTIPLE DX										
0-19 YRS	204	2.4	9	<1	1	2	3	4	6	25
20-34	595	3.3	30	<1	1	2	3	6	10	28
35-49	808	4.0	21	1	1	2	5	9	13	24
50-64	792	4.3	38	1	1	2	5	9	13	27
65+	607	4.3	30	1	1	2	5	10	14	27
TOT. SINGLE DX	2216	2.3	4	<1	1	2	3	4	6	10
" MULTIPLE DX	3006	3.9	29	1	1	2	4	8	12	27
TOTAL 0-19 YRS	306	2.5	10	<1	1	2	3	5	7	19
20-34	1154	2.7	18	<1	1	2	3	5	7	21
35-49	1537	3.2	14	<1	1	2	3.	7	10	20
50-64	1401	3.4	24	<1	1	2	3	7	10	20
65+	824	3.9	25	1	1	2	4	9	12	24
GRAND TOTAL	**5222**	**3.2**	**19**	**<1**	**1**	**2**	**3**	**7**	**10**	**21**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	3.6	6	1	1	5	5	6	6	6
20-34	40	5.6	24	1	2	5	6	10	16	27
35-49	28	6.7	23	2	3	5	8	16	18	20
50-64	22	6.1	10	2	3	6	8	10	13	15
65+	13	8.9	16	2	4	8	11	15	16	16
2. MULTIPLE DX										
0-19 YRS	5	4.2	3	2	2	4	6	6	6	6
20-34	55	6.7	14	2	3	6	8	11	13	23
35-49	49	9.7	20	4	5	8	12	16	19	23
50-64	82	12.6	69	3	4	10	16	26	31	36
65+	164	11.6	40	4	5	10	15	20	23	38
TOT. SINGLE DX	108	6.3	20	1	2	5	8	12	16	23
" MULTIPLE DX	355	10.7	44	3	4	9	13	20	23	37
TOTAL 0-19 YRS	10	3.9	4	1	1	4	6	6	6	6
20-34	95	6.2	19	2	2	5	8	11	14	25
35-49	77	8.6	24	3	4	7	12	16	19	22
50-64	104	11.2	64	3	3	9	14	23	30	35
65+	177	11.4	40	4	5	10	15	19	22	38
GRAND TOTAL	**463**	**9.7**	**42**	**2**	**4**	**8**	**12**	**18**	**22**	**32**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	44	5.2	22	1	1	4	7	11	16	22
35-49	56	5.0	15	1	1	4	6	11	15	19
50-64	27	5.1	17	<1	1	4	8	11	14	17
65+	8	5.9	14	2	2	5	9	11	11	11
2. MULTIPLE DX										
0-19 YRS	3	4.3	2	3	3	4	5	6	6	6
20-34	55	7.4	59	1	2	4	9	17	24	39
35-49	120	8.1	55	1	1	6	10	19	23	38
50-64	110	8.1	62	1	2	7	10	13	19	46
65+	104	9.6	65	1	2	7	14	19	26	38
TOT. SINGLE DX	138	5.1	18	1	1	4	7	11	14	19
" MULTIPLE DX	392	8.4	60	1	2	6	10	18	23	42
TOTAL 0-19 YRS	6	3.0	4	1	1	3	4	6	6	6
20-34	99	6.4	44	1	1	4	8	15	21	34
35-49	176	7.1	44	1	1	5	9	16	22	35
50-64	137	7.5	55	1	2	6	10	13	18	45
65+	112	9.4	63	1	2	7	13	19	25	37
GRAND TOTAL	**530**	**7.5**	**51**	**1**	**1**	**5**	**10**	**16**	**21**	**39**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	119	3.2	3	1	1	3	4	5	7	12
20-34	702	3.4	2	1	2	3	4	5	6	10
35-49	862	3.4	3	1	2	3	4	5	6	9
50-64	572	3.6	3	1	2	3	4	5	6	11
65+	229	4.2	7	2	2	4	5	6	7	15
2. MULTIPLE DX										
0-19 YRS	49	4.4	6	1	1	4	5	7	8	14
20-34	409	4.3	8	2	2	4	5	7	9	14
35-49	543	4.4	9	2	2	4	5	7	9	19
50-64	683	5.3	31	2	2	4	6	9	14	24
65+	548	7.7	67	2	3	5	8	14	23	44
TOT. SINGLE DX	2484	3.5	4	1	2	3	4	5	6	11
" MULTIPLE DX	2232	5.5	32	2	2	4	6	9	14	35
TOTAL 0-19 YRS	168	3.5	5	1	1	3	4	6	8	12
20-34	1111	3.7	5	1	2	3	4	6	7	13
35-49	1405	3.8	6	1	2	3	4	6	7	15
50-64	1255	4.6	19	2	2	4	5	7	10	20
65+	777	6.7	52	2	2	5	7	12	18	43
GRAND TOTAL	**4716**	**4.4**	**18**	**1**	**2**	**4**	**5**	**7**	**10**	**22**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	217	2.0	1	<1	1	2	3	3	4	6
20-34	144	2.4	2	1	1	2	3	4	5	9
35-49	118	3.1	4	1	1	3	4	6	8	12
50-64	106	3.8	4	1	2	3	5	7	8	11
65+	41	4.6	22	1	2	3	5	7	9	32
2. MULTIPLE DX										
0-19 YRS	42	3.8	16	1	1	2	5	9	11	21
20-34	116	6.6	43	2	2	5	7	13	20	67
35-49	164	6.4	32	1	2	5	8	12	18	32
50-64	267	7.9	56	2	3	6	9	15	20	42
65+	263	8.7	65	2	3	6	11	19	24	55
TOT. SINGLE DX	626	2.8	5	1	1	2	3	5	6	10
" MULTIPLE DX	852	7.5	52	2	2	5	9	15	21	37
TOTAL 0-19 YRS	259	2.3	4	<1	1	2	3	4	6	11
20-34	260	4.3	25	1	1	3	5	9	12	32
35-49	282	5.0	23	1	1	4	6	10	13	27
50-64	373	6.7	45	2	2	5	8	13	18	35
65+	304	8.2	62	2	3	6	9	18	23	46
GRAND TOTAL	**1478**	**5.5**	**38**	**1**	**1**	**4**	**6**	**11**	**17**	**32**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	23	7.0	12	1	2	7	9	11	14	15
20-34	47	9.3	17	4	5	8	11	17	18	19
35-49	39	8.1	9	4	5	8	9	13	15	18
50-64	37	8.9	10	5	6	8	10	14	15	17
65+	20	8.6	11	5	6	8	9	14	16	17
2. MULTIPLE DX										
0-19 YRS	23	11.0	16	6	7	10	14	16	18	21
20-34	76	11.5	98	4	5	9	12	21	28	65
35-49	81	11.6	64	4	5	9	14	21	32	39
50-64	140	14.1	154	3	4	11	18	26	33	77
65+	102	15.1	105	4	6	13	18	28	38	54
TOT. SINGLE DX	166	8.5	13	4	5	8	10	14	16	19
" MULTIPLE DX	422	13.2	109	4	5	10	16	23	33	60
TOTAL 0-19 YRS	46	9.0	18	2	4	8	11	15	16	21
20-34	123	10.7	68	4	5	8	12	19	22	48
35-49	120	10.5	49	4	5	8	12	20	23	37
50-64	177	13.0	129	3	5	10	15	24	31	72
65+	122	14.1	95	4	6	12	17	26	35	53
GRAND TOTAL	**588**	**11.9**	**87**	**4**	**5**	**9**	**14**	**21**	**29**	**54**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	60	1.3		<1	<1	1	1	2	2	6
20-34	14	2.2	3	<1	<1	2	3	4	7	8
35-49	12	1.9		1	1	2	2	3	4	4
50-64	19	1.5		<1	1	1	2	3	3	3
65+	31	1.9		1	1	2	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	18	5.6	202	<1	<1	2	4	8	41	62
20-34	16	6.8	124	1	1	2	6	15	36	45
35-49	34	5.9	56	1	1	4	7	15	17	40
50-64	53	7.3	90	1	1	3	8	22	31	45
65+	111	6.0	44	1	1	3	8	16	20	33
TOT. SINGLE DX	136	1.6	1	<1	<1	1	2	3	3	6
" MULTIPLE DX	232	6.3	73	1	1	3	7	16	23	45
TOTAL 0-19 YRS	78	2.3	48	<1	<1	1	2	2	4	47
20-34	30	4.6	71	<1	1	2	3	11	15	45
35-49	46	4.8	44	1	1	3	5	11	17	40
50-64	72	5.8	73	1	1	2	6	17	24	42
65+	142	5.1	38	1	1	2	6	12	18	31
GRAND TOTAL	**368**	**4.6**	**52**	**<1**	**1**	**2**	**4**	**11**	**17**	**39**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	204	1.6	1	<1	<1	1	2	3	4	6
20-34	66	1.5		<1	<1	1	2	2	3	5
35-49	64	1.7	1	1	1	1	2	3	4	8
50-64	96	1.7	1	1	1	1	2	3	3	8
65+	66	2.0	3	<1	1	1	2	4	5	13
2. MULTIPLE DX										
0-19 YRS	364	2.6	7	<1	1	2	3	5	7	14
20-34	431	3.1	21	<1	1	2	4	6	8	18
35-49	365	3.5	22	1	1	2	4	8	10	27
50-64	340	3.3	42	1	1	2	3	6	8	28
65+	520	5.0	54	1	1	2	5	12	17	39
TOT. SINGLE DX	496	1.7	2	<1	1	1	2	3	4	7
" MULTIPLE DX	2020	3.6	32	1	1	2	4	7	11	26
TOTAL 0-19 YRS	568	2.2	5	<1	1	2	3	4	6	11
20-34	497	2.9	19	<1	1	2	3	5	7	18
35-49	429	3.2	20	1	1	2	4	7	9	21
50-64	436	2.9	34	1	1	2	3	5	7	24
65+	586	4.6	50	1	1	2	5	11	16	34
GRAND TOTAL	**2516**	**3.2**	**27**	**1**	**1**	**2**	**3**	**6**	**10**	**23**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	33	1.7	1	<1	1	1	2	3	6	7
20-34	41	1.6		1	1	1	2	2	3	4
35-49	38	1.9	2	1	1	1	2	4	5	8
50-64	45	1.8		1	1	2	2	3	4	5
65+	71	1.8		1	1	2	2	3	3	6
2. MULTIPLE DX										
0-19 YRS	41	2.0	2	1	1	1	2	4	6	9
20-34	33	2.1	2	<1	1	2	2	3	6	8
35-49	40	2.3	3	1	1	2	3	4	6	9
50-64	69	2.3	3	1	1	2	2	3	5	14
65+	147	2.7	7	1	1	2	2	4	10	14
TOT. SINGLE DX	228	1.8	1	1	1	2	2	3	4	6
" MULTIPLE DX	330	2.4	5	1	1	2	2	4	7	13
TOTAL 0-19 YRS	74	1.9	2	1	1	1	2	3	6	9
20-34	74	1.8	1	1	1	2	2	3	4	8
35-49	78	2.1	3	1	1	2	2	4	5	9
50-64	114	2.1	3	1	1	2	2	3	4	11
65+	218	2.4	6	1	1	2	2	4	7	13
GRAND TOTAL	**558**	**2.1**	**4**	**1**	**1**	**2**	**2**	**3**	**5**	**12**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	1.2		<1	<1	1	1	2	2	2
20-34	9	2.1	1	1	1	2	3	4	5	5
35-49	5	3.0	12	<1	<1	1	4	9	9	9
50-64	5	3.2	2	1	1	3	4	5	5	5
65+	9	2.9	4	1	1	2	5	6	6	6
2. MULTIPLE DX										
0-19 YRS	18	5.1	61	<1	1	3	6	8	24	35
20-34	12	3.6	24	<1	<1	2	3	11	17	18
35-49	12	2.8	6	1	1	2	3	6	9	10
50-64	16	4.9	28	<1	1	2	7	11	17	20
65+	20	3.4	9	1	1	2	5	8	10	11
TOT. SINGLE DX	41	2.2	3	<1	<1	1	3	5	6	9
" MULTIPLE DX	78	4.0	27	1	1	2	5	9	11	31
TOTAL 0-19 YRS	31	3.4	39	<1	<1	1	4	7	8	35
20-34	21	3.0	15	<1	1	2	3	6	12	18
35-49	17	2.8	7	<1	1	2	3	8	10	10
50-64	21	4.5	22	<1	1	3	5	11	15	20
65+	29	3.2	8	1	1	2	5	7	10	11
GRAND TOTAL	**119**	**3.4**	**19**	**<1**	**1**	**2**	**4**	**8**	**10**	**25**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	20	2.4	1	1	1	2	4	4	4	4
20-34	119	2.3	1	1	1	2	3	4	4	5
35-49	89	2.5	1	1	1	2	3	4	4	8
50-64	84	2.3	1	1	1	2	3	4	5	6
65+	289	2.7	2	1	1	3	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	17	3.1	8	1	1	3	3	7	11	12
20-34	48	3.0	2	1	1	3	4	5	6	9
35-49	53	2.8	2	1	1	3	4	4	6	8
50-64	184	3.5	6	1	2	3	4	6	8	15
65+	892	3.2	4	1	1	3	4	5	7	11
TOT. SINGLE DX	601	2.5	2	1	1	2	3	4	5	7
" MULTIPLE DX	1194	3.2	5	1	1	3	4	5	7	12
TOTAL 0-19 YRS	37	2.7	4	1	1	2	3	4	7	12
20-34	167	2.5	2	1	1	2	3	4	5	8
35-49	142	2.6	2	1	1	2	3	4	5	8
50-64	268	3.1	5	1	1	3	4	5	7	14
65+	1181	3.1	4	1	1	3	4	5	6	11
GRAND TOTAL	**1795**	**3.0**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	82	2.7	3	1	1	2	3	5	6	9
20-34	107	2.3	2	1	1	2	3	5	6	7
35-49	68	3.0	15	1	1	2	3	7	9	24
50-64	37	2.7	5	1	1	2	4	5	5	14
65+	35	2.3	5	<1	1	1	3	5	8	11
2. MULTIPLE DX										
0-19 YRS	79	4.1	6	1	1	3	6	7	9	13
20-34	99	4.2	7	1	1	4	5	7	9	16
35-49	58	4.3	12	1	1	3	6	8	10	21
50-64	47	4.8	18	1	1	3	6	11	14	20
65+	104	3.8	15	1	1	2	4	9	12	20
TOT. SINGLE DX	329	2.6	6	1	1	2	3	5	6	12
" MULTIPLE DX	387	4.2	11	1	1	3	6	8	11	17
TOTAL 0-19 YRS	161	3.4	5	1	1	3	4	6	8	12
20-34	206	3.2	6	1	1	3	4	6	7	12
35-49	126	3.6	14	1	1	2	4	8	9	23
50-64	84	3.9	14	1	1	3	5	9	14	18
65+	139	3.4	13	1	1	2	4	8	11	16
GRAND TOTAL	**716**	**3.4**	**9**	**1**	**1**	**2**	**4**	**7**	**9**	**14**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	47	2.3	4	1	1	2	3	5	7	99+
20-34	39	3.1	6	<1	1	2	4	6	8	15
35-49	56	3.0	4	1	1	2	4	5	6	14
50-64	109	2.5	2	1	1	2	3	4	5	8
65+	190	2.5	3	1	1	2	3	4	6	10
2. MULTIPLE DX										
0-19 YRS	22	2.2	3	1	1	2	3	4	6	8
20-34	43	3.5	7	1	1	3	5	7	9	14
35-49	67	4.1	12	1	1	3	5	9	10	21
50-64	182	3.4	5	1	1	3	4	6	9	12
65+	533	3.6	15	1	1	3	4	6	8	19
TOT. SINGLE DX	441	2.6	4	1	1	2	3	4	6	12
" MULTIPLE DX	847	3.6	13	1	1	3	4	7	9	16
TOTAL 0-19 YRS	69	2.3	4	1	1	2	3	5	7	82
20-34	82	3.3	7	1	1	3	4	6	8	15
35-49	123	3.6	9	1	1	3	4	7	9	16
50-64	291	3.1	5	1	1	2	4	5	7	12
65+	723	3.4	13	1	1	2	4	6	8	17
GRAND TOTAL	**1288**	**3.3**	**10**	**1**	**1**	**2**	**4**	**6**	**8**	**15**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	40	3.7	8	<1	1	2	5	8	10	13
20-34	35	3.4	9	1	1	2	5	6	11	14
35-49	26	3.2	7	<1	1	2	5	8	9	11
50-64	44	2.0	1	1	1	2	2	3	4	5
65+	103	2.5	4	1	1	2	3	5	6	12
2. MULTIPLE DX										
0-19 YRS	45	4.7	12	1	1	4	6	10	11	16
20-34	68	5.0	17	1	1	4	6	9	12	22
35-49	41	3.8	7	1	1	3	4	8	11	99+
50-64	82	3.8	24	1	1	2	4	7	9	29
65+	333	4.4	28	1	1	3	5	9	12	24
TOT. SINGLE DX	248	2.8	6	1	1	2	3	6	7	13
" MULTIPLE DX	569	4.3	24	1	1	3	5	9	12	25
TOTAL 0-19 YRS	85	4.2	11	1	1	3	6	9	11	15
20-34	103	4.4	15	1	1	3	6	9	12	21
35-49	67	3.6	7	1	1	3	5	8	9	85
50-64	126	3.2	17	1	1	2	4	6	7	27
65+	436	3.9	24	1	1	2	4	8	12	20
GRAND TOTAL	**817**	**3.9**	**19**	**1**	**1**	**3**	**5**	**8**	**11**	**22**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	26	2.0	1	<1	1	2	2	4	4	4
20-34	9	3.2	20	1	1	2	3	11	15	15
35-49	48	1.9	1	1	1	2	2	3	4	6
50-64	261	1.8		1	1	2	2	3	3	5
65+	843	1.9	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
0-19 YRS	17	3.4	4	1	1	3	4	6	9	10
20-34	25	4.0	6	1	2	3	5	8	9	10
35-49	55	2.9	7	<1	1	2	4	6	7	17
50-64	386	2.7	5	1	1	2	3	5	7	15
65+	1824	2.6	9	1	1	2	2	4	6	14
TOT. SINGLE DX	1187	1.9	1	1	1	2	2	3	3	4
" MULTIPLE DX	2307	2.6	9	1	1	2	3	4	6	14
TOTAL 0-19 YRS	43	2.5	3	<1	1	2	3	4	5	10
20-34	34	3.8	10	1	1	2	5	8	10	15
35-49	103	2.4	5	1	1	2	3	5	6	12
50-64	647	2.4	4	1	1	2	2	4	5	13
65+	2667	2.3	7	1	1	2	2	3	5	13
GRAND TOTAL	**3494**	**2.4**	**7**	**1**	**1**	**2**	**2**	**3**	**5**	**13**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	51	1.7		<1	<1	2	2	3	3	3
20-34	20	1.8		1	1	2	2	3	4	5
35-49	202	1.7		1	1	2	2	2	3	5
50-64	1063	1.7		<1	1	2	2	2	2	3
65+	3899	1.8		<1	1	2	2	2	3	4
2. MULTIPLE DX										
0-19 YRS	46	2.4	3	<1	1	2	3	4	7	10
20-34	46	2.4	2	1	1	2	3	4	6	10
35-49	236	2.8	22	1	1	2	3	5	7	16
50-64	1470	2.5	11	1	1	2	2	4	5	15
65+	6921	2.3	6	1	1	2	2	3	4	13
TOT. SINGLE DX	5235	1.7	1	<1	1	2	2	2	3	4
" MULTIPLE DX	8719	2.3	8	1	1	2	2	3	5	13
TOTAL 0-19 YRS	97	2.1	2	<1	1	2	2	3	4	10
20-34	66	2.2	2	1	1	2	2	4	6	9
35-49	438	2.3	12	1	1	2	2	3	5	11
50-64	2533	2.2	7	1	1	2	2	3	4	12
65+	10820	2.1	4	1	1	2	2	3	4	10
GRAND TOTAL	**13954**	**2.1**	**5**	**1**	**1**	**2**	**2**	**3**	**4**	**10**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	2.0	1	<1	<1	2	3	3	3	3
20-34	7	2.3	3	1	1	2	2	5	6	6
35-49	34	1.8		<1	1	2	2	2	3	5
50-64	106	1.8		1	1	2	2	2	3	5
65+	279	1.8		1	1	2	2	2	3	4
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	7	3.7	4	1	1	3	5	7	7	7
35-49	25	2.4	2	<1	1	2	2	4	6	8
50-64	128	2.1	3	1	1	2	2	3	4	14
65+	365	2.5	4	1	1	2	2	5	7	13
TOT. SINGLE DX	430	1.8	1	1	1	2	2	2	3	5
" MULTIPLE DX	526	2.4	4	1	1	2	2	4	6	13
TOTAL 0-19 YRS	5	2.0	1	<1	<1	2	3	3	3	3
20-34	14	3.0	4	1	1	2	5	6	7	7
35-49	59	2.0	2	<1	1	2	2	3	5	8
50-64	234	2.0	2	1	1	2	2	3	3	7
65+	644	2.2	3	1	1	2	2	3	5	10
GRAND TOTAL	**956**	**2.2**	**3**	**1**	**1**	**2**	**2**	**3**	**5**	**9**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	83	3.5	11	1	1	3	4	6	7	22
20-34	170	2.8	2	1	1	3	3	5	6	12
35-49	205	2.8	2	1	1	3	3	5	5	8
50-64	486	2.9	3	1	1	3	4	5	6	9
65+	481	2.8	2	1	1	3	3	5	5	8
2. MULTIPLE DX										
0-19 YRS	91	4.6	95	1	1	3	5	6	7	62
20-34	222	3.9	8	1	1	3	5	8	9	15
35-49	284	3.6	8	1	2	3	4	6	8	16
50-64	673	3.5	8	1	1	3	4	6	7	13
65+	980	3.6	5	1	1	3	4	6	8	13
TOT. SINGLE DX	1425	2.9	3	1	1	3	4	5	6	9
" MULTIPLE DX	2250	3.7	11	1	1	3	4	6	8	13
TOTAL 0-19 YRS	174	4.1	55	1	1	3	4	6	7	22
20-34	392	3.4	6	1	1	3	4	6	8	14
35-49	489	3.3	6	1	1	3	4	5	7	14
50-64	1159	3.3	6	1	1	3	4	5	7	11
65+	1461	3.4	4	1	1	3	4	6	7	12
GRAND TOTAL	**3675**	**3.4**	**8**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	35	3.1	3	1	1	3	4	6	7	7
20-34	30	3.8	7	1	1	3	4	6	10	14
35-49	37	2.9	5	1	1	2	3	6	7	13
50-64	71	3.1	6	1	2	2	3	5	8	17
65+	131	2.8	3	1	1	2	3	5	6	10
2. MULTIPLE DX										
0-19 YRS	41	3.8	5	1	1	3	5	8	9	10
20-34	185	3.8	8	1	2	3	4	7	9	17
35-49	156	4.6	55	1	1	3	5	7	10	75
50-64	318	3.9	26	1	2	3	4	6	8	24
65+	581	3.8	13	1	1	3	4	8	12	18
TOT. SINGLE DX	304	3.0	4	1	1	2	4	5	7	12
" MULTIPLE DX	1281	3.9	21	1	1	3	4	7	10	22
TOTAL 0-19 YRS	76	3.5	5	1	1	3	4	7	8	10
20-34	215	3.8	8	1	1	3	4	7	9	17
35-49	193	4.3	46	1	1	3	5	7	10	64
50-64	389	3.8	23	1	2	3	4	6	8	22
65+	712	3.6	12	1	1	3	4	7	11	17
GRAND TOTAL	**1585**	**3.8**	**18**	**1**	**1**	**3**	**4**	**7**	**9**	**19**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	666	1.4		<1	<1	1	2	2	2	3
20-34	105	1.4		<1	1	1	2	2	2	3
35-49	61	1.5		<1	1	1	2	2	3	3
50-64	38	1.5		1	1	1	2	2	2	2
65+	17	1.7		1	1	2	2	2	3	3
2. MULTIPLE DX										
0-19 YRS	227	1.5	3	<1	<1	1	2	2	2	7
20-34	87	1.6	1	<1	1	1	2	2	3	9
35-49	55	1.6		1	1	1	2	3	3	5
50-64	39	2.7	36	1	1	1	2	4	6	39
65+	41	2.1	1	1	1	2	2	3	4	9
TOT. SINGLE DX	887	1.4	1	<1	<1	1	2	2	2	3
" MULTIPLE DX	449	1.7	5	<1	<1	1	2	2	3	7
TOTAL 0-19 YRS	893	1.4	1	<1	<1	1	2	2	2	3
20-34	192	1.5	1	<1	1	1	2	2	3	4
35-49	116	1.6	1	1	1	1	2	2	3	4
50-64	77	2.1	19	1	1	1	2	2	4	30
65+	58	2.0	1	1	1	2	2	3	4	9
GRAND TOTAL	**1336**	**1.5**	**2**	**<1**	**<1**	**1**	**2**	**2**	**2**	**4**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	1.3		<1	<1	1	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	3	4.7	40	1	1	1	9	12	12	12
65+	3	4.3	16	2	2	2	7	9	9	9
2. MULTIPLE DX										
0-19 YRS	5	1.8		<1	<1	2	2	3	3	3
20-34	5	1.0		<1	<1	1	1	1	1	1
35-49	4	1.5		1	1	1	2	2	2	2
50-64	5	3.0	8	1	1	2	4	8	8	8
65+	2	3.5	1	3	3	3	4	4	4	4
TOT. SINGLE DX	11	3.0	14	<1	<1	1	2	10	12	12
" MULTIPLE DX	21	2.0	3	<1	<1	2	2	4	6	8
TOTAL 0-19 YRS	9	1.6	1	<1	<1	1	2	3	3	3
20-34	6	1.0		<1	<1	1	1	1	1	1
35-49	4	1.5		1	1	1	2	2	2	2
50-64	8	3.6	17	1	1	2	5	11	12	12
65+	5	4.0	9	2	2	3	5	9	9	9
GRAND TOTAL	**32**	**2.3**	**7**	**<1**	**<1**	**2**	**2**	**5**	**9**	**12**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	122	2.9	6	<1	1	2	4	6	7	14
20-34	75	2.9	6	1	1	2	4	6	9	13
35-49	71	3.0	3	1	1	3	4	5	7	9
50-64	67	2.8	4	1	1	2	3	7	7	8
65+	63	3.5	9	1	1	2	4	7	10	17
2. MULTIPLE DX										
0-19 YRS	99	5.4	47	1	1	3	6	10	18	40
20-34	172	4.3	15	1	1	3	5	8	14	19
35-49	143	5.1	29	1	1	3	6	11	16	26
50-64	141	4.5	19	1	1	3	5	10	13	25
65+	264	4.9	30	1	1	3	5	11	16	25
TOT. SINGLE DX	398	3.0	6	1	1	2	4	6	8	13
" MULTIPLE DX	819	4.8	27	1	1	3	5	11	14	26
TOTAL 0-19 YRS	221	4.0	26	<1	1	2	5	8	11	32
20-34	247	3.9	13	1	1	3	5	7	12	19
35-49	214	4.4	22	1	1	3	5	9	13	24
50-64	208	4.0	15	1	1	3	4	8	12	22
65+	327	4.6	27	1	1	3	5	10	14	23
GRAND TOTAL	**1217**	**4.2**	**21**	**1**	**1**	**3**	**5**	**9**	**13**	**23**

533: Misc. diagnostic and therapeutic proce[illegible]n eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.[illegible]; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	288	1.8	1	<1	<1	1	2	3	4	7
20-34	74	2.6	5	1	1	2	3	7	8	10
35-49	49	2.3	8	<1	1	1	2	4	7	19
50-64	37	2.8	6	<1	<1	2	3	6	9	12
65+	55	2.8	9	<1	1	2	4	6	9	17
2. MULTIPLE DX										
0-19 YRS	281	3.2	14	1	1	2	4	6	8	26
20-34	160	5.7	63	<1	1	3	6	15	23	64
35-49	94	5.2	48	1	1	3	5	13	17	40
50-64	87	4.9	39	<1	1	3	6	14	20	99+
65+	192	7.4	65	1	1	5	9	15	19	44
TOT. SINGLE DX	503	2.2	4	<1	<1	1	2	4	6	10
" MULTIPLE DX	814	5.1	45	1	1	3	6	11	18	43
TOTAL 0-19 YRS	569	2.5	8	<1	1	2	3	5	7	15
20-34	234	4.7	47	<1	1	2	5	11	19	37
35-49	143	4.2	37	<1	1	2	4	9	16	39
50-64	124	4.3	31	<1	1	2	6	10	17	99+
65+	247	6.4	57	1	1	4	8	14	18	43
GRAND TOTAL	**1317**	**4.0**	**32**	**<1**	**1**	**2**	**4**	**9**	**14**	**39**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	64	1.6		1	1	1	2	3	3	4
20-34	237	1.9		1	1	2	2	3	3	5
35-49	403	1.9		1	1	2	2	3	3	4
50-64	342	2.0	1	1	1	2	3	3	3	5
65+	136	2.0		1	1	2	3	3	3	5
2. MULTIPLE DX										
0-19 YRS	48	1.4		1	1	1	2	2	2	2
20-34	106	1.8		1	1	2	2	3	3	6
35-49	157	2.0		1	1	2	3	3	4	5
50-64	163	1.9	1	1	1	2	3	3	3	6
65+	122	2.3	2	1	1	2	3	3	4	12
TOT. SINGLE DX	1182	1.9	1	1	1	2	2	3	3	4
" MULTIPLE DX	596	1.9	1	1	1	2	2	3	4	6
TOTAL 0-19 YRS	112	1.5		1	1	1	2	2	3	4
20-34	343	1.9	1	1	1	2	2	3	3	5
35-49	560	1.9	1	1	1	2	2	3	3	4
50-64	505	2.0	1	1	1	2	3	3	3	6
65+	258	2.2	2	1	1	2	3	3	4	6
GRAND TOTAL	**1778**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	609	1.4		1	1	1	2	2	2	3
20-34	407	1.5		1	1	1	2	2	3	4
35-49	333	1.6	1	1	1	1	2	2	3	7
50-64	326	1.6		1	1	2	2	2	3	4
65+	121	1.6		1	1	2	2	2	2	5
2. MULTIPLE DX										
0-19 YRS	600	1.5	1	1	1	1	2	2	2	5
20-34	397	1.5		1	1	1	2	2	3	5
35-49	348	1.8	1	1	1	2	2	3	3	8
50-64	370	1.9	3	1	1	2	2	3	4	10
65+	191	2.0	3	1	1	2	2	3	4	12
TOT. SINGLE DX	1796	1.5	1	1	1	1	2	2	2	4
" MULTIPLE DX	1906	1.7	2	1	1	1	2	3	3	6
TOTAL 0-19 YRS	1209	1.4	1	1	1	1	2	2	2	4
20-34	804	1.5	1	1	1	1	2	2	3	4
35-49	681	1.7	1	1	1	1	2	2	3	8
50-64	696	1.8	2	1	1	2	2	3	3	6
65+	312	1.9	2	1	1	2	2	3	3	9
GRAND TOTAL	**3702**	**1.6**	**1**	**1**	**1**	**1**	**2**	**2**	**3**	**5**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	781	1.2		<1	<1	<1	1	1	2	5
20-34	41	1.8	3	<1	<1	1	2	3	6	10
35-49	15	1.6	1	<1	<1	1	2	2	5	6
50-64	25	1.5		<1	<1	1	2	2	3	4
65+	10	1.2		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
0-19 YRS	1659	2.2	10	<1	<1	1	2	5	8	16
20-34	71	4.7	62	1	1	2	3	12	30	34
35-49	72	5.0	33	1	1	2	9	13	17	23
50-64	85	5.6	43	1	1	3	8	13	16	35
65+	75	7.7	52	1	1	6	11	20	21	30
TOT. SINGLE DX	872	1.2	1	<1	<1	<1	1	1	2	6
" MULTIPLE DX	1962	2.8	18	<1	<1	1	2	7	10	21
TOTAL 0-19 YRS	2440	1.9	8	<1	<1	1	1	4	6	14
20-34	112	3.6	42	<1	1	2	3	7	16	33
35-49	87	4.4	30	<1	1	2	8	12	16	23
50-64	110	4.7	36	<1	1	2	6	11	14	34
65+	85	6.9	50	<1	1	4	11	19	21	29
GRAND TOTAL	**2834**	**2.3**	**13**	**<1**	**<1**	**1**	**2**	**5**	**9**	**19**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	231	1.7	1	1	1	1	2	3	4	6
20-34	170	1.7	1	1	1	1	2	3	4	7
35-49	130	2.1	2	1	1	2	2	3	4	9
50-64	104	1.9		1	1	2	2	3	3	4
65+	61	2.0	1	1	1	2	2	3	4	6
2. MULTIPLE DX										
0-19 YRS	403	2.1	9	1	1	1	2	3	5	14
20-34	310	2.0	4	1	1	2	2	3	4	12
35-49	259	2.4	5	1	1	2	3	4	6	12
50-64	285	3.2	33	1	1	2	3	4	8	28
65+	190	3.6	19	1	1	2	3	6	15	21
TOT. SINGLE DX	696	1.8	1	1	1	2	2	3	4	6
" MULTIPLE DX	1447	2.5	14	1	1	2	3	4	6	19
TOTAL 0-19 YRS	634	1.9	7	1	1	1	2	3	4	9
20-34	480	1.9	3	1	1	2	2	3	4	9
35-49	389	2.3	5	1	1	2	3	4	5	12
50-64	389	2.8	25	1	1	2	3	4	7	22
65+	251	3.2	15	1	1	2	3	5	9	20
GRAND TOTAL	**2143**	**2.3**	**10**	**1**	**1**	**2**	**2**	**3**	**5**	**16**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	129	1.6	1	<1	1	1	2	2	4	5
20-34	141	2.0	2	<1	1	2	2	3	5	9
35-49	176	2.3	2	1	1	2	3	4	6	10
50-64	159	2.5	4	1	1	2	3	5	6	11
65+	55	2.9	5	1	1	2	4	6	9	10
2. MULTIPLE DX										
0-19 YRS	164	2.2	7	<1	1	1	2	4	7	14
20-34	140	2.5	8	1	1	2	2	5	9	15
35-49	123	2.5	10	1	1	2	3	4	7	16
50-64	159	3.3	28	1	1	2	3	6	9	19
65+	96	5.0	41	1	1	2	5	14	18	35
TOT. SINGLE DX	660	2.2	3	1	1	2	2	4	6	10
" MULTIPLE DX	682	3.0	18	1	1	2	3	6	10	19
TOTAL 0-19 YRS	293	2.0	5	<1	1	1	2	3	5	12
20-34	281	2.2	5	1	1	2	2	4	7	14
35-49	299	2.4	6	1	1	2	3	4	6	11
50-64	318	2.9	16	1	1	2	3	6	7	16
65+	151	4.2	29	1	1	2	4	10	15	30
GRAND TOTAL	**1342**	**2.6**	**11**	**1**	**1**	**2**	**3**	**5**	**8**	**15**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	125	1.7		1	1	1	2	3	4	5
20-34	284	1.7		1	1	1	2	3	3	5
35-49	141	1.8	6	1	1	1	2	2	3	9
50-64	92	1.9	1	1	1	2	2	3	4	6
65+	24	2.5	4	<1	1	2	3	4	8	10
2. MULTIPLE DX										
0-19 YRS	569	1.8	1	1	1	2	2	3	4	6
20-34	1235	2.1	3	1	1	2	2	4	5	10
35-49	856	2.4	7	1	1	2	3	4	5	10
50-64	526	2.5	8	1	1	2	3	4	6	17
65+	165	3.1	11	1	1	2	3	5	9	19
TOT. SINGLE DX	666	1.8	2	1	1	1	2	3	3	6
" MULTIPLE DX	3351	2.3	5	1	1	2	3	4	5	11
TOTAL 0-19 YRS	694	1.8	1	1	1	1	2	3	4	6
20-34	1519	2.0	3	1	1	2	2	3	4	9
35-49	997	2.4	7	1	1	2	3	4	5	10
50-64	618	2.4	7	1	1	2	3	4	5	16
65+	189	3.1	11	1	1	2	3	5	9	18
GRAND TOTAL	**4017**	**2.2**	**5**	**1**	**1**	**2**	**3**	**4**	**5**	**10**

542: Rhinoplasty (21.8)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	542	1.7		1	1	1	2	3	3	5
20-34	886	1.6	1	1	1	1	2	3	3	5
35-49	447	1.6		1	1	1	2	3	3	5
50-64	194	1.7		1	1	1	2	3	3	4
65+	50	2.5	19	1	1	2	2	4	6	32
2. MULTIPLE DX										
0-19 YRS	1052	1.9	3	1	1	1	2	3	4	8
20-34	2224	1.9	2	1	1	1	2	3	4	7
35-49	1497	2.0	5	1	1	1	2	3	5	12
50-64	893	2.4	12	1	1	2	2	4	6	17
65+	348	3.2	11	1	1	2	4	7	10	19
TOT. SINGLE DX	2119	1.7	1	1	1	1	2	3	3	5
" MULTIPLE DX	6014	2.1	6	1	1	1	2	4	5	11
TOTAL 0-19 YRS	1594	1.8	3	1	1	1	2	3	4	8
20-34	3110	1.8	2	1	1	1	2	3	4	7
35-49	1944	1.9	4	1	1	1	2	3	4	10
50-64	1087	2.2	10	1	1	2	2	4	5	14
65+	398	3.1	13	1	1	2	3	6	10	20
GRAND TOTAL	**8133**	**2.0**	**4**	**1**	**1**	**1**	**2**	**3**	**4**	**10**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	67	1.9	2	<1	<1	1	2	3	5	10
20-34	95	2.1	2	<1	1	2	3	3	5	8
35-49	82	2.1	4	<1	1	1	2	5	6	11
50-64	120	1.8	1	<1	<1	1	2	3	4	6
65+	85	2.7	8	1	1	2	3	7	8	17
2. MULTIPLE DX										
0-19 YRS	195	2.7	24	1	1	2	3	4	9	23
20-34	310	2.5	9	1	1	2	3	5	7	17
35-49	347	2.3	3	1	1	2	3	4	6	9
50-64	433	3.2	15	1	1	2	3	7	11	21
65+	431	5.5	44	1	1	3	7	13	17	31
TOT. SINGLE DX	449	2.1	4	<1	1	1	2	4	6	10
" MULTIPLE DX	1716	3.4	22	1	1	2	4	7	11	24
TOTAL 0-19 YRS	262	2.5	19	<1	1	1	2	4	7	21
20-34	405	2.4	8	1	1	2	3	4	7	15
35-49	429	2.2	4	1	1	2	3	4	6	10
50-64	553	2.9	13	1	1	2	3	6	9	20
65+	516	5.0	40	1	1	3	6	12	16	30
GRAND TOTAL	**2165**	**3.1**	**18**	**1**	**1**	**2**	**3**	**7**	**10**	**22**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	248	1.5	1	<1	<1	1	2	3	4	6
20-34	225	2.1	2	<1	1	2	2	4	6	8
35-49	134	2.9	5	1	1	2	4	6	7	12
50-64	135	3.8	4	1	1	4	5	7	7	8
65+	109	3.8	7	1	1	3	5	7	8	14
2. MULTIPLE DX										
0-19 YRS	401	2.4	3	1	1	2	3	4	6	11
20-34	665	3.0	7	1	1	2	4	6	8	11
35-49	339	4.4	26	1	1	3	5	9	12	28
50-64	382	5.4	17	1	2	4	7	10	13	21
65+	612	5.7	23	1	1	5	7	11	14	28
TOT. SINGLE DX	851	2.5	4	<1	1	2	4	6	7	9
" MULTIPLE DX	2399	4.2	17	1	1	3	5	8	11	20
TOTAL 0-19 YRS	649	2.0	3	<1	1	1	2	4	6	10
20-34	890	2.8	7	1	1	2	4	6	7	11
35-49	473	4.0	21	1	1	3	5	8	11	19
50-64	517	5.0	14	1	1	4	6	9	12	18
65+	721	5.4	21	1	1	4	7	10	14	25
GRAND TOTAL	**3250**	**3.7**	**14**	**1**	**1**	**3**	**5**	**8**	**10**	**19**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	38	2.0	2	<1	1	2	2	3	6	9
20-34	142	2.1	3	1	1	2	2	4	5	11
35-49	172	2.1	1	1	1	2	3	4	4	9
50-64	124	2.3	3	1	1	2	3	4	5	12
65+	54	2.5	4	1	1	2	3	4	6	15
2. MULTIPLE DX										
0-19 YRS	66	4.3	108	1	1	2	3	9	13	72
20-34	238	3.5	27	1	1	2	3	8	11	34
35-49	305	3.2	10	1	1	2	4	6	10	17
50-64	286	3.6	31	1	1	2	4	6	11	23
65+	179	4.6	44	1	1	3	4	10	15	39
TOT. SINGLE DX	530	2.2	3	1	1	2	3	4	5	10
" MULTIPLE DX	1074	3.7	32	1	1	2	4	7	11	30
TOTAL 0-19 YRS	104	3.5	71	1	1	2	3	7	10	50
20-34	380	3.0	19	1	1	2	3	6	9	25
35-49	477	2.8	8	1	1	2	3	5	8	14
50-64	410	3.2	23	1	1	2	3	5	10	19
65+	233	4.1	36	1	1	3	4	8	14	37
GRAND TOTAL	**1604**	**3.2**	**23**	**1**	**1**	**2**	**3**	**6**	**10**	**22**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	71	3.1	25	<1	<1	1	3	7	9	32
20-34	128	2.6	4	1	1	2	3	5	7	10
35-49	114	2.9	8	1	1	2	3	6	8	18
50-64	85	2.6	9	1	1	2	3	5	10	17
65+	55	2.8	6	1	1	2	3	6	9	14
2. MULTIPLE DX										
0-19 YRS	142	4.4	25	<1	1	2	5	12	15	26
20-34	287	3.7	24	1	1	2	4	8	11	30
35-49	344	4.1	32	1	1	2	4	9	13	22
50-64	287	3.8	21	1	1	2	4	8	11	17
65+	281	5.9	45	1	1	3	8	13	20	37
TOT. SINGLE DX	453	2.8	10	1	1	2	3	6	8	18
" MULTIPLE DX	1341	4.4	31	1	1	3	5	10	14	27
TOTAL 0-19 YRS	213	3.9	26	<1	1	2	5	10	14	27
20-34	415	3.4	18	1	1	2	4	7	9	23
35-49	458	3.8	27	1	1	2	4	9	12	21
50-64	372	3.5	19	1	1	2	4	8	10	17
65+	336	5.4	41	1	1	3	7	12	18	36
GRAND TOTAL	**1794**	**4.0**	**26**	**1**	**1**	**2**	**4**	**9**	**12**	**25**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	218	1.3		<1	<1	1	1	2	2	3
20-34	149	1.9	8	<1	1	1	2	2	5	16
35-49	74	2.2	7	<1	<1	2	2	4	7	80
50-64	62	1.9	3	<1	1	2	2	2	4	13
65+	26	3.2	20	<1	1	2	3	5	17	19
2. MULTIPLE DX										
0-19 YRS	431	3.4	63	<1	1	2	2	5	10	46
20-34	652	5.4	53	1	1	2	6	15	21	36
35-49	525	5.6	59	1	1	2	6	14	22	41
50-64	580	4.9	35	1	1	2	6	12	17	31
65+	550	6.3	73	1	1	3	8	16	22	39
TOT. SINGLE DX	529	1.7	5	<1	<1	1	2	2	4	16
" MULTIPLE DX	2738	5.2	57	1	1	2	5	14	20	38
TOTAL 0-19 YRS	649	2.7	43	<1	<1	1	2	4	7	41
20-34	801	4.8	47	1	1	2	5	14	19	34
35-49	599	5.2	54	1	1	2	5	13	21	41
50-64	642	4.6	34	1	1	2	5	11	16	30
65+	576	6.2	72	1	1	3	8	16	22	39
GRAND TOTAL	**3267**	**4.6**	**51**	**1**	**1**	**2**	**4**	**12**	**19**	**36**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	81	1.1		<1	<1	1	1	2	2	3
20-34	10	1.5		<1	<1	1	2	3	3	3
35-49	5	2.4		2	2	2	3	3	3	3
50-64	5	2.0		1	1	2	2	3	3	3
65+	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	164	1.8	5	<1	<1	1	2	2	4	12
20-34	46	5.0	68	1	1	2	6	30	99+	99+
35-49	24	3.8	22	<1	1	2	5	8	15	22
50-64	9	7.0	89	1	1	3	7	24	30	30
65+	8	3.8	14	<1	<1	2	5	10	12	12
TOT. SINGLE DX	103	1.3		<1	<1	1	1	2	3	3
" MULTIPLE DX	251	2.8	23	<1	1	1	2	6	12	97
TOTAL 0-19 YRS	245	1.5	4	<1	<1	1	2	2	3	8
20-34	56	4.4	58	<1	1	1	5	25	71	99+
35-49	29	3.6	19	1	1	2	4	7	12	22
50-64	14	5.2	61	1	1	3	3	16	27	30
65+	10	3.5	12	<1	<1	2	5	9	12	12
GRAND TOTAL	**354**	**2.4**	**17**	**<1**	**<1**	**1**	**2**	**4**	**8**	**37**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	42	1.8		<1	<1	2	2	3	3	4
20-34	57	2.4	4	<1	1	2	3	4	6	13
35-49	79	2.1	2	1	1	2	3	3	4	10
50-64	102	2.4	1	1	1	2	3	4	4	7
65+	41	2.3	1	1	1	2	3	3	5	7
2. MULTIPLE DX										
0-19 YRS	131	2.4	3	1	1	2	3	4	6	10
20-34	127	3.6	25	1	1	2	3	8	12	28
35-49	161	3.7	28	1	1	2	3	8	11	36
50-64	207	4.0	23	1	1	3	4	8	12	22
65+	161	4.6	21	1	1	3	5	11	15	20
TOT. SINGLE DX	321	2.2	2	1	1	2	3	3	4	8
" MULTIPLE DX	787	3.7	22	1	1	2	4	8	12	21
TOTAL 0-19 YRS	173	2.3	3	1	1	2	3	4	5	8
20-34	184	3.2	19	<1	1	2	3	6	10	21
35-49	240	3.2	21	1	1	2	3	6	9	22
50-64	309	3.5	17	1	1	3	3	7	10	19
65+	202	4.1	19	1	1	3	4	10	14	20
GRAND TOTAL	**1108**	**3.3**	**17**	**1**	**1**	**2**	**3**	**6**	**10**	**20**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	115	2.3	3	1	1	2	3	4	4	11
20-34	287	2.3	1	1	1	2	3	4	5	7
35-49	415	2.8	2	1	1	3	4	4	5	8
50-64	416	3.0	22	1	1	3	4	4	5	9
65+	310	3.2	4	1	1	3	4	5	7	13
2. MULTIPLE DX										
0-19 YRS	65	3.4	6	1	1	3	4	7	8	14
20-34	155	3.2	7	1	1	2	4	7	8	15
35-49	275	3.6	13	1	1	3	4	7	10	19
50-64	390	4.2	19	1	1	3	5	8	11	21
65+	572	5.1	24	1	2	4	6	11	15	28
TOT. SINGLE DX	1543	2.8	8	1	1	2	3	4	5	9
" MULTIPLE DX	1457	4.3	19	1	1	3	5	8	12	23
TOTAL 0-19 YRS	180	2.7	4	1	1	2	3	5	7	12
20-34	442	2.6	4	1	1	2	3	4	6	10
35-49	690	3.1	7	1	1	3	4	5	7	16
50-64	806	3.6	21	1	1	3	4	6	8	17
65+	882	4.4	18	1	1	3	5	8	13	23
GRAND TOTAL	**3000**	**3.5**	**14**	**1**	**1**	**3**	**4**	**6**	**9**	**18**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	338	3.2	3	1	1	3	4	6	7	8
20-34	13	3.2	3	1	1	3	4	6	6	6
35-49	12	2.5	2	<1	<1	2	3	5	6	6
50-64	11	4.3	13	1	1	3	5	11	13	13
65+	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
0-19 YRS	387	3.7	3	2	2	3	4	6	7	10
20-34	36	3.8	13	1	1	3	4	7	14	18
35-49	52	3.6	25	1	1	3	4	5	6	37
50-64	37	3.7	21	1	1	2	4	7	8	29
65+	16	5.1	28	1	1	3	5	14	18	20
TOT. SINGLE DX	375	3.3	4	1	1	3	4	6	7	9
" MULTIPLE DX	528	3.7	8	1	2	3	4	6	8	14
TOTAL 0-19 YRS	725	3.5	3	1	2	3	4	6	7	9
20-34	49	3.7	11	1	1	3	4	6	9	18
35-49	64	3.4	21	1	1	3	4	5	6	34
50-64	48	3.8	20	1	1	3	4	7	9	29
65+	17	5.6	31	1	1	3	7	14	18	20
GRAND TOTAL	**903**	**3.5**	**6**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	506	2.9	4	<1	<1	2	4	6	7	9
20-34	161	3.7	7	<1	1	3	5	8	9	16
35-49	146	3.8	9	<1	1	3	5	8	10	16
50-64	205	3.8	12	1	1	3	5	8	12	17
65+	186	4.5	33	1	1	3	5	10	12	27
2. MULTIPLE DX										
0-19 YRS	685	3.4	15	1	1	2	4	7	8	17
20-34	400	4.5	37	<1	1	3	5	9	13	30
35-49	327	6.0	47	1	1	3	7	14	20	33
50-64	558	9.1	129	1	1	5	12	21	29	65
65+	672	6.9	61	1	1	5	9	15	21	50
TOT. SINGLE DX	1204	3.5	12	<1	1	2	4	7	9	17
" MULTIPLE DX	2642	6.0	63	1	1	3	7	13	20	41
TOTAL 0-19 YRS	1191	3.2	11	<1	1	2	4	6	8	14
20-34	561	4.2	29	<1	1	3	5	8	11	30
35-49	473	5.3	37	1	1	3	6	12	17	32
50-64	763	7.7	103	1	1	4	9	17	25	59
65+	858	6.4	57	1	1	4	8	14	20	43
GRAND TOTAL	**3846**	**5.2**	**48**	**1**	**1**	**3**	**6**	**11**	**17**	**35**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4778	1.4		1	1	1	2	2	2	4
20-34	2843	1.5		1	1	1	2	2	3	4
35-49	319	1.7	1	1	1	1	2	3	4	6
50-64	66	1.8		1	1	2	2	3	4	4
65+	20	3.1	17	1	1	2	3	5	12	20
2. MULTIPLE DX										
0-19 YRS	1697	1.6	5	1	1	1	2	2	3	9
20-34	886	2.0	9	1	1	1	2	3	5	9
35-49	189	2.2	4	1	1	1	2	4	7	13
50-64	53	5.7	67	1	1	2	6	13	29	37
65+	29	4.2	18	1	1	2	5	9	12	21
TOT. SINGLE DX	8026	1.4	1	1	1	1	2	2	3	4
" MULTIPLE DX	2854	1.9	8	1	1	1	2	3	5	10
TOTAL 0-19 YRS	6475	1.4	2	1	1	1	2	2	3	5
20-34	3729	1.6	3	1	1	1	2	3	3	6
35-49	508	1.9	3	1	1	1	2	3	4	9
50-64	119	3.5	34	1	1	2	3	7	13	37
65+	49	3.8	18	1	1	2	4	8	12	21
GRAND TOTAL	**10880**	**1.5**	**3**	**1**	**1**	**1**	**2**	**2**	**3**	**6**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8112	1.3		<1	1	1	1	2	2	3
20-34	165	1.4		1	1	1	2	2	3	4
35-49	14	1.7		1	1	2	2	3	3	3
50-64	3	1.7	1	1	1	1	3	3	3	3
65+	4	1.5		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	7395	1.3	1	<1	1	1	1	2	2	5
20-34	105	1.9	3	1	1	1	2	4	5	11
35-49	8	2.1	1	1	1	2	3	4	4	4
50-64	4	2.0	4	1	1	1	3	5	5	5
65+	8	1.8	3	<1	<1	1	2	5	6	6
TOT. SINGLE DX	8298	1.3		<1	1	1	1	2	2	3
" MULTIPLE DX	7520	1.3	2	<1	1	1	1	2	2	5
TOTAL 0-19 YRS	15507	1.3	1	<1	1	1	1	2	2	3
20-34	270	1.6	2	1	1	1	2	3	4	7
35-49	22	1.9	1	1	1	2	3	3	4	4
50-64	7	1.9	2	1	1	1	3	5	5	5
65+	12	1.7	2	<1	<1	1	2	3	6	6
GRAND TOTAL	**15818**	**1.3**	**1**	**<1**	**1**	**1**	**1**	**2**	**2**	**3**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	270	1.2		<1	<1	1	1	2	2	2
20-34	6	1.2		<1	<1	1	1	2	2	2
35-49	6	1.3		1	1	1	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
0-19 YRS	624	1.5	10	<1	<1	1	1	2	2	8
20-34	6	1.3		1	1	1	2	2	2	2
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	3.0	8	1	1	3	5	5	5	5
TOT. SINGLE DX	283	1.2		<1	<1	1	1	2	2	2
" MULTIPLE DX	634	1.5	11	<1	<1	1	1	2	2	8
TOTAL 0-19 YRS	894	1.4	8	<1	<1	1	1	2	2	6
20-34	12	1.3		<1	<1	1	2	2	2	2
35-49	7	1.6	1	1	1	1	2	3	3	3
50-64	2	1.0		1	1	1	1	1	1	1
65+	2	3.0	8	1	1	3	5	5	5	5
GRAND TOTAL	**917**	**1.4**	**7**	**<1**	**<1**	**1**	**1**	**2**	**2**	**6**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	512	2.1	3	<1	1	2	3	4	5	9
20-34	369	2.3	2	<1	1	2	3	4	5	8
35-49	140	2.8	12	1	1	2	3	5	7	18
50-64	105	3.3	12	1	1	2	4	8	10	19
65+	84	4.4	23	1	1	3	5	11	13	27
2. MULTIPLE DX										
0-19 YRS	248	3.3	20	1	1	2	4	6	8	14
20-34	186	4.1	29	1	1	3	4	7	10	28
35-49	138	5.8	45	1	1	3	7	14	22	35
50-64	253	7.4	81	1	1	4	10	18	25	51
65+	221	10.1	121	1	1	6	13	26	35	49
TOT. SINGLE DX	1210	2.5	7	1	1	2	3	4	6	14
" MULTIPLE DX	1046	6.2	68	1	1	3	7	15	23	42
TOTAL 0-19 YRS	760	2.5	9	1	1	2	3	5	6	11
20-34	555	2.9	12	1	1	2	3	5	6	16
35-49	278	4.3	31	1	1	2	4	9	15	32
50-64	358	6.2	65	1	1	3	8	15	22	49
65+	305	8.6	101	1	1	4	11	22	33	46
GRAND TOTAL	**2256**	**4.2**	**38**	**1**	**1**	**2**	**4**	**9**	**15**	**34**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	23	2.3	4	<1	<1	1	3	5	7	9
20-34	34	3.5	10	<1	1	3	4	6	10	17
35-49	29	2.8	1	1	1	3	4	5	5	6
50-64	28	3.1	6	<1	1	2	4	7	9	11
65+	41	3.4	6	<1	1	3	5	6	7	14
2. MULTIPLE DX										
0-19 YRS	225	3.3	6	1	2	3	4	5	6	15
20-34	36	5.2	42	<1	1	3	5	11	23	29
35-49	65	4.8	17	1	1	4	7	9	10	26
50-64	136	5.6	78	1	1	4	6	8	12	34
65+	256	5.5	29	1	2	4	6	11	15	29
TOT. SINGLE DX	155	3.1	6	<1	1	3	4	6	7	14
" MULTIPLE DX	718	4.7	32	1	2	3	5	8	12	28
TOTAL 0-19 YRS	248	3.2	6	1	1	3	4	5	6	14
20-34	70	4.4	27	<1	1	3	5	9	17	28
35-49	94	4.2	13	1	1	3	5	9	9	21
50-64	164	5.2	67	1	1	4	6	8	11	23
65+	297	5.2	27	1	2	4	6	10	14	29
GRAND TOTAL	**873**	**4.5**	**28**	**1**	**1**	**3**	**5**	**8**	**11**	**25**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	70	1.5	1	<1	<1	1	2	2	3	8
20-34	88	1.3		<1	1	1	2	2	2	3
35-49	169	1.6	1	<1	<1	1	2	2	3	9
50-64	266	2.2	6	<1	1	1	2	3	7	14
65+	148	2.1	5	<1	1	1	2	3	6	13
2. MULTIPLE DX										
0-19 YRS	48	2.7	12	1	1	1	3	7	10	18
20-34	72	4.5	143	<1	1	1	3	9	14	82
35-49	216	4.3	44	<1	1	2	4	11	15	41
50-64	418	4.6	39	1	1	2	6	11	16	27
65+	356	5.5	56	1	1	2	7	14	19	38
TOT. SINGLE DX	741	1.9	4	<1	1	1	2	3	5	12
" MULTIPLE DX	1110	4.7	52	1	1	2	5	12	17	36
TOTAL 0-19 YRS	118	2.0	6	<1	<1	1	2	4	7	16
20-34	160	2.7	67	<1	1	1	2	4	8	25
35-49	385	3.1	27	<1	1	2	2	7	11	29
50-64	684	3.6	28	1	1	2	3	9	13	24
65+	504	4.5	43	1	1	2	4	11	17	36
GRAND TOTAL	**1851**	**3.6**	**35**	**<1**	**1**	**2**	**3**	**9**	**13**	**30**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	1.8		1	1	2	2	2	2	2
20-34	8	4.3	21	1	1	3	5	12	15	15
35-49	18	7.3	55	1	1	5	11	13	24	32
50-64	43	8.7	34	1	1	9	12	17	18	23
65+	21	8.8	83	1	1	8	12	16	27	41
2. MULTIPLE DX										
0-19 YRS	17	6.8	243	<1	1	3	4	7	46	67
20-34	16	7.8	109	1	1	5	9	38	80	99+
35-49	23	8.9	53	<1	1	6	15	20	23	23
50-64	88	13.3	131	1	2	10	17	27	37	55
65+	75	10.5	97	1	1	8	14	21	32	46
TOT. SINGLE DX	94	7.8	49	1	1	7	12	16	18	37
" MULTIPLE DX	219	10.9	121	1	1	8	15	24	36	61
TOTAL 0-19 YRS	21	5.9	199	<1	1	2	4	6	34	67
20-34	24	6.6	81	1	1	4	8	16	58	99+
35-49	41	8.2	54	1	1	5	12	19	23	32
50-64	131	11.8	104	1	2	10	16	25	31	51
65+	96	10.1	94	1	1	8	13	21	32	45
GRAND TOTAL	**313**	**10.0**	**101**	**1**	**1**	**8**	**14**	**22**	**31**	**53**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	10	13.7	27	3	6	14	16	20	23	23
50-64	60	14.5	28	8	9	13	19	22	23	31
65+	37	14.0	16	9	10	13	16	21	22	23
2. MULTIPLE DX										
0-19 YRS	2	22.5	85	16	16	22	29	29	29	29
20-34	1	37.0		37	37	37	37	37	37	37
35-49	36	21.7	207	10	11	19	22	36	53	83
50-64	184	20.0	148	8	10	17	24	37	45	82
65+	161	21.5	171	9	10	17	25	39	47	68
TOT. SINGLE DX	107	14.3	24	8	9	13	17	21	23	28
" MULTIPLE DX	384	20.8	163	9	10	17	24	37	46	78
TOTAL 0-19 YRS	2	22.5	85	16	16	22	29	29	29	29
20-34	1	37.0		37	37	37	37	37	37	37
35-49	46	19.9	178	9	11	17	21	29	52	83
50-64	244	18.6	125	8	9	16	22	33	40	73
65+	198	20.1	151	9	10	16	23	36	44	68
GRAND TOTAL	**491**	**19.4**	**140**	**8**	**10**	**16**	**23**	**34**	**44**	**70**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	9.5	113	2	2	9	17	17	17	17
20-34	2	17.0	288	5	5	17	29	29	29	29
35-49	1	2.0		2	2	2	2	2	2	2
50-64	7	8.9	150	2	2	4	9	31	36	36
65+	5	13.2	39	6	6	13	16	23	23	23
2. MULTIPLE DX										
0-19 YRS	18	27.2	588	2	4	19	53	73	90	99+
20-34	19	28.7	361	2	5	30	52	79	99+	99+
35-49	59	24.1	385	4	5	20	34	73	99+	99+
50-64	136	29.7	489	3	4	28	45	79	99+	99+
65+	194	34.0	494	7	10	32	50	77	98	99+
TOT. SINGLE DX	17	10.8	105	2	2	6	15	28	34	36
" MULTIPLE DX	426	30.7	484	4	6	28	48	77	99+	99+
TOTAL 0-19 YRS	20	25.4	562	2	3	17	42	70	87	99+
20-34	21	27.6	352	2	4	29	48	72	99+	99+
35-49	60	23.7	387	3	5	20	33	72	99+	99+
50-64	143	28.7	492	3	4	27	44	77	99+	99+
65+	199	33.5	494	7	9	32	49	77	97	99+
GRAND TOTAL	**443**	**29.9**	**484**	**4**	**5**	**27**	**47**	**76**	**99+**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	35	5.7	80	<1	<1	2	7	12	26	44
20-34	24	4.5	13	1	1	4	6	7	13	17
35-49	24	6.9	104	1	1	4	8	13	29	49
50-64	35	6.3	99	1	1	2	8	15	34	43
65+	40	6.5	118	1	1	2	7	15	31	51
2. MULTIPLE DX										
0-19 YRS	123	15.9	322	1	1	11	26	63	99+	99+
20-34	76	20.6	352	2	3	15	32	50	90	99+
35-49	128	24.0	590	1	2	18	38	90	99+	99+
50-64	319	21.4	483	1	2	14	37	63	92	99+
65+	416	29.1	544	1	2	28	45	72	97	99+
TOT. SINGLE DX	158	6.0	86	<1	1	2	7	14	26	49
" MULTIPLE DX	1062	24.0	511	1	2	20	39	71	97	99+
TOTAL 0-19 YRS	158	13.7	286	<1	1	7	23	52	86	99+
20-34	100	16.8	318	1	2	11	26	42	76	99+
35-49	152	21.3	551	1	1	14	37	77	99+	99+
50-64	354	19.9	466	1	1	11	35	61	89	99+
65+	456	27.1	548	1	2	25	43	71	94	99+
GRAND TOTAL	**1220**	**21.7**	**493**	**1**	**1**	**15**	**37**	**66**	**93**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	3.6	11	<1	1	2	6	9	11	11
20-34	106	6.0	21	1	1	5	8	12	14	24
35-49	144	5.8	25	1	1	5	9	12	14	20
50-64	354	6.3	38	1	1	5	8	12	16	29
65+	299	6.6	28	1	1	5	9	14	17	27
2. MULTIPLE DX										
0-19 YRS	45	9.2	35	2	2	8	14	18	23	99+
20-34	324	10.8	89	2	2	8	14	21	29	51
35-49	736	10.4	91	2	2	8	13	21	29	52
50-64	2476	10.8	73	2	3	9	14	20	26	43
65+	4057	11.8	74	2	3	10	15	22	29	42
TOT. SINGLE DX	916	6.3	31	1	1	5	9	12	16	26
" MULTIPLE DX	7638	11.3	76	2	3	9	14	22	28	43
TOTAL 0-19 YRS	58	8.0	36	1	1	7	12	17	22	93
20-34	430	9.6	77	1	2	8	12	19	28	45
35-49	880	9.6	83	1	2	7	12	20	27	50
50-64	2830	10.2	72	2	2	8	13	19	25	43
65+	4356	11.4	73	2	3	9	15	22	28	41
GRAND TOTAL	**8554**	**10.7**	**74**	**2**	**3**	**9**	**14**	**21**	**27**	**43**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	2	6.5	13	4	4	6	9	9	9	9
35-49	2	8.0	98	1	1	8	15	15	15	15
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	3	8.0	7	5	5	9	10	10	10	10
35-49	1	6.0		6	6	6	6	6	6	6
50-64	8	6.6	34	2	2	3	13	14	15	15
65+	2	25.0	1152	1	1	25	49	49	49	49
TOT. SINGLE DX	4	7.3	38	1	1	6	12	15	15	15
" MULTIPLE DX	15	9.1	144	1	2	5	12	15	40	49
TOTAL 0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	5	7.4	7	4	4	9	9	10	10	10
35-49	3	7.3	50	1	1	6	13	15	15	15
50-64	8	6.6	35	2	2	3	13	14	15	15
65+	2	25.0	1152	1	1	25	49	49	49	49
GRAND TOTAL	**19**	**8.7**	**119**	**1**	**1**	**5**	**12**	**15**	**34**	**49**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	26	9.1	18	2	4	9	11	16	17	18
20-34	103	9.0	36	1	3	8	11	17	20	32
35-49	161	7.8	36	2	3	7	9	12	18	39
50-64	313	8.5	36	1	2	8	10	15	21	32
65+	227	7.5	33	1	1	8	10	14	16	22
2. MULTIPLE DX										
0-19 YRS	85	14.1	153	4	5	10	17	26	37	74
20-34	237	13.2	110	3	4	10	15	27	34	59
35-49	478	12.2	89	3	4	10	15	23	29	59
50-64	1397	13.0	114	2	3	10	17	25	33	58
65+	1874	12.6	100	1	2	10	17	24	31	54
TOT. SINGLE DX	830	8.2	35	1	2	7	10	15	19	31
" MULTIPLE DX	4071	12.8	106	2	3	10	16	24	32	56
TOTAL 0-19 YRS	111	13.0	126	4	5	10	16	23	36	67
20-34	340	11.9	91	3	4	9	15	23	31	48
35-49	639	11.1	80	2	4	9	14	21	28	46
50-64	1710	12.2	103	2	3	9	15	24	32	55
65+	2101	12.1	96	1	2	10	16	23	30	53
GRAND TOTAL	**4901**	**12.0**	**97**	**2**	**3**	**9**	**15**	**23**	**31**	**55**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	7.3	2	5	5	7	8	10	10	10
20-34	7	10.9	80	6	6	8	9	27	31	31
35-49	46	11.2	28	6	7	10	13	19	27	99+
50-64	168	12.2	30	6	7	11	15	20	22	32
65+	117	11.9	35	7	8	10	14	18	22	44
2. MULTIPLE DX										
0-19 YRS	23	17.4	389	6	6	10	17	43	73	83
20-34	34	17.9	237	6	7	12	22	30	63	71
35-49	168	14.0	82	6	7	11	16	24	33	52
50-64	746	15.5	92	7	8	13	19	26	33	63
65+	783	16.8	90	8	9	14	20	28	35	64
TOT. SINGLE DX	345	11.8	33	6	7	10	14	19	23	33
" MULTIPLE DX	1754	16.0	98	7	8	13	19	27	34	68
TOTAL 0-19 YRS	30	15.0	315	6	6	9	16	28	68	83
20-34	41	16.7	215	6	7	11	21	30	52	71
35-49	214	13.4	72	6	7	11	16	23	32	58
50-64	914	14.9	83	7	8	12	18	25	31	52
65+	900	16.1	86	7	8	13	20	27	33	56
GRAND TOTAL	**2099**	**15.3**	**89**	**7**	**8**	**12**	**18**	**26**	**32**	**65**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	244	3.1	13	<1	<1	2	3	7	10	19
20-34	104	7.1	40	1	2	5	9	13	18	38
35-49	153	6.5	28	1	1	5	9	14	17	23
50-64	201	6.3	26	1	1	5	9	13	16	26
65+	115	7.0	29	1	1	6	10	15	17	24
2. MULTIPLE DX										
0-19 YRS	397	8.5	94	1	1	6	12	18	24	80
20-34	370	11.3	172	2	2	7	14	21	36	81
35-49	696	10.7	80	2	3	8	14	22	28	47
50-64	1660	10.9	91	2	3	9	14	22	28	55
65+	2546	12.9	100	2	4	11	16	24	33	50
TOT. SINGLE DX	817	5.6	28	1	1	4	8	13	16	24
" MULTIPLE DX	5669	11.6	101	2	3	9	15	23	30	56
TOTAL 0-19 YRS	641	6.4	71	<1	1	4	9	16	20	68
20-34	474	10.4	146	1	2	7	12	19	33	79
35-49	849	10.0	74	2	2	8	13	20	26	45
50-64	1861	10.4	86	2	2	8	13	21	27	54
65+	2661	12.6	99	2	3	10	16	24	32	50
GRAND TOTAL	**6486**	**10.9**	**96**	**1**	**2**	**8**	**14**	**22**	**29**	**53**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	17	4.9	11	1	1	4	6	10	13	14
20-34	48	5.2	9	2	2	4	6	9	14	16
35-49	20	5.5	9	2	2	5	8	10	11	12
50-64	15	8.1	12	3	3	8	11	13	14	14
65+	9	8.6	41	2	2	7	12	18	22	22
2. MULTIPLE DX										
0-19 YRS	33	12.8	195	3	3	9	16	20	54	65
20-34	64	10.1	76	3	4	7	11	20	27	53
35-49	53	12.0	120	2	2	8	14	25	42	45
50-64	93	11.6	82	2	3	10	15	23	28	48
65+	118	12.7	63	3	4	11	18	24	28	35
TOT. SINGLE DX	109	5.9	14	2	2	5	8	11	14	18
" MULTIPLE DX	361	11.9	91	2	3	9	16	23	29	55
TOTAL 0-19 YRS	50	10.1	146	2	2	7	13	18	21	65
20-34	112	8.0	53	2	3	6	9	15	23	41
35-49	73	10.2	98	2	2	7	12	21	39	45
50-64	108	11.1	74	2	3	9	14	21	28	45
65+	127	12.4	63	3	4	11	18	24	27	35
GRAND TOTAL	**470**	**10.5**	**79**	**2**	**3**	**8**	**13**	**21**	**28**	**45**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	187	5.6	22	1	2	4	7	10	13	24
20-34	646	5.6	15	2	2	5	7	10	12	18
35-49	212	5.9	21	2	2	5	7	10	12	26
50-64	109	7.9	30	3	3	6	9	16	20	27
65+	86	8.2	46	2	2	6	10	18	25	33
2. MULTIPLE DX										
0-19 YRS	342	13.7	216	3	4	9	15	34	53	93
20-34	748	9.1	74	3	3	7	10	18	23	44
35-49	620	10.2	72	3	3	8	13	19	23	44
50-64	951	12.6	103	3	4	10	16	25	32	58
65+	1460	13.3	97	3	4	11	17	25	32	52
TOT. SINGLE DX	1240	6.0	22	2	2	5	7	11	14	25
" MULTIPLE DX	4121	11.9	104	3	4	9	15	23	30	59
TOTAL 0-19 YRS	529	10.8	163	2	3	7	12	23	39	76
20-34	1394	7.5	50	2	3	6	9	14	18	36
35-49	832	9.1	63	2	3	7	11	18	23	41
50-64	1060	12.1	98	3	4	9	16	24	31	56
65+	1546	13.0	96	3	4	10	17	25	32	51
GRAND TOTAL	**5361**	**10.6**	**91**	**3**	**3**	**8**	**13**	**21**	**27**	**52**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	205	5.1	11	1	1	5	6	8	11	19
20-34	159	6.1	23	1	1	5	8	13	15	22
35-49	114	5.6	30	1	1	4	9	12	16	28
50-64	126	6.6	34	1	1	5	9	15	17	30
65+	99	7.2	38	1	2	5	10	15	20	28
2. MULTIPLE DX										
0-19 YRS	120	10.0	57	2	3	7	14	21	27	33
20-34	262	11.5	118	1	2	8	15	26	32	48
35-49	347	12.0	110	1	2	9	16	24	32	61
50-64	723	11.6	107	2	3	9	15	23	31	53
65+	1040	12.3	104	2	3	10	16	24	32	48
TOT. SINGLE DX	703	6.0	25	1	1	5	8	12	16	28
" MULTIPLE DX	2492	11.8	105	2	3	9	15	24	32	52
TOTAL 0-19 YRS	325	6.9	34	1	2	5	8	15	19	31
20-34	421	9.4	89	1	2	7	12	21	28	43
35-49	461	10.4	98	1	1	8	14	22	29	52
50-64	849	10.8	99	1	2	8	14	22	30	53
65+	1139	11.9	101	2	3	9	16	23	32	48
GRAND TOTAL	**3195**	**10.6**	**94**	**1**	**2**	**8**	**14**	**22**	**29**	**48**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	200	8.2	57	4	5	7	8	11	14	41
20-34	62	9.4	7	6	7	9	10	12	14	20
35-49	90	9.7	9	6	7	9	11	13	14	23
50-64	101	11.2	15	7	8	10	12	15	18	30
65+	58	12.6	16	8	8	12	14	18	22	24
2. MULTIPLE DX										
0-19 YRS	655	12.2	92	5	6	9	13	22	31	80
20-34	157	16.5	158	7	8	12	19	28	45	72
35-49	330	16.0	116	7	8	13	18	29	43	74
50-64	812	16.7	118	8	9	13	19	28	38	62
65+	969	19.5	150	9	10	16	23	33	42	79
TOT. SINGLE DX	511	9.7	32	5	6	9	11	14	17	25
" MULTIPLE DX	2923	16.5	132	7	8	13	19	30	40	77
TOTAL 0-19 YRS	855	11.2	87	5	6	9	12	19	26	79
20-34	219	14.5	126	6	7	11	15	25	38	68
35-49	420	14.6	100	7	8	12	15	25	40	66
50-64	913	16.1	110	8	9	13	18	27	35	58
65+	1027	19.1	145	9	10	16	22	33	42	78
GRAND TOTAL	**3434**	**15.5**	**123**	**6**	**7**	**12**	**18**	**28**	**38**	**74**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	5	10.2	7	8	8	9	12	14	14	14
35-49	208	10.2	10	7	7	9	12	14	17	23
50-64	608	10.9	11	7	8	10	12	15	17	23
65+	309	12.4	21	7	8	11	15	18	20	28
2. MULTIPLE DX										
0-19 YRS	2	19.0	72	13	13	19	25	25	25	25
20-34	46	12.9	100	6	7	10	13	22	26	69
35-49	1402	11.6	31	7	7	10	13	17	21	31
50-64	5456	13.1	48	7	8	11	15	20	25	42
65+	4270	15.8	85	8	9	13	18	26	33	60
TOT. SINGLE DX	1131	11.2	15	7	8	10	13	16	19	25
" MULTIPLE DX	11176	14.0	63	7	8	12	16	22	28	51
TOTAL 0-19 YRS	3	15.7	69	9	9	13	22	25	25	25
20-34	51	12.7	92	6	7	10	13	21	24	69
35-49	1610	11.4	29	7	7	10	13	17	21	30
50-64	6064	12.9	45	7	8	11	14	19	24	41
65+	4579	15.6	82	8	9	13	18	25	32	59
GRAND TOTAL	**12307**	**13.7**	**59**	**7**	**8**	**12**	**15**	**22**	**27**	**49**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	527	2.0	1	1	1	2	2	3	4	9
20-34	298	3.0	9	1	1	2	3	7	8	15
35-49	2199	2.8	6	1	1	2	3	6	9	12
50-64	3784	2.8	7	1	1	2	2	6	9	14
65+	1295	2.8	7	1	1	2	2	6	9	15
2. MULTIPLE DX										
0-19 YRS	1152	3.0	20	1	1	2	2	6	9	20
20-34	768	4.7	23	1	1	2	6	11	14	23
35-49	6923	4.3	19	1	1	2	6	10	12	20
50-64	17734	4.6	21	1	1	2	6	11	13	21
65+	10741	5.7	34	1	1	3	8	13	16	27
TOT. SINGLE DX	8103	2.8	7	1	1	2	2	6	9	13
" MULTIPLE DX	37318	4.8	25	1	1	2	7	11	14	23
TOTAL 0-19 YRS	1679	2.7	15	1	1	2	2	4	8	18
20-34	1066	4.2	20	1	1	2	5	10	13	21
35-49	9122	4.0	16	1	1	2	5	9	12	18
50-64	21518	4.3	19	1	1	2	6	10	13	21
65+	12036	5.4	32	1	1	3	7	12	16	26
GRAND TOTAL	**45421**	**4.4**	**22**	**1**	**1**	**2**	**6**	**10**	**13**	**22**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	26	3.3	4	1	1	3	4	6	8	10
20-34	23	3.6	5	<1	1	3	6	7	8	8
35-49	42	4.1	10	1	1	3	6	9	10	13
50-64	151	4.9	15	1	1	4	7	11	13	18
65+	594	4.8	25	1	1	4	6	9	12	19
2. MULTIPLE DX										
0-19 YRS	60	7.1	57	1	2	5	8	14	31	94
20-34	66	6.4	32	1	2	5	8	12	14	37
35-49	224	9.6	63	1	2	8	13	19	23	43
50-64	1168	10.0	64	2	3	8	13	18	23	38
65+	7247	10.1	54	2	3	8	13	19	24	38
TOT. SINGLE DX	836	4.7	21	1	1	4	6	9	12	18
" MULTIPLE DX	8765	10.0	56	2	3	8	13	19	23	38
TOTAL 0-19 YRS	86	6.0	44	1	2	4	7	11	19	78
20-34	89	5.7	27	1	2	4	7	11	13	31
35-49	266	8.7	59	1	2	7	12	18	22	41
50-64	1319	9.4	61	2	2	8	13	18	22	35
65+	7841	9.7	55	2	3	8	13	18	23	38
GRAND TOTAL	**9601**	**9.5**	**56**	**2**	**3**	**8**	**13**	**18**	**23**	**38**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	30	5.2	7	1	2	6	7	8	9	11
20-34	42	6.3	15	1	2	6	9	11	14	16
35-49	384	4.5	10	2	2	3	6	9	11	18
50-64	770	4.3	10	2	2	3	5	8	10	16
65+	274	4.1	9	2	2	3	5	8	10	16
2. MULTIPLE DX										
0-19 YRS	81	8.6	60	2	2	8	10	16	27	99+
20-34	154	9.8	75	2	2	7	12	22	28	45
35-49	1267	6.5	34	2	2	4	8	13	17	28
50-64	3077	6.5	33	2	2	4	8	13	17	28
65+	1790	8.3	53	2	2	6	11	17	23	37
TOT. SINGLE DX	1500	4.4	10	2	2	3	6	8	10	16
" MULTIPLE DX	6369	7.1	41	2	2	5	9	14	19	32
TOTAL 0-19 YRS	111	7.7	48	2	2	7	9	12	19	99+
20-34	196	9.1	65	2	2	7	11	20	25	41
35-49	1651	6.0	30	2	2	4	8	12	16	26
50-64	3847	6.1	29	2	2	4	8	12	16	27
65+	2064	7.8	49	2	2	5	10	16	21	35
GRAND TOTAL	**7869**	**6.6**	**37**	**2**	**2**	**4**	**8**	**13**	**18**	**30**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for !CD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	376	2.5	6	<1	<1	2	3	5	8	12
20-34	130	3.9	22	<1	1	2	5	10	14	27
35-49	144	4.1	20	<1	1	2	5	10	13	23
50-64	187	4.3	29	<1	1	2	5	11	13	30
65+	162	6.6	51	1	1	4	9	14	20	30
2. MULTIPLE DX										
0-19 YRS	1531	5.3	64	1	2	3	5	10	15	56
20-34	335	9.7	102	1	2	7	12	19	24	45
35-49	619	8.7	55	1	2	6	11	19	24	34
50-64	1553	9.5	69	1	2	7	12	19	25	45
65+	3839	11.4	81	2	3	9	15	22	28	47
TOT. SINGLE DX	999	3.9	24	<1	<1	2	4	10	13	26
" MULTIPLE DX	7877	9.5	80	1	2	7	12	20	26	46
TOTAL 0-19 YRS	1907	4.7	54	1	1	3	5	9	13	46
20-34	465	8.1	87	1	1	6	11	16	21	38
35-49	763	7.8	52	1	1	6	10	17	22	33
50-64	1740	8.9	68	1	2	7	12	19	25	42
65+	4001	11.2	81	2	3	9	15	22	28	47
GRAND TOTAL	**8876**	**8.9**	**77**	**1**	**2**	**6**	**12**	**19**	**25**	**44**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	27	2.3	2	<1	1	2	3	4	5	8
20-34	560	3.0	3	1	1	3	4	5	6	9
35-49	877	3.1	5	1	1	3	4	5	7	11
50-64	594	3.6	6	1	1	3	4	6	7	14
65+	134	4.0	7	1	1	4	5	7	10	14
2. MULTIPLE DX										
0-19 YRS	7	4.6	10	2	2	3	6	10	11	11
20-34	207	4.5	14	1	1	4	5	8	12	19
35-49	456	4.5	15	1	2	3	5	8	12	20
50-64	511	5.3	21	1	2	4	6	10	13	28
65+	228	6.9	55	2	2	4	7	14	24	43
TOT. SINGLE DX	2192	3.3	5	1	1	3	4	5	7	12
" MULTIPLE DX	1409	5.2	24	1	2	4	6	10	14	29
TOTAL 0-19 YRS	34	2.8	5	<1	1	2	3	5	8	11
20-34	767	3.4	7	1	1	3	4	6	7	15
35-49	1333	3.6	9	1	1	3	4	6	8	17
50-64	1105	4.4	14	1	1	4	5	8	10	22
65+	362	5.8	39	1	2	4	6	11	18	32
GRAND TOTAL	**3601**	**4.0**	**14**	**1**	**1**	**3**	**5**	**7**	**10**	**21**

578: Systamic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	6.1	8	1	2	7	8	10	11	12
20-34	28	5.9	31	1	1	4	9	10	18	26
35-49	127	8.4	18	2	4	8	10	13	16	25
50-64	361	9.5	30	3	5	9	11	15	18	30
65+	311	9.7	22	4	5	9	12	16	18	30
2. MULTIPLE DX										
0-19 YRS	161	12.0	91	3	5	9	13	27	36	94
20-34	263	10.7	88	1	2	8	14	22	28	51
35-49	671	11.5	78	2	3	9	14	21	28	47
50-64	2636	13.6	104	4	5	11	16	24	33	59
65+	3939	15.9	116	5	6	13	20	29	36	59
TOT. SINGLE DX	848	9.2	26	3	4	8	11	15	18	29
" MULTIPLE DX	7670	14.4	110	4	5	12	18	27	35	58
TOTAL 0-19 YRS	182	11.4	86	2	4	9	12	25	34	86
20-34	291	10.2	85	1	2	8	13	21	28	48
35-49	798	11.0	71	2	3	9	13	20	27	45
50-64	2997	13.1	97	4	5	10	15	23	32	56
65+	4250	15.4	112	5	6	13	19	28	35	59
GRAND TOTAL	**8518**	**13.9**	**104**	**4**	**5**	**11**	**17**	**26**	**34**	**57**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	2	40.0	1568	12	12	40	68	68	68	68
20-34	1	10.0		10	10	10	10	10	10	10
35-49	1	11.0		11	11	11	11	11	11	11
50-64	3	9.3	25	4	4	10	13	14	14	14
65+	2	19.5	181	10	10	19	29	29	29	29
TOT. SINGLE DX	2	3.5	5	2	2	3	5	5	5	5
" MULTIPLE DX	9	18.7	388	4	6	11	18	52	68	68
TOTAL 0-19 YRS	3	28.3	1192	5	5	12	54	68	68	68
20-34	1	10.0		10	10	10	10	10	10	10
35-49	1	11.0		11	11	11	11	11	11	11
50-64	4	7.5	30	2	2	7	12	14	14	14
65+	2	19.5	181	10	10	19	29	29	29	29
GRAND TOTAL	**11**	**15.9**	**349**	**2**	**3**	**10**	**13**	**45**	**66**	**68**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	15	4.5	32	<1	<1	3	5	12	19	22
35-49	14	5.1	23	1	1	4	7	11	17	19
50-64	17	5.5	23	<1	<1	5	7	9	17	21
65+	14	11.7	225	<1	1	8	11	27	51	58
2. MULTIPLE DX										
0-19 YRS	50	8.1	135	1	1	5	9	14	28	77
20-34	595	5.1	23	<1	1	4	7	11	15	24
35-49	662	5.9	37	<1	1	4	7	12	16	33
50-64	1190	6.6	42	1	2	5	8	13	18	34
65+	1300	7.3	46	1	2	5	9	15	21	35
TOT. SINGLE DX	61	6.5	76	<1	<1	4	8	15	22	54
" MULTIPLE DX	3797	6.5	42	1	1	5	8	13	18	34
TOTAL 0-19 YRS	51	8.0	134	1	1	5	9	14	27	76
20-34	610	5.1	24	<1	1	4	6	11	15	24
35-49	676	5.8	37	1	1	4	7	12	16	32
50-64	1207	6.6	42	1	2	5	8	13	18	34
65+	1314	7.4	49	1	2	5	9	15	21	36
GRAND TOTAL	**3858**	**6.5**	**42**	**1**	**1**	**5**	**8**	**13**	**19**	**34**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	290	6.5	56	1	1	5	8	11	16	49
20-34	232	6.4	51	1	1	4	8	14	18	31
35-49	378	7.4	72	1	1	5	9	15	22	45
50-64	1193	6.6	26	1	2	5	8	12	15	25
65+	1458	6.8	18	2	3	6	9	12	14	23
2. MULTIPLE DX										
0-19 YRS	2525	20.4	470	2	3	11	29	59	80	99+
20-34	959	10.2	147	1	1	6	12	23	34	66
35-49	1667	10.3	111	1	2	7	13	23	31	56
50-64	6463	10.7	97	2	3	8	13	21	29	54
65+	12099	11.6	86	3	4	9	15	22	30	51
TOT. SINGLE DX	3551	6.7	32	1	2	5	8	12	15	28
" MULTIPLE DX	23713	12.1	143	2	3	9	15	25	36	73
TOTAL 0-19 YRS	2815	19.0	446	1	3	10	26	57	77	99+
20-34	1191	9.4	131	1	1	6	12	21	30	65
35-49	2045	9.8	106	1	2	7	12	22	29	55
50-64	7656	10.0	88	2	3	8	12	19	27	52
65+	13557	11.1	81	3	4	9	14	21	28	49
GRAND TOTAL	**27264**	**11.4**	**132**	**2**	**3**	**8**	**14**	**23**	**33**	**70**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	354	3.3	9	<1	1	2	5	8	10	13
20-34	326	4.0	14	1	1	3	5	9	10	20
35-49	265	4.1	11	1	1	3	6	9	11	16
50-64	294	4.7	19	1	1	3	6	10	14	20
65+	222	5.6	17	1	1	5	8	10	13	20
2. MULTIPLE DX										
0-19 YRS	259	5.9	35	1	1	4	8	13	18	28
20-34	429	7.7	56	1	2	6	10	15	23	37
35-49	513	7.8	59	1	1	5	10	17	24	37
50-64	1020	8.9	71	1	2	7	11	18	24	45
65+	1340	10.3	84	2	2	8	13	21	28	47
TOT. SINGLE DX	1461	4.2	14	1	1	3	6	9	11	18
" MULTIPLE DX	3561	8.9	72	1	2	7	11	18	25	45
TOTAL 0-19 YRS	613	4.4	22	<1	1	3	6	10	13	24
20-34	755	6.1	42	1	1	4	8	12	17	33
35-49	778	6.5	46	1	1	4	8	14	19	34
50-64	1314	8.0	63	1	2	6	10	16	22	41
65+	1562	9.6	78	1	2	8	12	19	25	46
GRAND TOTAL	**5022**	**7.5**	**60**	**1**	**1**	**5**	**10**	**16**	**22**	**40**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	4.3	13	1	1	3	6	9	13	15
20-34	48	6.8	16	2	2	7	8	11	13	22
35-49	60	4.8	7	<1	1	5	6	8	10	15
50-64	92	6.8	30	2	2	5	9	15	19	25
65+	81	7.2	23	2	3	6	9	14	18	25
2. MULTIPLE DX										
0-19 YRS	13	5.9	26	2	2	4	7	16	17	17
20-34	65	8.0	30	1	2	7	9	14	17	32
35-49	142	9.6	88	2	3	7	12	18	26	58
50-64	362	12.2	140	2	3	8	15	26	35	66
65+	416	10.9	92	3	4	8	12	21	31	49
TOT. SINGLE DX	302	6.4	21	1	2	5	8	12	16	23
" MULTIPLE DX	998	10.9	106	2	3	8	13	22	32	59
TOTAL 0-19 YRS	34	4.9	18	1	2	3	6	11	16	17
20-34	113	7.5	24	1	2	7	9	13	15	27
35-49	202	8.2	69	1	2	6	9	15	20	53
50-64	454	11.1	122	2	3	8	14	24	33	61
65+	497	10.3	83	3	4	8	12	20	27	46
GRAND TOTAL	**1300**	**9.9**	**90**	**2**	**3**	**7**	**11**	**19**	**28**	**50**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	5.5	13	3	3	5	8	8	8	8
20-34	1	13.0		13	13	13	13	13	13	13
35-49	3	4.7	8	3	3	3	7	8	8	8
50-64										
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	8.0	63	2	2	5	14	17	17	17
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	12.0		12	12	12	12	12	12	12
65+	3	5.3	10	3	3	4	8	9	9	9
TOT. SINGLE DX	7	5.7	17	2	2	3	8	12	13	13
" MULTIPLE DX	9	6.2	28	2	2	4	10	15	17	17
TOTAL 0-19 YRS	3	4.3	10	2	2	3	7	8	8	8
20-34	4	9.3	48	2	2	9	15	17	17	17
35-49	4	4.0	7	2	2	3	6	8	8	8
50-64	1	12.0		12	12	12	12	12	12	12
65+	4	4.5	10	2	2	3	6	9	9	9
GRAND TOTAL	**16**	**6.0**	**22**	**2**	**2**	**4**	**9**	**13**	**16**	**17**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	29.0		29	29	29	29	29	29	29
20-34	2	23.5	925	2	2	23	45	45	45	45
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	2.5	1	2	2	2	3	3	3	3
65+										
2. MULTIPLE DX										
0-19 YRS	8	44.5	425	25	26	35	57	79	84	84
20-34	28	42.8	198	22	26	42	49	64	66	68
35-49	18	39.2	229	12	26	38	50	55	66	72
50-64	8	34.1	516	1	3	36	47	64	70	70
65+	1	3.0		3	3	3	3	3	3	3
TOT. SINGLE DX	6	14.0	343	2	2	3	29	43	45	45
" MULTIPLE DX	63	40.2	288	3	25	41	50	65	69	82
TOTAL 0-19 YRS	9	42.8	399	25	26	34	53	77	84	84
20-34	30	41.5	241	2	25	42	49	64	65	68
35-49	19	37.3	285	3	12	37	50	54	65	72
50-64	10	27.8	579	1	1	26	46	59	70	70
65+	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	**69**	**38.0**	**344**	**2**	**3**	**39**	**49**	**64**	**68**	**82**

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	417	5.2	14	1	2	5	6	9	12	18
20-34	338	6.7	23	2	2	6	8	11	17	23
35-49	213	6.8	32	2	2	5	8	12	18	70
50-64	243	7.4	50	1	2	5	8	14	18	39
65+	263	7.3	46	1	2	6	9	13	18	37
2. MULTIPLE DX										
0-19 YRS	688	9.3	83	2	2	7	11	20	27	56
20-34	960	11.7	129	2	3	8	13	26	36	59
35-49	1129	11.4	110	2	3	8	14	25	34	52
50-64	2275	11.6	105	3	3	9	14	23	32	55
65+	5527	11.2	68	3	4	9	14	21	27	43
TOT. SINGLE DX	1474	6.5	31	1	2	5	8	12	16	34
" MULTIPLE DX	10579	11.2	88	3	3	9	14	22	29	50
TOTAL 0-19 YRS	1105	7.7	61	1	2	6	9	16	22	45
20-34	1298	10.4	106	2	3	7	11	22	31	54
35-49	1342	10.6	101	2	3	8	13	22	32	52
50-64	2518	11.2	102	2	3	8	13	23	31	54
65+	5790	11.0	69	3	4	9	14	20	26	43
GRAND TOTAL	**12053**	**10.6**	**83**	**2**	**3**	**8**	**13**	**21**	**28**	**49**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	88	7.4	84	1	1	5	9	14	24	54
20-34	118	10.3	113	1	2	7	13	23	36	52
35-49	96	8.2	87	<1	1	5	10	21	31	43
50-64	116	9.7	90	1	2	7	12	24	30	45
65+	75	8.3	59	1	1	5	12	18	26	37
2. MULTIPLE DX										
0-19 YRS	461	16.7	313	2	3	11	25	44	69	99+
20-34	676	13.8	165	1	2	10	18	31	40	68
35-49	1011	13.1	157	1	2	9	17	30	38	58
50-64	1727	13.0	171	2	2	9	17	29	39	67
65+	2054	14.8	157	2	3	11	20	32	40	60
TOT. SINGLE DX	493	8.9	90	1	1	6	11	20	29	47
" MULTIPLE DX	5929	14.0	176	2	3	10	19	31	42	70
TOTAL 0-19 YRS	549	15.2	288	1	2	9	21	42	66	99+
20-34	794	13.3	159	1	2	9	18	30	40	62
35-49	1107	12.7	153	1	2	8	17	29	38	56
50-64	1843	12.8	167	2	2	8	16	29	38	66
65+	2129	14.6	156	2	3	11	19	31	40	60
GRAND TOTAL	**6422**	**13.6**	**171**	**2**	**2**	**9**	**18**	**31**	**41**	**69**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	72	4.1	42	<1	<1	2	5	8	15	38
20-34	66	4.5	12	<1	1	4	7	9	11	13
35-49	113	5.3	24	1	1	4	7	11	17	24
50-64	169	6.0	41	1	1	4	8	13	17	33
65+	163	5.1	35	1	1	3	6	11	15	38
2. MULTIPLE DX										
0-19 YRS	144	11.6	208	1	1	7	15	31	60	99+
20-34	292	8.3	116	1	2	5	9	15	28	61
35-49	652	7.9	56	1	2	6	10	16	21	37
50-64	1326	9.7	107	1	2	7	11	20	28	59
65+	2413	9.5	74	1	2	7	12	19	25	44
TOT. SINGLE DX	583	5.2	33	1	1	3	7	11	15	33
" MULTIPLE DX	4827	9.3	88	1	2	7	11	19	26	55
TOTAL 0-19 YRS	216	9.1	165	<1	1	4	11	24	39	99+
20-34	358	7.6	99	1	1	5	8	13	22	57
35-49	765	7.5	53	1	2	6	9	15	21	37
50-64	1495	9.3	102	1	2	7	11	19	27	57
65+	2576	9.3	74	1	2	7	11	18	24	43
GRAND TOTAL	**5410**	**8.9**	**84**	**1**	**2**	**7**	**11**	**18**	**25**	**52**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	712	3.4	3	1	2	3	4	5	6	10
20-34	7	6.3	9	1	2	7	9	10	10	10
35-49	3	6.7	9	4	4	6	9	10	10	10
50-64	6	9.7	28	4	4	8	12	18	19	19
65+	2	12.0	50	7	7	12	17	17	17	17
2. MULTIPLE DX										
0-19 YRS	264	4.9	51	2	2	4	5	7	9	17
20-34	12	12.8	44	6	7	12	19	42	89	99+
35-49	18	16.0	99	5	5	13	20	32	37	39
50-64	28	17.7	80	8	9	17	23	33	43	99+
65+	61	16.1	72	5	6	15	21	28	32	44
TOT. SINGLE DX	730	3.5	4	1	2	3	4	6	7	11
" MULTIPLE DX	383	8.4	86	2	2	5	10	20	27	55
TOTAL 0-19 YRS	976	3.8	16	2	2	3	4	6	7	11
20-34	19	10.4	41	2	5	9	14	24	64	99+
35-49	21	14.7	97	4	5	11	20	30	37	39
50-64	34	16.3	79	5	8	16	21	30	39	99+
65+	63	16.0	72	6	7	15	21	27	32	44
GRAND TOTAL	**1113**	**5.2**	**37**	**2**	**2**	**4**	**5**	**10**	**17**	**32**

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	7.9	53	1	1	5	11	18	24	26
20-34	6	9.7	10	5	5	9	12	14	14	14
35-49	5	8.8	61	1	1	9	13	21	21	21
50-64	13	10.3	42	1	3	11	12	22	24	24
65+	29	15.4	231	3	3	11	19	28	39	79
2. MULTIPLE DX										
0-19 YRS	99	19.0	308	3	4	14	23	39	63	99
20-34	56	18.8	319	4	5	13	27	49	82	99+
35-49	103	22.5	373	3	5	18	33	55	86	99+
50-64	352	20.8	295	4	6	16	28	44	58	98
65+	1657	18.4	151	4	6	16	23	34	43	63
TOT. SINGLE DX	66	11.9	133	1	3	10	15	25	27	72
" MULTIPLE DX	2267	19.0	196	4	6	16	24	37	47	88
TOTAL 0-19 YRS	112	17.7	291	2	4	13	22	37	60	99
20-34	62	17.9	296	4	5	12	22	48	77	99+
35-49	108	21.8	367	3	4	18	31	53	85	99+
50-64	365	20.4	290	4	5	16	27	43	58	98
65+	1686	18.4	153	4	6	16	23	34	43	63
GRAND TOTAL	**2333**	**18.8**	**195**	**4**	**6**	**16**	**24**	**37**	**47**	**88**

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	23	6.7	39	2	2	4	7	17	23	25
20-34	79	6.0	24	1	2	4	8	10	16	30
35-49	170	6.3	21	2	2	5	7	11	13	28
50-64	162	5.6	13	1	2	5	8	10	13	18
65+	154	7.0	29	2	2	6	8	14	18	30
2. MULTIPLE DX										
0-19 YRS	55	7.9	66	2	2	5	9	18	27	42
20-34	530	7.7	53	2	3	6	9	14	17	37
35-49	1106	7.8	42	2	3	6	9	14	19	33
50-64	1989	8.5	40	3	3	7	10	16	20	31
65+	4366	9.4	46	3	4	8	12	17	22	34
TOT. SINGLE DX	588	6.3	23	2	2	5	8	11	15	26
" MULTIPLE DX	8046	8.9	46	3	3	7	11	16	21	34
TOTAL 0-19 YRS	78	7.6	58	2	2	5	8	17	26	40
20-34	609	7.4	50	2	3	6	9	13	17	35
35-49	1276	7.6	40	2	3	6	9	14	19	33
50-64	2151	8.3	39	2	3	7	10	15	20	31
65+	4520	9.4	46	3	4	8	11	17	22	34
GRAND TOTAL	**8634**	**8.7**	**45**	**2**	**3**	**7**	**10**	**16**	**21**	**33**

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	9.0	8	7	7	9	11	11	11	11
20-34	43	9.6	17	4	6	8	12	16	17	24
35-49	84	11.1	29	6	7	9	13	17	22	35
50-64	96	11.9	23	7	7	11	14	18	23	29
65+	61	13.2	30	7	8	12	17	20	24	30
2. MULTIPLE DX										
0-19 YRS	11	25.8	285	7	8	24	39	50	57	58
20-34	88	15.2	84	7	8	13	17	25	40	84
35-49	269	16.6	130	7	7	13	19	30	40	64
50-64	477	17.1	117	8	9	14	20	30	39	59
65+	845	20.7	158	8	10	17	25	36	45	71
TOT. SINGLE DX	286	11.6	27	6	7	10	13	18	22	30
" MULTIPLE DX	1690	18.8	143	8	9	15	22	34	43	70
TOTAL 0-19 YRS	13	23.2	278	7	7	15	38	48	56	58
20-34	131	13.4	69	6	7	11	16	21	32	66
35-49	353	15.3	111	6	7	12	18	28	38	59
50-64	573	16.2	106	7	8	13	19	27	37	57
65+	906	20.2	153	8	9	17	24	36	44	71
GRAND TOTAL	**1976**	**17.7**	**133**	**7**	**8**	**14**	**21**	**31**	**41**	**65**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	1	15.0		15	15	15	15	15	15	15
50-64	14	17.1	117	9	10	14	16	23	46	53
65+	8	18.6	142	7	8	13	28	37	40	40
2. MULTIPLE DX										
0-19 YRS										
20-34	4	12.5	9	10	10	11	14	17	17	17
35-49	42	23.9	382	9	10	18	25	69	82	99+
50-64	112	22.7	187	10	11	18	28	46	57	80
65+	151	22.4	177	11	12	19	26	36	46	95
TOT. SINGLE DX	23	17.5	115	8	9	14	19	32	45	53
" MULTIPLE DX	309	22.6	207	10	11	18	26	39	57	97
TOTAL 0-19 YRS										
20-34	4	12.5	10	10	10	11	14	17	17	17
35-49	43	23.7	375	9	10	18	24	69	81	99+
50-64	126	22.0	182	10	11	17	26	46	56	76
65+	159	22.2	175	10	12	19	26	36	44	95
GRAND TOTAL	**332**	**22.2**	**202**	**10**	**11**	**18**	**26**	**39**	**55**	**96**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	10.0		10	10	10	10	10	10	10
20-34	45	9.0	13	5	6	8	10	14	17	22
35-49	77	9.8	16	6	6	9	12	16	17	79
50-64	48	10.1	15	5	6	9	12	16	18	22
65+	14	12.5	51	6	7	11	15	35	84	99+
2. MULTIPLE DX										
0-19 YRS	7	13.0	57	7	7	9	18	26	27	27
20-34	65	12.3	45	5	6	10	15	20	24	43
35-49	158	13.6	84	6	7	11	16	24	31	53
50-64	207	15.3	95	6	7	13	18	26	34	58
65+	236	18.0	98	8	9	15	22	32	42	61
TOT. SINGLE DX	186	9.9	18	6	6	9	12	16	18	75
" MULTIPLE DX	673	15.5	92	6	8	13	19	27	38	55
TOTAL 0-19 YRS	9	12.3	45	7	7	10	13	24	27	27
20-34	110	10.9	35	5	6	9	12	18	22	37
35-49	235	12.4	65	6	6	10	14	22	28	53
50-64	255	14.3	84	6	7	11	17	23	31	56
65+	250	17.7	97	8	9	15	22	32	42	98
GRAND TOTAL	**859**	**14.3**	**82**	**6**	**7**	**12**	**17**	**25**	**33**	**55**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	75	6.0	14	2	2	6	8	9	10	26
20-34	294	7.3	8	4	5	7	8	10	11	16
35-49	269	8.1	13	5	5	8	9	11	14	24
50-64	106	10.8	82	5	5	8	12	17	25	61
65+	76	10.3	49	5	6	9	11	15	17	52
2. MULTIPLE DX										
0-19 YRS	239	15.5	211	4	5	10	19	42	63	99+
20-34	641	9.4	39	5	6	8	10	13	20	41
35-49	1114	10.4	58	5	6	8	10	18	23	48
50-64	800	14.2	138	6	6	10	16	28	39	75
65+	1128	17.8	150	6	8	15	21	32	43	76
TOT. SINGLE DX	820	8.2	26	4	5	7	9	11	14	30
" MULTIPLE DX	3922	13.4	118	5	6	10	16	25	36	70
TOTAL 0-19 YRS	314	13.2	180	3	4	8	16	34	53	99+
20-34	935	8.7	31	5	5	8	9	12	16	39
35-49	1383	10.0	50	5	6	8	10	16	22	46
50-64	906	13.8	133	5	6	10	15	27	37	75
65+	1204	17.3	147	6	7	14	21	31	42	75
GRAND TOTAL	**4742**	**12.5**	**106**	**5**	**6**	**9**	**14**	**23**	**33**	**65**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	161	5.1	15	1	1	5	6	9	11	20
20-34	317	6.0	14	1	2	5	8	11	13	21
35-49	268	5.4	14	1	1	5	7	10	12	19
50-64	286	5.0	20	<1	1	4	7	10	12	22
65+	309	4.5	18	<1	1	3	7	10	13	19
2. MULTIPLE DX										
0-19 YRS	274	7.9	100	1	2	5	8	15	25	64
20-34	809	7.3	47	2	3	6	9	13	18	33
35-49	1179	7.9	44	2	2	6	9	15	20	37
50-64	2484	7.9	45	1	2	6	10	15	19	36
65+	5138	8.9	48	1	2	7	11	17	21	36
TOT. SINGLE DX	1341	5.2	17	1	1	4	7	10	13	20
" MULTIPLE DX	9884	8.4	49	1	2	7	10	16	21	36
TOTAL 0-19 YRS	435	6.9	71	1	2	5	8	12	19	46
20-34	1126	7.0	39	2	2	6	8	13	16	29
35-49	1447	7.4	40	1	2	6	9	14	19	32
50-64	2770	7.6	44	1	2	6	10	14	18	34
65+	5447	8.6	48	1	2	7	11	17	21	35
GRAND TOTAL	**11225**	**8.0**	**46**	**1**	**2**	**6**	**10**	**15**	**20**	**34**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	26	9.2	27	4	5	7	10	20	23	23
20-34	41	10.4	23	5	6	9	13	18	20	25
35-49	47	12.4	62	6	7	10	14	19	23	55
50-64	42	10.3	14	5	6	10	12	15	19	22
65+	59	13.5	85	5	6	11	16	22	27	64
2. MULTIPLE DX										
0-19 YRS	111	19.5	489	5	6	10	21	66	83	99+
20-34	238	15.1	146	6	7	11	17	31	41	85
35-49	304	16.7	173	7	7	12	19	33	49	94
50-64	524	19.6	217	7	8	15	24	39	55	99+
65+	1056	19.5	169	8	9	16	23	35	48	78
TOT. SINGLE DX	215	11.5	49	5	6	10	14	18	22	38
" MULTIPLE DX	2233	18.7	197	7	8	14	22	36	51	91
TOTAL 0-19 YRS	137	17.6	418	5	6	9	18	56	83	99+
20-34	279	14.4	131	6	7	11	16	27	39	82
35-49	351	16.1	160	7	7	12	19	30	47	89
50-64	566	18.9	208	7	8	14	23	38	53	99
65+	1115	19.2	167	7	8	16	23	34	47	77
GRAND TOTAL	**2448**	**18.1**	**188**	**7**	**8**	**14**	**22**	**35**	**49**	**89**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	48	8.7	7	5	6	8	10	13	14	16
20-34	147	9.8	18	5	6	9	11	16	20	25
35-49	230	10.9	21	7	7	10	12	17	21	29
50-64	659	10.6	15	7	7	10	12	14	17	27
65+	740	11.6	26	7	8	10	13	16	20	37
2. MULTIPLE DX										
0-19 YRS	134	17.5	316	5	6	11	21	53	90	99+
20-34	421	14.7	108	6	7	11	18	27	35	67
35-49	947	13.5	70	7	7	11	15	22	29	56
50-64	3047	14.2	69	7	8	12	16	23	29	47
65+	7534	16.4	82	8	9	14	19	27	33	53
TOT. SINGLE DX	1824	10.9	21	7	7	10	12	16	19	28
" MULTIPLE DX	12083	15.5	83	7	8	13	18	26	32	54
TOTAL 0-19 YRS	182	15.2	249	5	6	10	15	37	68	99+
20-34	568	13.4	90	6	7	10	15	24	30	55
35-49	1177	13.0	62	7	7	11	15	20	27	46
50-64	3706	13.5	62	7	8	11	15	22	27	46
65+	8274	15.9	80	8	9	13	19	26	32	52
GRAND TOTAL	**13907**	**14.9**	**78**	**7**	**8**	**12**	**17**	**25**	**31**	**52**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	15	6.9	30	2	3	6	8	24	77	99+
20-34	11	9.4	29	3	4	8	11	18	22	22
35-49	25	9.4	24	4	5	9	10	12	20	29
50-64	23	9.0	11	4	5	9	11	14	16	17
65+	34	10.6	24	5	6	9	12	18	21	27
2. MULTIPLE DX										
0-19 YRS	34	14.2	302	3	4	9	15	20	69	79
20-34	49	11.6	113	5	5	9	14	18	21	76
35-49	92	15.4	124	5	6	13	18	31	35	61
50-64	199	17.5	175	6	7	14	22	32	44	71
65+	454	18.7	129	7	9	15	23	32	41	75
TOT. SINGLE DX	108	9.3	23	4	5	8	11	16	21	58
" MULTIPLE DX	828	17.4	149	6	7	14	21	31	41	77
TOTAL 0-19 YRS	49	12.0	229	3	4	8	12	22	78	99+
20-34	60	11.2	98	4	5	9	13	18	21	71
35-49	117	14.1	109	5	6	11	16	29	34	56
50-64	222	16.7	165	6	7	13	21	30	43	68
65+	488	18.1	126	7	8	15	22	32	41	71
GRAND TOTAL	**936**	**16.5**	**141**	**5**	**7**	**13**	**20**	**30**	**40**	**76**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	152	6.0	16	2	2	5	7	9	12	28
20-34	132	8.0	14	4	5	7	9	12	15	24
35-49	116	8.6	13	4	5	8	10	12	15	25
50-64	154	8.6	17	3	4	8	10	14	17	25
65+	201	9.9	31	3	5	9	12	16	21	35
2. MULTIPLE DX										
0-19 YRS	280	10.2	82	3	4	7	11	18	31	63
20-34	388	11.1	73	5	5	9	12	18	27	47
35-49	472	12.0	67	5	6	10	13	21	28	52
50-64	799	13.1	98	5	6	10	15	24	33	62
65+	1501	14.4	106	5	6	12	16	25	35	60
TOT. SINGLE DX	755	8.3	22	3	4	8	10	13	17	28
" MULTIPLE DX	3440	13.1	95	5	6	10	15	23	33	60
TOTAL 0-19 YRS	432	8.7	63	2	3	7	10	15	24	58
20-34	520	10.4	60	4	5	8	11	16	24	46
35-49	588	11.3	59	5	6	9	12	20	27	47
50-64	953	12.4	88	5	6	10	14	22	31	59
65+	1702	13.9	99	5	6	11	16	24	33	58
GRAND TOTAL	**4195**	**12.2**	**85**	**4**	**5**	**10**	**14**	**22**	**30**	**55**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	10.9	90	3	4	9	11	23	37	39
20-34	10	12.5	28	6	6	12	15	20	22	22
35-49	19	16.8	446	5	6	10	14	33	70	98
50-64	26	10.4	11	6	7	10	13	14	17	20
65+	43	12.7	40	6	8	11	14	21	28	36
2. MULTIPLE DX										
0-19 YRS	50	17.3	245	4	5	13	28	65	99+	99+
20-34	68	18.2	215	7	7	14	21	34	72	96
35-49	130	18.6	231	6	8	14	22	39	50	99+
50-64	326	19.2	157	7	8	16	24	37	45	94
65+	924	20.8	150	8	10	17	25	37	45	73
TOT. SINGLE DX	110	12.7	108	5	6	10	14	19	29	63
" MULTIPLE DX	1498	20.0	166	7	9	17	24	37	46	97
TOTAL 0-19 YRS	62	16.1	220	4	5	11	24	43	99+	99+
20-34	78	17.5	194	6	7	14	20	33	58	94
35-49	149	18.4	256	6	7	14	22	38	50	99+
50-64	352	18.6	152	7	8	15	23	37	44	92
65+	967	20.5	148	8	10	17	24	36	44	73
GRAND TOTAL	**1608**	**19.5**	**165**	**7**	**8**	**16**	**24**	**37**	**45**	**96**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7445	3.8	4	2	2	3	4	6	8	11
20-34	5280	3.8	3	2	2	3	4	6	7	11
35-49	1818	4.7	6	2	2	4	6	8	9	14
50-64	768	5.7	9	2	3	5	7	10	11	15
65+	212	7.0	11	3	3	6	9	11	14	19
2. MULTIPLE DX										
0-19 YRS	2590	5.8	16	2	2	5	7	10	13	21
20-34	2188	5.9	16	2	3	5	7	10	13	21
35-49	1073	7.1	23	2	3	6	9	12	15	26
50-64	830	9.0	35	3	4	8	11	16	19	32
65+	737	11.0	56	4	5	9	13	18	24	38
TOT. SINGLE DX	15523	4.0	5	2	2	3	5	7	8	12
" MULTIPLE DX	7418	6.9	27	2	3	5	8	12	16	27
TOTAL 0-19 YRS	10035	4.3	8	2	2	4	5	7	9	15
20-34	7468	4.4	8	2	2	4	5	7	9	15
35-49	2891	5.6	14	2	2	5	7	10	12	19
50-64	1598	7.4	26	3	3	6	9	13	16	26
65+	949	10.1	49	3	4	8	12	17	22	34
GRAND TOTAL	**22941**	**5.0**	**14**	**2**	**2**	**4**	**6**	**9**	**11**	**19**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	50	3.9	3	2	2	4	5	7	8	9
20-34	37	4.0	3	2	2	3	5	7	8	9
35-49	6	4.3	5	2	2	4	7	7	7	7
50-64	3	4.3	9	1	1	5	6	7	7	7
65+	2	20.0	98	13	13	20	27	27	27	27
2. MULTIPLE DX										
0-19 YRS	32	4.9	3	2	2	5	6	7	8	10
20-34	34	6.1	19	1	3	5	7	11	14	24
35-49	13	5.9	6	2	3	5	8	10	10	10
50-64	10	11.5	31	5	5	12	16	19	22	22
65+	9	10.0	45	5	5	8	10	21	27	27
TOT. SINGLE DX	98	4.3	10	2	2	4	5	7	9	20
" MULTIPLE DX	98	6.6	20	2	3	5	8	12	15	26
TOTAL 0-19 YRS	82	4.3	4	2	2	4	6	7	8	10
20-34	71	5.0	12	2	2	4	6	9	11	22
35-49	19	5.4	7	2	2	5	7	9	10	10
50-64	13	9.8	35	2	4	8	14	17	21	22
65+	11	11.8	62	5	5	8	13	27	27	27
GRAND TOTAL	**196**	**5.5**	**16**	**2**	**2**	**4**	**6**	**9**	**13**	**25**

605 Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	18	8.4	13	2	4	8	11	13	15	16
20-34	11	8.9	6	5	6	9	11	12	12	12
35-49	8	7.6	15	2	3	7	11	12	13	13
50-64	6	8.8	5	6	6	8	11	12	12	12
65+	3	12.7	16	8	8	15	15	15	15	15
2. MULTIPLE DX										
0-19 YRS	14	8.3	14	3	4	8	10	14	16	17
20-34	6	6.7	15	2	2	7	8	12	13	13
35-49	10	12.0	37	3	5	11	15	21	24	24
50-64	17	12.9	40	5	7	11	16	20	27	30
65+	13	17.4	191	7	7	13	16	43	52	54
TOT. SINGLE DX	46	8.7	12	3	5	8	11	13	15	16
" MULTIPLE DX	60	12.0	73	3	5	10	14	19	27	53
TOTAL 0-19 YRS	32	8.3	14	3	4	8	11	14	16	17
20-34	17	8.1	10	2	3	8	11	12	13	13
35-49	18	10.1	31	2	3	10	13	18	22	24
50-64	23	11.9	34	5	7	10	14	20	24	30
65+	16	16.5	159	7	7	13	16	38	50	54
GRAND TOTAL	**106**	**10.6**	**49**	**3**	**5**	**9**	**12**	**16**	**20**	**46**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	73	3.8	6	1	1	3	5	6	9	14
20-34	106	4.0	15	1	1	3	5	7	10	24
35-49	66	3.8	7	1	1	3	5	8	9	14
50-64	138	3.7	9	1	1	3	5	8	10	15
65+	214	3.5	6	1	1	3	4	7	9	11
2. MULTIPLE DX										
0-19 YRS	101	7.4	133	1	1	4	8	14	22	75
20-34	131	5.8	17	1	1	5	8	11	14	23
35-49	213	6.5	26	1	2	5	8	13	18	27
50-64	458	7.3	41	1	2	5	9	14	20	31
65+	1155	8.3	56	1	2	6	11	17	23	37
TOT. SINGLE DX	597	3.7	9	1	1	3	5	7	9	15
" MULTIPLE DX	2058	7.7	52	1	2	6	9	16	21	37
TOTAL 0-19 YRS	174	5.9	83	1	1	4	6	11	15	53
20-34	237	5.0	17	1	1	4	7	9	12	24
35-49	279	5.9	23	1	2	5	8	11	16	25
50-64	596	6.4	36	1	1	5	8	13	18	29
65+	1369	7.6	52	1	2	5	9	16	21	37
GRAND TOTAL	**2655**	**6.8**	**45**	**1**	**2**	**5**	**9**	**14**	**19**	**34**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	60	2.7	4	1	1	2	3	5	6	13
20-34	266	2.6	3	1	1	2	3	5	6	9
35-49	198	3.1	4	1	1	2	4	5	7	12
50-64	100	3.1	6	1	1	2	4	6	8	13
65+	30	4.4	12	1	2	3	7	9	10	16
2. MULTIPLE DX										
0-19 YRS	30	4.4	9	1	1	4	6	8	10	15
20-34	210	3.9	13	1	1	3	5	7	9	17
35-49	261	5.6	71	1	1	3	6	9	17	58
50-64	207	6.5	51	1	2	4	7	14	19	40
65+	156	8.8	81	2	2	6	10	22	29	60
TOT. SINGLE DX	654	2.9	5	1	1	2	3	5	7	12
" MULTIPLE DX	864	5.9	55	1	1	4	7	12	19	38
TOTAL 0-19 YRS	90	3.3	7	1	1	3	4	6	9	14
20-34	476	3.2	8	1	1	2	4	6	7	14
35-49	459	4.5	44	1	1	3	5	8	11	29
50-64	307	5.4	39	1	1	4	7	12	17	31
65+	186	8.1	73	2	2	5	9	19	25	57
GRAND TOTAL	**1518**	**4.6**	**36**	**1**	**1**	**3**	**5**	**9**	**14**	**31**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	44	8.9	12	2	4	9	11	13	15	17
20-34	21	15.1	121	7	7	11	16	31	43	52
35-49	44	10.8	27	3	5	10	13	18	22	24
50-64	187	12.0	15	7	8	12	14	16	18	25
65+	195	12.9	26	6	8	12	16	18	24	30
2. MULTIPLE DX										
0-19 YRS	71	11.9	48	5	6	10	13	23	30	38
20-34	62	15.1	92	6	8	12	17	29	38	47
35-49	190	15.4	94	6	8	13	17	25	32	57
50-64	675	15.5	69	8	9	13	18	25	33	47
65+	1542	18.1	102	8	10	16	21	30	37	63
TOT. SINGLE DX	491	12.1	26	5	7	11	14	17	21	30
" MULTIPLE DX	2540	17.0	93	8	9	15	20	28	35	57
TOTAL 0-19 YRS	115	10.8	36	5	6	10	12	16	23	35
20-34	83	15.1	98	6	8	12	17	29	38	50
35-49	234	14.6	85	5	7	12	17	23	31	56
50-64	862	14.7	60	8	8	13	17	23	29	47
65+	1737	17.5	96	8	9	15	20	29	36	62
GRAND TOTAL	**3031**	**16.2**	**86**	**7**	**8**	**14**	**19**	**26**	**33**	**55**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	252	4.2	20	1	1	3	5	8	10	21
20-34	774	4.8	26	1	2	4	6	8	10	21
35-49	801	4.8	8	1	2	4	6	9	10	15
50-64	671	5.3	38	1	1	4	6	9	12	25
65+	495	5.9	28	1	2	5	7	10	12	28
2. MULTIPLE DX										
0-19 YRS	592	5.4	23	1	2	4	6	9	13	26
20-34	3365	6.5	35	2	2	5	8	12	16	33
35-49	4912	7.2	39	2	3	6	8	13	18	34
50-64	6739	7.6	39	2	3	6	9	14	18	34
65+	12325	8.8	47	2	3	7	11	16	21	36
TOT. SINGLE DX	2993	5.0	24	1	1	4	6	9	11	20
" MULTIPLE DX	27933	7.9	43	2	3	6	9	15	20	35
TOTAL 0-19 YRS	844	5.1	23	1	1	4	6	9	12	25
20-34	4139	6.2	34	2	2	5	7	11	15	31
35-49	5713	6.9	36	2	2	5	8	12	17	32
50-64	7410	7.4	40	2	3	6	9	14	18	34
65+	12820	8.7	47	2	3	7	11	16	21	36
GRAND TOTAL	**30926**	**7.6**	**42**	**2**	**3**	**6**	**9**	**14**	**19**	**34**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	30	2.7	6	<1	1	2	4	5	6	12
20-34	269	2.5	2	1	1	2	3	4	6	9
35-49	303	2.6	6	1	1	2	3	4	5	8
50-64	142	2.9	3	1	1	2	4	6	7	10
65+	58	2.7	2	1	1	2	4	5	5	9
2. MULTIPLE DX										
0-19 YRS	12	9.2	166	1	2	6	8	23	45	49
20-34	240	3.6	11	1	1	3	4	6	8	21
35-49	357	3.8	11	1	1	3	4	6	8	20
50-64	298	3.9	15	1	1	3	4	7	9	21
65+	174	4.4	15	1	2	3	5	8	12	20
TOT. SINGLE DX	802	2.6	4	1	1	2	3	4	6	9
" MULTIPLE DX	1081	3.9	15	1	1	3	4	7	9	21
TOTAL 0-19 YRS	42	4.5	58	<1	1	2	6	8	12	49
20-34	509	3.0	7	1	1	2	4	5	7	13
35-49	660	3.2	9	1	1	3	4	5	7	12
50-64	440	3.6	12	1	1	3	4	6	8	18
65+	232	4.0	12	1	1	3	5	7	10	20
GRAND TOTAL	**1883**	**3.4**	**11**	**1**	**1**	**3**	**4**	**6**	**8**	**18**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	39	1.9		<1	<1	2	3	3	4	4
20-34	185	2.3	2	<1	1	2	3	4	5	10
35-49	137	2.5	2	1	1	2	3	4	6	9
50-64	77	2.5	1	<1	1	2	3	4	5	7
65+	31	3.0	5	1	1	2	4	5	6	13
2. MULTIPLE DX										
0-19 YRS	17	4.1	43	1	1	2	4	6	21	29
20-34	279	3.4	12	1	1	3	4	6	8	22
35-49	349	3.4	4	1	1	3	4	6	8	12
50-64	320	4.0	11	1	1	3	5	8	11	16
65+	237	5.7	53	1	1	4	7	10	15	45
TOT. SINGLE DX	469	2.4	3	<1	1	2	3	4	5	8
" MULTIPLE DX	1202	4.0	19	1	1	3	5	8	10	19
TOTAL 0-19 YRS	56	2.5	14	<1	1	2	3	4	5	28
20-34	464	2.9	9	1	1	2	3	5	8	16
35-49	486	3.2	5	1	1	3	4	5	7	11
50-64	397	3.7	10	1	1	3	4	7	10	15
65+	268	5.4	48	1	1	4	6	10	14	39
GRAND TOTAL	**1671**	**3.6**	**15**	**1**	**1**	**3**	**4**	**7**	**9**	**18**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	3.8	3	2	2	3	5	7	8	8
20-34	356	3.6	3	1	1	3	5	6	7	10
35-49	430	3.7	3	1	2	3	5	6	7	10
50-64	265	3.8	3	1	2	4	5	6	7	11
65+	82	3.8	3	1	2	4	5	6	7	9
2. MULTIPLE DX										
0-19 YRS	51	4.1	3	1	2	4	5	7	8	9
20-34	1473	4.2	8	1	2	4	5	6	8	14
35-49	2747	4.4	7	1	2	4	5	7	9	14
50-64	2107	4.9	16	2	2	4	6	8	11	19
65+	1210	5.8	19	2	2	5	7	11	14	22
TOT. SINGLE DX	1143	3.7	4	1	2	3	5	6	7	10
" MULTIPLE DX	7588	4.7	12	1	2	4	5	8	10	18
TOTAL 0-19 YRS	61	4.1	3	1	2	4	5	7	8	9
20-34	1829	4.0	8	1	2	4	5	6	8	13
35-49	3177	4.3	7	1	2	4	5	7	9	14
50-64	2372	4.8	15	2	2	4	5	8	10	19
65+	1292	5.7	18	2	2	5	7	10	13	22
GRAND TOTAL	**8731**	**4.6**	**11**	**1**	**2**	**4**	**5**	**7**	**10**	**17**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	74	2.6	2	1	1	2	3	5	6	9
20-34	295	2.9	4	1	1	2	4	5	7	11
35-49	226	3.0	6	1	1	3	4	6	6	9
50-64	150	3.3	5	1	1	3	4	6	7	12
65+	78	4.0	11	1	1	3	5	7	10	22
2. MULTIPLE DX										
0-19 YRS	78	5.0	16	1	1	4	6	11	14	21
20-34	325	4.3	16	1	1	3	5	9	11	21
35-49	390	4.5	21	1	1	3	6	9	11	25
50-64	342	5.4	32	1	1	4	6	11	18	31
65+	362	7.4	57	1	2	5	9	16	22	37
TOT. SINGLE DX	823	3.1	6	1	1	3	4	6	7	12
" MULTIPLE DX	1497	5.4	33	1	1	4	6	11	16	31
TOTAL 0-19 YRS	152	3.8	11	1	1	3	5	8	11	15
20-34	620	3.7	11	1	1	3	4	7	9	18
35-49	616	4.0	16	1	1	3	5	8	10	21
50-64	492	4.7	25	1	1	3	5	10	15	30
65+	440	6.8	51	1	2	4	8	14	22	34
GRAND TOTAL	**2320**	**4.6**	**24**	**1**	**1**	**3**	**5**	**9**	**13**	**28**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	7.0	12	5	5	5	10	11	11	11
20-34	6	6.8	45	1	1	5	9	18	19	19
35-49	8	6.4	25	1	1	7	10	13	14	14
50-64	9	4.3	20	1	1	3	4	12	16	16
65+	8	10.9	163	1	1	7	13	33	40	40
2. MULTIPLE DX										
0-19 YRS	12	18.9	336	4	5	11	24	51	60	62
20-34	27	18.3	202	3	5	14	26	38	44	63
35-49	28	14.5	78	5	6	11	20	28	32	34
50-64	40	16.9	120	4	5	15	22	31	39	52
65+	67	18.3	122	4	5	16	24	33	42	48
TOT. SINGLE DX	34	7.0	58	1	1	5	9	16	18	40
" MULTIPLE DX	174	17.4	140	4	5	14	24	33	42	60
TOTAL 0-19 YRS	15	16.5	291	4	5	10	17	47	58	62
20-34	33	16.2	192	1	3	13	21	37	41	63
35-49	36	12.7	77	1	3	10	18	27	31	34
50-64	49	14.6	125	2	3	13	20	29	35	52
65+	75	17.5	130	3	4	16	24	33	41	48
GRAND TOTAL	**208**	**15.7**	**141**	**2**	**4**	**13**	**22**	**32**	**40**	**56**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	60	5.8	32	1	1	3	9	14	16	25
20-34	236	4.9	39	1	1	2	6	12	18	31
35-49	206	3.8	32	1	1	2	4	9	15	31
50-64	233	3.9	23	<1	1	2	5	9	14	25
65+	108	4.8	28	1	1	2	6	12	16	25
2. MULTIPLE DX										
0-19 YRS	170	11.1	165	1	1	8	13	25	36	73
20-34	463	10.0	123	1	1	7	12	20	30	60
35-49	720	9.4	107	1	1	7	12	20	26	57
50-64	1235	9.8	88	1	1	8	13	20	29	48
65+	1366	11.6	89	1	2	10	15	22	29	48
TOT. SINGLE DX	843	4.4	32	1	1	2	5	11	16	27
" MULTIPLE DX	3954	10.4	101	1	1	8	14	21	29	53
TOTAL 0-19 YRS	230	9.7	136	1	1	6	13	20	31	69
20-34	699	8.3	101	1	1	6	10	18	27	55
35-49	926	8.1	96	1	1	5	11	19	24	54
50-64	1468	8.8	83	1	1	6	12	20	27	45
65+	1474	11.1	89	1	2	9	15	22	29	48
GRAND TOTAL	**4797**	**9.4**	**94**	**1**	**1**	**7**	**13**	**20**	**27**	**50**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	408	5.8	5	3	3	5	7	8	10	14
20-34	4445	5.6	4	3	3	5	6	8	9	13
35-49	4025	5.9	5	3	4	5	7	9	10	13
50-64	3148	6.3	5	3	4	6	7	9	11	15
65+	1427	7.6	10	4	5	7	9	11	13	19
2. MULTIPLE DX										
0-19 YRS	366	7.7	31	3	4	6	9	13	15	29
20-34	4481	7.2	16	3	4	6	8	11	14	22
35-49	5948	7.8	21	3	4	7	9	12	16	26
50-64	7585	9.0	31	4	5	8	11	15	18	30
65+	9248	11.7	53	5	6	10	14	20	25	41
TOT. SINGLE DX	13453	6.1	6	3	4	6	7	9	10	14
" MULTIPLE DX	27628	9.4	37	4	5	8	11	16	20	34
TOTAL 0-19 YRS	774	6.7	19	3	4	6	7	10	13	24
20-34	8926	6.4	11	3	4	6	7	10	12	18
35-49	9973	7.0	16	3	4	6	8	11	14	22
50-64	10733	8.2	26	4	4	7	9	13	17	28
65+	10675	11.2	50	5	5	9	13	19	23	39
GRAND TOTAL	**41081**	**8.3**	**30**	**4**	**4**	**7**	**10**	**14**	**18**	**30**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	17.6	85	7	7	16	26	30	34	34
20-34	48	7.6	57	1	2	6	9	15	17	50
35-49	49	6.6	19	1	2	6	9	13	14	17
50-64	100	8.7	61	1	2	8	12	16	19	45
65+	137	9.0	40	1	1	9	12	18	20	28
2. MULTIPLE DX										
0-19 YRS	24	17.8	240	6	6	11	26	35	55	69
20-34	89	12.5	78	3	4	10	17	23	28	86
35-49	204	12.7	89	2	3	11	16	24	35	52
50-64	441	15.0	106	3	4	13	19	27	36	56
65+	1230	17.0	119	4	6	15	21	30	38	59
TOT. SINGLE DX	344	8.6	50	1	2	8	12	16	20	33
" MULTIPLE DX	1988	15.9	115	3	5	14	20	29	37	58
TOTAL 0-19 YRS	34	17.7	191	6	7	11	26	34	46	69
20-34	137	10.8	76	2	3	9	14	21	25	68
35-49	253	11.5	81	2	3	10	14	23	30	50
50-64	541	13.9	104	2	3	12	17	25	34	56
65+	1367	16.2	118	3	5	14	20	29	37	58
GRAND TOTAL	**2332**	**14.8**	**112**	**2**	**4**	**13**	**19**	**27**	**35**	**56**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	9.0	44	1	2	7	13	20	21	21
20-34	97	6.8	42	1	1	5	9	14	17	37
35-49	99	7.6	71	1	1	5	9	16	25	45
50-64	114	9.0	73	1	1	6	12	22	28	40
65+	86	6.6	30	1	1	5	9	14	20	25
2. MULTIPLE DX										
0-19 YRS	27	15.3	198	2	3	11	19	38	50	56
20-34	243	13.8	211	1	2	9	17	36	52	99+
35-49	435	14.0	199	2	2	10	18	36	49	99+
50-64	652	13.6	163	1	2	10	18	31	40	61
65+	896	13.6	152	2	3	10	17	27	35	67
TOT. SINGLE DX	408	7.6	56	1	1	5	9	18	22	40
" MULTIPLE DX	2253	13.7	171	2	2	10	18	30	41	75
TOTAL 0-19 YRS	39	13.4	158	2	3	10	18	26	45	56
20-34	340	11.8	173	1	2	8	15	30	46	88
35-49	534	12.8	182	1	2	8	16	33	46	87
50-64	766	12.9	152	1	2	9	18	29	38	61
65+	982	13.0	145	2	3	10	16	25	34	65
GRAND TOTAL	**2661**	**12.8**	**158**	**1**	**2**	**9**	**16**	**28**	**39**	**71**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	238	4.5	14	1	1	3	6	8	12	20
20-34	586	4.8	15	1	2	4	6	9	12	22
35-49	587	4.9	16	1	2	4	6	9	11	20
50-64	575	4.8	11	1	2	4	6	9	11	19
65+	533	5.1	16	1	2	4	6	9	12	24
2. MULTIPLE DX										
0-19 YRS	362	5.5	22	1	2	4	7	10	14	27
20-34	1638	6.3	34	2	2	5	8	12	17	31
35-49	2372	6.9	39	2	2	5	8	12	17	35
50-64	4081	7.3	37	2	2	6	9	13	18	32
65+	9918	7.9	37	2	3	6	10	14	19	32
TOT. SINGLE DX	2519	4.9	15	1	2	4	6	9	11	20
" MULTIPLE DX	18371	7.5	37	2	2	6	9	14	18	32
TOTAL 0-19 YRS	600	5.1	19	1	2	4	6	9	13	24
20-34	2224	5.9	30	1	2	4	7	11	15	30
35-49	2959	6.5	35	2	2	5	8	12	16	32
50-64	4656	7.0	35	2	2	5	9	13	17	31
65+	10451	7.8	37	2	3	6	10	14	19	31
GRAND TOTAL	**20890**	**7.1**	**36**	**2**	**2**	**6**	**9**	**13**	**18**	**31**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1996	1.7		<1	<1	1	2	3	3	5
20-34	3348	2.3	4	1	1	2	3	4	5	6
35-49	2898	2.5	1	1	1	2	3	4	5	7
50-64	3766	2.8	2	1	1	3	4	5	5	8
65+	2516	3.2	3	1	1	3	4	5	6	9
2. MULTIPLE DX										
0-19 YRS	1330	2.7	40	<1	<1	2	3	4	6	46
20-34	1373	3.1	7	1	1	3	4	5	7	13
35-49	1945	3.3	5	1	1	3	4	6	7	12
50-64	3935	3.9	10	1	1	3	5	7	9	15
65+	6011	5.0	20	1	2	4	6	9	12	22
TOT. SINGLE DX	14524	2.5	3	1	1	2	3	4	5	7
" MULTIPLE DX	14594	4.1	17	1	1	3	5	7	10	19
TOTAL 0-19 YRS	3326	2.1	17	<1	<1	1	2	3	4	11
20-34	4721	2.6	5	1	1	2	3	4	5	9
35-49	4843	2.8	4	1	1	3	4	5	6	9
50-64	7701	3.4	7	1	1	3	4	6	7	13
65+	8527	4.5	16	1	1	4	5	8	11	20
GRAND TOTAL	**29118**	**3.3**	**11**	**1**	**1**	**3**	**4**	**6**	**8**	**15**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	389	1.5		<1	<1	1	2	3	4	5
20-34	336	2.9	2	1	1	3	4	5	5	7
35-49	421	3.1	2	1	1	3	4	5	6	8
50-64	625	3.4	3	1	1	3	4	6	6	10
65+	365	3.9	4	1	1	4	5	6	7	12
2. MULTIPLE DX										
0-19 YRS	501	3.6	84	<1	1	1	2	6	13	92
20-34	160	3.9	7	1	1	3	5	7	8	16
35-49	326	3.9	8	1	2	3	5	6	8	12
50-64	717	4.5	9	1	2	4	5	7	9	16
65+	843	6.1	24	2	2	5	7	12	15	26
TOT. SINGLE DX	2136	3.0	3	<1	1	3	4	5	6	9
" MULTIPLE DX	2547	4.8	30	1	1	4	6	8	12	25
TOTAL 0-19 YRS	890	2.7	49	<1	<1	1	2	4	6	61
20-34	496	3.2	4	1	1	3	4	5	6	10
35-49	747	3.4	6	1	1	3	4	6	7	11
50-64	1342	4.0	7	1	2	4	5	6	8	14
65+	1208	5.4	20	1	2	4	6	9	13	23
GRAND TOTAL	**4683**	**3.9**	**19**	**1**	**1**	**3**	**5**	**7**	**9**	**19**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	3.5	24	1	1	2	3	10	17	18
20-34	69	2.6	1	1	1	3	3	4	5	7
35-49	134	2.8	2	1	1	3	3	4	6	9
50-64	148	3.2	2	1	2	3	4	5	7	7
65+	194	4.6	13	1	1	4	6	8	10	20
2. MULTIPLE DX										
0-19 YRS	8	3.1	13	1	1	2	3	10	12	12
20-34	46	5.8	201	1	1	3	4	8	17	97
35-49	75	4.0	21	1	1	3	4	6	8	32
50-64	133	4.8	15	1	1	4	6	8	13	22
65+	466	7.3	32	2	3	6	9	14	18	27
TOT. SINGLE DX	556	3.5	7	1	1	3	4	6	8	12
" MULTIPLE DX	728	6.4	40	1	2	5	8	12	16	27
TOTAL 0-19 YRS	19	3.3	19	1	1	2	3	9	15	18
20-34	115	3.9	83	1	1	3	4	5	7	47
35-49	209	3.2	10	1	1	3	4	6	7	9
50-64	281	4.0	9	1	1	3	5	7	8	18
65+	660	6.5	28	2	2	5	8	12	16	27
GRAND TOTAL	**1284**	**5.1**	**28**	**1**	**1**	**4**	**6**	**10**	**13**	**23**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	290	1.8	2	<1	<1	1	2	3	4	7
20-34	198	2.6	2	1	1	2	3	4	6	8
35-49	368	2.7	2	1	1	2	3	5	6	8
50-64	286	3.0	3	1	1	3	4	5	7	9
65+	113	3.7	7	1	1	3	5	7	8	14
2. MULTIPLE DX										
0-19 YRS	98	4.0	51	<1	1	2	4	7	21	74
20-34	140	3.9	6	1	1	3	5	8	9	12
35-49	357	4.9	28	1	1	4	6	9	13	26
50-64	474	5.3	23	1	2	4	6	10	13	28
65+	473	6.9	30	2	2	5	9	14	18	28
TOT. SINGLE DX	1255	2.6	3	<1	1	2	3	5	6	8
" MULTIPLE DX	1542	5.5	26	1	1	4	7	11	15	29
TOTAL 0-19 YRS	388	2.3	16	<1	<1	1	2	4	5	29
20-34	338	3.2	5	1	1	3	4	6	8	11
35-49	725	3.8	17	1	1	3	5	7	9	22
50-64	760	4.4	17	1	1	3	5	8	11	22
65+	586	6.3	28	1	2	5	8	13	17	27
GRAND TOTAL	**2797**	**4.2**	**19**	**1**	**1**	**3**	**5**	**8**	**11**	**23**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	72	2.3	4	<1	<1	2	3	5	7	11
20-34	412	3.4	8	1	1	3	4	6	7	11
35-49	700	4.0	5	1	1	4	5	7	8	11
50-64	697	4.4	6	1	2	4	6	8	9	12
65+	443	5.0	7	2	2	4	6	9	10	13
2. MULTIPLE DX										
0-19 YRS	51	5.0	88	<1	1	3	5	9	17	65
20-34	348	5.2	20	1	2	4	6	10	12	20
35-49	947	6.1	23	2	2	5	7	10	14	21
50-64	1451	6.9	27	2	3	6	8	12	15	30
65+	1667	8.3	37	2	3	7	10	15	19	31
TOT. SINGLE DX	2324	4.2	7	1	1	4	5	7	9	12
" MULTIPLE DX	4464	7.1	32	2	2	6	9	13	16	28
TOTAL 0-19 YRS	123	3.4	41	<1	<1	2	4	6	9	33
20-34	760	4.2	15	1	1	3	5	8	10	17
35-49	1647	5.2	17	1	2	4	6	9	11	19
50-64	2148	6.1	22	1	2	5	8	10	14	25
65+	2110	7.6	33	2	3	6	9	14	18	28
GRAND TOTAL	**6788**	**6.1**	**25**	**1**	**2**	**5**	**7**	**11**	**14**	**24**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14	3.9	6	1	1	3	7	7	8	8
20-34	25	6.4	8	2	2	6	8	10	11	12
35-49	33	7.5	16	2	3	7	9	11	17	21
50-64	50	7.5	12	2	3	8	9	12	15	17
65+	19	8.5	14	3	3	8	1[illegible]	14	15	16
2. MULTIPLE DX										
0-19 YRS	35	15.6	183	3	4	11	27	49	99+	99+
20-34	57	9.1	29	4	5	7	10	16	22	30
35-49	115	9.2	16	5	6	8	10	15	18	25
50-64	200	11.2	57	4	5	9	13	20	27	43
65+	253	14.4	112	6	7	11	16	24	32	66
TOT. SINGLE DX	141	7.1	14	2	3	7	9	11	14	18
" MULTIPLE DX	660	12.1	80	5	6	9	14	22	30	64
TOTAL 0-19 YRS	49	12.2	160	1	2	8	17	45	95	99+
20-34	82	8.3	24	2	4	7	10	12	19	29
35-49	148	8.8	17	4	5	8	10	14	18	23
50-64	250	10.5	51	4	5	9	12	18	23	35
65+	272	14.0	108	5	7	11	16	24	30	66
GRAND TOTAL	**801**	**11.2**	**72**	**4**	**5**	**9**	**13**	**20**	**27**	**60**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	202	4.2	59	<1	1	3	5	7	11	30
20-34	245	4.2	9	1	1	3	5	8	10	17
35-49	222	4.9	14	1	1	4	7	9	13	19
50-64	192	5.8	33	1	1	4	8	11	13	31
65+	143	6.4	33	1	1	5	8	12	15	29
2. MULTIPLE DX										
0-19 YRS	214	6.6	43	1	1	5	9	14	19	66
20-34	558	8.2	73	1	2	6	10	16	23	46
35-49	782	9.6	70	1	2	7	13	20	24	44
50-64	1465	11.3	87	2	3	9	14	22	29	50
65+	1911	12.1	89	2	3	10	16	23	29	48
TOT. SINGLE DX	1004	5.0	29	1	1	4	6	10	13	21
" MULTIPLE DX	4930	10.8	85	2	2	8	14	21	28	48
TOTAL 0-19 YRS	416	5.4	52	1	1	4	6	11	16	41
20-34	803	6.9	58	1	1	5	8	14	20	40
35-49	1004	8.6	62	1	2	7	11	18	23	42
50-64	1657	10.7	85	2	2	8	14	21	29	49
65+	2054	11.7	88	2	3	10	15	23	29	48
GRAND TOTAL	**5934**	**9.8**	**80**	**1**	**2**	**7**	**13**	**20**	**27**	**46**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	252	5.2	15	2	2	4	6	9	11	17
20-34	496	6.0	12	2	3	5	7	10	14	19
35-49	193	6.8	16	2	3	6	8	12	15	22
50-64	145	11.3	117	3	4	9	13	21	26	60
65+	99	11.4	88	4	5	10	13	17	21	68
2. MULTIPLE DX										
0-19 YRS	366	8.6	59	2	3	6	10	18	24	50
20-34	986	8.5	57	3	3	6	9	16	23	47
35-49	634	12.2	132	4	5	9	14	23	36	71
50-64	676	15.6	168	4	5	12	19	29	40	75
65+	973	17.9	143	6	7	14	23	33	42	73
TOT. SINGLE DX	1185	7.0	38	2	3	6	8	13	16	25
" MULTIPLE DX	3635	13.0	130	3	4	9	16	27	35	67
TOTAL 0-19 YRS	618	7.2	44	2	3	5	8	13	20	45
20-34	1482	7.6	44	2	3	6	9	14	19	39
35-49	827	11.0	111	3	4	8	13	21	30	68
50-64	821	14.9	162	4	5	11	18	28	39	74
65+	1072	17.3	142	6	7	14	22	32	41	72
GRAND TOTAL	**4820**	**11.5**	**114**	**3**	**4**	**8**	**14**	**23**	**32**	**59**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	343	3.3	5	<1	1	3	5	6	7	11
20-34	1280	3.0	6	<1	1	2	4	6	8	12
35-49	205	2.9	8	<1	<1	2	4	6	9	17
50-64	33	2.7	6	<1	1	2	3	5	9	13
65+	18	4.4	17	<1	<1	2	6	10	14	16
2. MULTIPLE DX										
0-19 YRS	433	4.6	29	1	1	4	6	8	10	19
20-34	2163	3.9	13	1	1	3	5	8	10	19
35-49	506	4.3	16	<1	1	3	6	9	12	20
50-64	86	8.0	115	1	1	5	10	17	21	67
65+	101	9.2	66	1	1	7	13	21	27	33
TOT. SINGLE DX	1879	3.0	6	<1	1	2	4	6	8	12
" MULTIPLE DX	3289	4.3	22	1	1	3	6	9	12	21
TOTAL 0-19 YRS	776	4.0	19	1	1	3	5	8	9	15
20-34	3443	3.6	11	<1	1	2	5	7	9	16
35-49	711	3.9	15	<1	1	2	5	9	12	19
50-64	119	6.5	91	<1	1	3	9	15	18	50
65+	119	8.4	62	1	1	5	12	19	26	33
GRAND TOTAL	**5168**	**3.9**	**16**	**<1**	**1**	**3**	**5**	**8**	**10**	**19**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	140	6.5	22	1	2	6	8	12	14	24
20-34	415	5.7	13	1	2	5	7	11	12	18
35-49	319	8.1	34	1	2	7	9	15	19	29
50-64	237	9.0	25	2	3	8	11	14	20	25
65+	188	10.1	38	2	4	9	12	17	21	36
2. MULTIPLE DX										
0-19 YRS	284	12.2	233	2	3	7	13	28	44	99
20-34	1496	7.0	34	1	2	6	8	13	16	32
35-49	1237	10.3	92	2	3	8	12	20	29	55
50-64	1228	13.2	108	3	4	11	17	25	32	56
65+	1619	15.5	108	4	6	13	19	28	36	57
TOT. SINGLE DX	1299	7.6	28	1	2	7	10	13	17	26
" MULTIPLE DX	5864	11.6	103	2	3	9	14	23	31	55
TOTAL 0-19 YRS	424	10.3	171	2	2	7	11	23	33	97
20-34	1911	6.7	31	1	2	5	8	12	16	30
35-49	1556	9.8	82	2	3	7	12	19	26	52
50-64	1465	12.5	97	3	4	10	16	24	30	53
65+	1807	14.9	104	4	5	12	18	28	36	55
GRAND TOTAL	**7163**	**10.9**	**92**	**2**	**3**	**8**	**13**	**22**	**29**	**52**

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	55	7.9	10	3	4	8	10	12	14	17
20-34	80	8.8	104	5	5	8	9	10	13	73
35-49	92	8.7	10	5	6	8	10	13	16	20
50-64	160	9.5	20	5	6	9	11	14	17	27
65+	101	10.4	51	6	7	9	11	14	16	49
2. MULTIPLE DX										
0-19 YRS	141	9.7	74	3	4	8	12	16	21	63
20-34	181	11.3	68	5	5	8	14	23	28	53
35-49	238	11.9	65	5	6	9	13	20	26	54
50-64	595	13.8	75	6	7	11	17	23	30	44
65+	799	15.5	74	7	8	13	19	26	32	46
TOT. SINGLE DX	488	9.2	38	5	6	8	10	13	16	24
" MULTIPLE DX	1954	13.7	76	5	6	11	17	23	30	48
TOTAL 0-19 YRS	196	9.2	57	3	4	8	11	16	19	48
20-34	261	10.5	81	5	5	8	11	18	27	54
35-49	330	11.0	52	5	6	9	12	17	22	50
50-64	755	12.9	67	6	7	10	16	21	26	42
65+	900	14.9	75	7	8	13	18	25	31	46
GRAND TOTAL	**2442**	**12.8**	**72**	**5**	**6**	**10**	**15**	**22**	**28**	**46**

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	244	5.7	17	1	2	5	8	11	14	19
20-34	368	6.5	24	1	2	6	8	11	15	24
35-49	394	6.2	16	1	2	5	8	11	14	18
50-64	309	7.2	21	2	2	6	9	12	16	25
65+	170	6.8	39	1	1	6	9	13	15	21
2. MULTIPLE DX										
0-19 YRS	385	9.4	73	2	2	7	12	20	27	42
20-34	771	11.5	115	1	2	9	14	24	33	58
35-49	831	11.5	86	1	2	9	15	22	29	50
50-64	984	10.9	67	2	2	9	14	21	27	41
65+	972	12.3	93	2	3	10	16	25	32	44
TOT. SINGLE DX	1485	6.5	22	1	2	6	9	12	15	22
" MULTIPLE DX	3943	11.4	88	2	2	9	15	23	30	49
TOTAL 0-19 YRS	629	8.0	55	1	2	6	10	16	23	36
20-34	1139	9.9	91	1	2	8	12	20	27	52
35-49	1225	9.8	70	1	2	8	13	20	26	44
50-64	1293	10.0	59	2	2	8	13	19	26	39
65+	1142	11.5	89	2	2	9	15	24	31	43
GRAND TOTAL	**5428**	**10.0**	**75**	**1**	**2**	**8**	**13**	**20**	**27**	**43**

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	24	5.8	15	1	2	5	8	11	15	16
20-34	167	6.0	11	1	2	6	8	10	12	17
35-49	257	6.8	13	1	2	7	9	11	12	17
50-64	206	6.9	13	2	2	7	9	12	13	19
65+	76	8.3	23	1	2	8	11	15	16	24
2. MULTIPLE DX										
0-19 YRS	35	7.1	46	1	2	5	8	14	24	32
20-34	181	8.2	49	2	2	7	10	14	17	45
35-49	343	8.8	38	2	3	8	11	16	20	25
50-64	485	9.9	41	2	3	9	13	18	21	34
65+	557	12.0	72	2	3	10	15	22	27	44
TOT. SINGLE DX	730	6.7	15	1	2	6	9	11	13	18
" MULTIPLE DX	1601	10.1	55	2	3	9	13	18	23	36
TOTAL 0-19 YRS	59	6.5	34	1	2	5	8	13	19	31
20-34	348	7.1	32	1	2	6	9	12	15	23
35-49	600	7.9	29	2	2	7	10	14	17	25
50-64	691	9.0	35	2	3	8	12	17	20	30
65+	633	11.5	68	2	3	10	15	21	26	41
GRAND TOTAL	**2331**	**9.1**	**45**	**2**	**2**	**8**	**12**	**17**	**21**	**33**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	212	6.5	6	3	3	7	8	10	11	14
20-34	28	7.5	8	3	3	8	9	11	13	15
35-49	21	9.8	9	3	6	10	11	13	14	14
50-64	13	12.2	24	6	7	11	17	19	20	20
65+	16	10.4	45	1	2	11	16	18	20	21
2. MULTIPLE DX										
0-19 YRS	280	7.9	18	3	4	7	9	12	15	26
20-34	76	12.8	125	6	7	10	13	24	28	76
35-49	63	15.1	181	6	7	12	15	22	34	91
50-64	81	16.3	103	4	6	14	20	33	45	99+
65+	137	17.5	83	4	8	16	22	29	37	45
TOT. SINGLE DX	290	7.3	12	3	3	7	9	11	14	19
" MULTIPLE DX	637	12.3	89	4	5	9	15	24	31	48
TOTAL 0-19 YRS	492	7.3	13	3	4	7	9	11	13	20
20-34	104	11.4	99	4	6	9	12	22	25	61
35-49	84	13.8	143	5	7	11	14	21	32	83
50-64	94	15.7	94	5	6	14	20	31	42	99+
65+	153	16.7	84	3	5	15	21	28	37	45
GRAND TOTAL	**927**	**10.7**	**70**	**3**	**4**	**8**	**13**	**20**	**27**	**44**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	79	3.8	7	1	1	3	5	8	10	13
20-34	634	3.9	5	1	1	4	5	7	8	12
35-49	904	3.9	5	1	1	4	5	7	8	12
50-64	617	4.2	7	1	1	4	5	8	9	14
65+	199	4.5	11	1	1	4	6	8	11	15
2. MULTIPLE DX										
0-19 YRS	113	7.2	26	1	2	6	10	14	17	26
20-34	474	5.6	33	1	2	4	7	10	12	26
35-49	718	5.3	13	1	2	4	6	9	12	20
50-64	848	5.8	28	1	2	5	7	10	13	25
65+	723	7.9	45	2	2	6	10	16	20	35
TOT. SINGLE DX	2433	4.0	7	1	1	4	5	7	9	13
" MULTIPLE DX	2876	6.2	31	1	2	5	8	12	15	26
TOTAL 0-19 YRS	192	5.8	22	1	1	4	8	12	14	22
20-34	1108	4.6	18	1	1	4	6	8	10	17
35-49	1622	4.5	10	1	2	4	6	8	10	15
50-64	1465	5.1	20	1	2	4	6	9	12	22
65+	922	7.2	40	1	2	6	9	14	18	33
GRAND TOTAL	**5309**	**5.2**	**21**	**1**	**2**	**4**	**6**	**9**	**12**	**23**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	279	2.8	4	<1	<1	2	4	6	7	11
20-34	651	3.9	13	<1	1	3	5	7	9	15
35-49	742	3.9	9	<1	1	3	5	8	9	14
50-64	675	3.9	10	<1	1	3	5	8	10	15
65+	535	4.2	17	<1	1	3	5	8	11	21
2. MULTIPLE DX										
0-19 YRS	645	4.9	18	<1	1	4	7	10	14	24
20-34	1543	6.3	38	1	1	5	8	12	16	31
35-49	2262	6.9	44	1	2	5	8	14	19	33
50-64	3577	7.2	57	1	1	5	9	14	20	37
65+	7056	9.0	62	1	2	7	11	18	23	42
TOT. SINGLE DX	2882	3.8	12	<1	1	3	5	7	9	16
" MULTIPLE DX	15083	7.8	56	1	2	6	10	16	21	39
TOTAL 0-19 YRS	924	4.3	15	<1	1	3	6	9	12	21
20-34	2194	5.6	32	1	1	4	7	11	14	29
35-49	3004	6.2	38	1	1	5	8	12	17	30
50-64	4252	6.7	51	1	1	5	8	13	18	36
65+	7591	8.7	61	1	2	7	11	17	23	41
GRAND TOTAL	**17965**	**7.2**	**51**	**1**	**1**	**5**	**9**	**15**	**20**	**36**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	2.9	4	<1	<1	2	5	6	7	7
20-34	40	3.1	4	1	1	3	4	6	8	9
35-49	152	2.4	3	<1	1	2	3	4	5	9
50-64	610	3.2	6	1	1	3	4	6	7	14
65+	1151	3.5	9	1	1	3	4	6	8	13
2. MULTIPLE DX										
0-19 YRS	44	5.7	33	<1	1	4	7	11	20	27
20-34	145	5.4	37	1	1	4	7	11	15	31
35-49	392	5.3	42	1	1	4	6	10	17	29
50-64	1419	5.2	36	1	1	4	6	11	14	29
65+	4815	6.3	38	1	2	5	8	13	17	31
TOT. SINGLE DX	1963	3.3	8	1	1	3	4	6	7	13
" MULTIPLE DX	6815	6.0	38	1	1	4	7	12	16	30
TOTAL 0-19 YRS	54	5.2	29	<1	1	4	7	9	18	27
20-34	185	4.9	31	1	1	3	6	9	13	26
35-49	544	4.5	33	1	1	3	5	9	14	28
50-64	2029	4.6	28	1	1	3	5	9	13	27
65+	5966	5.8	34	1	1	4	7	12	15	30
GRAND TOTAL	**8778**	**5.4**	**33**	**1**	**1**	**4**	**7**	**11**	**15**	**28**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	82	4.7	10	1	1	4	6	10	12	14
20-34	95	4.6	10	1	1	4	7	9	10	17
35-49	175	5.7	25	1	1	5	7	11	15	27
50-64	233	6.1	22	1	1	5	9	13	15	20
65+	296	6.8	34	1	1	5	10	14	17	25
2. MULTIPLE DX										
0-19 YRS	293	7.9	51	2	2	6	10	15	19	38
20-34	299	10.1	164	1	2	6	11	22	31	78
35-49	392	8.2	53	1	2	6	11	17	21	44
50-64	819	9.7	90	1	2	7	12	19	27	51
65+	2246	10.3	81	2	2	8	14	21	28	46
TOT. SINGLE DX	881	6.0	25	1	1	4	8	13	15	23
" MULTIPLE DX	4049	9.8	85	1	2	7	13	20	26	49
TOTAL 0-19 YRS	375	7.2	44	1	2	5	9	13	18	33
20-34	394	8.8	133	1	1	6	10	17	28	71
35-49	567	7.4	46	1	2	6	10	15	20	42
50-64	1052	8.9	78	1	2	6	12	18	24	49
65+	2542	9.9	77	1	2	8	13	20	26	44
GRAND TOTAL	**4930**	**9.1**	**77**	**1**	**2**	**7**	**12**	**19**	**24**	**47**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	35	1.3		<1	<1	1	1	3	3	4
20-34	8	2.9	11	<1	<1	1	3	9	11	11
35-49	4	1.3		1	1	1	2	2	2	2
50-64	4	3.5	13	1	1	2	6	9	9	9
65+	3	3.0	7	1	1	2	5	6	6	6
2. MULTIPLE DX										
0-19 YRS	57	3.5	30	<1	1	2	3	7	12	36
20-34	14	3.4	18	<1	<1	2	4	8	15	17
35-49	15	4.4	19	<1	<1	3	5	11	15	16
50-64	28	6.0	32	<1	<1	4	8	17	19	21
65+	44	6.1	24	1	1	5	8	13	17	22
TOT. SINGLE DX	54	1.8	4	<1	<1	1	2	3	6	11
" MULTIPLE DX	158	4.8	28	<1	1	3	6	11	17	22
TOTAL 0-19 YRS	92	2.7	20	<1	<1	1	3	5	8	29
20-34	22	3.2	16	<1	<1	2	4	8	13	17
35-49	19	3.7	17	<1	<1	2	5	10	14	16
50-64	32	5.7	31	<1	1	4	8	16	18	21
65+	47	5.9	24	1	1	4	8	13	16	22
GRAND TOTAL	**212**	**4.0**	**24**	**<1**	**<1**	**2**	**5**	**9**	**15**	**21**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	551	3.9	9	1	1	3	6	8	9	13
20-34	104	3.2	5	<1	1	3	4	7	8	11
35-49	98	4.3	7	1	1	4	6	8	9	15
50-64	79	4.1	10	1	1	3	6	9	9	17
65+	67	4.4	44	1	1	3	5	8	10	47
2. MULTIPLE DX										
0-19 YRS	337	4.7	37	1	1	3	6	10	13	31
20-34	149	5.1	39	<1	1	3	6	11	15	38
35-49	167	6.0	33	1	1	5	8	11	14	20
50-64	215	5.8	24	1	1	4	8	13	16	24
65+	320	6.7	57	1	1	4	8	14	20	38
TOT. SINGLE DX	899	3.9	12	1	1	3	6	8	9	13
" MULTIPLE DX	1188	5.7	41	1	1	4	7	12	16	32
TOTAL 0-19 YRS	888	4.2	20	1	1	3	6	9	11	17
20-34	253	4.3	27	<1	1	3	5	8	12	30
35-49	265	5.4	24	1	1	5	7	10	13	19
50-64	294	5.4	21	1	1	4	7	11	16	23
65+	387	6.3	56	1	1	4	7	13	19	38
GRAND TOTAL	**2087**	**4.9**	**29**	**1**	**1**	**3**	**7**	**9**	**13**	**24**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	53	2.0	3	<1	<1	1	2	5	7	8
20-34	92	3.4	8	<1	<1	3	5	7	8	18
35-49	60	3.4	9	<1	<1	3	4	7	10	15
50-64	53	3.1	5	<1	<1	2	5	6	7	12
65+	60	4.4	23	<1	1	3	5	13	16	22
2. MULTIPLE DX										
0-19 YRS	197	4.3	51	<1	<1	2	5	8	11	46
20-34	410	6.1	41	<1	1	4	8	12	18	33
35-49	479	7.3	60	1	1	5	9	15	23	49
50-64	619	6.8	38	1	1	5	8	13	19	29
65+	1547	8.8	61	1	2	7	11	16	23	38
TOT. SINGLE DX	318	3.3	11	<1	<1	2	4	7	9	18
" MULTIPLE DX	3252	7.6	56	1	1	6	10	15	21	38
TOTAL 0-19 YRS	250	3.8	42	<1	<1	2	4	7	10	45
20-34	502	5.6	36	<1	1	4	7	11	16	32
35-49	539	6.9	57	<1	1	5	8	14	21	48
50-64	672	6.5	37	<1	1	5	8	13	18	29
65+	1607	8.7	61	1	2	7	11	16	22	38
GRAND TOTAL	**3570**	**7.2**	**53**	**1**	**1**	**5**	**9**	**15**	**20**	**37**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	67	2.4	3	<1	1	2	3	5	6	10
20-34	124	2.5	3	1	1	2	3	5	7	9
35-49	85	2.9	7	1	1	2	4	8	9	13
50-64	78	3.3	9	1	1	2	4	7	11	15
65+	125	3.3	6	1	1	3	4	7	10	35
2. MULTIPLE DX										
0-19 YRS	117	3.1	33	<1	1	2	3	5	8	31
20-34	199	3.7	16	<1	1	3	4	7	9	29
35-49	172	4.7	23	1	1	3	6	9	12	26
50-64	275	4.7	23	1	1	3	6	10	15	21
65+	733	6.6	44	1	1	4	8	14	19	33
TOT. SINGLE DX	479	2.9	6	1	1	2	3	6	8	14
" MULTIPLE DX	1496	5.4	35	1	1	3	7	12	16	29
TOTAL 0-19 YRS	184	2.8	23	<1	1	2	3	5	7	16
20-34	323	3.2	12	1	1	2	4	6	8	20
35-49	257	4.1	19	1	1	3	5	8	11	25
50-64	353	4.4	20	1	1	3	5	10	14	18
65+	858	6.1	40	1	1	4	8	14	18	33
GRAND TOTAL	**1975**	**4.8**	**29**	**1**	**1**	**3**	**6**	**10**	**15**	**26**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	67	5.7	3	2	3	6	7	8	9	11
35-49	295	6.4	4	3	4	6	8	9	10	14
50-64	221	7.0	5	4	4	7	8	10	12	16
65+	120	6.9	6	3	4	7	8	10	11	15
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	156	6.6	5	3	4	6	8	9	11	14
35-49	502	7.4	12	4	5	7	8	10	13	23
50-64	494	7.8	15	4	5	7	9	11	14	20
65+	324	8.6	15	4	5	8	10	13	15	21
TOT. SINGLE DX	703	6.6	6	3	4	6	8	9	11	14
" MULTIPLE DX	1477	7.7	14	4	5	7	9	11	14	20
TOTAL 0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	223	6.4	5	3	4	6	8	9	11	13
35-49	797	7.0	10	4	4	7	8	10	12	19
50-64	715	7.5	13	4	5	7	8	10	13	18
65+	444	8.2	14	4	5	8	9	12	14	20
GRAND TOTAL	**2180**	**7.4**	**11**	**4**	**4**	**7**	**8**	**11**	**13**	**19**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	40	5.5	2	3	4	6	6	7	8	10
35-49	163	5.5	4	3	3	5	7	8	9	11
50-64	174	5.8	3	3	4	6	7	8	9	11
65+	92	6.5	5	3	4	6	8	10	12	13
2. MULTIPLE DX										
0-19 YRS	4	5.5	9	2	2	5	8	9	9	9
20-34	54	6.6	9	3	4	6	8	9	12	20
35-49	232	6.6	27	3	4	6	8	9	11	19
50-64	292	6.9	16	3	4	6	8	10	13	20
65+	211	7.7	18	3	4	7	9	12	14	31
TOT. SINGLE DX	470	5.8	4	3	3	6	7	8	9	12
" MULTIPLE DX	793	7.0	20	3	4	6	8	10	12	23
TOTAL 0-19 YRS	5	4.6	11	<1	<1	4	7	9	9	9
20-34	94	6.1	7	3	4	6	7	9	10	18
35-49	395	6.1	18	3	3	5	7	9	10	16
50-64	466	6.5	12	3	4	6	8	9	12	16
65+	303	7.3	15	3	4	7	9	11	13	28
GRAND TOTAL	**1263**	**6.5**	**14**	**3**	**4**	**6**	**8**	**9**	**11**	**18**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	4.0	4	2	2	4	5	6	6	6
20-34	36	3.9	11	1	1	3	5	7	11	17
35-49	40	4.4	7	1	1	4	6	8	9	14
50-64	29	5.2	8	1	2	4	7	8	9	15
65+	12	4.6	10	1	1	4	6	10	12	12
2. MULTIPLE DX										
0-19 YRS	8	5.9	89	<1	<1	2	5	22	29	29
20-34	50	5.8	31	1	1	4	8	11	14	36
35-49	85	6.7	26	1	2	5	9	14	18	24
50-64	111	6.9	23	1	1	6	9	14	16	23
65+	140	9.6	67	2	2	8	12	18	26	41
TOT. SINGLE DX	120	4.4	9	1	1	4	6	8	9	16
" MULTIPLE DX	394	7.7	44	1	2	6	10	15	19	37
TOTAL 0-19 YRS	11	5.4	64	<1	1	3	5	15	28	29
20-34	86	5.0	24	1	1	4	6	10	13	29
35-49	125	6.0	22	1	1	5	8	12	16	23
50-64	140	6.6	21	1	1	6	9	13	16	22
65+	152	9.2	65	2	2	7	11	18	25	40
GRAND TOTAL	**514**	**6.9**	**38**	**1**	**1**	**6**	**9**	**14**	**18**	**36**

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	2.8	4	1	1	3	4	6	6	6
20-34	94	3.4	12	1	1	3	4	6	10	20
35-49	146	3.0	5	1	1	2	4	6	8	12
50-64	136	2.6	4	1	1	2	3	5	7	10
65+	44	4.6	11	1	1	4	6	8	12	18
2. MULTIPLE DX										
0-19 YRS	6	6.3	47	<1	<1	4	9	18	19	19
20-34	50	8.3	64	1	2	6	10	27	28	99
35-49	90	7.3	43	1	2	6	9	14	16	41
50-64	126	7.8	115	1	1	5	9	16	22	61
65+	125	10.6	130	1	2	6	13	32	37	51
TOT. SINGLE DX	429	3.1	8	1	1	3	4	6	8	14
" MULTIPLE DX	397	8.6	98	1	2	5	10	19	29	51
TOTAL 0-19 YRS	15	4.2	23	<1	1	3	6	9	16	19
20-34	144	5.1	36	1	1	3	6	11	24	32
35-49	236	4.6	25	1	1	3	6	10	13	20
50-64	262	5.1	64	1	1	3	5	11	16	37
65+	169	9.0	107	1	1	5	11	23	36	49
GRAND TOTAL	**826**	**5.8**	**58**	**1**	**1**	**3**	**6**	**12**	**18**	**38**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	3.6	11	1	1	3	5	9	9	9
20-34	2	6.0	8	4	4	6	8	8	8	8
35-49	51	4.7	4	2	2	4	6	8	9	9
50-64	1494	5.0	4	3	3	5	6	7	8	12
65+	2738	5.4	8	3	3	5	6	8	9	14
2. MULTIPLE DX										
0-19 YRS	19	8.3	67	2	3	5	9	18	28	37
20-34	21	7.5	25	2	3	6	9	11	18	26
35-49	177	7.3	72	3	3	5	8	13	17	38
50-64	4832	6.6	17	3	3	6	8	11	14	23
65+	17786	8.1	32	3	4	6	9	14	19	31
TOT. SINGLE DX	4290	5.3	7	3	3	5	6	8	9	14
" MULTIPLE DX	22835	7.8	30	3	4	6	9	14	18	29
TOTAL 0-19 YRS	24	7.3	58	1	2	5	8	17	24	37
20-34	23	7.3	23	2	3	6	9	11	17	26
35-49	228	6.7	58	2	3	5	7	12	15	32
50-64	6326	6.2	15	3	3	5	7	10	13	22
65+	20524	7.7	30	3	4	6	9	13	18	29
GRAND TOTAL	**27125**	**7.4**	**27**	**3**	**4**	**6**	**8**	**13**	**17**	**28**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	6.0		6	6	6	6	6	6	6
35-49	3	7.7	25	3	3	7	11	13	13	13
50-64	129	9.6	11	5	6	9	12	14	16	19
65+	175	10.1	13	5	6	9	13	15	18	21
2. MULTIPLE DX										
0-19 YRS	7	6.0	21	1	1	4	10	12	13	13
20-34	1	3.0		3	3	3	3	3	3	3
35-49	8	9.5	36	1	2	9	13	18	20	20
50-64	320	12.8	38	6	7	11	15	20	25	35
65+	952	12.8	33	6	7	12	16	20	23	35
TOT. SINGLE DX	309	9.9	13	5	6	9	12	15	17	20
" MULTIPLE DX	1288	12.7	35	6	7	12	15	20	24	34
TOTAL 0-19 YRS	8	5.9	18	1	1	4	9	12	13	13
20-34	2	4.5	5	3	3	4	6	6	6	6
35-49	11	9.0	31	1	2	8	13	16	20	20
50-64	449	11.9	33	6	7	11	14	19	23	33
65+	1127	12.4	31	6	7	11	15	19	22	33
GRAND TOTAL	**1597**	**12.2**	**32**	**6**	**7**	**11**	**15**	**19**	**22**	**33**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	3	5.3	5	4	4	4	7	8	8	8
35-49	29	2.7	7	<1	<1	2	3	6	8	14
50-64	272	2.5	8	<1	1	2	3	4	6	13
65+	358	2.5	9	<1	1	2	3	4	7	14
2. MULTIPLE DX										
0-19 YRS	2	5.0	32	1	1	5	9	9	9	9
20-34	8	5.9	11	1	2	5	8	11	11	11
35-49	65	5.6	58	<1	1	4	7	11	21	92
50-64	574	5.6	40	1	1	3	7	13	21	29
65+	1380	6.3	41	1	1	4	9	14	19	32
TOT. SINGLE DX	662	2.5	9	<1	1	2	3	4	7	14
" MULTIPLE DX	2029	6.1	41	1	1	4	8	14	19	32
TOTAL 0-19 YRS	2	5.0	32	1	1	5	9	9	9	9
20-34	11	5.7	9	1	2	5	8	10	11	11
35-49	94	4.7	44	<1	1	3	6	10	15	77
50-64	846	4.6	33	1	1	3	5	11	16	28
65+	1738	5.5	37	1	1	3	7	13	17	31
GRAND TOTAL	**2691**	**5.2**	**36**	**1**	**1**	**3**	**7**	**12**	**17**	**31**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	138	1.8	1	<1	1	1	2	4	5	7
20-34	115	2.9	5	1	1	2	4	6	8	12
35-49	89	2.2	1	1	1	2	3	4	5	6
50-64	78	2.6	3	1	1	2	3	5	6	10
65+	37	2.7	3	1	1	2	3	5	6	10
2. MULTIPLE DX										
0-19 YRS	85	3.2	34	<1	1	2	3	7	8	39
20-34	106	4.7	30	1	1	3	6	11	13	34
35-49	127	5.8	47	1	1	4	7	13	19	42
50-64	141	5.9	67	1	1	4	6	12	17	41
65+	172	6.5	46	1	1	4	8	15	22	29
TOT. SINGLE DX	457	2.4	3	1	1	2	3	4	6	10
" MULTIPLE DX	631	5.5	48	1	1	3	6	12	18	37
TOTAL 0-19 YRS	223	2.4	14	<1	1	1	3	4	6	18
20-34	221	3.8	18	1	1	3	4	7	11	23
35-49	216	4.3	32	1	1	3	5	9	14	31
50-64	219	4.7	47	1	1	3	5	10	14	35
65+	209	5.8	41	1	1	3	7	13	20	29
GRAND TOTAL	**1088**	**4.2**	**32**	**1**	**1**	**3**	**4**	**9**	**13**	**29**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	184	2.1	2	<1	1	2	2	4	5	9
20-34	283	2.9	5	1	1	2	4	5	7	13
35-49	123	2.7	4	1	1	2	3	4	7	12
50-64	94	4.0	10	1	1	3	5	9	11	14
65+	206	3.2	11	1	1	2	4	6	9	19
2. MULTIPLE DX										
0-19 YRS	180	3.4	40	1	1	2	3	6	9	24
20-34	183	4.6	55	1	1	3	5	10	12	32
35-49	103	4.7	29	1	1	3	6	10	13	33
50-64	305	6.6	59	1	1	4	9	14	17	35
65+	1159	7.6	53	1	1	5	11	17	21	38
TOT. SINGLE DX	890	2.9	7	1	1	2	3	5	8	13
" MULTIPLE DX	1930	6.6	54	1	1	4	9	15	19	36
TOTAL 0-19 YRS	364	2.7	22	<1	1	2	3	5	8	12
20-34	466	3.6	26	1	1	3	4	7	10	17
35-49	226	3.6	16	1	1	2	4	8	11	18
50-64	399	6.0	49	1	1	4	8	13	16	34
65+	1365	6.9	50	1	1	4	10	16	20	36
GRAND TOTAL	**2820**	**5.4**	**42**	**1**	**1**	**3**	**7**	**13**	**17**	**30**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	860	1.6		<1	1	1	2	3	4	5
20-34	135	1.9	1	1	1	2	2	3	5	7
35-49	17	2.1	1	<1	1	2	3	4	5	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	557	2.2	15	<1	1	1	2	4	5	9
20-34	57	3.1	6	1	1	2	4	6	8	12
35-49	10	6.3	89	1	1	4	5	19	33	33
50-64	5	5.0	3	2	2	5	6	7	7	7
65+	2	1.5	1	1	1	1	2	2	2	2
TOT. SINGLE DX	1012	1.7	1	<1	1	1	2	3	4	6
" MULTIPLE DX	631	2.3	16	<1	1	2	2	4	5	10
TOTAL 0-19 YRS	1417	1.8	7	<1	1	1	2	3	4	7
20-34	192	2.2	3	1	1	2	3	5	6	9
35-49	27	3.6	36	<1	1	2	4	5	9	33
50-64	5	5.0	4	2	2	5	6	7	7	7
65+	2	1.5	1	1	1	1	2	2	2	2
GRAND TOTAL	**1643**	**1.9**	**7**	**<1**	**1**	**1**	**2**	**3**	**4**	**8**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	205	1.9	2	<1	1	1	2	4	5	8
20-34	91	2.1	2	<1	<1	2	2	4	5	10
35-49	36	1.7	1	<1	<1	1	2	3	4	5
50-64	10	2.5	2	1	1	2	3	5	6	6
65+	4	3.3		3	3	3	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	85	2.2	4	<1	1	1	3	4	6	12
20-34	81	3.3	15	1	1	2	3	7	9	24
35-49	37	3.0	9	1	1	2	4	6	8	17
50-64	26	3.8	15	1	1	3	4	6	16	17
65+	26	8.9	133	1	1	4	14	19	30	56
TOT. SINGLE DX	346	1.9	2	<1	1	1	2	4	5	8
" MULTIPLE DX	255	3.5	26	1	1	2	4	7	14	24
TOTAL 0-19 YRS	290	2.0	3	<1	1	1	2	4	5	8
20-34	172	2.6	9	<1	1	2	3	5	8	15
35-49	73	2.4	6	<1	1	2	3	5	6	15
50-64	36	3.5	12	1	1	3	4	6	13	17
65+	30	8.2	119	1	1	4	9	18	24	56
GRAND TOTAL	**601**	**2.6**	**13**	**<1**	**1**	**2**	**3**	**5**	**7**	**17**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	13	1.7	3	<1	<1	1	2	3	7	8
35-49	13	1.1		<1	<1	1	1	2	2	2
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	15	3.9	46	<1	<1	1	3	10	23	27
35-49	32	4.3	45	<1	<1	2	4	10	23	30
50-64	6	6.3	22	1	1	6	10	13	13	13
65+	12	9.7	41	2	3	8	14	18	22	23
TOT. SINGLE DX	27	1.4	2	<1	<1	1	1	2	3	8
" MULTIPLE DX	66	5.4	45	<1	1	2	6	15	23	30
TOTAL 0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	28	2.9	27	<1	<1	1	2	7	12	27
35-49	45	3.4	34	<1	<1	1	3	6	19	30
50-64	6	6.3	23	1	1	6	10	13	13	13
65+	12	9.7	41	2	3	8	14	18	22	23
GRAND TOTAL	**93**	**4.2**	**36**	**<1**	**<1**	**1**	**5**	**12**	**17**	**29**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	293	1.6		<1	<1	1	2	3	3	5
20-34	402	1.8	1	<1	1	1	2	3	4	7
35-49	331	1.9	3	<1	1	1	2	3	4	8
50-64	287	2.1	2	1	1	2	3	4	4	8
65+	133	2.3	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	223	2.1	7	<1	<1	1	2	4	5	12
20-34	348	2.3	6	<1	1	2	3	5	6	12
35-49	286	2.8	8	1	1	2	3	5	8	15
50-64	389	3.4	8	1	1	3	4	6	8	15
65+	301	3.9	11	1	1	3	5	8	11	17
TOT. SINGLE DX	1446	1.9	2	<1	1	1	2	3	4	7
" MULTIPLE DX	1547	2.9	9	1	1	2	3	6	8	15
TOTAL 0-19 YRS	516	1.8	4	<1	<1	1	2	3	4	7
20-34	750	2.0	4	<1	1	1	2	4	5	9
35-49	617	2.3	6	1	1	2	3	4	6	12
50-64	676	2.8	6	1	1	2	3	5	7	13
65+	434	3.4	9	1	1	3	4	7	9	15
GRAND TOTAL	**2993**	**2.4**	**6**	**<1**	**1**	**2**	**3**	**4**	**6**	**12**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	338	1.5	1	<1	<1	1	2	2	3	4
20-34	99	1.7		<1	<1	1	2	3	3	5
35-49	51	1.4		<1	1	1	2	2	3	3
50-64	43	2.0	9	<1	1	2	2	3	4	21
65+	25	2.2	6	1	1	1	2	4	6	13
2. MULTIPLE DX										
0-19 YRS	181	5.3	123	<1	<1	2	4	12	21	65
20-34	84	3.3	9	<1	1	2	4	7	9	17
35-49	141	4.3	28	<1	<1	2	6	10	14	31
50-64	175	3.6	14	1	1	2	5	9	11	21
65+	170	5.7	62	1	1	3	7	12	17	33
TOT. SINGLE DX	556	1.6	2	<1	<1	1	2	2	3	5
" MULTIPLE DX	751	4.6	54	<1	1	2	5	10	15	33
TOTAL 0-19 YRS	519	2.8	47	<1	<1	1	2	4	8	46
20-34	183	2.4	5	<1	<1	2	3	5	6	15
35-49	192	3.5	22	<1	1	2	4	8	13	29
50-64	218	3.3	14	1	1	2	4	8	11	21
65+	195	5.3	57	1	1	3	6	12	17	32
GRAND TOTAL	**1307**	**3.3**	**34**	**<1**	**<1**	**2**	**3**	**7**	**11**	**27**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	73	2.4	4	<1	<1	2	3	6	8	11
20-34	72	4.6	41	<1	1	3	5	9	16	41
35-49	107	4.0	14	1	1	3	5	8	11	23
50-64	275	3.3	3	1	1	3	4	5	6	10
65+	96	3.4	4	1	1	3	4	6	7	12
2. MULTIPLE DX										
0-19 YRS	75	3.3	9	1	1	3	4	6	7	20
20-34	147	7.0	64	1	1	4	7	17	26	41
35-49	319	4.8	33	1	1	4	6	8	10	21
50-64	717	4.4	13	1	1	4	5	7	11	22
65+	325	5.4	34	1	2	4	6	9	14	27
TOT. SINGLE DX	623	3.5	10	<1	1	3	4	6	8	15
" MULTIPLE DX	1583	4.9	27	1	1	4	5	8	12	26
TOTAL 0-19 YRS	148	2.8	7	<1	<1	2	3	6	7	11
20-34	219	6.2	58	1	1	4	6	14	20	43
35-49	426	4.6	29	1	1	4	5	8	10	22
50-64	992	4.1	11	1	1	3	5	7	9	19
65+	421	4.9	28	1	1	4	5	9	13	26
GRAND TOTAL	**2206**	**4.5**	**23**	**1**	**1**	**3**	**5**	**8**	**11**	**24**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	283	4.5	2	2	3	4	5	6	7	10
20-34	970	4.7	3	2	3	5	6	7	8	11
35-49	155	5.2	3	3	3	5	6	7	8	13
50-64	24	6.9	9	3	4	7	8	11	13	16
65+	18	8.1	10	4	5	7	9	13	15	16
2. MULTIPLE DX										
0-19 YRS	343	5.4	7	2	3	5	6	8	10	18
20-34	2338	5.4	10	2	3	5	6	8	10	15
35-49	482	6.6	18	2	3	6	7	11	13	25
50-64	91	11.0	89	4	4	8	12	21	28	58
65+	103	13.8	76	5	6	11	18	25	31	48
TOT. SINGLE DX	1450	4.8	4	2	3	5	6	7	8	12
" MULTIPLE DX	3357	6.0	18	2	3	5	7	9	12	23
TOTAL 0-19 YRS	626	5.0	5	2	3	5	6	7	9	14
20-34	3308	5.2	8	2	3	5	6	8	9	14
35-49	637	6.2	15	2	3	6	7	10	12	23
50-64	115	10.1	75	4	4	8	11	19	24	51
65+	121	13.0	70	5	6	10	17	23	30	47
GRAND TOTAL	**4807**	**5.6**	**14**	**2**	**3**	**5**	**6**	**9**	**11**	**20**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	145	5.2	3	3	3	5	6	8	8	12
20-34	891	5.1	3	3	3	5	6	7	8	11
35-49	368	5.3	3	3	3	5	6	8	9	12
50-64	79	6.7	11	4	4	6	7	11	12	24
65+	36	6.7	6	4	4	6	8	11	12	14
2. MULTIPLE DX										
0-19 YRS	200	5.9	5	3	3	5	7	9	11	13
20-34	2351	6.0	7	3	4	5	7	9	11	16
35-49	1293	6.4	12	3	4	6	7	10	13	19
50-64	166	8.6	23	4	5	7	10	15	18	29
65+	171	11.4	43	5	5	9	14	21	24	34
TOT. SINGLE DX	1519	5.3	4	3	3	5	6	8	9	12
" MULTIPLE DX	4181	6.4	13	3	4	6	7	10	13	21
TOTAL 0-19 YRS	345	5.6	5	3	3	5	6	8	10	13
20-34	3242	5.7	7	3	4	5	6	8	10	15
35-49	1661	6.2	11	3	3	5	7	9	12	18
50-64	245	8.0	21	4	4	7	9	13	17	28
65+	207	10.6	40	4	5	8	12	20	23	33
GRAND TOTAL	**5700**	**6.1**	**11**	**3**	**4**	**5**	**7**	**9**	**12**	**19**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	4.2	1	2	2	5	5	5	5	5
20-34	77	5.3	4	2	3	5	6	7	8	14
35-49	143	6.4	10	4	4	6	7	9	11	17
50-64	69	7.0	8	4	5	6	8	9	14	20
65+	40	8.2	14	4	5	7	10	14	16	21
2. MULTIPLE DX										
0-19 YRS	17	7.1	14	3	4	6	8	13	15	16
20-34	450	6.4	16	3	4	6	7	9	12	23
35-49	961	6.9	11	4	4	6	8	11	13	19
50-64	346	9.3	34	4	5	7	11	17	21	32
65+	301	12.8	68	5	6	10	15	21	29	49
TOT. SINGLE DX	334	6.5	9	3	4	6	7	9	11	18
" MULTIPLE DX	2075	8.1	30	4	4	6	9	14	18	29
TOTAL 0-19 YRS	22	6.4	13	2	3	5	7	13	14	16
20-34	527	6.3	15	3	4	6	7	9	11	20
35-49	1104	6.8	12	4	4	6	8	10	13	19
50-64	415	8.9	31	4	5	7	10	16	21	30
65+	341	12.3	64	5	6	10	15	21	28	45
GRAND TOTAL	**2409**	**7.8**	**27**	**4**	**4**	**6**	**9**	**13**	**17**	**28**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	80	2.8	2	<1	1	3	4	5	6	8
20-34	181	3.4	4	<1	1	3	5	6	7	9
35-49	33	4.4	11	<1	1	4	5	6	11	18
50-64	7	2.3	2	<1	<1	2	3	5	5	5
65+	6	5.0	20	1	1	4	8	12	12	12
2. MULTIPLE DX										
0-19 YRS	100	4.6	7	1	1	4	5	8	11	13
20-34	718	4.5	6	1	1	4	6	7	8	13
35-49	161	5.2	19	1	1	5	6	9	11	23
50-64	6	11.2	103	2	2	7	15	28	30	30
65+	6	10.3	44	2	2	9	14	20	21	21
TOT. SINGLE DX	307	3.4	5	<1	1	3	5	6	7	11
" MULTIPLE DX	991	4.7	10	1	1	4	6	8	9	15
TOTAL 0-19 YRS	180	3.8	6	1	1	3	5	7	9	12
20-34	899	4.3	6	1	1	4	5	7	8	13
35-49	194	5.1	18	1	1	5	6	8	11	22
50-64	13	6.4	65	<1	<1	3	7	18	28	30
65+	12	7.7	37	1	1	7	11	16	20	21
GRAND TOTAL	**1298**	**4.4**	**9**	**1**	**1**	**4**	**6**	**7**	**9**	**14**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	257	1.5	1	<1	<1	1	2	2	3	6
35-49	153	1.2		<1	<1	<1	1	2	2	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	7	1.4		1	1	1	2	3	3	3
20-34	651	2.2	5	<1	<1	1	3	4	5	12
35-49	272	1.9	5	<1	<1	1	2	3	5	11
50-64	2	1.5	1	1	1	1	2	2	2	2
65+										
TOT. SINGLE DX	411	1.4	1	<1	<1	1	1	2	3	6
" MULTIPLE DX	932	2.1	6	<1	<1	1	3	4	5	11
TOTAL 0-19 YRS	8	1.4	1	<1	<1	1	2	3	3	3
20-34	908	2.0	5	<1	<1	1	2	4	5	11
35-49	425	1.7	4	<1	<1	1	2	3	4	9
50-64	2	1.5	1	1	1	1	2	2	2	2
65+										
GRAND TOTAL	**1343**	**1.9**	**4**	**<1**	**<1**	**1**	**2**	**3**	**5**	**10**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	4.2	9	1	1	4	6	8	12	13
20-34	1095	2.2	2	1	1	2	3	4	5	7
35-49	312	2.0	1	<1	1	2	3	3	4	6
50-64	1	5.0		5	5	5	5	5	5	5
65+										
2. MULTIPLE DX										
0-19 YRS	29	3.9	4	1	2	3	5	7	7	11
20-34	4092	3.2	3	1	1	3	4	5	5	8
35-49	887	3.2	4	1	1	3	4	5	6	10
50-64	7	6.0	14	2	2	5	8	12	13	13
65+										
TOT. SINGLE DX	1421	2.1	2	1	1	2	3	4	5	7
" MULTIPLE DX	5015	3.2	4	1	1	3	4	5	6	9
TOTAL 0-19 YRS	42	4.0	6	1	2	3	5	7	9	13
20-34	5187	3.0	3	1	1	3	4	5	5	8
35-49	1199	2.9	4	1	1	3	4	5	6	9
50-64	8	5.9	13	2	2	5	7	12	13	13
65+										
GRAND TOTAL	**6436**	**3.0**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**8**

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	154	4.3	1	2	3	4	5	6	7	7
20-34	2093	4.4	2	2	3	4	5	6	7	9
35-49	294	4.6	4	2	3	4	6	6	7	12
50-64	6	4.5	3	2	2	4	6	7	7	7
65+	2	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	205	4.9	4	2	3	4	6	8	9	14
20-34	2964	4.8	3	2	3	5	5	7	8	11
35-49	461	5.4	7	2	3	5	6	8	11	16
50-64	11	4.8	4	<1	2	5	7	8	8	8
65+	10	10.0	70	2	2	7	15	23	29	29
TOT. SINGLE DX	2549	4.4	2	2	3	4	5	6	7	9
" MULTIPLE DX	3651	4.9	5	2	3	5	6	7	8	13
TOTAL 0-19 YRS	359	4.6	4	2	3	4	5	7	8	13
20-34	5057	4.6	3	2	3	5	5	6	7	10
35-49	755	5.1	7	2	3	5	6	7	9	15
50-64	17	4.7	4	1	2	5	6	7	8	8
65+	12	9.2	61	2	3	6	12	21	28	29
GRAND TOTAL	**6200**	**4.7**	**4**	**2**	**3**	**5**	**5**	**7**	**8**	**11**

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	18	1.7		<1	1	2	2	3	4	4
20-34	426	1.6		<1	1	1	2	3	3	5
35-49	194	1.8	1	1	1	1	2	3	4	7
50-64	65	2.0	2	<1	1	1	2	3	6	10
65+	25	2.4	2	1	1	2	3	5	5	6
2. MULTIPLE DX										
0-19 YRS	14	1.7	1	1	1	1	2	3	5	5
20-34	369	2.1	4	<1	1	1	2	4	5	9
35-49	229	2.9	17	<1	1	2	3	7	10	20
50-64	97	3.5	28	1	1	2	3	7	11	32
65+	56	3.9	17	1	1	2	4	11	16	18
TOT. SINGLE DX	728	1.7	1	<1	1	1	2	3	3	7
" MULTIPLE DX	765	2.7	13	<1	1	2	3	5	9	18
TOTAL 0-19 YRS	32	1.7	1	1	1	1	2	3	4	5
20-34	795	1.8	3	<1	1	1	2	3	4	8
35-49	423	2.4	11	<1	1	2	3	4	7	12
50-64	162	2.9	19	1	1	2	3	6	8	23
65+	81	3.5	13	1	1	2	4	7	13	17
GRAND TOTAL	**1493**	**2.2**	**7**	**<1**	**1**	**1**	**2**	**4**	**6**	**12**

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	1.6	2	<1	<1	1	1	4	5	5
20-34	159	1.8	2	<1	<1	1	2	4	4	9
35-49	105	2.2	5	<1	<1	1	2	5	6	16
50-64	72	3.1	13	<1	1	2	4	6	7	24
65+	47	4.4	13	<1	1	3	6	9	11	19
2. MULTIPLE DX										
0-19 YRS	31	3.1	4	<1	1	2	4	6	7	9
20-34	349	3.0	10	<1	<1	2	3	7	9	16
35-49	385	3.3	33	<1	<1	2	3	8	10	45
50-64	280	4.9	29	<1	1	3	6	10	18	27
65+	351	6.6	33	1	2	5	8	14	18	32
TOT. SINGLE DX	394	2.5	7	<1	<1	2	3	5	7	15
" MULTIPLE DX	1396	4.4	28	<1	<1	2	6	9	14	27
TOTAL 0-19 YRS	42	2.7	4	<1	<1	2	4	6	7	9
20-34	508	2.6	8	<1	<1	2	3	6	8	13
35-49	490	3.1	27	<1	<1	2	3	7	9	31
50-64	352	4.5	27	<1	1	3	6	9	14	28
65+	398	6.4	32	1	1	5	8	13	18	29
GRAND TOTAL	**1790**	**4.0**	**24**	**<1**	**<1**	**2**	**5**	**9**	**12**	**25**

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	32	2.8	4	1	1	2	3	4	9	11
20-34	1040	2.2	1	1	1	2	3	4	4	7
35-49	113	2.1	1	1	1	2	3	3	4	8
50-64	2	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
0-19 YRS	12	2.8		2	2	3	3	4	5	5
20-34	340	3.6	17	1	1	3	4	6	9	27
35-49	47	4.4	167	<1	1	2	3	5	7	90
50-64	1	1.0		1	1	1	1	1	1	1
65+										
TOT. SINGLE DX	1187	2.2	2	1	1	2	3	4	4	8
" MULTIPLE DX	400	3.6	35	1	1	3	4	6	9	29
TOTAL 0-19 YRS	44	2.8	4	1	1	2	3	4	6	11
20-34	1380	2.5	6	1	1	2	3	4	5	10
35-49	160	2.8	51	1	1	2	3	4	5	13
50-64	3	1.0		1	1	1	1	1	1	1
65+										
GRAND TOTAL	1587	2.5	11	1	1	2	3	4	5	11

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	2.6	4	1	1	2	4	6	6	6
20-34	302	4.9	3	1	2	5	6	7	8	9
35-49	108	4.4	4	1	1	4	6	7	8	9
50-64	5	3.6	7	<1	<1	4	5	7	7	7
65+	3	4.0	19	1	1	2	7	9	9	9
2. MULTIPLE DX										
0-19 YRS	19	7.5	92	1	1	5	7	19	34	41
20-34	707	5.0	8	1	1	5	6	7	9	12
35-49	300	5.3	17	<1	1	5	6	9	12	24
50-64	67	6.0	32	<1	1	4	8	14	17	26
65+	82	6.8	35	1	2	4	10	16	19	25
TOT. SINGLE DX	425	4.7	4	1	2	5	6	7	8	9
" MULTIPLE DX	1175	5.3	16	1	1	5	6	9	11	23
TOTAL 0-19 YRS	26	6.2	73	1	1	5	6	9	28	41
20-34	1009	5.0	7	1	2	5	6	7	8	11
35-49	408	5.1	14	1	1	5	6	8	10	22
50-64	72	5.8	31	<1	1	4	8	13	17	26
65+	85	6.7	35	1	2	4	10	15	19	25
GRAND TOTAL	1600	5.2	13	1	1	5	6	8	10	19

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	5.7	6	3	3	4	7	10	11	11
20-34	1096	5.9	2	4	4	6	7	8	8	13
35-49	2206	6.1	2	4	4	6	7	8	8	11
50-64	693	6.6	4	4	5	6	7	9	10	13
65+	344	7.5	6	4	5	7	8	11	12	17
2. MULTIPLE DX										
0-19 YRS	59	7.3	13	4	4	6	9	13	15	22
20-34	7498	6.4	6	4	4	6	7	9	10	15
35-49	19192	6.6	6	4	5	6	7	9	10	16
50-64	4783	7.7	15	5	5	7	8	11	14	24
65+	2190	10.2	40	5	6	8	11	17	22	35
TOT. SINGLE DX	4352	6.2	3	4	4	6	7	8	9	13
" MULTIPLE DX	33722	7.0	11	4	5	6	8	10	12	20
TOTAL 0-19 YRS	72	7.0	13	4	4	6	8	12	14	22
20-34	8594	6.3	6	4	4	6	7	8	10	15
35-49	21398	6.6	6	4	5	6	7	9	10	16
50-64	5476	7.6	14	4	5	7	8	11	14	24
65+	2534	9.8	37	5	6	8	11	16	21	33
GRAND TOTAL	38074	6.9	10	4	5	6	7	9	12	19

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	570	4.9	1	3	3	5	6	7	7	9
35-49	662	5.4	2	3	4	5	6	8	9	10
50-64	377	6.5	3	4	5	6	7	9	10	14
65+	335	7.1	4	4	5	7	8	9	10	14
2. MULTIPLE DX										
0-19 YRS	10	5.0	6	2	2	4	6	9	10	10
20-34	2373	5.7	4	3	4	5	6	8	9	13
35-49	4911	5.9	4	3	4	6	7	8	10	13
50-64	1636	7.0	5	4	5	7	8	10	11	15
65+	1472	7.9	9	5	5	7	9	11	13	20
TOT. SINGLE DX	1945	5.8	4	3	4	6	7	8	9	12
" MULTIPLE DX	10402	6.3	6	4	4	6	7	9	10	15
TOTAL 0-19 YRS	11	4.6	7	1	2	4	6	9	10	10
20-34	2943	5.6	4	3	4	5	6	8	9	12
35-49	5573	5.9	4	3	4	6	7	8	10	13
50-64	2013	6.9	5	4	5	7	8	10	11	15
65+	1807	7.8	9	5	5	7	9	11	13	19
GRAND TOTAL	12347	6.2	6	3	4	6	7	9	10	15

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	29	10.8	10	8	8	10	11	16	19	20
35-49	45	10.4	12	6	6	9	12	15	17	20
50-64	26	11.6	32	5	6	10	14	19	26	26
65+	13	13.6	54	8	8	10	18	25	30	31
2. MULTIPLE DX										
0-19 YRS	2	12.5	61	7	7	12	18	18	18	18
20-34	43	10.4	65	4	5	9	11	14	17	58
35-49	90	12.9	34	7	8	11	15	20	25	38
50-64	68	13.4	51	7	8	11	14	20	28	47
65+	59	16.1	89	8	9	12	18	30	40	45
TOT. SINGLE DX	114	11.1	21	6	7	10	12	17	20	28
" MULTIPLE DX	262	13.3	59	6	7	11	15	21	28	45
TOTAL 0-19 YRS	3	11.3	34	7	7	9	16	18	18	18
20-34	72	10.5	43	5	6	10	11	15	18	50
35-49	135	12.1	28	6	7	11	15	19	22	30
50-64	94	12.9	46	6	8	11	14	19	27	43
65+	72	15.6	83	8	8	12	18	29	38	44
GRAND TOTAL	**376**	**12.7**	**48**	**6**	**7**	**11**	**14**	**19**	**26**	**44**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	39	1.7	1	<1	<1	1	2	3	4	5
20-34	193	1.7	1	<1	<1	1	2	3	4	7
35-49	21	1.3		<1	<1	1	2	2	3	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	26	6.4	111	1	1	3	5	12	36	48
20-34	144	3.3	11	1	1	2	4	7	11	19
35-49	35	2.7	17	<1	1	1	2	6	15	19
50-64										
65+										
TOT. SINGLE DX	253	1.7	1	<1	<1	1	2	3	4	6
" MULTIPLE DX	205	3.6	26	1	1	2	4	7	12	26
TOTAL 0-19 YRS	65	3.6	50	<1	1	2	3	5	8	46
20-34	337	2.4	6	<1	<1	1	3	5	7	15
35-49	56	2.2	11	<1	1	1	2	4	6	19
50-64										
65+										
GRAND TOTAL	**458**	**2.5**	**13**	**<1**	**<1**	**1**	**3**	**5**	**7**	**19**

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2090	1.6	1	<1	<1	1	2	3	4	6
20-34	11850	1.5	1	<1	<1	1	2	3	4	6
35-49	2425	1.5	1	<1	<1	1	2	2	3	7
50-64	396	2.0	7	<1	<1	1	2	3	5	12
65+	171	2.2	2	<1	1	2	3	4	6	9
2. MULTIPLE DX										
0-19 YRS	812	2.9	5	1	1	2	4	6	8	11
20-34	6117	3.1	11	<1	1	2	4	6	8	15
35-49	3717	3.3	16	<1	<1	2	4	7	10	20
50-64	1294	4.2	27	<1	1	2	5	10	13	26
65+	1076	5.0	32	1	1	3	6	11	15	30
TOT. SINGLE DX	16932	1.6	2	<1	<1	1	2	3	4	6
" MULTIPLE DX	13016	3.4	16	<1	1	2	4	7	10	20
TOTAL 0-19 YRS	2902	1.9	3	<1	<1	1	2	4	5	9
20-34	17967	2.1	5	<1	<1	1	2	4	6	11
35-49	6142	2.6	11	<1	<1	2	3	6	8	15
50-64	1690	3.7	24	<1	1	2	4	9	12	25
65+	1247	4.6	30	1	1	2	6	11	14	28
GRAND TOTAL	**29948**	**2.4**	**9**	**<1**	**<1**	**1**	**2**	**5**	**7**	**14**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	140	1.2		<1	<1	1	1	2	3	3
20-34	438	1.4	1	<1	<1	<1	1	2	3	7
35-49	91	1.1		<1	<1	<1	1	2	2	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	38	7.0	183	<1	<1	2	5	15	49	57
20-34	215	4.4	34	<1	<1	2	5	10	14	33
35-49	63	3.2	22	<1	<1	2	3	7	16	23
50-64										
65+										
TOT. SINGLE DX	669	1.3	1	<1	<1	<1	1	2	3	6
" MULTIPLE DX	316	4.5	50	<1	<1	2	5	10	15	39
TOTAL 0-19 YRS	178	2.5	44	<1	<1	1	2	3	5	51
20-34	653	2.4	15	<1	<1	1	2	5	8	16
35-49	154	2.0	10	<1	<1	1	2	3	6	23
50-64										
65+										
GRAND TOTAL	**985**	**2.3**	**19**	**<1**	**<1**	**1**	**2**	**5**	**7**	**21**

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	259	1.3		<1	<1	1	1	2	3	5
20-34	1592	1.3		<1	<1	1	1	2	3	5
35-49	202	1.2		<1	<1	1	1	2	2	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	72	2.7	14	<1	1	2	3	5	7	26
20-34	426	2.6	7	<1	1	2	3	5	7	15
35-49	96	4.2	38	<1	1	2	5	9	11	36
50-64	7	13.3	137	1	1	10	24	27	28	28
65+	9	13.2	411	1	2	5	14	47	65	65
TOT. SINGLE DX	2053	1.3	1	<1	<1	1	1	2	3	5
" MULTIPLE DX	610	3.1	23	<1	1	2	3	6	9	26
TOTAL 0-19 YRS	331	1.6	4	<1	<1	1	2	3	3	7
20-34	2018	1.6	2	<1	<1	1	2	3	4	8
35-49	298	2.2	15	<1	<1	1	2	4	7	25
50-64	7	13.3	137	1	1	10	24	27	28	28
65+	9	13.2	411	1	2	5	14	47	65	65
GRAND TOTAL	**2663**	**1.7**	**6**	**<1**	**<1**	**1**	**2**	**3**	**4**	**10**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	5.3		5	5	5	6	6	6	6
20-34	43	4.7	2	2	3	5	5	7	7	8
35-49	7	3.9	1	2	2	4	5	5	5	5
50-64	2	3.5	13	1	1	3	6	6	6	6
65+	2	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	9	5.2	4	2	2	5	6	8	9	9
20-34	250	5.0	3	2	3	5	6	7	8	12
35-49	36	5.3	3	2	3	5	6	8	8	11
50-64	3	5.7	4	4	4	5	7	8	8	8
65+	4	7.5	11	4	4	7	10	12	12	12
TOT. SINGLE DX	57	4.7	2	2	3	5	5	6	7	8
" MULTIPLE DX	302	5.1	4	2	3	5	6	7	8	12
TOTAL 0-19 YRS	12	5.3	3	2	3	5	6	8	9	9
20-34	293	5.0	4	2	3	5	6	7	8	12
35-49	43	5.0	3	2	3	5	6	8	8	11
50-64	5	4.8	7	1	1	5	6	8	8	8
65+	6	7.0	8	4	4	6	8	12	12	12
GRAND TOTAL	**359**	**5.0**	**4**	**2**	**3**	**5**	**6**	**7**	**8**	**12**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	29	2.0	1	<1	<1	1	2	4	5	6
20-34	122	2.8	6	<1	<1	2	4	6	6	12
35-49	57	2.8	3	<1	1	3	4	5	6	7
50-64	34	3.3	1	1	2	3	4	5	6	6
65+	19	4.7	9	1	2	3	6	9	12	14
2. MULTIPLE DX										
0-19 YRS	40	3.4	4	1	1	3	5	6	8	10
20-34	360	4.0	23	1	1	3	5	7	8	20
35-49	101	4.3	20	1	1	3	5	8	10	27
50-64	64	4.3	21	1	2	3	4	6	11	32
65+	92	4.8	24	2	2	3	5	8	13	31
TOT. SINGLE DX	261	2.9	5	<1	<1	2	4	6	6	10
" MULTIPLE DX	657	4.1	22	1	1	3	5	7	9	23
TOTAL 0-19 YRS	69	2.8	4	<1	1	2	4	5	7	10
20-34	482	3.7	19	<1	1	3	5	6	8	19
35-49	158	3.7	15	<1	1	3	4	7	9	14
50-64	98	3.9	15	1	2	3	4	6	9	25
65+	111	4.7	22	2	2	3	5	8	14	29
GRAND TOTAL	**918**	**3.8**	**17**	**<1**	**1**	**3**	**5**	**6**	**8**	**21**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	3.0	7	<1	<1	2	5	7	7	7
20-34	59	5.1	3	2	3	5	6	8	8	10
35-49	245	5.4	5	2	3	5	7	8	10	13
50-64	483	5.5	4	2	3	5	7	8	9	12
65+	315	5.8	4	3	3	6	7	8	9	12
2. MULTIPLE DX										
0-19 YRS	3	7.7	25	3	3	7	11	13	13	13
20-34	180	6.3	17	2	3	6	8	9	11	16
35-49	652	6.6	9	3	3	6	8	10	12	19
50-64	955	6.7	12	3	4	6	8	10	12	17
65+	944	7.1	10	3	4	7	8	11	13	18
TOT. SINGLE DX	1106	5.5	5	2	3	5	7	8	9	12
" MULTIPLE DX	2734	6.8	12	3	4	6	8	10	12	18
TOTAL 0-19 YRS	7	5.0	18	<1	<1	3	7	12	13	13
20-34	239	6.0	14	2	3	6	7	9	10	13
35-49	897	6.3	9	3	3	6	7	10	12	18
50-64	1438	6.3	10	3	3	6	7	9	11	16
65+	1259	6.8	9	3	4	6	8	10	12	16
GRAND TOTAL	**3840**	**6.4**	**10**	**3**	**3**	**6**	**8**	**10**	**11**	**16**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	51	3.3	11	<1	<1	2	5	9	11	11
20-34	179	3.5	5	<1	1	3	4	6	8	12
35-49	68	3.4	6	1	1	3	5	7	8	11
50-64	42	5.6	8	1	1	6	7	9	10	14
65+	29	5.3	6	1	1	6	7	9	10	11
2. MULTIPLE DX										
0-19 YRS	53	4.0	21	<1	1	2	4	9	15	23
20-34	116	4.6	21	1	1	4	6	8	8	27
35-49	90	5.8	24	1	1	5	8	11	15	28
50-64	106	7.6	49	1	3	6	8	12	15	43
65+	107	8.4	30	1	3	7	10	14	18	31
TOT. SINGLE DX	369	3.8	8	<1	1	3	5	7	10	12
" MULTIPLE DX	472	6.3	33	1	1	5	8	11	15	29
TOTAL 0-19 YRS	104	3.7	16	<1	<1	2	4	9	11	22
20-34	295	3.9	12	1	1	3	5	7	8	17
35-49	158	4.8	18	1	1	4	6	9	12	20
50-64	148	7.0	38	1	3	6	8	11	14	26
65+	136	7.7	27	1	3	7	9	13	16	30
GRAND TOTAL	**841**	**5.2**	**23**	**1**	**1**	**4**	**7**	**10**	**12**	**23**

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	86	3.5	8	<1	<1	2	5	9	10	11
20-34	269	3.5	11	<1	1	2	4	8	11	14
35-49	93	4.3	14	<1	1	3	6	10	14	15
50-64	64	5.3	37	1	1	4	6	9	15	38
65+	80	5.3	7	2	2	5	7	9	11	15
2. MULTIPLE DX										
0-19 YRS	124	5.3	56	1	1	3	7	10	12	55
20-34	402	4.5	16	1	1	4	5	8	11	22
35-49	200	5.9	29	1	1	4	7	11	17	26
50-64	232	6.4	28	1	2	5	8	11	17	30
65+	445	7.2	41	2	2	6	8	13	17	26
TOT. SINGLE DX	592	4.1	14	<1	1	3	5	9	11	15
" MULTIPLE DX	1403	5.9	33	1	1	5	7	11	15	26
TOTAL 0-19 YRS	210	4.6	37	<1	1	3	6	9	11	37
20-34	671	4.1	14	1	1	3	5	8	11	21
35-49	293	5.4	25	1	1	4	7	11	15	23
50-64	296	6.2	31	1	2	5	7	11	17	31
65+	525	6.9	37	2	2	6	8	12	16	25
GRAND TOTAL	**1995**	**5.4**	**28**	**1**	**1**	**4**	**7**	**10**	**14**	**25**

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	79	2.4	4	<1	1	2	3	5	6	12
20-34	362	2.1	1	<1	<1	2	3	4	5	7
35-49	181	2.3	5	<1	1	2	3	4	6	11
50-64	71	2.5	3	1	1	2	3	5	6	11
65+	40	3.5	8	<1	1	3	5	7	10	13
2. MULTIPLE DX										
0-19 YRS	74	3.7	10	1	1	3	5	6	12	17
20-34	287	3.9	17	1	1	3	4	7	12	25
35-49	171	5.6	41	1	1	3	6	13	19	37
50-64	142	6.8	50	1	1	4	8	19	23	40
65+	187	7.4	46	1	2	5	10	15	20	33
TOT. SINGLE DX	733	2.3	4	<1	1	2	3	4	6	10
" MULTIPLE DX	861	5.5	35	1	1	3	6	13	18	32
TOTAL 0-19 YRS	153	3.0	8	<1	1	2	4	6	7	16
20-34	649	2.9	10	<1	1	2	3	5	7	15
35-49	352	3.9	25	<1	1	2	4	8	13	25
50-64	213	5.4	39	1	1	3	6	13	22	35
65+	227	6.7	42	1	1	4	9	15	18	32
GRAND TOTAL	**1594**	**4.0**	**23**	**<1**	**1**	**2**	**4**	**9**	**13**	**26**

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	13	3.2	8	<1	<1	2	4	8	10	10
35-49	27	5.4	25	1	1	4	7	9	20	21
50-64	21	5.4	9	1	2	5	7	10	11	12
65+	35	9.6	34	2	3	9	13	20	21	25
2. MULTIPLE DX										
0-19 YRS	3	9.0	37	2	2	12	13	13	13	13
20-34	11	5.4	33	<1	<1	4	7	13	20	21
35-49	28	9.7	61	1	3	6	14	21	27	32
50-64	44	11.4	53	2	3	10	18	21	23	28
65+	112	14.9	113	3	5	12	20	28	37	51
TOT. SINGLE DX	98	6.5	28	1	1	5	9	13	20	23
" MULTIPLE DX	198	12.8	93	2	3	11	18	26	32	49
TOTAL 0-19 YRS	5	6.4	32	1	1	4	12	13	13	13
20-34	24	4.2	20	<1	<1	3	5	8	13	21
35-49	55	7.6	48	1	1	5	9	19	22	32
50-64	65	9.5	47	2	2	7	14	20	21	28
65+	147	13.6	99	3	4	11	18	26	34	49
GRAND TOTAL	**296**	**10.7**	**80**	**1**	**2**	**8**	**15**	**22**	**27**	**46**

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	41	1.3		<1	<1	1	2	2	3	3
20-34	58	2.6	2	1	1	2	3	4	6	8
35-49	9	2.6	3	<1	<1	2	4	6	6	6
50-64	9	2.4	1	1	1	2	3	4	5	5
65+	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	39	3.0	23	1	1	2	3	5	7	31
20-34	58	3.2	4	1	1	3	4	6	7	10
35-49	12	7.8	141	1	1	3	8	23	40	43
50-64	17	5.6	51	1	1	3	8	9	23	31
65+	11	4.6	20	1	1	3	7	12	15	15
TOT. SINGLE DX	119	2.2	2	<1	1	2	3	4	5	7
" MULTIPLE DX	137	3.9	30	1	1	3	4	8	10	33
TOTAL 0-19 YRS	80	2.1	12	<1	1	1	2	4	5	24
20-34	116	2.9	3	1	1	2	4	6	7	9
35-49	21	5.6	86	<1	<1	3	5	13	28	43
50-64	26	4.5	36	1	1	2	5	9	14	31
65+	13	4.5	17	1	1	3	6	11	14	15
GRAND TOTAL	**256**	**3.1**	**18**	**1**	**1**	**2**	**3**	**6**	**8**	**30**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	4.0	10	<1	<1	3	6	8	8	8
20-34	6	3.2	2	<1	<1	3	4	5	5	5
35-49	3	1.3		1	1	1	2	2	2	2
50-64										
65+	3	2.3		2	2	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	6	3.3	1	2	2	3	4	5	5	5
20-34	25	10.1	153	1	1	5	15	36	38	40
35-49	3	4.7	6	2	2	5	6	7	7	7
50-64	7	6.1	25	2	2	5	7	15	17	17
65+	7	5.6	10	2	2	5	8	10	11	11
TOT. SINGLE DX	16	2.9	4	<1	<1	2	4	5	7	8
" MULTIPLE DX	48	7.7	90	1	1	4	7	22	36	40
TOTAL 0-19 YRS	10	3.6	4	<1	1	3	5	7	8	8
20-34	31	8.7	131	1	1	4	7	28	38	40
35-49	6	3.0	6	1	1	2	5	7	7	7
50-64	7	6.1	25	2	2	5	7	15	17	17
65+	10	4.6	10	2	2	3	7	9	11	11
GRAND TOTAL	**64**	**6.5**	**73**	**1**	**1**	**4**	**6**	**17**	**27**	**40**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1541	2.8	1	2	2	3	3	4	4	5
20-34	8841	3.0		2	2	3	3	4	4	5
35-49	410	3.0		2	2	3	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1952	3.2	1	2	2	3	4	4	5	8
20-34	11080	3.4	2	2	2	3	4	5	5	8
35-49	710	3.7	4	2	2	3	4	5	6	14
50-64										
65+										
TOT. SINGLE DX	10792	3.0	1	2	2	3	3	4	4	5
" MULTIPLE DX	13742	3.4	2	2	2	3	4	5	5	8
TOTAL 0-19 YRS	3493	3.0	2	2	2	3	3	4	5	8
20-34	19921	3.2	2	2	2	3	4	4	5	7
35-49	1120	3.4	4	2	2	3	4	5	5	8
50-64										
65+										
GRAND TOTAL	**24534**	**3.2**	**2**	**2**	**2**	**3**	**4**	**4**	**5**	**7**

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	2.5		1	2	2	3	4	4	5
20-34	207	2.9	1	1	2	3	3	4	5	6
35-49	16	2.7		1	2	3	3	3	4	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	58	2.6	1	1	1	2	3	4	5	7
20-34	469	3.3	12	1	1	3	4	5	6	14
35-49	35	3.1	4	1	1	3	4	5	6	13
50-64										
65+										
TOT. SINGLE DX	244	2.8	1	1	2	3	3	4	4	6
" MULTIPLE DX	562	3.2	11	1	1	3	4	5	5	13
TOTAL 0-19 YRS	79	2.6	1	1	1	2	3	4	5	7
20-34	676	3.2	9	1	1	3	4	4	5	10
35-49	51	3.0	3	1	1	3	4	5	5	13
50-64										
65+										
GRAND TOTAL	**806**	**3.1**	**8**	**1**	**1**	**3**	**4**	**4**	**5**	**10**

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	331	2.8	1	1	2	3	3	4	4	6
20-34	2514	3.0		2	2	3	4	4	4	5
35-49	131	3.0		2	2	3	4	4	5	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	615	3.2	3	2	2	3	4	4	5	8
20-34	4306	3.4	4	2	2	3	4	5	5	8
35-49	323	3.5	2	2	2	3	4	5	6	9
50-64										
65+										
TOT. SINGLE DX	2976	3.0	1	2	2	3	3	4	4	6
" MULTIPLE DX	5244	3.4	4	2	2	3	4	5	5	8
TOTAL 0-19 YRS	946	3.1	3	1	2	3	4	4	5	7
20-34	6820	3.3	3	2	2	3	4	4	5	7
35-49	454	3.4	2	2	2	3	4	5	5	7
50-64										
65+										
GRAND TOTAL	8220	3.3	3	2	2	3	4	4	5	7

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14232	2.6	1	1	2	3	3	4	4	5
20-34	91485	2.7	1	1	2	3	3	4	4	5
35-49	5040	2.8	1	1	2	3	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	5610	3.1	5	1	2	3	3	4	5	9
20-34	37950	3.2	4	1	2	3	4	4	5	9
35-49	3225	3.4	3	2	2	3	4	5	6	9
50-64										
65+										
TOT. SINGLE DX	110757	2.7	1	1	2	3	3	4	4	5
" MULTIPLE DX	46785	3.2	4	1	2	3	4	4	5	9
TOTAL 0-19 YRS	19842	2.8	2	1	2	3	3	4	4	7
20-34	129435	2.9	2	1	2	3	3	4	4	6
35-49	8265	3.0	2	1	2	3	4	4	5	7
50-64										
65+										
GRAND TOTAL	157542	2.8	2	1	2	3	3	4	4	6

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1654	5.1	2	3	4	5	6	7	7	9
20-34	15791	5.1	2	3	4	5	6	6	7	8
35-49	943	5.4	3	4	4	5	6	7	8	10
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	4608	5.9	10	4	4	5	6	8	10	16
20-34	38584	5.6	7	4	4	5	6	7	8	15
35-49	3867	6.1	15	4	4	5	6	8	10	23
50-64										
65+										
TOT. SINGLE DX	18388	5.1	2	3	4	5	6	6	7	9
" MULTIPLE DX	47059	5.7	9	4	4	5	6	7	9	16
TOTAL 0-19 YRS	6262	5.7	9	4	4	5	6	8	9	15
20-34	54375	5.5	6	4	4	5	6	7	8	14
35-49	4810	6.0	14	4	4	5	6	8	9	21
50-64										
65+										
GRAND TOTAL	65447	5.5	7	4	4	5	6	7	8	14

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	102	5.0	1	3	4	5	5	6	7	11
20-34	675	5.1	8	3	4	5	6	6	7	10
35-49	34	5.2	2	3	4	5	6	7	7	12
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	173	5.8	4	4	4	5	7	8	10	14
20-34	1575	6.2	17	4	4	5	6	8	11	24
35-49	215	7.4	41	4	4	6	7	12	15	41
50-64										
65+										
TOT. SINGLE DX	811	5.1	7	3	4	5	6	6	7	10
" MULTIPLE DX	1963	6.3	19	4	4	5	6	8	12	25
TOTAL 0-19 YRS	275	5.5	3	3	4	5	6	7	9	12
20-34	2250	5.8	15	3	4	5	6	8	10	22
35-49	249	7.1	37	4	4	6	7	11	14	37
50-64										
65+										
GRAND TOTAL	2774	5.9	16	3	4	5	6	8	10	22

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	5.0	1	3	3	5	5	7	8	8
20-34	134	4.4	3	2	3	4	5	7	8	10
35-49	11	5.1	4	3	3	5	5	9	9	9
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	8	4.8		4	4	5	5	6	6	6
20-34	157	5.3	6	2	3	5	6	8	10	14
35-49	12	5.1	2	3	3	5	6	7	7	7
50-64										
65+										
TOT. SINGLE DX	155	4.5	3	2	3	4	5	7	8	10
" MULTIPLE DX	177	5.3	6	3	3	5	6	8	10	14
TOTAL 0-19 YRS	18	4.9	1	3	4	5	5	6	7	8
20-34	291	4.9	5	2	3	4	6	8	9	14
35-49	23	5.1	3	3	3	5	6	8	9	9
50-64										
65+										
GRAND TOTAL	**332**	**4.9**	**5**	**2**	**3**	**5**	**6**	**7**	**9**	**14**

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	99	1.4		1	1	1	2	2	2	3
20-34	111	1.5		1	1	1	2	2	3	5
35-49	15	1.3		1	1	1	2	2	3	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	38	1.8	4	1	1	1	2	2	5	13
20-34	65	1.6	3	1	1	1	2	2	3	13
35-49	12	2.3	2	1	1	2	2	5	6	6
50-64										
65+										
TOT. SINGLE DX	225	1.5		1	1	1	2	2	3	4
" MULTIPLE DX	115	1.7	3	1	1	1	2	2	4	14
TOTAL 0-19 YRS	137	1.5	1	1	1	1	2	2	2	7
20-34	176	1.5	2	1	1	1	2	2	3	5
35-49	27	1.7	1	1	1	1	2	3	4	6
50-64										
65+										
GRAND TOTAL	**340**	**1.6**	**1**	**1**	**1**	**1**	**2**	**2**	**3**	**6**

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	96	4.8	41	<1	1	3	5	10	19	36
20-34	376	3.9	17	<1	<1	3	5	8	11	22
35-49	41	3.8	19	<1	<1	2	5	8	15	21
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	86	6.2	43	1	2	4	7	13	17	37
20-34	384	5.2	39	<1	1	3	6	10	16	36
35-49	35	6.5	45	1	2	5	6	11	17	39
50-64										
65+										
TOT. SINGLE DX	513	4.1	22	<1	<1	3	5	9	12	27
" MULTIPLE DX	505	5.4	40	<1	1	4	6	10	16	37
TOTAL 0-19 YRS	182	5.5	43	<1	1	3	6	11	18	37
20-34	760	4.5	29	<1	1	3	5	10	13	32
35-49	76	5.0	33	<1	1	3	6	9	16	34
50-64										
65+										
GRAND TOTAL	**1018**	**4.7**	**31**	**<1**	**1**	**3**	**6**	**10**	**14**	**35**

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1656	2.2	1	<1	<1	2	3	3	4	5
20-34	7735	2.3	1	<1	<1	2	3	4	4	6
35-49	396	2.3	1	<1	<1	2	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	701	2.8	4	<1	1	3	3	4	5	11
20-34	3665	2.9	5	<1	1	3	3	4	5	9
35-49	252	3.2	7	1	2	3	3	4	5	15
50-64										
65+										
TOT. SINGLE DX	9787	2.3	2	<1	<1	2	3	4	4	6
" MULTIPLE DX	4618	2.9	5	<1	1	3	3	4	5	10
TOTAL 0-19 YRS	2357	2.4	2	<1	<1	2	3	4	4	8
20-34	11400	2.5	3	<1	<1	2	3	4	4	7
35-49	648	2.7	4	<1	1	2	3	4	[illegible]	9
50-64										
65+										
GRAND TOTAL	**14405**	**2.5**	**3**	**<1**	**<1**	**2**	**3**	**4**	**4**	**7**

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2252	2.5		1	2	2	3	3	4	5
20-34	13838	2.6		1	2	3	3	4	4	5
35-49	906	2.6		1	1	3	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2611	2.9	2	1	2	3	3	4	5	8
20-34	15657	2.9	2	1	2	3	3	4	5	7
35-49	1438	3.1	2	1	2	3	4	4	5	7
50-64										
65+										
TOT. SINGLE DX	16996	2.6	1	1	2	3	3	4	4	5
" MULTIPLE DX	19706	2.9	3	1	2	3	3	4	5	7
TOTAL 0-19 YRS	4863	2.7	2	1	2	3	3	4	4	6
20-34	29495	2.8	2	1	2	3	3	4	4	6
35-49	2344	2.9	2	1	2	3	3	4	5	7
50-64										
65+										
GRAND TOTAL	36702	2.8	2	1	2	3	3	4	4	6

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	30	3.3	8	1	1	2	4	6	8	15
20-34	52	3.9	8	1	1	3	5	9	10	14
35-49	20	4.2	8	1	1	3	6	9	10	10
50-64	39	5.1	65	1	1	3	6	16	24	39
65+	29	6.7	52	1	1	5	8	13	22	36
2. MULTIPLE DX										
0-19 YRS	18	5.0	16	1	2	4	7	11	15	17
20-34	43	5.0	13	1	1	4	7	9	12	18
35-49	51	7.0	79	1	1	3	8	25	44	99+
50-64	106	8.8	107	1	1	6	13	18	24	64
65+	105	9.8	94	1	2	7	15	22	32	43
TOT. SINGLE DX	170	4.8	30	1	1	3	5	10	14	35
" MULTIPLE DX	323	8.1	84	1	1	5	10	19	26	60
TOTAL 0-19 YRS	48	3.9	12	1	1	3	5	8	12	17
20-34	95	4.4	11	1	1	3	6	9	11	16
35-49	71	6.2	61	1	1	3	8	19	28	99+
50-64	145	8.1	97	1	1	4	12	18	24	57
65+	134	9.1	86	1	2	6	12	21	30	42
GRAND TOTAL	493	7.0	68	1	1	4	9	16	24	46

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	711	3.1	2	1	1	3	4	5	6	8
20-34	1082	2.8	2	1	1	3	4	4	5	7
35-49	432	3.0	1	1	1	3	4	5	5	7
50-64	162	2.4	2	1	1	2	3	4	5	7
65+	37	3.4	13	1	1	3	3	6	9	22
2. MULTIPLE DX										
0-19 YRS	576	3.8	8	1	2	3	4	5	7	11
20-34	704	3.5	4	1	2	3	4	5	6	12
35-49	348	3.5	3	1	2	3	4	5	6	12
50-64	168	3.7	14	1	1	3	4	6	8	27
65+	90	5.7	78	1	1	3	5	15	21	53
TOT. SINGLE DX	2424	2.9	2	1	1	3	4	5	5	8
" MULTIPLE DX	1886	3.7	10	1	2	3	4	5	7	16
TOTAL 0-19 YRS	1287	3.4	5	1	1	3	4	5	6	10
20-34	1786	3.1	3	1	1	3	4	5	5	8
35-49	780	3.2	2	1	1	3	4	5	6	9
50-64	330	3.1	9	1	1	3	3	5	6	16
65+	127	5.0	60	1	1	3	4	11	20	47
GRAND TOTAL	4310	3.3	6	1	1	3	4	5	6	11

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	179	2.2	2	1	1	2	3	4	5	8
20-34	238	2.3	2	1	1	2	3	4	5	8
35-49	49	3.2	8	1	1	2	4	6	7	19
50-64	21	3.5	15	<1	1	2	4	7	12	18
65+	3	2.7	8	1	1	1	5	6	6	6
2. MULTIPLE DX										
0-19 YRS	270	4.3	26	1	1	3	5	8	13	31
20-34	369	4.4	23	1	1	3	5	8	12	28
35-49	116	5.4	38	1	2	3	6	10	18	33
50-64	48	6.3	36	2	2	4	8	13	20	31
65+	27	7.7	70	1	2	5	9	17	24	42
TOT. SINGLE DX	490	2.4	3	1	1	2	3	4	6	9
" MULTIPLE DX	830	4.7	29	1	1	3	5	9	13	30
TOTAL 0-19 YRS	449	3.4	18	1	1	2	4	6	10	21
20-34	607	3.6	16	1	1	3	4	7	9	20
35-49	165	4.7	31	1	1	3	5	9	13	30
50-64	69	5.5	31	1	1	3	6	12	18	29
65+	30	7.2	66	1	1	5	9	15	21	42
GRAND TOTAL	1320	3.9	21	1	1	3	4	7	10	26

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	157	2.5	2	1	1	2	3	5	6	8
20-34	444	2.7	4	1	1	2	3	5	6	10
35-49	114	3.2	19	1	1	2	3	5	9	23
50-64	41	3.0	5	<1	1	2	3	6	8	13
65+	14	3.0	5	1	1	2	4	7	7	7
2. MULTIPLE DX										
0-19 YRS	314	5.2	25	1	1	4	6	9	15	27
20-34	784	5.7	52	1	1	4	7	10	15	38
35-49	361	6.3	33	1	2	4	8	13	18	29
50-64	148	8.3	70	1	2	6	10	18	25	45
65+	92	11.0	99	2	2	8	14	24	29	55
TOT. SINGLE DX	770	2.8	6	1	1	2	3	5	7	10
" MULTIPLE DX	1699	6.2	49	1	2	4	7	12	18	37
TOTAL 0-19 YRS	471	4.3	19	1	1	3	5	8	11	24
20-34	1228	4.6	37	1	1	3	5	9	12	26
35-49	475	5.6	32	1	1	4	7	12	16	29
50-64	189	7.2	61	1	2	5	9	16	24	43
65+	106	10.0	95	2	2	7	13	23	29	53
GRAND TOTAL	**2469**	**5.2**	**38**	**1**	**1**	**3**	**6**	**10**	**15**	**30**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	36	3.5	5	1	1	3	5	7	7	11
20-34	38	3.8	11	<1	1	3	5	8	12	17
35-49	43	2.8	2	1	1	2	3	4	6	8
50-64	60	2.4	3	1	1	2	3	3	4	13
65+	13	2.4	1	1	1	2	3	4	5	5
2. MULTIPLE DX										
0-19 YRS	46	2.9	2	1	1	3	3	5	6	8
20-34	54	7.0	47	1	2	5	8	15	23	35
35-49	68	4.6	20	2	2	3	5	9	15	23
50-64	70	4.8	33	1	1	3	4	11	22	27
65+	53	7.0	78	1	2	4	8	12	31	44
TOT. SINGLE DX	190	3.0	5	1	1	2	4	5	7	14
" MULTIPLE DX	291	5.2	38	1	1	3	6	11	20	34
TOTAL 0-19 YRS	82	3.2	4	1	1	3	4	6	7	10
20-34	92	5.7	35	1	1	4	7	12	17	33
35-49	111	3.9	14	1	2	3	4	7	11	22
50-64	130	3.7	21	1	1	2	3	7	13	26
65+	66	6.1	67	1	1	3	7	11	23	43
GRAND TOTAL	**481**	**4.4**	**26**	**1**	**1**	**3**	**5**	**8**	**13**	**30**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	526	5.0	30	1	1	3	5	10	16	32
20-34	291	4.1	15	1	1	3	5	8	11	23
35-49	263	4.8	29	1	1	3	6	8	12	30
50-64	323	4.9	11	1	2	4	6	8	10	14
65+	96	5.5	24	1	1	5	7	10	13	30
2. MULTIPLE DX										
0-19 YRS	562	6.0	49	1	2	4	6	11	16	44
20-34	368	6.4	81	1	1	4	6	14	25	48
35-49	420	6.0	51	1	2	4	7	13	19	42
50-64	635	6.4	41	1	2	5	7	13	19	38
65+	285	10.0	98	2	3	7	13	19	27	57
TOT. SINGLE DX	1499	4.8	23	1	1	4	6	9	12	26
" MULTIPLE DX	2270	6.7	61	1	2	4	7	14	20	46
TOTAL 0-19 YRS	1088	5.5	40	1	1	4	6	11	16	36
20-34	659	5.4	54	1	1	3	6	10	18	43
35-49	683	5.6	43	1	1	4	6	11	18	41
50-64	958	5.9	32	1	2	4	7	10	15	35
65+	381	8.8	83	1	2	6	11	17	23	55
GRAND TOTAL	**3769**	**5.9**	**46**	**1**	**1**	**4**	**6**	**12**	**17**	**40**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	264	2.7	2	1	1	2	3	4	5	7
20-34	504	2.6	1	1	1	2	3	4	5	7
35-49	529	2.7	2	1	1	3	4	5	5	7
50-64	567	2.9	2	1	1	3	4	5	6	8
65+	204	2.9	2	1	1	3	4	5	6	8
2. MULTIPLE DX										
0-19 YRS	368	2.8	3	1	1	3	3	4	5	9
20-34	911	3.0	3	1	1	3	4	5	6	9
35-49	1435	3.3	6	1	1	3	4	5	6	10
50-64	2187	3.4	5	1	1	3	4	5	7	12
65+	1403	3.9	7	1	2	3	5	6	8	14
TOT. SINGLE DX	2068	2.8	2	1	1	3	3	5	5	7
" MULTIPLE DX	6304	3.4	6	1	1	3	4	5	7	12
TOTAL 0-19 YRS	632	2.7	3	1	1	2	3	4	5	8
20-34	1415	2.9	3	1	1	3	4	5	5	8
35-49	1964	3.1	5	1	1	3	4	5	6	10
50-64	2754	3.3	5	1	1	3	4	5	7	11
65+	1607	3.7	7	1	1	3	4	6	8	13
GRAND TOTAL	**8372**	**3.2**	**5**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1224	3.2	12	1	1	2	4	6	8	20
20-34	1407	3.4	11	1	1	3	4	6	9	17
35-49	1093	3.5	15	1	1	3	4	6	9	20
50-64	772	3.9	20	1	1	3	4	7	12	22
65+	316	4.8	18	1	1	3	6	9	12	23
2. MULTIPLE DX										
0-19 YRS	684	6.6	87	1	1	3	7	18	27	47
20-34	1346	7.5	124	1	1	4	7	18	33	57
35-49	1573	6.9	108	1	1	3	7	16	27	57
50-64	1683	8.5	118	1	1	4	10	21	32	55
65+	1480	12.3	173	1	2	8	16	27	39	67
TOT. SINGLE DX	4812	3.5	14	1	1	3	4	7	9	20
" MULTIPLE DX	6766	8.6	131	1	1	4	10	21	32	58
TOTAL 0-19 YRS	1908	4.4	42	1	1	2	4	9	15	32
20-34	2753	5.4	71	1	1	3	5	11	19	47
35-49	2666	5.5	73	1	1	3	5	11	19	47
50-64	2455	7.0	92	1	1	4	8	16	27	50
65+	1796	11.0	154	1	2	7	14	24	35	65
GRAND TOTAL	**11578**	**6.5**	**88**	**1**	**1**	**3**	**7**	**15**	**24**	**50**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	661	5.5	36	1	1	4	6	11	17	33
20-34	350	4.0	9	1	1	3	5	8	10	18
35-49	190	5.0	16	1	1	4	6	9	11	23
50-64	158	6.9	27	2	2	6	8	14	17	31
65+	240	10.7	32	3	5	10	13	16	19	36
2. MULTIPLE DX										
0-19 YRS	356	8.2	115	1	2	4	8	20	35	56
20-34	307	8.5	119	1	2	5	10	18	32	68
35-49	247	10.6	187	1	2	6	12	25	44	93
50-64	322	11.4	118	2	3	8	13	23	35	62
65+	1051	14.8	99	4	6	13	17	25	33	53
TOT. SINGLE DX	1599	6.0	31	1	1	4	8	12	16	28
" MULTIPLE DX	2283	12.0	124	2	2	9	15	24	35	57
TOTAL 0-19 YRS	1017	6.4	66	1	1	4	7	13	23	47
20-34	657	6.1	65	1	1	4	6	13	18	44
35-49	437	8.1	121	1	1	5	9	17	30	56
50-64	480	9.9	93	2	2	7	11	20	30	59
65+	1291	14.1	89	4	6	12	16	24	31	51
GRAND TOTAL	**3882**	**9.5**	**95**	**1**	**2**	**7**	**12**	**20**	**27**	**52**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	729	2.8	15	<1	1	2	3	5	7	28
20-34	955	2.5	8	1	1	2	3	5	6	14
35-49	478	3.0	9	<1	1	2	3	6	8	16
50-64	382	3.2	14	1	1	2	3	6	9	17
65+	301	4.6	20	1	1	3	6	9	13	21
2. MULTIPLE DX										
0-19 YRS	458	4.3	43	1	1	3	4	9	13	40
20-34	468	5.9	72	1	1	3	6	12	22	46
35-49	362	6.4	67	1	1	4	7	14	21	44
50-64	421	6.4	59	1	2	4	8	14	18	36
65+	684	9.8	108	1	2	7	13	21	28	53
TOT. SINGLE DX	2845	3.0	13	<1	1	2	3	5	8	20
" MULTIPLE DX	2393	6.9	78	1	1	4	8	16	23	46
TOTAL 0-19 YRS	1187	3.4	27	<1	1	2	3	6	10	32
20-34	1423	3.6	32	1	1	2	4	7	10	36
35-49	840	4.4	37	1	1	3	5	9	14	29
50-64	803	4.9	41	1	1	3	5	11	15	32
65+	985	8.2	87	1	2	5	10	18	24	48
GRAND TOTAL	**5238**	**4.8**	**46**	**1**	**1**	**3**	**5**	**11**	**16**	**37**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	141	14.2	117	2	2	10	23	30	34	41
20-34	43	14.3	291	4	5	10	11	29	56	92
35-49	22	8.8	23	2	3	8	11	16	20	21
50-64	70	10.4	38	5	5	9	12	15	23	88
65+	210	11.1	15	6	6	11	13	16	17	21
2. MULTIPLE DX										
0-19 YRS	113	20.1	181	4	6	18	27	34	48	69
20-34	98	18.8	242	5	6	14	22	42	56	76
35-49	58	18.2	172	6	7	14	23	37	46	68
50-64	164	16.6	205	6	7	11	18	31	49	77
65+	1116	14.1	53	6	7	13	17	22	28	43
TOT. SINGLE DX	486	12.1	75	3	4	10	14	23	29	42
" MULTIPLE DX	1549	15.3	99	6	7	13	17	26	34	58
TOTAL 0-19 YRS	254	16.8	154	2	3	14	24	32	39	57
20-34	141	17.4	260	4	5	11	19	41	56	79
35-49	80	15.6	149	4	5	11	20	29	44	64
50-64	234	14.7	163	5	6	11	16	28	44	82
65+	1326	13.6	49	6	7	12	16	21	27	42
GRAND TOTAL	**2035**	**14.5**	**95**	**5**	**6**	**12**	**17**	**25**	**32**	**56**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	208	9.0	64	2	3	7	11	18	23	39
20-34	172	10.0	36	3	4	9	12	17	22	34
35-49	116	10.1	43	3	4	9	12	19	24	60
50-64	303	10.9	31	5	6	10	13	17	20	29
65+	1337	12.4	30	6	7	12	15	18	20	31
2. MULTIPLE DX										
0-19 YRS	291	14.6	120	4	5	12	18	25	38	72
20-34	449	16.4	175	5	6	13	19	29	47	81
35-49	334	16.3	108	6	7	14	21	29	38	66
50-64	871	15.7	105	6	7	13	18	26	34	68
65+	7511	15.0	56	7	8	14	17	23	29	44
TOT. SINGLE DX	2136	11.5	36	4	6	11	14	18	21	34
" MULTIPLE DX	9456	15.1	71	6	8	13	18	24	30	52
TOTAL 0-19 YRS	499	12.2	105	3	4	10	15	23	29	66
20-34	621	14.7	145	4	6	11	17	26	35	78
35-49	450	14.7	99	4	6	12	19	27	35	64
50-64	1174	14.5	91	6	7	12	17	24	30	61
65+	8848	14.6	53	7	8	13	17	22	28	43
GRAND TOTAL	**11592**	**14.5**	**66**	**6**	**7**	**13**	**17**	**23**	**29**	**49**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	348	10.9	128	1	1	5	19	28	32	51
20-34	22	13.5	268	1	1	9	19	25	49	77
35-49	12	15.7	238	1	2	10	24	40	47	48
50-64	13	9.4	143	2	2	5	11	21	41	46
65+	47	10.2	105	1	2	7	14	22	27	58
2. MULTIPLE DX										
0-19 YRS	186	15.5	226	2	2	10	23	36	51	61
20-34	55	21.5	381	4	5	13	32	47	65	77
35-49	26	16.7	342	2	2	11	20	49	83	99+
50-64	52	21.0	274	3	4	15	32	48	63	99
65+	195	14.9	218	2	4	11	17	33	49	79
TOT. SINGLE DX	442	11.0	136	1	1	6	19	27	33	51
" MULTIPLE DX	514	16.5	255	2	3	11	22	42	53	79
TOTAL 0-19 YRS	534	12.5	167	1	1	7	21	30	36	57
20-34	77	19.2	358	2	3	12	23	46	65	77
35-49	38	16.4	303	2	2	11	20	47	66	99+
50-64	65	18.7	268	2	3	13	29	46	59	95
65+	242	14.0	200	2	3	10	16	28	47	78
GRAND TOTAL	**956**	**14.0**	**207**	**1**	**2**	**9**	**20**	**33**	**46**	**74**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	460	3.7	27	<1	1	2	3	9	16	25
20-34	276	3.6	13	<1	1	3	5	7	9	19
35-49	204	3.8	12	1	1	3	5	7	9	21
50-64	236	3.3	13	1	1	2	4	6	9	15
65+	194	3.6	12	1	1	2	5	9	11	17
2. MULTIPLE DX										
0-19 YRS	141	7.2	80	1	1	4	8	19	23	50
20-34	214	6.6	56	1	1	4	9	16	23	37
35-49	174	6.6	53	1	1	5	8	14	24	38
50-64	197	7.1	49	1	1	5	9	17	24	31
65+	296	8.4	95	1	2	6	10	17	25	51
TOT. SINGLE DX	1370	3.6	18	1	1	2	4	7	11	23
" MULTIPLE DX	1022	7.3	70	1	1	5	9	16	24	42
TOTAL 0-19 YRS	601	4.5	42	1	1	2	4	12	19	28
20-34	490	4.9	34	<1	1	3	6	11	17	30
35-49	378	5.1	33	1	1	3	6	10	16	32
50-64	433	5.0	33	1	1	3	6	11	17	29
65+	490	6.5	68	1	1	4	8	13	19	48
GRAND TOTAL	**2392**	**5.2**	**43**	**1**	**1**	**3**	**6**	**12**	**17**	**32**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2080	2.9	4	1	1	2	4	5	7	12
20-34	2740	3.8	9	1	1	3	5	7	8	14
35-49	1777	4.4	12	1	1	4	5	8	9	16
50-64	1479	4.9	10	1	2	4	6	9	11	18
65+	831	6.1	14	2	2	5	8	11	13	19
2. MULTIPLE DX										
0-19 YRS	1016	6.2	69	1	1	4	7	12	19	44
20-34	2231	6.9	61	1	2	5	8	14	22	42
35-49	1622	7.8	86	1	2	5	9	15	23	53
50-64	1722	8.2	61	2	3	6	10	16	22	42
65+	2007	9.6	57	3	3	8	12	18	23	42
TOT. SINGLE DX	8907	4.1	11	1	1	3	5	8	9	16
" MULTIPLE DX	8598	7.9	67	1	2	6	9	15	22	45
TOTAL 0-19 YRS	3096	4.0	28	1	1	3	4	7	10	26
20-34	4971	5.2	35	1	1	4	6	10	14	34
35-49	3399	6.0	51	1	2	4	7	11	16	39
50-64	3201	6.7	41	1	2	5	8	12	17	35
65+	2838	8.6	47	2	3	7	11	16	21	34
GRAND TOTAL	**17505**	**6.0**	**42**	**1**	**1**	**4**	**7**	**12**	**16**	**34**

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4429	2.1	7	<1	1	1	2	4	5	15
20-34	893	3.4	14	1	1	2	4	7	9	17
35-49	705	3.1	8	1	1	2	4	6	8	13
50-64	669	3.2	9	1	1	2	4	7	9	14
65+	640	3.5	9	1	1	2	4	8	10	15
2. MULTIPLE DX										
0-19 YRS	1182	4.5	46	1	1	2	5	9	16	39
20-34	937	6.3	61	1	1	4	7	13	20	45
35-49	673	7.2	98	1	1	4	8	14	25	54
50-64	818	6.7	70	1	1	4	8	14	21	45
65+	1735	6.9	45	1	2	5	8	14	20	34
TOT. SINGLE DX	7336	2.6	9	<1	1	2	3	5	7	15
" MULTIPLE DX	5345	6.3	60	1	1	4	7	13	20	42
TOTAL 0-19 YRS	5611	2.6	16	<1	1	1	3	5	8	21
20-34	1830	4.9	41	1	1	3	5	10	15	33
35-49	1378	5.1	56	1	1	3	6	10	15	46
50-64	1487	5.1	46	1	1	3	6	10	15	34
65+	2375	6.0	38	1	1	4	8	13	17	32
GRAND TOTAL	**12681**	**4.1**	**34**	**1**	**1**	**2**	**5**	**9**	**13**	**30**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	247	3.9	25	<1	1	1	4	11	15	22
20-34	231	3.0	19	<1	<1	1	3	6	12	28
35-49	102	3.0	13	<1	1	2	3	6	10	21
50-64	134	3.5	13	<1	1	2	4	8	9	18
65+	161	4.6	24	<1	1	3	6	11	13	28
2. MULTIPLE DX										
0-19 YRS	152	5.8	54	1	1	3	7	16	22	37
20-34	203	7.8	122	1	1	4	9	17	27	57
35-49	124	5.2	25	1	1	3	7	13	16	24
50-64	192	6.5	120	1	1	3	8	16	25	81
65+	440	7.3	59	1	1	5	10	16	21	39
TOT. SINGLE DX	875	3.6	21	<1	1	2	4	9	13	25
" MULTIPLE DX	1111	6.9	77	1	1	4	9	16	22	48
TOTAL 0-19 YRS	399	4.6	37	<1	1	2	6	12	18	26
20-34	434	5.2	73	<1	1	2	6	12	18	41
35-49	226	4.2	22	1	1	2	5	10	15	24
50-64	326	5.5	79	<1	1	3	6	13	19	54
65+	601	6.6	51	1	1	4	9	15	19	37
GRAND TOTAL	**1986**	**5.4**	**55**	**<1**	**1**	**3**	**7**	**13**	**18**	**37**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	176	3.9	20	1	1	3	4	7	16	24
20-34	319	2.5	3	1	1	2	3	4	5	9
35-49	113	3.1	4	1	1	3	4	5	6	12
50-64	60	4.4	10	1	1	4	6	9	11	15
65+	35	5.9	14	1	2	5	8	11	15	16
2. MULTIPLE DX										
0-19 YRS	78	7.4	92	1	1	5	8	17	25	59
20-34	141	6.6	70	1	1	4	7	13	24	50
35-49	66	6.7	65	1	1	4	7	17	24	46
50-64	56	7.8	89	2	2	4	8	18	26	49
65+	92	12.1	77	2	3	11	15	23	28	48
TOT. SINGLE DX	703	3.3	10	1	1	3	4	6	8	18
" MULTIPLE DX	433	8.1	81	1	1	5	10	18	26	49
TOTAL 0-19 YRS	254	5.0	45	1	1	3	5	11	18	28
20-34	460	3.7	27	1	1	3	4	6	10	28
35-49	179	4.4	30	1	1	3	5	8	15	28
50-64	116	6.0	51	1	1	4	6	11	18	47
65+	127	10.4	67	2	3	8	13	20	26	41
GRAND TOTAL	**1136**	**5.1**	**42**	**1**	**1**	**3**	**5**	**11**	**17**	**29**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	556	3.3	17	1	1	2	3	6	11	25
20-34	463	2.8	8	<1	1	2	3	5	8	18
35-49	301	3.8	30	1	1	2	4	8	13	36
50-64	154	5.6	38	1	1	3	7	13	21	30
65+	104	9.2	91	1	2	6	13	20	26	54
2. MULTIPLE DX										
0-19 YRS	487	5.6	53	1	1	3	6	15	21	38
20-34	585	5.8	77	1	1	3	6	13	22	51
35-49	393	6.6	82	1	1	3	7	16	27	48
50-64	398	9.8	149	1	2	5	12	23	37	63
65+	442	15.9	225	2	3	11	21	37	48	88
TOT. SINGLE DX	1578	3.9	27	1	1	2	4	8	14	27
" MULTIPLE DX	2305	8.5	129	1	1	4	10	21	33	57
TOTAL 0-19 YRS	1043	4.4	35	1	1	2	4	10	17	29
20-34	1048	4.5	50	1	1	3	4	9	16	38
35-49	694	5.4	62	1	1	3	5	12	19	45
50-64	552	8.6	122	1	1	4	10	21	30	57
65+	546	14.6	206	1	2	10	19	34	46	76
GRAND TOTAL	**3883**	**6.6**	**92**	**1**	**1**	**3**	**7**	**17**	**25**	**50**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	169	6.5	20	2	3	5	8	13	16	25
20-34	3728	6.9	18	2	3	6	9	13	15	22
35-49	5571	7.2	20	2	3	6	9	13	16	23
50-64	2341	8.0	23	3	3	7	10	14	18	25
65+	501	8.9	24	3	4	8	11	15	19	24
2. MULTIPLE DX										
0-19 YRS	55	10.9	48	2	4	9	15	22	24	34
20-34	1236	9.6	42	3	4	8	12	17	21	33
35-49	2862	9.8	43	3	4	8	12	17	22	35
50-64	2560	11.1	57	4	4	9	14	20	24	40
65+	1429	13.5	81	4	5	11	17	24	29	49
TOT. SINGLE DX	12310	7.4	21	2	3	6	9	13	16	23
" MULTIPLE DX	8142	10.8	56	3	4	9	13	19	24	39
TOTAL 0-19 YRS	224	7.6	31	2	3	6	9	15	18	29
20-34	4964	7.6	26	2	3	6	9	14	17	26
35-49	8433	8.1	29	3	3	7	10	15	18	28
50-64	4901	9.6	44	3	4	8	12	17	22	34
65+	1930	12.3	71	4	5	10	15	22	28	44
GRAND TOTAL	**20452**	**8.7**	**38**	**3**	**3**	**7**	**11**	**16**	**20**	**31**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	292	2.0	2	<1	<1	1	3	4	5	7
20-34	745	2.2	3	<1	<1	2	3	4	5	9
35-49	496	2.3	3	<1	1	2	3	4	6	8
50-64	295	2.5	4	<1	1	2	3	5	7	12
65+	89	2.7	5	<1	<1	2	3	6	9	11
2. MULTIPLE DX										
0-19 YRS	409	2.6	3	<1	1	2	3	5	6	9
20-34	974	2.6	7	<1	1	2	3	5	7	13
35-49	862	2.8	7	<1	1	2	3	5	7	16
50-64	1065	3.0	10	1	1	2	4	6	8	16
65+	537	3.7	17	1	1	3	4	8	11	18
TOT. SINGLE DX	1917	2.3	3	<1	<1	2	3	4	6	10
" MULTIPLE DX	3847	2.9	9	<1	1	2	3	6	8	16
TOTAL 0-19 YRS	701	2.3	3	<1	<1	2	3	5	6	9
20-34	1719	2.4	6	<1	1	2	3	5	6	11
35-49	1358	2.6	6	<1	1	2	3	5	7	13
50-64	1360	2.9	9	<1	1	2	3	6	8	15
65+	626	3.5	16	1	1	2	4	7	10	18
GRAND TOTAL	**5764**	**2.7**	**8**	**<1**	**1**	**2**	**3**	**5**	**7**	**13**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	567	2.3	10	<1	<1	1	2	4	6	15
20-34	996	2.4	8	<1	<1	2	3	5	6	14
35-49	646	2.5	6	<1	1	2	3	4	6	12
50-64	419	3.3	12	1	1	2	4	6	9	19
65+	187	3.8	15	1	1	2	4	9	13	21
2. MULTIPLE DX										
0-19 YRS	521	3.8	47	<1	1	2	4	7	14	41
20-34	1044	3.3	18	<1	1	2	4	7	12	28
35-49	880	4.4	47	1	1	2	4	10	16	36
50-64	920	5.7	70	1	1	3	6	13	22	45
65+	600	8.8	115	1	1	5	11	22	31	52
TOT. SINGLE DX	2815	2.6	10	<1	1	2	3	5	7	15
" MULTIPLE DX	3965	5.0	59	1	1	2	5	12	19	42
TOTAL 0-19 YRS	1088	3.0	29	<1	<1	2	3	6	9	27
20-34	2040	2.9	14	<1	1	2	3	6	9	20
35-49	1526	3.6	31	<1	1	2	3	7	12	31
50-64	1339	4.9	54	1	1	3	5	10	18	39
65+	787	7.6	96	1	1	4	9	19	27	50
GRAND TOTAL	**6780**	**4.0**	**40**	**<1**	**1**	**2**	**4**	**9**	**14**	**34**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	386	10.2	16	6	6	9	12	15	18	25
20-34	315	9.5	24	4	5	9	11	15	19	31
35-49	417	8.5	24	4	4	7	10	15	18	24
50-64	219	9.7	32	3	4	8	11	18	22	31
65+	35	11.7	59	3	4	10	14	18	26	43
2. MULTIPLE DX										
0-19 YRS	385	15.1	110	6	7	11	17	29	40	55
20-34	360	14.2	126	5	6	10	16	27	36	70
35-49	552	12.1	68	4	5	9	15	23	31	46
50-64	397	14.3	125	4	5	11	18	28	35	57
65+	175	17.3	196	5	6	13	20	34	50	71
TOT. SINGLE DX	1372	9.5	25	4	5	8	11	15	19	29
" MULTIPLE DX	1869	14.1	114	5	6	11	17	26	36	58
TOTAL 0-19 YRS	771	12.7	69	6	7	10	14	22	29	52
20-34	675	12.0	84	4	5	9	14	21	30	50
35-49	969	10.6	53	4	5	9	12	20	25	40
50-64	616	12.7	97	4	5	10	15	23	31	51
65+	210	16.4	177	4	6	13	19	32	45	70
GRAND TOTAL	**3241**	**12.2**	**82**	**4**	**5**	**9**	**14**	**22**	**30**	**51**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	132	3.5	5	1	1	3	4	6	8	12
20-34	271	3.6	5	1	1	3	5	7	8	11
35-49	252	3.9	7	1	1	3	5	8	9	15
50-64	298	3.9	7	1	1	3	5	7	9	15
65+	126	4.8	23	1	1	3	6	11	12	26
2. MULTIPLE DX										
0-19 YRS	181	4.9	17	1	2	4	5	8	13	22
20-34	251	4.7	13	1	2	4	6	8	11	19
35-49	307	5.4	17	1	2	4	7	10	12	23
50-64	405	5.1	30	1	2	4	6	10	13	25
65+	298	6.5	53	1	2	4	7	13	17	39
TOT. SINGLE DX	1079	3.9	9	1	1	3	5	7	9	14
" MULTIPLE DX	1442	5.4	28	1	2	4	6	10	13	27
TOTAL 0-19 YRS	313	4.3	13	1	1	4	5	8	10	17
20-34	522	4.2	10	1	1	4	5	7	9	17
35-49	559	4.7	13	1	1	4	6	9	11	20
50-64	703	4.6	21	1	1	4	5	9	11	19
65+	424	6.0	45	1	1	4	7	12	17	38
GRAND TOTAL	**2521**	**4.7**	**20**	**1**	**1**	**4**	**6**	**9**	**12**	**21**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	10.5	12	5	5	11	13	15	15	15
20-34	108	11.2	22	6	7	11	12	15	18	32
35-49	254	10.8	13	6	7	10	12	15	17	23
50-64	924	11.4	13	7	8	11	13	15	17	27
65+	1490	12.2	20	7	8	12	14	16	18	26
2. MULTIPLE DX										
0-19 YRS	12	12.5	45	4	6	11	17	42	89	99+
20-34	159	12.6	56	6	7	11	14	19	27	37
35-49	398	13.2	73	7	8	11	14	19	26	53
50-64	1530	13.6	57	7	8	12	15	20	27	52
65+	4300	15.0	54	8	9	13	17	22	28	46
TOT. SINGLE DX	2782	11.8	18	7	8	11	13	16	18	26
" MULTIPLE DX	6399	14.5	57	8	9	13	16	22	28	49
TOTAL 0-19 YRS	18	11.8	34	4	5	11	15	25	67	99+
20-34	267	12.0	43	6	7	11	13	18	23	36
35-49	652	12.2	51	6	7	11	13	17	23	[illegible]
50-64	2454	12.8	42	7	8	11	14	18	24	44
65+	5790	14.3	47	8	9	13	16	21	26	43
GRAND TOTAL	**9181**	**13.7**	**47**	**7**	**8**	**12**	**15**	**20**	**25**	**44**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	27	11.7	92	2	3	7	17	27	30	38
20-34	24	9.3	11	4	5	10	11	13	16	17
35-49	48	11.4	38	6	7	10	12	15	23	41
50-64	159	11.9	19	6	7	11	14	17	19	33
65+	940	12.6	21	7	8	12	15	17	20	29
2. MULTIPLE DX										
0-19 YRS	24	9.8	35	3	3	9	13	17	21	26
20-34	45	13.4	63	5	7	13	15	21	41	99+
35-49	94	13.1	65	6	6	12	15	21	23	53
50-64	440	16.3	95	7	8	14	18	27	38	57
65+	4698	15.4	55	8	9	14	18	23	29	45
TOT. SINGLE DX	1198	12.4	23	6	7	12	15	17	20	32
" MULTIPLE DX	5301	15.4	59	7	9	14	18	23	29	47
TOTAL 0-19 YRS	51	10.8	65	3	3	8	14	24	27	38
20-34	69	12.0	49	4	6	11	14	18	25	89
35-49	142	12.5	57	6	7	11	14	20	23	43
50-64	599	15.2	79	7	8	13	17	24	34	54
65+	5638	14.9	51	7	9	14	17	22	28	43
GRAND TOTAL	**6499**	**14.8**	**54**	**7**	**8**	**13**	**17**	**22**	**28**	**44**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	577	3.4	3	1	1	3	4	6	6	10
20-34	699	4.1	6	1	1	4	5	7	9	13
35-49	298	5.9	19	1	1	4	9	12	14	18
50-64	925	10.3	16	3	6	10	13	15	17	22
65+	1682	12.0	13	7	8	12	14	16	18	23
2. MULTIPLE DX										
0-19 YRS	591	4.1	7	1	2	4	5	7	9	15
20-34	1108	4.6	12	1	2	4	5	8	10	20
35-49	528	6.4	32	1	1	5	9	13	16	25
50-64	1501	11.9	41	2	4	11	15	18	23	33
65+	3923	13.7	42	7	8	13	16	20	24	38
TOT. SINGLE DX	4181	8.7	25	2	2	9	12	15	17	21
" MULTIPLE DX	7651	10.8	50	2	3	11	14	18	22	34
TOTAL 0-19 YRS	1168	3.8	6	1	1	3	5	6	8	13
20-34	1807	4.4	10	1	2	4	5	8	10	17
35-49	826	6.2	28	1	1	4	9	13	16	24
50-64	2426	11.3	32	2	5	11	14	17	20	29
65+	5605	13.2	35	7	8	12	15	19	22	35
GRAND TOTAL	**11832**	**10.1**	**42**	**2**	**3**	**10**	**13**	**17**	**20**	**30**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	678	2.6	1	1	1	2	3	4	5	6
20-34	1410	2.8	2	1	1	3	4	5	6	8
35-49	754	3.0	3	1	1	3	4	5	6	9
50-64	735	3.6	6	1	1	3	4	6	8	12
65+	322	4.7	8	1	2	4	6	9	11	14
2. MULTIPLE DX										
0-19 YRS	232	3.4	11	1	1	3	4	6	8	15
20-34	587	3.6	10	1	1	3	4	7	8	17
35-49	644	3.8	11	1	1	3	5	7	8	21
50-64	1060	4.6	18	1	2	4	5	8	11	20
65+	748	5.8	26	2	2	4	7	11	14	25
TOT. SINGLE DX	3899	3.1	4	1	1	3	4	5	7	10
" MULTIPLE DX	3271	4.5	18	1	1	3	5	8	11	21
TOTAL 0-19 YRS	910	2.8	4	1	1	2	3	4	6	9
20-34	1997	3.0	5	1	1	3	4	5	6	10
35-49	1398	3.4	8	1	1	3	4	6	8	13
50-64	1795	4.2	14	1	1	3	5	7	9	19
65+	1070	5.5	21	1	2	4	7	10	13	23
GRAND TOTAL	**7170**	**3.7**	**11**	**1**	**1**	**3**	**4**	**7**	**9**	**16**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	334	3.8	21	<1	1	3	4	8	13	23
20-34	247	3.6	37	1	1	2	4	6	10	26
35-49	211	3.4	13	<1	1	2	4	7	10	19
50-64	120	4.1	20	<1	1	2	5	10	12	25
65+	39	3.7	6	<1	1	3	5	7	8	14
2. MULTIPLE DX										
0-19 YRS	550	4.8	28	1	1	3	5	10	14	30
20-34	322	7.2	75	1	1	5	9	15	24	41
35-49	312	7.2	105	1	1	4	8	15	24	65
50-64	260	8.6	107	1	1	5	11	21	28	47
65+	226	10.2	129	1	2	6	12	25	39	56
TOT. SINGLE DX	951	3.7	23	<1	1	3	4	7	11	23
" MULTIPLE DX	1670	7.0	81	1	1	4	8	15	24	51
TOTAL 0-19 YRS	884	4.4	26	1	1	3	5	9	14	29
20-34	569	5.6	62	1	1	3	6	12	19	36
35-49	523	5.6	72	1	1	3	6	11	20	44
50-64	380	7.2	84	1	1	4	9	18	24	40
65+	265	9.2	116	1	2	6	11	22	32	55
GRAND TOTAL	**2621**	**5.8**	**62**	**1**	**1**	**3**	**6**	**12**	**20**	**41**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	317	2.3	6	<1	<1	2	2	4	7	16
20-34	367	2.8	14	<1	<1	2	3	5	9	23
35-49	334	2.6	11	<1	<1	2	3	5	7	17
50-64	269	2.8	6	1	1	2	3	5	7	11
65+	133	4.8	33	1	1	3	5	11	13	28
2. MULTIPLE DX										
0-19 YRS	114	7.6	171	1	1	3	7	16	26	82
20-34	217	7.2	78	1	1	3	9	19	29	51
35-49	317	7.2	63	1	1	4	10	17	22	52
50-64	454	8.0	78	1	1	4	10	19	25	45
65+	460	9.3	71	1	2	7	12	19	28	42
TOT. SINGLE DX	1420	2.8	13	<1	<1	2	3	5	8	19
" MULTIPLE DX	1562	8.1	81	1	1	5	11	18	26	46
TOTAL 0-19 YRS	431	3.7	55	<1	<1	2	3	7	12	39
20-34	584	4.4	43	<1	<1	2	4	11	18	32
35-49	651	4.8	42	<1	1	2	5	12	17	38
50-64	723	6.1	58	1	1	3	7	15	21	42
65+	593	8.3	66	1	1	5	11	17	25	41
GRAND TOTAL	**2982**	**5.6**	**55**	**<1**	**1**	**3**	**6**	**14**	**20**	**39**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	24	2.3	2	<1	<1	2	3	4	6	7
20-34	26	2.8	7	<1	1	2	3	5	10	13
35-49	84	2.0	5	<1	<1	2	2	3	4	16
50-64	198	2.0	1	<1	1	2	2	3	5	6
65+	128	1.9	2	1	1	2	2	3	4	10
2. MULTIPLE DX										
0-19 YRS	19	2.8	6	1	1	2	3	6	9	11
20-34	35	7.0	128	1	1	3	6	18	32	58
35-49	74	2.8	4	1	1	2	3	6	7	11
50-64	173	3.2	20	1	1	2	3	6	8	28
65+	167	2.9	5	1	1	2	3	6	8	13
TOT. SINGLE DX	460	2.0	3	<1	1	2	2	3	4	9
" MULTIPLE DX	468	3.3	21	1	1	2	3	6	8	23
TOTAL 0-19 YRS	43	2.5	4	<1	<1	2	3	6	7	11
20-34	61	5.2	80	1	1	2	5	11	20	55
35-49	158	2.3	5	<1	1	2	3	4	6	11
50-64	371	2.6	11	1	1	2	3	4	6	21
65+	295	2.5	4	1	1	2	3	4	6	12
GRAND TOTAL	**928**	**2.7**	**12**	**1**	**1**	**2**	**3**	**5**	**7**	**17**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	336	1.8	1	<1	1	1	2	3	4	7
20-34	577	1.8	1	<1	1	1	2	3	4	8
35-49	256	1.9	2	<1	1	2	2	3	5	9
50-64	127	2.1	3	<1	1	2	2	4	5	11
65+	31	2.3	3	<1	<1	2	3	5	7	9
2. MULTIPLE DX										
0-19 YRS	296	2.4	27	<1	1	1	2	4	6	12
20-34	553	2.8	16	<1	1	2	3	5	7	21
35-49	277	2.6	7	<1	1	2	3	5	7	16
50-64	184	3.3	32	<1	1	2	3	5	8	29
65+	78	3.7	11	1	1	3	4	8	11	18
TOT. SINGLE DX	1327	1.9	2	<1	1	1	2	3	4	8
" MULTIPLE DX	1388	2.8	19	<1	1	2	3	5	7	19
TOTAL 0-19 YRS	632	2.1	14	<1	1	1	2	3	5	10
20-34	1130	2.3	9	<1	1	2	2	4	6	14
35-49	533	2.3	5	<1	1	2	3	4	6	13
50-64	311	2.8	21	1	1	2	3	5	7	19
65+	109	3.3	10	1	1	2	4	7	9	17
GRAND TOTAL	**2715**	**2.3**	**11**	**<1**	**1**	**2**	**2**	**4**	**6**	**13**

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	236	2.2	3	<1	1	2	3	4	5	9
20-34	499	2.6	4	<1	1	2	3	4	6	11
35-49	468	2.8	4	1	1	2	4	5	7	11
50-64	607	3.6	5	1	1	3	4	6	7	11
65+	211	4.4	8	1	1	4	5	8	10	15
2. MULTIPLE DX										
0-19 YRS	156	3.1	14	<1	1	2	4	5	6	16
20-34	392	4.3	34	1	1	3	4	8	14	33
35-49	398	4.2	13	1	1	3	5	8	10	18
50-64	554	5.0	23	1	2	4	6	9	13	27
65+	371	5.9	26	1	2	5	7	11	15	25
TOT. SINGLE DX	2021	3.1	5	1	1	3	4	6	7	12
" MULTIPLE DX	1871	4.7	24	1	1	3	5	9	12	27
TOTAL 0-19 YRS	392	2.5	8	<1	1	2	3	5	6	13
20-34	891	3.4	18	1	1	2	4	6	9	23
35-49	866	3.5	9	1	1	3	4	7	9	17
50-64	1161	4.2	14	1	1	3	5	7	10	22
65+	582	5.4	20	1	2	4	6	10	13	23
GRAND TOTAL	**3892**	**3.9**	**15**	**1**	**1**	**3**	**5**	**7**	**10**	**21**

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	588	3.0	6	1	1	3	4	5	7	13
20-34	420	2.9	3	1	1	2	4	5	7	9
35-49	299	2.9	3	1	1	3	4	5	6	10
50-64	172	3.3	4	1	1	3	4	6	7	10
65+	60	4.4	6	1	2	4	6	7	10	13
2. MULTIPLE DX										
0-19 YRS	705	3.4	17	1	1	3	4	5	7	16
20-34	292	5.7	59	1	1	4	6	10	18	42
35-49	185	5.1	75	1	1	3	5	9	16	91
50-64	168	6.2	69	1	1	4	6	11	17	41
65+	153	8.8	84	1	2	6	10	17	28	47
TOT. SINGLE DX	1539	3.1	5	1	1	3	4	5	7	11
" MULTIPLE DX	1503	4.9	48	1	1	3	5	9	14	37
TOTAL 0-19 YRS	1293	3.2	13	1	1	3	4	5	7	14
20-34	712	4.1	28	1	1	3	5	7	10	26
35-49	484	3.8	32	1	1	3	4	6	9	32
50-64	340	4.8	38	1	1	3	5	8	11	38
65+	213	7.6	66	1	2	5	9	15	24	46
GRAND TOTAL	**3042**	**4.0**	**27**	**1**	**1**	**3**	**4**	**7**	**10**	**28**

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	77	1.8	9	<1	<1	1	2	3	3	22
20-34	174	2.3	5	<1	1	2	2	5	7	13
35-49	126	2.8	17	<1	1	1	3	7	8	22
50-64	101	2.1	4	<1	1	1	2	4	7	11
65+	47	2.9	15	<1	1	1	3	7	11	22
2. MULTIPLE DX										
0-19 YRS	53	3.4	37	1	1	2	3	5	8	43
20-34	160	5.4	65	1	1	3	6	14	16	54
35-49	125	7.5	146	1	1	2	8	22	27	67
50-64	139	7.0	126	1	1	3	7	17	29	66
65+	140	7.4	101	1	1	3	9	18	26	50
TOT. SINGLE DX	525	2.4	10	<1	1	1	2	5	7	17
" MULTIPLE DX	617	6.5	102	1	1	3	7	15	23	57
TOTAL 0-19 YRS	130	2.5	21	<1	1	1	2	4	6	30
20-34	334	3.8	36	1	1	2	4	8	14	28
35-49	251	5.1	87	1	1	2	5	12	22	57
50-64	240	5.0	81	1	1	2	4	11	19	58
65+	187	6.3	84	1	1	2	8	15	22	48
GRAND TOTAL	**1142**	**4.6**	**64**	**1**	**1**	**2**	**4**	**11**	**17**	**47**

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	3.3	3	2	2	3	4	6	6	6
20-34	12	4.2	12	<1	1	3	5	9	12	13
35-49	9	4.8	30	<1	<1	2	6	14	18	18
50-64	7	7.9	79	1	1	4	14	23	24	24
65+	3	4.7	30	1	1	2	9	11	11	11
2. MULTIPLE DX										
0-19 YRS	3	9.0	37	2	2	12	13	13	13	13
20-34	14	13.2	122	1	2	10	14	29	41	44
35-49	13	16.8	452	2	3	7	23	50	67	71
50-64	18	12.7	120	1	1	9	18	30	36	39
65+	27	15.6	144	3	4	12	22	34	38	52
TOT. SINGLE DX	35	5.0	30	<1	1	3	6	13	18	24
" MULTIPLE DX	75	14.4	178	1	2	10	18	34	43	66
TOTAL 0-19 YRS	7	5.7	24	2	2	3	10	13	13	13
20-34	26	9.0	90	1	1	7	13	19	30	44
35-49	22	11.9	307	<1	1	5	12	39	55	71
50-64	25	11.3	110	1	1	8	17	27	34	39
65+	30	14.5	143	1	3	11	17	34	36	52
GRAND TOTAL	**110**	**11.4**	**150**	**1**	**1**	**7**	**14**	**27**	**37**	**60**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	30	3.3	8	1	1	3	4	7	11	12
20-34	30	3.4	13	<1	1	2	5	7	9	19
35-49	42	6.5	28	1	2	5	8	14	19	25
50-64	57	6.8	64	1	1	4	7	13	26	42
65+	40	10.1	85	1	2	7	13	25	31	33
2. MULTIPLE DX										
0-19 YRS	26	5.5	47	1	1	3	5	14	24	29
20-34	94	11.5	136	2	2	8	15	23	35	64
35-49	240	13.5	117	2	3	11	19	26	38	50
50-64	627	16.3	176	2	4	13	22	33	43	71
65+	985	14.4	127	2	3	12	19	30	37	67
TOT. SINGLE DX	199	6.3	50	1	1	4	8	13	23	35
" MULTIPLE DX	1972	14.7	144	2	3	12	19	30	39	66
TOTAL 0-19 YRS	56	4.3	27	1	1	3	4	10	14	29
20-34	124	9.5	118	1	1	6	12	22	30	53
35-49	282	12.5	110	2	3	9	18	25	35	49
50-64	684	15.5	174	2	3	12	21	33	42	67
65+	1025	14.3	127	2	3	12	18	30	37	66
GRAND TOTAL	**2171**	**13.9**	**141**	**2**	**3**	**11**	**19**	**29**	**37**	**64**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	6.3	2	5	5	6	7	8	8	8
20-34	11	11.6	60	6	6	9	12	23	32	33
35-49	8	8.4	20	4	4	7	10	16	18	18
50-64	21	11.4	91	3	4	8	15	20	34	45
65+	31	13.5	114	4	6	11	16	19	23	65
2. MULTIPLE DX										
0-19 YRS	11	20.5	253	5	7	15	23	46	59	60
20-34	49	17.3	170	5	5	11	25	39	45	49
35-49	127	21.3	203	6	7	17	29	42	55	81
50-64	457	23.1	202	7	10	19	29	42	54	77
65+	1196	20.7	158	7	9	17	26	38	46	70
TOT. SINGLE DX	74	11.8	86	4	5	9	14	18	25	60
" MULTIPLE DX	1840	21.2	174	7	9	17	27	39	49	70
TOTAL 0-19 YRS	14	17.5	232	5	5	12	22	39	55	60
20-34	60	16.3	154	5	5	10	21	37	43	49
35-49	135	20.5	201	5	6	16	28	42	54	79
50-64	478	22.6	203	7	9	19	29	42	53	76
65+	1227	20.5	159	7	9	17	25	38	46	69
GRAND TOTAL	**1914**	**20.9**	**174**	**6**	**8**	**17**	**26**	**39**	**49**	**70**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	7.8	5	4	4	8	9	11	11	11
20-34	4	11.3	25	6	6	10	14	18	18	18
35-49	4	14.8	119	8	8	10	21	31	31	31
50-64	7	15.6	149	8	8	9	17	37	42	42
65+	41	11.9	43	4	5	11	14	18	30	31
2. MULTIPLE DX										
0-19 YRS	15	14.1	54	5	5	13	23	28	78	99+
20-34	18	13.7	118	5	5	10	18	41	77	99+
35-49	40	26.5	507	6	8	19	35	74	87	99+
50-64	214	22.3	257	7	9	18	26	45	70	99+
65+	1353	18.2	160	6	7	15	22	33	44	76
TOT. SINGLE DX	65	11.8	53	4	5	10	14	18	30	40
" MULTIPLE DX	1640	18.8	184	6	7	15	23	36	49	89
TOTAL 0-19 YRS	24	11.8	45	4	5	10	15	24	46	99+
20-34	22	13.3	101	5	5	10	18	32	67	99+
35-49	44	25.4	480	6	8	17	34	74	87	99+
50-64	221	22.1	255	7	9	18	26	45	69	99+
65+	1394	18.0	159	6	7	15	22	33	43	75
GRAND TOTAL	**1705**	**18.6**	**181**	**6**	**7**	**15**	**23**	**35**	**49**	**88**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	6.6	27	3	3	5	7	16	18	18
20-34	3	10.7	58	4	4	9	16	19	19	19
35-49	6	9.0	64	1	1	7	12	22	23	23
50-64	13	14.2	98	4	6	10	18	29	36	38
65+	12	12.9	174	1	2	7	19	35	42	43
2. MULTIPLE DX										
0-19 YRS	14	15.5	320	2	3	8	22	38	61	67
20-34	24	20.1	309	5	6	14	23	46	59	81
35-49	67	21.7	259	5	7	17	30	38	56	82
50-64	157	24.1	328	6	8	19	29	53	68	95
65+	242	21.8	195	7	9	18	28	39	55	98
TOT. SINGLE DX	41	11.5	101	2	3	8	15	26	35	43
" MULTIPLE DX	504	22.3	255	6	7	18	29	43	60	92
TOTAL 0-19 YRS	21	12.5	235	2	3	6	18	29	49	67
20-34	27	19.0	288	5	5	14	23	43	55	81
35-49	73	20.6	255	3	5	15	29	37	54	81
50-64	170	23.4	318	6	8	18	29	52	65	94
65+	254	21.4	197	6	8	18	28	39	53	97
GRAND TOTAL	**545**	**21.5**	**251**	**5**	**7**	**18**	**28**	**42**	**58**	**90**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	41	3.8	18	1	1	2	4	10	12	22
20-34	47	4.7	5	1	1	4	7	7	9	11
35-49	22	6.5	39	1	1	5	8	10	21	31
50-64	9	5.0	38	1	1	2	5	15	21	21
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	19	4.7	18	1	1	4	6	10	15	18
20-34	26	7.9	82	1	2	5	7	22	29	42
35-49	19	5.4	19	1	1	4	6	13	16	17
50-64	10	5.4	12	1	2	4	8	11	13	13
65+	7	5.3	11	1	1	7	7	9	10	10
TOT. SINGLE DX	120	4.8	19	1	1	4	6	9	11	25
" MULTIPLE DX	81	6.0	38	1	1	4	7	11	17	37
TOTAL 0-19 YRS	60	4.1	18	1	1	3	5	10	12	22
20-34	73	5.8	35	1	1	5	7	9	11	38
35-49	41	6.0	30	1	1	5	7	11	16	31
50-64	19	5.2	24	1	1	4	6	11	17	21
65+	8	5.4	9	1	1	6	7	9	10	10
GRAND TOTAL	**201**	**5.3**	**27**	**1**	**1**	**4**	**7**	**9**	**14**	**28**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	22	3.0	11	<1	<1	2	3	6	11	16
20-34	42	4.1	23	1	1	3	4	12	15	24
35-49	43	3.7	8	<1	1	3	5	9	10	11
50-64	40	5.7	33	1	1	4	7	12	19	26
65+	39	6.7	24	1	1	5	10	15	17	17
2. MULTIPLE DX										
0-19 YRS	18	5.6	75	1	1	2	5	20	29	32
20-34	60	8.0	131	1	1	4	11	15	29	67
35-49	64	8.9	60	1	1	7	12	19	26	37
50-64	155	12.1	96	2	2	9	17	25	31	46
65+	235	13.6	140	3	4	10	17	26	35	59
TOT. SINGLE DX	186	4.8	22	1	1	3	6	11	15	25
" MULTIPLE DX	532	11.7	120	1	2	9	16	25	32	53
TOTAL 0-19 YRS	40	4.1	41	<1	1	2	4	9	20	32
20-34	102	6.4	90	1	1	3	9	14	20	56
35-49	107	6.8	46	1	1	5	10	15	20	33
50-64	195	10.8	90	1	2	8	15	24	29	44
65+	274	12.6	130	2	3	10	16	25	32	57
GRAND TOTAL	**718**	**9.9**	**104**	**1**	**1**	**7**	**13**	**22**	**29**	**48**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	5	3.0	3	2	2	2	4	6	6	6
35-49	1	17.0		17	17	17	17	17	17	17
50-64	9	7.3	45	2	2	5	9	18	24	24
65+	5	6.6	31	1	1	5	10	15	15	15
2. MULTIPLE DX										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	2	4.5	5	3	3	4	6	6	6	6
35-49	5	12.0	286	1	1	3	20	41	41	41
50-64	10	7.4	35	2	2	5	10	17	18	18
65+	13	9.3	23	3	4	10	14	16	18	18
TOT. SINGLE DX	20	6.6	35	1	2	4	9	16	20	24
" MULTIPLE DX	31	8.9	62	2	2	6	13	17	18	41
TOTAL 0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	7	3.4	3	2	2	3	5	6	6	6
35-49	6	12.8	233	1	1	8	17	39	41	41
50-64	19	7.4	37	2	2	5	9	18	21	24
65+	18	8.6	26	2	3	8	14	15	17	18
GRAND TOTAL	**51**	**8.0**	**52**	**2**	**2**	**6**	**11**	**17**	**18**	**41**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	134	1.8	2	<1	<1	1	2	3	4	9
20-34	421	2.2	2	<1	<1	2	3	4	6	7
35-49	1222	2.2	3	<1	<1	2	3	4	6	10
50-64	1007	2.6	5	<1	<1	2	3	5	7	11
65+	528	3.1	7	<1	1	2	4	6	8	16
2. MULTIPLE DX										
0-19 YRS	43	3.0	5	<1	1	2	4	5	8	13
20-34	372	4.4	27	<1	1	3	5	9	14	25
35-49	1312	4.1	27	<1	1	2	5	9	13	28
50-64	1637	5.2	42	1	1	3	6	11	15	35
65+	1761	6.1	37	1	1	4	8	13	17	31
TOT. SINGLE DX	3312	2.5	5	<1	<1	2	3	5	6	11
" MULTIPLE DX	5125	5.1	36	1	1	3	6	11	15	31
TOTAL 0-19 YRS	177	2.1	3	<1	<1	2	2	4	5	11
20-34	793	3.2	15	<1	<1	2	4	6	9	22
35-49	2534	3.2	17	<1	1	2	3	7	10	20
50-64	2644	4.2	30	<1	1	2	5	9	12	27
65+	2289	5.4	32	1	1	3	7	12	16	28
GRAND TOTAL	**8437**	**4.1**	**25**	**<1**	**1**	**2**	**5**	**9**	**13**	**25**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	28	2.5	1	1	1	2	3	5	5	6
20-34	32	2.9	3	1	1	3	4	6	6	6
35-49	74	3.9	5	1	2	3	5	7	9	12
50-64	98	4.6	9	1	2	4	5	7	9	20
65+	153	5.3	10	1	2	5	6	9	11	17
2. MULTIPLE DX										
0-19 YRS	7	13.9	225	2	2	6	19	39	44	44
20-34	32	5.1	15	1	2	4	6	9	14	20
35-49	167	5.6	10	2	2	5	7	9	13	18
50-64	198	6.8	30	2	2	5	8	13	18	30
65+	463	7.9	37	2	3	6	9	14	18	35
TOT. SINGLE DX	385	4.4	9	1	1	4	6	8	9	17
" MULTIPLE DX	867	7.1	32	2	3	6	8	13	17	31
TOTAL 0-19 YRS	35	4.8	63	1	1	3	4	6	19	44
20-34	64	4.0	11	1	1	3	5	6	9	19
35-49	241	5.1	9	2	2	4	7	8	11	17
50-64	296	6.1	25	2	2	5	7	11	17	27
65+	616	7.2	32	2	2	6	8	13	17	32
GRAND TOTAL	**1252**	**6.3**	**27**	**1**	**2**	**5**	**7**	**11**	**15**	**29**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	7.9	27	1	1	8	12	14	14	14
20-34	99	5.6	5	3	3	5	7	9	11	13
35-49	678	5.8	5	3	3	5	7	9	10	14
50-64	1092	6.0	5	3	3	6	7	9	10	13
65+	1062	6.4	5	3	4	6	8	9	11	13
2. MULTIPLE DX										
0-19 YRS	3	9.0	21	5	5	8	12	14	14	14
20-34	126	6.9	11	3	3	6	8	11	13	20
35-49	973	6.5	10	3	4	6	8	10	12	20
50-64	1997	7.3	15	3	4	7	9	11	14	24
65+	2948	8.1	19	4	4	7	9	12	15	25
TOT. SINGLE DX	2938	6.1	6	3	3	6	7	9	10	13
" MULTIPLE DX	6047	7.5	17	3	4	7	9	12	14	24
TOTAL 0-19 YRS	10	8.2	23	1	1	8	13	14	14	14
20-34	225	6.3	9	3	3	6	8	11	12	17
35-49	1651	6.2	8	3	3	6	7	9	11	17
50-64	3089	6.9	12	3	4	6	8	10	13	20
65+	4010	7.6	16	3	4	7	9	12	14	23
GRAND TOTAL	**8985**	**7.1**	**14**	**3**	**4**	**6**	**8**	**11**	**13**	**21**

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	338	2.5	1	1	1	2	3	4	5	7
20-34	686	3.1	2	1	1	3	4	5	6	9
35-49	525	3.3	3	1	1	3	4	6	6	9
50-64	263	3.6	7	1	1	3	4	6	7	12
65+	37	2.9	1	1	1	3	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	115	3.2	4	1	1	3	4	5	8	11
20-34	482	3.5	9	1	1	3	4	6	7	17
35-49	987	3.9	6	1	1	3	5	7	8	13
50-64	646	4.2	14	1	1	3	5	7	9	19
65+	171	4.5	12	1	1	4	5	8	10	23
TOT. SINGLE DX	1849	3.1	3	1	1	3	4	5	6	9
" MULTIPLE DX	2401	3.9	10	1	1	3	5	7	9	16
TOTAL 0-19 YRS	453	2.7	2	1	1	3	3	4	5	9
20-34	1168	3.3	6	1	1	3	4	5	7	11
35-49	1512	3.7	5	1	1	3	5	6	8	12
50-64	909	4.0	13	1	1	3	5	7	9	19
65+	208	4.2	11	1	1	3	5	7	10	19
GRAND TOTAL	**4250**	**3.6**	**7**	**1**	**1**	**3**	**4**	**6**	**7**	**13**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	651	2.8	5	1	1	2	3	5	6	10
20-34	1135	2.8	3	1	1	2	4	5	6	10
35-49	197	2.6	2	1	1	2	3	5	5	9
50-64	34	2.3	1	1	1	2	3	4	5	5
65+	8	6.0	29	<1	1	4	9	15	16	16
2. MULTIPLE DX										
0-19 YRS	126	3.3	3	1	1	3	4	6	8	30
20-34	254	4.4	43	1	1	3	4	7	10	36
35-49	99	4.2	26	1	1	3	5	8	11	31
50-64	50	6.6	112	1	2	4	7	11	19	74
65+	27	6.9	47	2	2	4	10	13	19	35
TOT. SINGLE DX	2025	2.8	4	1	1	2	4	5	6	10
" MULTIPLE DX	556	4.5	38	1	1	3	5	8	11	36
TOTAL 0-19 YRS	777	2.9	5	1	1	2	4	5	7	10
20-34	1389	3.1	12	1	1	3	4	5	7	12
35-49	296	3.2	11	1	1	2	4	5	8	15
50-64	84	4.9	71	1	1	3	5	8	12	56
65+	35	6.7	43	1	2	4	10	13	16	35
GRAND TOTAL	**2581**	**3.2**	**12**	**1**	**1**	**3**	**4**	**5**	**7**	**13**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	672	2.8	17	<1	<1	2	3	6	8	21
20-34	679	3.4	16	<1	1	2	4	7	10	22
35-49	568	3.4	16	<1	1	2	4	8	11	23
50-64	468	3.5	20	<1	1	2	4	8	10	21
65+	253	4.2	23	<1	1	2	5	10	13	23
2. MULTIPLE DX										
0-19 YRS	517	7.5	194	1	1	3	6	16	35	86
20-34	909	9.8	147	1	1	5	12	25	34	73
35-49	1161	8.9	97	1	2	6	11	20	28	57
50-64	1549	8.6	76	1	2	6	11	19	27	41
65+	2158	9.8	89	1	2	7	12	20	26	51
TOT. SINGLE DX	2640	3.3	18	<1	<1	2	4	7	10	22
" MULTIPLE DX	6294	9.1	105	1	2	6	11	21	28	57
TOTAL 0-19 YRS	1189	4.8	99	<1	<1	2	4	8	18	56
20-34	1588	7.1	102	1	1	3	8	18	28	62
35-49	1729	7.1	78	1	1	4	9	16	25	45
50-64	2017	7.4	68	1	1	5	9	16	25	40
65+	2411	9.2	86	1	2	7	11	19	26	49
GRAND TOTAL	**8934**	**7.4**	**87**	**1**	**1**	**4**	**9**	**17**	**25**	**49**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1585	3.7	21	<1	1	2	5	8	11	23
20-34	1895	4.2	23	<1	1	3	5	9	13	24
35-49	1040	4.8	25	1	1	3	6	10	14	25
50-64	691	6.3	53	1	1	4	8	14	21	37
65+	536	7.6	99	1	1	5	9	17	23	47
2. MULTIPLE DX										
0-19 YRS	3460	5.5	58	1	1	3	6	12	19	44
20-34	5338	6.8	86	1	1	4	8	16	25	53
35-49	3564	9.5	126	1	1	6	12	22	32	57
50-64	4077	11.5	136	1	2	8	15	26	36	63
65+	6972	13.3	154	2	2	10	17	29	39	72
TOT. SINGLE DX	5747	4.7	36	1	1	3	6	10	15	30
" MULTIPLE DX	23411	9.8	127	1	1	6	13	23	33	62
TOTAL 0-19 YRS	5045	4.9	48	1	1	3	6	11	16	37
20-34	7233	6.1	71	1	1	3	7	14	21	48
35-49	4604	8.4	108	1	1	5	10	19	29	54
50-64	4768	10.7	128	1	2	7	14	25	34	60
65+	7508	12.9	153	1	2	9	17	28	38	72
GRAND TOTAL	**29158**	**8.8**	**113**	**1**	**1**	**5**	**11**	**21**	**30**	**57**

Appendix

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713, and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	245	5.6	34	1	1	4	7	12	17	30
20-34	261	6.3	54	1	1	4	8	13	18	42
35-49	195	7.1	66	1	1	4	9	15	23	45
50-64	156	7.9	75	1	1	5	10	16	25	36
65+	124	9.2	74	1	1	7	12	21	27	41
2. MULTIPLE DX										
0-19 YRS	300	12.5	160	1	1	9	17	30	35	66
20-34	439	14.1	206	1	2	10	19	31	42	80
35-49	365	14.6	144	2	3	12	20	31	40	74
50-64	454	15.6	187	2	3	11	22	36	45	63
65+	833	19.7	241	3	4	16	26	41	53	84
TOT. SINGLE DX	981	6.9	59	1	1	4	9	15	22	37
" MULTIPLE DX	2391	16.2	207	2	3	12	22	35	46	75
TOTAL 0-19 YRS	545	9.4	116	1	1	6	12	23	31	54
20-34	700	11.2	164	1	1	7	14	27	36	68
35-49	560	12.0	130	1	1	9	17	26	35	68
50-64	610	13.7	170	1	2	9	19	33	41	62
65+	957	18.4	233	2	3	14	24	39	50	81
GRAND TOTAL	**3372**	**13.5**	**182**	**1**	**2**	**9**	**19**	**31**	**41**	**70**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	83	3.2	23	1	1	2	3	7	12	29
20-34	111	6.1	115	1	1	2	6	11	25	63
35-49	66	4.1	44	<1	1	2	4	9	15	42
50-64	41	5.9	45	1	1	3	7	21	22	22
65+	23	8.5	54	1	2	6	12	21	24	27
2. MULTIPLE DX										
0-19 YRS	85	7.9	156	1	1	3	9	21	35	68
20-34	160	15.5	350	1	1	7	22	45	54	80
35-49	112	16.8	491	1	1	7	24	58	81	99+
50-64	133	15.0	319	1	2	8	19	38	62	97
65+	161	19.5	474	1	1	12	28	57	76	99
TOT. SINGLE DX	324	5.1	66	1	1	2	5	11	21	45
" MULTIPLE DX	651	15.6	383	1	1	7	21	47	62	94
TOTAL 0-19 YRS	168	5.6	96	1	1	2	5	12	24	53
20-34	271	11.7	275	1	1	4	13	36	52	78
35-49	178	12.1	362	1	1	4	14	34	65	98
50-64	174	12.8	269	1	1	7	17	32	55	95
65+	184	18.1	435	1	2	10	24	53	74	97
GRAND TOTAL	**975**	**12.1**	**302**	**1**	**1**	**5**	**15**	**34**	**56**	**91**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	339	2.2	7	<1	<1	2	2	4	6	12
20-34	206	2.4	2	<1	1	2	3	5	6	7
35-49	224	2.7	5	1	1	2	3	5	8	11
50-64	211	2.6	7	1	1	2	3	5	6	14
65+	75	2.6	14	1	1	2	3	4	6	26
2. MULTIPLE DX										
0-19 YRS	311	3.6	20	1	1	2	4	7	10	29
20-34	337	5.4	51	1	1	3	6	11	20	39
35-49	454	5.2	40	1	1	4	6	9	16	38
50-64	628	4.8	44	1	1	3	6	10	15	31
65+	478	8.1	78	1	1	6	10	17	22	44
TOT. SINGLE DX	1055	2.5	6	<1	1	2	3	5	6	11
" MULTIPLE DX	2208	5.5	51	1	1	3	7	12	17	34
TOTAL 0-19 YRS	650	2.9	14	<1	1	2	3	6	8	24
20-34	543	4.2	35	1	1	3	5	7	12	32
35-49	678	4.4	30	1	1	3	5	8	12	32
50-64	839	4.3	36	1	1	2	5	9	13	30
65+	553	7.4	73	1	1	5	9	16	21	42
GRAND TOTAL	**3263**	**4.5**	**38**	**1**	**1**	**3**	**5**	**9**	**14**	**31**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	47	3.1	4	1	1	2	4	5	7	12
20-34	43	4.2	7	1	1	4	6	7	10	13
35-49	29	3.9	15	1	1	3	5	10	14	16
50-64	30	3.9	21	1	1	2	4	12	13	17
65+	19	3.4	9	1	1	2	4	9	10	10
2. MULTIPLE DX										
0-19 YRS	92	7.5	130	1	1	4	8	11	34	70
20-34	114	5.8	16	1	2	5	8	11	15	19
35-49	125	7.4	44	2	2	5	9	14	22	38
50-64	198	8.0	36	2	3	6	10	16	19	29
65+	339	9.5	60	2	3	7	11	19	23	39
TOT. SINGLE DX	168	3.7	11	1	1	3	5	9	11	16
" MULTIPLE DX	868	8.2	56	2	2	6	10	16	21	37
TOTAL 0-19 YRS	139	6.0	92	1	1	3	6	10	16	65
20-34	157	5.4	14	1	2	4	7	11	13	18
35-49	154	6.7	41	1	1	5	8	14	18	37
50-64	228	7.5	37	1	2	6	10	15	18	28
65+	358	9.2	59	2	3	7	11	18	22	37
GRAND TOTAL	**1036**	**7.4**	**51**	**1**	**2**	**5**	**10**	**15**	**20**	**36**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	92	3.4	12	1	1	2	4	7	13	17
20-34	322	3.7	15	1	1	2	4	7	10	22
35-49	459	4.3	27	1	1	3	5	9	12	23
50-64	796	3.4	10	1	1	2	4	7	9	17
65+	806	3.4	14	1	1	2	4	7	10	18
2. MULTIPLE DX										
0-19 YRS	127	7.3	132	1	1	4	7	17	21	73
20-34	440	6.6	49	1	1	5	8	13	19	42
35-49	1134	7.0	49	1	2	5	9	15	20	36
50-64	3248	6.7	50	1	2	5	9	13	18	37
65+	5736	6.9	35	1	2	5	9	14	17	28
TOT. SINGLE DX	2475	3.6	16	1	1	2	4	8	11	20
" MULTIPLE DX	10685	6.8	43	1	2	5	9	14	18	32
TOTAL 0-19 YRS	219	5.7	86	1	1	3	6	14	17	49
20-34	762	5.4	37	1	1	3	7	11	16	38
35-49	1593	6.2	45	1	1	4	8	13	18	33
50-64	4044	6.1	44	1	1	4	8	12	16	33
65+	6542	6.5	34	1	2	5	8	13	17	28
GRAND TOTAL	**13160**	**6.2**	**40**	**1**	**2**	**4**	**8**	**13**	**17**	**31**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	256	3.0	13	1	1	2	3	7	9	18
20-34	3489	3.5	14	1	1	2	4	8	11	17
35-49	4942	3.4	13	1	1	2	4	8	11	17
50-64	2560	3.3	12	1	1	2	4	8	10	17
65+	696	3.5	13	1	1	2	4	8	11	16
2. MULTIPLE DX										
0-19 YRS	220	4.5	32	1	1	3	6	10	14	32
20-34	2431	5.5	29	1	1	4	8	12	16	25
35-49	4263	5.5	27	1	1	4	8	12	15	25
50-64	3728	5.9	41	1	1	4	8	13	17	29
65+	2457	7.5	52	1	1	5	10	16	21	37
TOT. SINGLE DX	11943	3.4	14	1	1	2	4	8	11	17
" MULTIPLE DX	13099	6.0	37	1	1	4	8	13	17	29
TOTAL 0-19 YRS	476	3.7	23	1	1	2	4	8	12	25
20-34	5920	4.3	22	1	1	2	6	10	13	21
35-49	9205	4.4	21	1	1	3	6	10	13	21
50-64	6288	4.9	31	1	1	3	6	11	15	25
65+	3153	6.6	47	1	1	4	9	15	19	34
GRAND TOTAL	**25042**	**4.7**	**28**	**1**	**1**	**3**	**6**	**11**	**14**	**24**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	7	2.0	2	1	1	2	2	4	5	5
35-49	70	3.1	8	1	1	2	4	7	10	15
50-64	127	3.7	11	1	1	2	5	10	11	16
65+	58	3.1	6	1	1	2	4	6	9	12
2. MULTIPLE DX										
0-19 YRS	3	3.0	12	<1	<1	1	5	7	7	7
20-34	23	3.0	3	1	1	2	4	6	7	8
35-49	186	4.6	12	1	1	4	6	10	12	15
50-64	551	6.0	26	1	2	4	9	13	16	26
65+	415	6.8	29	1	2	5	9	14	17	26
TOT. SINGLE DX	262	3.4	10	1	1	2	4	8	11	15
" MULTIPLE DX	1178	6.0	26	1	2	4	8	13	16	25
TOTAL 0-19 YRS	3	3.0	12	<1	<1	1	5	7	7	7
20-34	30	2.7	3	1	1	2	3	5	7	8
35-49	256	4.2	12	1	1	3	6	9	12	15
50-64	678	5.6	25	1	1	4	8	12	16	24
65+	473	6.3	28	1	2	5	9	13	16	26
GRAND TOTAL	**1440**	**5.5**	**24**	**1**	**1**	**4**	**8**	**12**	**15**	**24**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	165	4.2	11	1	1	3	6	9	11	13
20-34	760	5.0	15	1	1	4	8	11	12	17
35-49	924	4.9	17	1	1	3	7	10	13	19
50-64	1151	4.3	14	1	1	3	6	10	12	16
65+	970	4.3	17	1	1	2	6	10	12	18
2. MULTIPLE DX										
0-19 YRS	209	6.1	38	1	1	4	8	14	18	30
20-34	1240	7.5	54	1	1	6	10	15	20	35
35-49	2190	7.1	43	1	2	6	10	14	18	31
50-64	4776	6.8	37	1	1	5	9	13	17	32
65+	7624	7.5	38	1	2	6	10	15	19	30
TOT. SINGLE DX	3970	4.6	16	1	1	3	7	10	12	17
" MULTIPLE DX	16039	7.2	40	1	2	6	10	14	18	31
TOTAL 0-19 YRS	374	5.3	27	1	1	3	7	11	15	22
20-34	2000	6.5	41	1	1	5	9	13	17	30
35-49	3114	6.5	37	1	1	5	9	13	16	27
50-64	5927	6.3	34	1	1	5	9	13	16	29
65+	8594	7.2	37	1	2	6	10	14	18	29
GRAND TOTAL	**20009**	**6.7**	**37**	**1**	**1**	**5**	**9**	**14**	**17**	**29**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12681	3.5	20	1	1	3	4	6	8	21
20-34	17872	3.9	16	1	1	3	5	7	10	22
35-49	11379	4.6	20	1	1	3	6	9	12	25
50-64	8052	5.2	24	1	1	4	6	10	13	26
65+	5953	6.0	27	1	2	5	8	11	15	27
2. MULTIPLE DX										
0-19 YRS	21882	5.3	57	1	1	3	5	9	16	45
20-34	31084	5.6	35	1	1	4	7	11	15	31
35-49	34305	6.3	30	1	2	5	8	12	16	29
50-64	52063	7.1	34	2	2	6	9	13	17	30
65+	111149	8.1	35	2	3	7	10	15	19	31
TOT. SINGLE DX	55937	4.3	21	1	1	3	5	8	11	24
" MULTIPLE DX	250483	7.1	37	2	2	6	9	13	18	31
TOTAL 0-19 YRS	34563	4.7	45	1	1	3	5	8	12	39
20-34	48956	5.0	30	1	1	4	6	9	14	29
35-49	45684	5.8	28	1	2	4	7	11	15	28
50-64	60115	6.8	33	2	2	5	8	13	17	29
65+	117102	8.0	35	2	3	7	10	15	19	30
GRAND TOTAL	**306420**	**6.6**	**36**	**1**	**2**	**5**	**8**	**13**	**17**	**30**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6024	7.1	132	1	1	3	5	19	33	60
20-34	3336	8.1	76	1	2	5	10	18	25	44
35-49	3029	7.6	50	1	2	5	9	15	23	35
50-64	2051	7.5	50	1	2	5	9	16	23	35
65+	1514	7.9	72	1	2	6	10	15	21	46
2. MULTIPLE DX										
0-19 YRS	8848	7.8	141	1	2	4	7	18	33	74
20-34	6076	8.7	88	1	2	6	10	20	27	48
35-49	7257	8.5	69	2	2	6	10	17	24	46
50-64	10053	8.5	58	2	3	7	10	16	22	42
65+	22604	9.4	58	2	3	7	11	18	23	42
TOT. SINGLE DX	15954	7.5	89	1	1	4	8	17	26	48
" MULTIPLE DX	54838	8.8	77	2	2	6	10	17	25	47
TOTAL 0-19 YRS	14872	7.5	138	1	1	4	6	18	33	69
20-34	9412	8.5	85	1	2	5	10	19	27	46
35-49	10286	8.2	64	2	2	6	10	17	23	42
50-64	12104	8.3	57	2	2	6	10	16	22	41
65+	24118	9.4	59	2	3	7	11	17	23	42
GRAND TOTAL	**70792**	**8.5**	**80**	**2**	**2**	**6**	**10**	**17**	**25**	**47**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6456	3.8	30	1	1	3	4	6	8	29
20-34	4548	3.9	31	<1	1	2	4	7	11	30
35-49	3368	4.6	26	1	1	3	5	9	13	28
50-64	3011	5.4	26	1	1	4	7	10	13	25
65+	2521	6.1	31	1	2	5	8	11	15	33
2. MULTIPLE DX										
0-19 YRS	14779	5.6	64	1	2	4	5	10	18	49
20-34	9544	5.9	54	1	1	4	6	12	20	39
35-49	12657	6.2	36	1	2	4	7	12	17	31
50-64	22925	6.9	34	2	2	5	9	13	17	30
65+	52781	7.9	37	2	3	6	10	15	19	31
TOT. SINGLE DX	19904	4.5	30	1	1	3	5	9	12	29
" MULTIPLE DX	112686	7.0	42	1	2	5	9	14	18	33
TOTAL 0-19 YRS	21235	5.1	54	1	1	3	5	8	15	44
20-34	14092	5.3	48	<1	1	3	6	10	17	36
35-49	16025	5.8	35	1	1	4	7	11	16	30
50-64	25936	6.7	34	1	2	5	8	13	17	30
65+	55302	7.9	37	2	3	6	10	14	19	31
GRAND TOTAL	**132590**	**6.7**	**41**	**1**	**2**	**5**	**8**	**13**	**18**	**33**

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	Title
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number	Title
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous

OPERATION INDEX (continued)

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

OPERATION INDEX (continued)

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

OPERATION INDEX (continued)

Group Number **Title**

- 763 Cancer chemotherapy
- Cardiac
  - 573 Catheterization
  - 764 Function tests
  - Massage
    - 763 Closed
    - 575 Open
  - 574 Pacemaker insertion or replacement
  - 575 Revascularization, except coronary bypass
    - 572 Coronary bypass
  - 764 Stress tests
- 509 Carpal tunnel decompression or release
- 760 Cast application
- 758 C.A.T. scan
- 526 Cataract extraction, except intracapsular
  - 525 Intracapsular
- Catheterization
  - 647 Bladder, except suprapubic approach
    - 638 Suprapubic approach
  - 581 Blood vessel
  - 573 Cardiac
  - 645 Ureteral
  - 647 Urethral, indwelling
  - 587 Vein, except umbilical
    - 581 Umbilical
- 669 Cerclage, cervix
- 692 Cesarean section, except low cervical
  - 691 Low cervical
- 763 Chemotherapy
- 758 Cholangiogram (intravenous) (percutaneous)
- 616 Cholecystectomy
- 758 Cholecystogram
- 617 Cholecystotomy
- 764 Circulatory monitoring
- 657 Circumcision, except newborn
- Closure
  - 617 Cholecystostomy
  - 601 Colostomy
  - Fistula – *see Fistulectomy*
  - 596 Gastric anastomosis
  - 601 Sigmoidostomy
  - 570 Thoracostomy

OPERATION INDEX (continued)

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

OPERATION INDEX (continued)

Group Number	Title
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions – *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, exept of hand
728	Hand

OPERATION INDEX (continued)

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage – *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

OPERATION INDEX (continued)

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision – *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

OPERATION INDEX (continued)

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (continued)
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation

OPERATION INDEX (continued)

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction — *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

OPERATION INDEX (continued)

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

OPERATION INDEX (continued)

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus – *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

OPERATION INDEX (continued)

Group Number **Title**

- Incision (and drainage) (continued)
  - 626 Retroperitoneal abscess
  - 651 Scrotum
  - Sinus (nasal) — *see Sinusctomy*
  - 748 Skin, except pilonidal cyst or sinus
    - 746 Pilonidal cyst or sinus
  - 506 Spinal meninges
  - 726 Tendon
  - 569 Thorax
  - 633 Ureter
  - 682 Vagina
  - 683 Vulva
- 690 Induction of labor (medical or surgical) for delivery
- Injection
  - 694 Intra-amniotic, for termination of pregnancy
  - 763 Therapeutic agent (drugs)
    - 745 Breast
    - 741 Bursa
    - 741 Joint
    - 741 Tendon
- 686 Insemination, artificial
- Insertion
  - 574 Cardiac pacemaker
  - 686 Intrauterine contraceptive device
  - 679 Laminaria, uterus
- 666 Insufflation, fallopian tubes
- 694 Intra-amniotic injection for termination of pregnancy
- 758 Intravenous pyelogram (IVP)
- 764 Intubation, nonoperative
- 764 Irrigation, nonoperative
- 758 IVP (intravenous pyelogram)

- Laceration repair (suture) — *see Repair, by site*
- 506 Laminectomy, except for excision of intervertebral disc
  - 717 Excision of intervertebral disc
- 628 Laparoscopy, except for tubal ligation
  - 664 Tubal ligation
- 627 Laparotomy, exploratory
- 560 Laryngectomy, except partial
  - 559 Partial
- 576 Laryngoscopy

OPERATION INDEX (continued)

Group Number	Title
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except of hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended

OPERATION INDEX (continued)

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

OPERATION INDEX (continued)

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

OPERATION INDEX (continued)

Group Number	Title
	Reduction (continued)
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia – *see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions – *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	Without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	With incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva

OPERATION INDEX (continued)

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula — *see Fistulectomy*
704	Hallux valgus
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
	Hernia – *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration – *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis

OPERATION INDEX (continued)

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt – *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

OPERATION INDEX (continued)

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
644	Stress incontinence repair, except by urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture – *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown – *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

OPERATION INDEX (continued)

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction — *see Reduction, fracture*
	Transfer — *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

OPERATION INDEX (continued)

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray – *see Radiography*
751	Z-plasty, skin